

Performance of Key HMIS Indicators for Bihar-> Buxar (Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to August

These indicators are under compilation (83,84,85,86,197,198)

Indicators		1		2		3		4		5		6	
		Total number of pregnant women Registered for ANC		Number of Pregnant women registered within first trimester		% 1st Trimester registration to Total ANC Registrations		Number of pregnant women received 4 or more ANC check ups		TT2 given to Pregnant women (numbers)		TT Booster given to Pregnant women (numbers)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	23,719	20,085	15,290	12,451	64.4	61.9	15,398	9,492	11,027	10,023	8,543	8,018
1	Brahampur	2,396	2,366	1,679	1,404	70.1	59.3	1,494	1,037	1,279	1,228	1,044	1,049
2	Buxar Sadar	3,053	2,704	1,732	1,530	56.7	56.6	1,884	1,667	1,636	1,546	1,264	1,008
3	Buxar Urban	2,465	1,152	1,645	1,001	66.7	86.9	1,707	1,134	231	241	0	0
4	Chakki	1,074	404	249	357	23.2	88.4	221	208	210	201	169	167
5	Chaugain	612	591	548	537	89.5	90.9	452	237	289	253	329	312
6	Chausa	1,268	1,050	908	681	71.6	64.9	1,305	541	686	608	499	435
7	Dumraon	3,338	2,607	1,781	1,462	53.4	56.1	1,902	679	1,397	1,195	1,300	1,086
8	Itarhi	2,198	1,781	1,424	833	64.8	46.8	1,235	747	1,253	997	765	685
9	Kesath	394	397	264	281	67.0	70.8	284	293	175	175	188	195
10	Nawanagar	2,005	1,944	1,347	1,088	67.2	56.0	1,248	827	1,083	1,077	872	867
11	Rajpur	2,569	2,742	1,891	1,681	73.6	61.3	1,613	1,153	1,404	1,223	1,235	1,255
12	Simri	2,347	2,347	1,822	1,596	77.6	68.0	2,053	969	1,384	1,279	878	959

Indicators		7		8		9		10		11		12	
		% Pregnant Woman received 4 ANC check ups to Total ANC Registrations		% Pregnant women received TT2+ TT Booster to Total ANC Registration		Number of Pregnant women given 180 IFA tablets		% Pregnant women given 180 IFA to Total ANC Registration		Number of Pregnant Women having Hb level<11 (tested cases)		Number of Pregnant Women having severe anaemia (Hb<7) treated at institution	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	64.9	47.2	82.5	89.8	4,333	6,820	18.2	33.9	2,825	2,396	16	32
1	Brahampur	62.4	43.8	97.0	96.2	15	667	0.6	28.2	169	101	0	0
2	Buxar Sadar	61.7	61.6	95.0	94.5	811	1,415	26.6	52.3	0	0	0	0
3	Buxar Urban	69.2	98.4	9.4	20.9	2,215	1,075	89.9	93.3	1,899	1,608	7	19
4	Chakki	20.6	51.5	35.3	91.1	16	29	1.5	7.2	0	0	0	0
5	Chaugain	73.9	40.1	101.0	95.6	170	136	27.8	23.0	64	168	0	3
6	Chausa	102.9	51.5	93.5	99.3	457	773	36.0	73.6	31	29	0	1
7	Dumraon	57.0	26.0	80.8	87.5	0	820	0.0	31.5	391	301	1	6
8	Itarhi	56.2	41.9	91.8	94.4	10	114	0.5	6.4	267	9	0	0
9	Kesath	72.1	73.8	92.1	93.2	303	293	76.9	73.8	0	0	0	0
10	Nawanagar	62.2	42.5	97.5	100.0	0	339	0.0	17.4	0	0	0	0
11	Rajpur	62.8	42.0	102.7	90.4	268	1,065	10.4	38.8	0	162	0	0
12	Simri	87.5	41.3	96.4	95.4	68	94	2.9	4.0	4	18	8	3

Indicators		13		14		15		16		17		18	
		% Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<7		% New cases of Pregnant Women detected at institution for hypertension to Total ANC Registrations		Number of Home deliveries		Number of home deliveries attended by SBA trained (Doctor/Nurse/ANM)		Number of home deliveries attended by Non SBA trained (trained TB/Dai)		% SBA attended home deliveries to Total Reported Home Deliveries	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	11.9	15.7	0.1	0.6	1,042	1,094	370	341	672	753	35.5	31.1
1	Brahampur	0.0		0.1	1.2	76	97	1	3	75	94	1.3	3.1
2	Buxar Sadar			0.0	0.0	160	175	87	95	73	80	54.4	54.3
3	Buxar Urban	7.4	29.7	0.1	1.1								
4	Chakki			0.0	0.0	137	63	0	0	137	63	0.0	0.0
5	Chaugain		100.0	0.5	0.5	49	55	9	41	40	14	18.4	74.5
6	Chausa	0.0	33.3	0.7	2.0	98	85	38	24	60	61	38.8	28.2
7	Dumraon	4.2	11.8	0.0	0.0	283	187	235	138	48	49	83.0	73.8
8	Itarhi			0.2	0.0	146	150	0	0	146	150	0.0	0.0
9	Kesath			0.0	0.0	0	0	0	0	0	0		
10	Nawanagar			0.0	0.0	23	60	0	9	23	51	0.0	15.0
11	Rajpur	0.0	0.0	0.1	0.3	0	116	0	31	0	85		26.7
12	Simri	88.9		0.4	1.9	70	106	0	0	70	106	0.0	0.0

Indicators		19		20		21		22		23		24	
		Deliveries Conducted at Public Institutions		Number of Women Discharged under 48 hours of delivery in public facilities		% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at public institutions		Deliveries Conducted at Private Institutions		Number of Women Discharged under 48 hours of delivery in private institutions		% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at private institutions	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	7,735	8,225	5,032	7,428	65.0	90.3						
1	Brahampur	1,135	1,249	6	1,243	0.5	99.5						
2	Buxar Sadar	0	0	0	0								
3	Buxar Urban	1,455	1,391	1,369	1,374	94.1	98.8						
4	Chakki	82	86	82	86	100.0	100.0						
5	Chaugain	293	305	293	305	100.0	100.0						
6	Chausa	598	642	598	662	100.0	103.1						
7	Dumraon	1,185	1,365	1,161	1,365	98.0	100.0						
8	Itarhi	676	885	0	851	0.0	96.2						
9	Kesath	129	139	129	139	100.0	100.0						
10	Nawanagar	513	543	513	543	100.0	100.0						
11	Rajpur	832	742	832	742	100.0	100.0						
12	Simri	837	878	49	118	5.9	13.4						

Performance of Key HMIS Indicators for Bihar-> Buxar (Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to August

These indicators are under compilation (83,84,85,86,197,198)

Indicators		25		26		27		28		29		30	
		Institutional deliveries (Public Insts.+Pvt. Insts.)		% Institutional Deliveries to total ANC registration		Total reported deliveries		% Institutional deliveries to Total Reported Deliveries		% Safe deliveries to Total Reported Deliveries		% Home deliveries to Total Reported Deliveries	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	7,735	8,225	32.6	40.9	8,777	9,319	88.1	88.3	92.3	91.9	11.9	11.7
1	Brahampur	1,135	1,249	47.4	52.8	1,211	1,346	93.7	92.8	93.8	93.0	6.3	7.2
2	Buxar Sadar	0	0	0.0	0.0	160	175	0.0	0.0	54.4	54.3	100.0	100.0
3	Buxar Urban	1,455	1,391	59.0	120.7	1,455	1,391	100.0	100.0	100.0	100.0	0.0	0.0
4	Chakki	82	86	7.6	21.3	219	149	37.4	57.7	37.4	57.7	62.6	42.3
5	Chaugain	293	305	47.9	51.6	342	360	85.7	84.7	88.3	96.1	14.3	15.3
6	Chausa	598	642	47.2	61.1	696	727	85.9	88.3	91.4	91.6	14.1	11.7
7	Dumraon	1,185	1,365	35.5	52.4	1,468	1,552	80.7	88.0	96.7	96.8	19.3	12.0
8	Itarhi	676	885	30.8	49.7	822	1,035	82.2	85.5	82.2	85.5	17.8	14.5
9	Kesath	129	139	32.7	35.0	129	139	100.0	100.0	100.0	100.0	0.0	0.0
10	Nawanagar	513	543	25.6	27.9	536	603	95.7	90.0	95.7	91.5	4.3	10.0
11	Rajpur	832	742	32.4	27.1	832	858	100.0	86.5	100.0	90.1	0.0	13.5
12	Simri	837	878	35.7	37.4	907	984	92.3	89.2	92.3	89.2	7.7	10.8

Performance of Key HMIS Indicators for Bihar-> Buxar (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to August
These indicators are under compilation (83,84,85,86,197,198)

Indicators		31		32		33		34		35		36	
		Number of C-section deliveries conducted at public facilities		Number of C-section deliveries conducted at private facilities		% C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries		% C-sections conducted at public facilities to Deliveries conducted at public facilities		% C-sections conducted at Private facilities to Deliveries conducted at private facilities		% Deliveries conducted at Public Institutions to Total Institutional Deliveries	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	110	29			1.4	0.3	1.4	0.4			100.0	100.0
1	Brahampur	0	0			0.0	0.0	0.0	0.0			100.0	100.0
2	Buxar Sadar	0	0										
3	Buxar Urban	86	29			5.9	2.1	5.9	2.1			100.0	100.0
4	Chakki	0	0			0.0	0.0	0.0	0.0			100.0	100.0
5	Chaugain	0	0			0.0	0.0	0.0	0.0			100.0	100.0
6	Chausa	0	0			0.0	0.0	0.0	0.0			100.0	100.0
7	Dumraon	24	0			2.0	0.0	2.0	0.0			100.0	100.0
8	Itarhi	0	0			0.0	0.0	0.0	0.0			100.0	100.0
9	Kesath	0	0			0.0	0.0	0.0	0.0			100.0	100.0
10	Nawanagar	0	0			0.0	0.0	0.0	0.0			100.0	100.0
11	Rajpur	0	0			0.0	0.0	0.0	0.0			100.0	100.0
12	Simri	0	0			0.0	0.0	0.0	0.0			100.0	100.0

Performance of Key HMIS Indicators for Bihar-> Buxar (Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to August

These indicators are under compilation (83,84,85,86,197,198)

Indicators		37		38		39		40		41		42	
		% Deliveries conducted at Private Institutions to Total Institutional Deliveries		Women received 1st post partum check-up within 48 hours of home delivery		Women received 1st post partum check up between 48 hours and 14 days		% Women getting 1st post partum check-up within 48 hours of home delivery to Total Reported Home Deliveries		% Women getting 1st Post Partum Checkup between 48 hours and 14 days to Total Reported Deliveries		Total Number of reported live births	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	0.0	0.0	2,645	5,280	3,692	6,598	253.8	482.6	42.1	70.8	8,725	9,169
1	Brahampur	0.0	0.0	86	981	414	478	113.2	1011.3	34.2	35.5	1,183	1,337
2	Buxar Sadar			0	0	1,032	1,032	0.0	0.0	645.0	589.7	158	175
3	Buxar Urban	0.0	0.0	1,610	1,254	86	1,275			5.9	91.7	1,453	1,388
4	Chakki	0.0	0.0	0	70	209	125	0.0	111.1	95.4	83.9	218	149
5	Chaugain	0.0	0.0	49	133	309	296	100.0	241.8	90.4	82.2	340	359
6	Chausa	0.0	0.0	669	691	329	447	682.7	812.9	47.3	61.5	682	709
7	Dumraon	0.0	0.0	0	288	255	359	0.0	154.0	17.4	23.1	1,468	1,541
8	Itarhi	0.0	0.0	17	373	31	323	11.6	248.7	3.8	31.2	821	967
9	Kesath	0.0	0.0	0	139	129	139			100.0	100.0	129	108
10	Nawanagar	0.0	0.0	180	385	353	216	782.6	641.7	65.9	35.8	546	603
11	Rajpur	0.0	0.0	0	764	78	843		658.6	9.4	98.3	829	853
12	Simri	0.0	0.0	34	202	467	1,065	48.6	190.6	51.5	108.2	898	980

Performance of Key HMIS Indicators for Bihar-> Buxar (Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to August

These indicators are under compilation (83,84,85,86,197,198)

Indicators		43		44		45		46		47		48	
		% Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		% Newborns weighed at birth to live birth		Number of Newborns having weight less than 2.5 kg	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	99.4	98.4	95	100	98.9	98.9	8,256	8,701	94.6	94.9	1,096	1,219
1	Brahampur	97.7	99.3	30	20	97.5	98.5	1,179	1,315	99.7	98.4	169	156
2	Buxar Sadar	98.8	100.0	0	0	100.0	100.0	158	175	100.0	100.0	2	0
3	Buxar Urban	99.9	99.8	12	30	99.2	97.9	1,452	1,363	99.9	98.2	181	204
4	Chakki	99.5	100.0	0	0	100.0	100.0	218	149	100.0	100.0	9	21
5	Chaugain	99.4	99.7	3	3	99.1	99.2	340	345	100.0	96.1	40	49
6	Chausa	98.0	97.5	8	3	98.8	99.6	658	690	96.5	97.3	105	108
7	Dumraon	100.0	99.3	11	14	99.3	99.1	1,185	1,356	80.7	88.0	249	204
8	Itarhi	99.9	93.4	3	3	99.6	99.7	722	847	87.9	87.6	52	119
9	Kesath	100.0	77.7	0	2	100.0	98.2	129	106	100.0	98.1	19	16
10	Nawanagar	101.9	100.0	7	5	98.7	99.2	531	603	97.3	100.0	45	67
11	Rajpur	99.6	99.4	11	11	98.7	98.7	826	833	99.6	97.7	90	105
12	Simri	99.0	99.6	10	9	98.9	99.1	858	919	95.5	93.8	135	170

Indicators		49		50		51		52		53		54	
		% Newborns having weight less than 2.5 kg to Newborns weighed at birth		Number of New Borns Breast Fed within 1 hour		% Newborns breast fed within 1 hour of birth to Total live birth		Sex Ratio at birth (Female Live Births/ Male Live Births *1000)		% cases of Pregnant women with Obstetric Complications and attended to reported deliveries		% Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	13.2	14.0	8,590	8,997	98.4	98.1	882	932	1.4	1.4	3.2	6.6
1	Brahampur	14.3	11.9	1,180	1,327	99.7	99.3	917	1,038	3.0	3.1	0.0	0.0
2	Buxar Sadar	1.3	0.0	158	175	100.0	100.0	756	823	0.0	0.0		
3	Buxar Urban	12.5	15.0	1,426	1,355	98.1	97.6	794	930	1.2	1.1	17.6	60.0
4	Chakki	4.1	14.1	216	149	99.1	100.0	879	817	0.0	0.0		
5	Chaugain	11.8	14.2	339	354	99.7	98.6	848	880	2.0	2.8	0.0	0.0
6	Chausa	16.0	15.7	682	707	100.0	99.7	971	846	1.3	3.2	0.0	0.0
7	Dumraon	21.0	15.0	1,435	1,541	97.8	100.0	914	921	2.5	1.6	2.8	0.0
8	Itarhi	7.2	14.0	804	922	97.9	95.3	936	934	0.4	0.0	0.0	
9	Kesath	14.7	15.1	126	103	97.7	95.4	897	831	0.0	0.0		
10	Nawanagar	8.5	11.1	531	603	97.3	100.0	826	1,003	0.0	0.3		0.0
11	Rajpur	10.9	12.6	823	834	99.3	97.8	1,002	961	1.2	0.0	0.0	
12	Simri	15.7	18.5	870	927	96.9	94.6	789	877	0.9	2.0	0.0	0.0

Indicators		55		56		57		58		59		60	
		Number of PW given 360 Calcium tablets		% Pregnant women given 360 Calcium to Total ANC Registration		Number of PW given one Albendazole tablet after 1st trimester		% Pregnant women given one Albendazole tablet after 1st trimester to Total ANC Registration		Number of PW tested for blood sugar using OGTT (Oral Glucose Tolerance Test)		% Pregnant women tested for blood sugar using OGTT to Total ANC Registration	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	2,819	1,257	11.9	6.3	3,795	2,060	16.0	10.3	978	500	4.1	2.5
1	Brahampur	0	9	0.0	0.4	683	373	28.5	15.8	0	0	0.0	0.0
2	Buxar Sadar	185	0	6.1	0.0	70	0	2.3	0.0	0	0	0.0	0.0
3	Buxar Urban	2,215	440	89.9	38.2	1,645	440	66.7	38.2	0	0	0.0	0.0
4	Chakki	0	0	0.0	0.0	20	7	1.9	1.7	0	0	0.0	0.0
5	Chaugain	0	0	0.0	0.0	131	200	21.4	33.8	176	0	28.8	0.0
6	Chausa	380	0	30.0	0.0	115	0	9.1	0.0	0	0	0.0	0.0
7	Dumraon	0	472	0.0	18.1	0	248	0.0	9.5	802	500	24.0	19.2
8	Itarhi	32	87	1.5	4.9	1,103	579	50.2	32.5	0	0	0.0	0.0
9	Kesath	0	0	0.0	0.0	0	22	0.0	5.5	0	0	0.0	0.0
10	Nawanagar	0	0	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0
11	Rajpur	7	249	0.3	9.1	0	128	0.0	4.7	0	0	0.0	0.0
12	Simri	0	0	0.0	0.0	28	63	1.2	2.7	0	0	0.0	0.0

Indicators		61		62		63		64		65		66	
		Number of PW tested positive for GDM		% Pregnant women tested positive for GDM to Total ANC Registration		Number of pregnant women tested for Syphilis		Number of pregnant women tested found sero positive for Syphilis		% Pregnant women tested for Syphilis to Total ANC Registration		% Pregnant women treated for Syphilis to Total sero positive for Syphilis	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	0	0	0.0	0.0	242	547	0	2	1.0	2.7	0.0	0.2
1	Brahampur	0	0	0.0	0.0	0	0	0	0	0.0	0.0		
2	Buxar Sadar	0	0	0.0	0.0	0	0	0	0	0.0	0.0		
3	Buxar Urban	0	0	0.0	0.0	242	0	0	0	9.8	0.0	0.0	
4	Chakki	0	0	0.0	0.0	0	0	0	0	0.0	0.0		
5	Chaugain	0	0	0.0	0.0	0	310	0	2	0.0	52.5		0.3
6	Chausa	0	0	0.0	0.0	0	0	0	0	0.0	0.0		
7	Dumraon	0	0	0.0	0.0	0	237	0	0	0.0	9.1		0.0
8	Itarhi	0	0	0.0	0.0	0	0	0	0	0.0	0.0		
9	Kesath	0	0	0.0	0.0	0	0	0	0	0.0	0.0		
10	Nawanagar	0	0	0.0	0.0	0	0	0	0	0.0	0.0		
11	Rajpur	0	0	0.0	0.0	0	0	0	0	0.0	0.0		
12	Simri	0	0	0.0	0.0	0	0	0	0	0.0	0.0		

Indicators		67		68		69		70		71		72	
		% of babies treated for congenital Syphilis to babies total diagnosed with Congenital Syphilis		Total no. maternal deaths		Total Facility Based Maternal Death Reviews (FBMDR) done		Total Number of Abortions (Spontaneous) Reported		Total Number of MTPs (Public) conducted		% MTPs to total Abortions	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar			9	13	0	0	30	15	22	12	90.8	44.4
1	Brahampur			0	1			4	7	0	0	0.0	0.0
2	Buxar Sadar			0	0			1	0	0	0	0.0	
3	Buxar Urban			0	2	0	0	15	6	22	12	95.2	66.7
4	Chakki			0	0			0	0	0	0		
5	Chaugain			4	0			5	2	0	0	0.0	0.0
6	Chausa			1	0			1	0	0	0	0.0	
7	Dumraon			1	0	0	0	0	0	0	0		
8	Itarhi			0	1			3	0	0	0	0.0	
9	Kesath			0	0			0	0	0	0		
10	Nawanagar				0			0	0	0	0		
11	Rajpur			0	0			0	0	0	0		
12	Simri			3	9			1	0	0	0	0.0	

Performance of Key HMIS Indicators for Bihar-> Buxar (Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to August

These indicators are under compilation (83,84,85,86,197,198)

Indicators		73		74		75		76		77		78	
		% MTPs up to 12 weeks of Pregnancy to Total MTPs at Public Institutions		% MTPs more than 12 weeks of Pregnancy to Total MTPs at Public Institutions		% MTPs Conducted at Public Institutions to Total MTPs		% MTPs Conducted at Private Institutions to Total MTPs		% Total MTPs (Public) Conducted to Total ANC Registration		Number of Vasectomies Conducted	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	95.5	100.0	4.5	0.0	7.4	100.0	92.6	0.0	0.1	0.1	19	9
1	Brahampur									0.0	0.0	0	0
2	Buxar Sadar									0.0	0.0	0	0
3	Buxar Urban	95.5	100.0	4.5	0.0	7.4	100.0	92.6	0.0	0.9	1.0	3	2
4	Chakki									0.0	0.0	0	0
5	Chaugain									0.0	0.0	0	0
6	Chausa									0.0	0.0	1	0
7	Dumraon									0.0	0.0	5	0
8	Itarhi									0.0	0.0	0	0
9	Kesath									0.0	0.0	6	6
10	Nawanagar									0.0	0.0	3	1
11	Rajpur									0.0	0.0	0	0
12	Simri									0.0	0.0	1	0

Indicators		79		80		81		82		83		84	
		Number of Tubectomies Conducted		Total Sterilisation Conducted		% Male Sterilisation (Vasectomies) to Total sterilisation		% Female Serlisation (Tubectomies) to Total sterilisation		Total Sterlisation (Tubectomies and Vasectomies) conducted at PHC		Total Sterlisation (Tubectomies and Vasectomies) conducted at CHC	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	1,091	822	1,110	831	1.7	1.0	98.3	98.9				
1	Brahampur	128	156	128	156	0.0	0.0	100.0	100.0				
2	Buxar Sadar	0	0	0	0								
3	Buxar Urban	365	92	368	94	0.8	2.1	99.2	97.9				
4	Chakki	8	3	8	3	0.0	0.0	100.0	100.0				
5	Chaugain	38	47	38	47	0.0	0.0	100.0	100.0				
6	Chausa	71	69	72	69	1.4	0.0	98.6	100.0				
7	Dumraon	122	83	127	83	3.9	0.0	96.1	100.0				
8	Itarhi	81	125	81	125	0.0	0.0	100.0	100.0				
9	Kesath	9	6	15	12	40.0	50.0	60.0	50.0				
10	Nawanagar	110	114	113	115	2.7	0.9	97.3	99.1				
11	Rajpur	57	30	57	30	0.0	0.0	100.0	100.0				
12	Simri	102	97	103	97	1.0	0.0	99.0	100.0				

Performance of Key HMIS Indicators for Bihar-> Buxar (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to August
These indicators are under compilation (83,84,85,86,197,198)

Indicators		85		86		87		88		89		90	
		Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH		Total Sterilisation (Tubectomies and Vasectomies) conducted at DH		Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions		Total Sterilisation (Tubectomies and Vasectomies) conducted at Public institutions		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Public institutions to Total Sterilisation	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar					275		835	831	24.8	0.0	75.2	100.0
1	Brahampur							128	156	0.0	0.0	100.0	100.0
2	Buxar Sadar							0	0				
3	Buxar Urban					275		93	94	74.7	0.0	25.3	100.0
4	Chakki							8	3	0.0	0.0	100.0	100.0
5	Chaugain							38	47	0.0	0.0	100.0	100.0
6	Chausa							72	69	0.0	0.0	100.0	100.0
7	Dumraon							127	83	0.0	0.0	100.0	100.0
8	Itarhi							81	125	0.0	0.0	100.0	100.0
9	Kesath							15	12	0.0	0.0	100.0	100.0
10	Nawanagar							113	115	0.0	0.0	100.0	100.0
11	Rajpur							57	30	0.0	0.0	100.0	100.0
12	Simri							103	97	0.0	0.0	100.0	100.0

Indicators		91		92		93		94		95		96	
		% Laparoscopic sterilisations to Total Female Sterilisations		% Mini Lap Sterlisations to Total Female Sterilisations		% Post Partum Sterilisations to Total Female Sterilisations		% Post Abortion Sterilisations to Total Female Sterilisations		% Laparoscopic sterilisations at Public Institutions to Total Laparoscopic Sterilisations		% Mini Lap sterlisations at Public Institutions to Total Mini Lap Sterilisations	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	0.0	0.0	88.9	88.2	11.0	11.8	0.0	0.0			71.9	100.0
1	Brahampur	0.0	0.0	82.0	82.7	18.0	17.3	0.0	0.0			100.0	100.0
2	Buxar Sadar												
3	Buxar Urban	0.0	0.0	86.8	64.1	13.2	35.9	0.0	0.0			13.9	100.0
4	Chakki	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0			100.0	100.0
5	Chaugain	0.0	0.0	71.1	66.0	28.9	34.0	0.0	0.0			100.0	100.0
6	Chausa	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0			100.0	100.0
7	Dumraon	0.0	0.0	91.8	97.6	8.2	2.4	0.0	0.0			100.0	100.0
8	Itarhi	0.0	0.0	88.9	100.0	11.1	0.0	0.0	0.0			100.0	100.0
9	Kesath	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0			100.0	100.0
10	Nawanagar	0.0	0.0	90.0	90.4	10.0	9.6	0.0	0.0			100.0	100.0
11	Rajpur	0.0	0.0	100.0	90.0	0.0	10.0	0.0	0.0			100.0	100.0
12	Simri	0.0	0.0	91.2	94.8	8.8	5.2	0.0	0.0			100.0	100.0

Indicators		97		98		99		100		101		102	
		% Post Partum sterlisations at Public Institutions to Total Post Partum Sterilisation		% Post Abortion sterlisations at Public Institutions to Total Post Partum Sterilisation		Total cases of deaths following Sterilisation (Male + Female)		Total cases of deaths following Male Sterilisation		Total cases of deaths following Female Sterilisation		Total cases of failure following Male Sterilisation	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	100.0	100.0			0	0	0	0	0	0	0	0
1	Brahampur	100.0	100.0			0	0	0	0	0	0	0	0
2	Buxar Sadar					0	0	0	0	0	0	0	0
3	Buxar Urban	100.0	100.0			0	0	0	0	0	0	0	0
4	Chakki					0	0	0	0	0	0	0	0
5	Chaugain	100.0	100.0			0	0	0	0	0	0	0	0
6	Chausa					0	0	0	0	0	0	0	0
7	Dumraon	100.0	100.0			0	0	0	0	0	0	0	0
8	Itarhi	100.0				0	0	0	0	0	0	0	0
9	Kesath					0	0	0	0	0	0	0	0
10	Nawanagar	100.0	100.0			0	0	0	0	0	0	0	0
11	Rajpur		100.0			0	0	0	0	0	0	0	0
12	Simri	100.0	100.0			0	0	0	0	0	0	0	0

Indicators		103		104		105		106		107		108	
		Total cases of failure following Female Sterilisation		Total cases of complication following Male Sterilisation		Total cases of complication following Female Sterilisation		IUCD Insertions done (public facilities)		IUCD insertions done (pvt. facilities)		% PP IUCD Insertions (public) to Total IUCD Insertions (public)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	0	0	0	0	4	186	2,068	1,574	81		53.1	37.4
1	Brahampur	0	0	0	0	4	3	505	464			40.4	39.7
2	Buxar Sadar	0	0	0	0	0	0	180	150			0.0	0.0
3	Buxar Urban	0	0	0	0	0	183	211	131	81		80.6	80.2
4	Chakki	0	0	0	0	0	0	0	0				
5	Chaugain	0	0	0	0	0	0	75	78			76.0	64.1
6	Chausa	0	0	0	0	0	0	118	69			58.5	43.5
7	Dumraon	0	0	0	0	0	0	216	103			62.5	47.6
8	Itarhi	0	0	0	0	0	0	131	82			61.8	48.8
9	Kesath	0	0	0	0	0	0	49	13			100.0	69.2
10	Nawanagar	0	0	0	0	0	0	118	82			61.9	19.5
11	Rajpur	0	0	0	0	0	0	59	80			100.0	46.3
12	Simri	0	0	0	0	0	0	406	322			50.0	21.7

Performance of Key HMIS Indicators for Bihar-> Buxar (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to August
These indicators are under compilation (83,84,85,86,197,198)

Indicators		109		110		111		112		113		114	
		% PP IUCD Insertions (public) to Total Institutional Deliveries (public)		% IUCD insertions to all family planning methods (IUCD plus permanent)		Total Interval IUCD Insertions done		Total PP IUCD Insertions done		Total PAIUCD insertions done		Combined Oral Pills distributed	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	14.2	7.1	65.9	65.4	1,042	983	1,100	590	7	1	2,674	2,115
1	Brahampur	18.0	14.7	79.8	74.8	301	280	204	184	0	0	569	305
2	Buxar Sadar			100.0	100.0	180	150	0	0	0	0	21	0
3	Buxar Urban	11.7	7.5	44.2	58.2	115	26	170	105	7	0	281	424
4	Chakki	0.0	0.0	0.0	0.0	0	0	0	0	0	0	199	101
5	Chaugain	19.5	16.4	66.4	62.4	18	28	57	50	0	0	275	205
6	Chausa	11.5	4.7	62.1	50.0	49	39	69	30	0	0	104	211
7	Dumraon	11.4	3.6	63.0	55.4	81	54	135	49	0	0	292	241
8	Itarhi	12.0	4.5	61.8	39.6	50	42	81	40	0	0	50	3
9	Kesath	38.0	6.5	76.6	52.0	0	4	49	9	0	0	76	49
10	Nawanagar	14.2	2.9	51.1	41.6	45	65	73	16	0	1	59	54
11	Rajpur	7.1	5.0	50.9	72.7	0	43	59	37	0	0	649	522
12	Simri	24.3	8.0	79.8	76.8	203	252	203	70	0	0	99	0

Indicators		115		116		117		118		119		120	
		Emergency pills distributed		Condom pieces distributed		Centchroman (weekly pills) distributed		Number of beneficiaries given 1st dose of Injectable (Antara Program)		Number of beneficiaries given 2nd dose of Injectable (Antara Program)		Number of beneficiaries given 3rd dose of Injectable (Antara Program)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	709	705	24,535	11,692	820	64	1,514	0	119	0	7	0
1	Brahampur	271	72	4,694	1,692	13	0	159	0	23	0	0	0
2	Buxar Sadar	46	0	796	0	15	0	8	0	1	0	0	0
3	Buxar Urban	8	0	2,515	467	143	0	76	0	16	0	4	0
4	Chakki	20	255	429	683	0	0	25	0	0	0	0	0
5	Chaugain	73	76	1,547	1,014	115	0	131	0	0	0	0	0
6	Chausa	39	43	672	1,618	17	0	170	0	6	0	0	0
7	Dumraon	40	57	7,192	1,412	81	0	230	0	14	0	0	0
8	Itarhi	32	14	557	305	13	0	195	0	19	0	3	0
9	Kesath	47	17	1,140	918	9	0	5	0	0	0	0	0
10	Nawanagar	41	5	1,040	1,445	0	0	221	0	14	0	0	0
11	Rajpur	81	166	3,183	2,138	13	64	113	0	6	0	0	0
12	Simri	11	0	770	0	401	0	181	0	20	0	0	0

Performance of Key HMIS Indicators for Bihar-> Buxar (Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to August

These indicators are under compilation (83,84,85,86,197,198)

Indicators		121		122		123		124		125		126	
		Number of beneficiaries given 4th or more than 4 doses of Injectable (Antara Program)		Pregnancy testing kits used		Number of Infants given OPV 0 (Birth Dose)		Number of Infants given BCG		Number of Infants given Hep- B0 (birth dose)		% Newborns given OPV0 at birth to Reported live birth	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	3	0	3,788	1,558	9,218	9,259	13,864	13,752	7,287	7,422	105.7	101.0
1	Brahampur	0	0	563	182	1,150	1,252	1,475	1,653	1,064	1,189	97.2	93.6
2	Buxar Sadar	0	0	0	0	814	621	1,516	1,216			515.2	354.9
3	Buxar Urban	1	0	1,697	0	1,373	1,254	1,373	1,254	1,135	902	94.5	90.3
4	Chakki	0	0	165	25	103	124	265	257	79	84	47.2	83.2
5	Chaugain	0	0	289	264	304	309	383	387	287	304	89.4	86.1
6	Chausa	2	0	245	160	691	711	879	877	628	643	101.3	100.3
7	Dumraon	0	0	123	87	1,342	1,470	2,006	2,074	1,185	1,350	91.4	95.4
8	Itarhi	0	0	138	0	678	803	1,300	1,145	673	730	82.6	83.0
9	Kesath	0	0	62	51	156	158	204	204	132	137	120.9	146.3
10	Nawanagar	0	0	0	9	704	730	1,172	1,179	536	550	128.9	121.1
11	Rajpur	0	0	447	780	869	764	1,762	1,943	723	659	104.8	89.6
12	Simri	0	0	59	0	1,034	1,063	1,529	1,563	845	874	115.1	108.5

Performance of Key HMIS Indicators for Bihar-> Buxar (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to August
These indicators are under compilation (83,84,85,86,197,198)

Indicators		127		128		129		130		131		132	
		% Newborns given BCG to Reported live birth		% Newborns given Hep-B0(Birth Dose)at birth to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3		Number of Infants given Pentavalent 1	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	158.9	150.0	83.5	80.9	0	0	0	0	0	0	14,584	13,205
1	Brahampur	124.7	123.6	89.9	88.9	0	0	0	0	0	0	1,623	1,566
2	Buxar Sadar	959.5	694.9	0.0	0.0	0	0	0	0	0	0	2,265	1,858
3	Buxar Urban	94.5	90.3	78.1	65.0	0	0	0	0	0	0	295	303
4	Chakki	121.6	172.5	36.2	56.4	0	0	0	0	0	0	343	304
5	Chaugain	112.6	107.8	84.4	84.7	0	0	0	0	0	0	420	379
6	Chausa	128.9	123.7	92.1	90.7	0	0	0	0	0	0	769	711
7	Dumraon	136.6	134.6	80.7	87.6	0	0	0	0	0	0	2,009	1,652
8	Itarhi	158.3	118.4	82.0	75.5	0	0	0	0	0	0	1,535	1,303
9	Kesath	158.1	188.9	102.3	126.9	0	0	0	0	0	0	252	257
10	Nawanagar	214.7	195.5	98.2	91.2	0	0	0	0	0	0	1,305	1,275
11	Rajpur	212.5	227.8	87.2	77.3	0	0	0	0	0	0	2,045	2,013
12	Simri	170.3	159.5	94.1	89.2	0	0	0	0	0	0	1,723	1,584

Indicators		133		134		135		136		137		138	
		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		Number of Infants given MR		% Infants 0 to 11 months old who received Measles+ MR vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	16,259	14,310	16,888	15,212	17,740	15,562	0	0	203.3	169.7	17,535	15,476
1	Brahampur	1,881	1,673	2,011	1,808	2,139	1,600	0	0	180.8	119.7	2,139	1,600
2	Buxar Sadar	2,537	2,089	2,571	2,235	2,632	2,402	0		1665.8	1372.6	2,632	2,402
3	Buxar Urban	238	266	204	245	215	213	0	0	14.8	15.3	205	213
4	Chakki	383	310	388	306	455	350	0	0	208.7	234.9	455	350
5	Chaugain	464	451	538	497	536	469	0	0	157.6	130.6	536	469
6	Chausa	830	759	913	851	1,063	974	0	0	155.9	137.4	1,063	975
7	Dumraon	2,246	1,760	2,368	1,967	2,316	1,912	0	0	157.8	124.1	2,316	1,966
8	Itarhi	1,871	1,454	1,695	1,444	1,809	1,507	0	0	220.3	155.8	1,809	1,496
9	Kesath	274	304	320	351	382	406	0	0	296.1	375.9	392	406
10	Nawanagar	1,472	1,389	1,639	1,536	1,909	1,603	0	0	349.6	265.8	1,909	1,603
11	Rajpur	2,083	2,024	2,177	2,098	2,005	2,115	0	0	241.9	247.9	2,005	2,102
12	Simri	1,980	1,831	2,064	1,874	2,279	2,011	0	0	253.8	205.2	2,074	1,894

Indicators		139		140		141		142		143		144	
		% Drop Out between BCG & Measles/ MR		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Abcess)		Adverse Events Following Immunisation (Deaths)		Adverse Events Following Immunisation (Others)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	-28.0	-13.2	2.7	22.9	0.0	1.9	0	0	0	0	0	0
1	Brahampur	-45.0	3.2	0.0	21.8		4.5	0	0	0	0	0	0
2	Buxar Sadar	-73.6	-97.5	138.6	669.1	0.0	0.0	0	0	0	0	0	0
3	Buxar Urban	84.3	83.0	0.0	0.0			0	0	0	0	0	0
4	Chakki	-71.7	-36.2	0.0	0.0			0	0	0	0	0	0
5	Chaugain	-39.9	-21.2	0.0	0.0			0	0	0	0	0	0
6	Chausa	-20.9	-11.1	0.0	9.3		30.3	0	0	0	0	0	0
7	Dumraon	-15.5	7.8	0.0	0.0			0	0	0	0	0	0
8	Itarhi	-39.2	-31.6	2.3	0.6	0.0	100.0	0	0	0	0	0	0
9	Kesath	-87.3	-99.0	0.0	0.0			0	0	0	0	0	0
10	Nawanagar	-62.9	-36.0	0.0	0.0			0	0	0	0	0	0
11	Rajpur	-13.8	-8.9	0.0	64.8		0.0	0	0	0	0	0	0
12	Simri	-49.1	-28.7	0.0	1.2		0.0	0	0	0	0	0	0

Indicators		145		146		147		148		149		150	
		% immunisation Sessions Held to Immunisation Sessions Planned		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		Pneumonia in Children 0-5 Years of Age		Asthma in Children 0-5 Years of Age		Sepsis in Children 0-5 Years of Age		Diphtheria in Children 0-5 Years of Age	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	99.2	98.7	89.9	89.0	10	16	0	0	5	2	0	0
1	Brahampur	99.9	99.7	98.3	96.5	0	0	0	0	0	0	0	0
2	Buxar Sadar	98.4	96.5	61.3	63.9	0	0	0	0	0	0	0	0
3	Buxar Urban					7	11	0	0	5	2	0	0
4	Chakki	100.0	100.0	100.0	98.6	0	0	0	0	0	0	0	0
5	Chaugain	100.0	100.0	96.2	97.9	0	0	0	0	0	0	0	0
6	Chausa	100.2	100.0	93.9	92.7	3	5	0	0	0	0	0	0
7	Dumraon	100.0	100.0	76.8	76.7	0	0	0	0	0	0	0	0
8	Itarhi	99.5	99.1	92.1	94.2	0	0	0	0	0	0	0	0
9	Kesath	99.5	99.5	98.6	94.6	0	0	0	0	0	0	0	0
10	Nawanagar	97.7	96.7	98.7	98.4	0	0	0	0	0	0	0	0
11	Rajpur	98.4	98.0	100.0	92.0	0	0	0	0	0	0	0	0
12	Simri	100.0	100.0	99.5	98.3	0	0	0	0	0	0	0	0

Performance of Key HMIS Indicators for Bihar-> Buxar (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to August
These indicators are under compilation (83,84,85,86,197,198)

Indicators		151		152		153		154		155		156	
		Pertussis in Children 0-5 Years of Age		Tetanus Neonatorum in Children 0-5 Years of Age		Tuberculosis (TB) in Children 0-5 Years of Age		Acute Flaccid Paralysis(AFP)in Children 0-5 Years of Age		Measles in Children 0-5 Years of Age		Malaria in Children 0-5 Years of Age	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	0	0	1	0	0	0	0	0	9	0	10	16
1	Brahampur	0	0	0	0	0	0	0	0	0	0	0	0
2	Buxar Sadar	0	0	0	0	0	0	0	0	3	0	0	0
3	Buxar Urban	0	0	1	0	0	0	0	0	0	0	7	11
4	Chakki	0	0	0	0	0	0	0	0	4	0	0	0
5	Chaugain	0	0	0	0	0	0	0	0	0	0	0	0
6	Chausa	0	0	0	0	0	0	0	0	0	0	3	5
7	Dumraon	0	0	0	0	0	0	0	0	0	0	0	0
8	Itarhi	0	0	0	0	0	0	0	0	2	0	0	0
9	Kesath	0	0	0	0	0	0	0	0	0	0	0	0
10	Nawanagar	0	0	0	0	0	0	0	0	0	0	0	0
11	Rajpur	0	0	0	0	0	0	0	0	0	0	0	0
12	Simri	0	0	0	0	0	0	0	0	0	0	0	0

Indicators		157		158		159		160		161		162	
		Diarrhoea in Children 0-5 Years of Age		Diarrhoea treated in Inpatients in Children 0-5 Years of Age		No. of infants given Measles Rubella vaccine 1st dose		No. of infants received Rotavirus Vaccine 1st dose		No. of infants received Rotavirus Vaccine 2nd dose		No. of infants received Rotavirus Vaccine 3rd dose	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	41	59	8	16	0	0	0	0	0	0	0	0
1	Brahampur	0	2	0	0	0	0	0	0	0	0	0	0
2	Buxar Sadar	0	0	0	0	0		0		0		0	
3	Buxar Urban	2	1	1	0	0	0	0	0	0	0	0	0
4	Chakki	0	0	0	1	0	0	0	0	0	0	0	0
5	Chaugain	7	21	7	15	0	0	0	0	0	0	0	0
6	Chausa	13	8	0	0	0	0	0	0	0	0	0	0
7	Dumraon	0	0	0	0	0	0	0	0	0	0	0	0
8	Itarhi	19	27	0	0	0	0	0	0	0	0	0	0
9	Kesath	0	0	0	0	0	0	0	0	0	0	0	0
10	Nawanagar	0	0	0	0	0	0	0	0	0	0	0	0
11	Rajpur	0	0	0	0	0	0	0	0	0	0	0	0
12	Simri	0	0	0	0	0	0	0	0	0	0	0	0

Performance of Key HMIS Indicators for Bihar-> Buxar (Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to August

These indicators are under compilation (83,84,85,86,197,198)

Indicators		163		164		165		166		167		168	
		No of children 16-24 months age given Measles 2nd dose		No of children 16-24 months age given Measles Rubella Vaccine 2nd dose		% Adult Female Inpatients to Total Adult Inpatient		% Children Inpatient to Total Inpatient		% Female Inpatient Deaths to Total Inpatient Deaths		% Inpatient Deaths to Total IPD	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	16,479	14,071	12	0	91.1	89.4	17.4	17.0	51.6	48.5	0.3	0.2
1	Brahampur	1,926	1,416	12	0	99.6	93.7	0.4	0.8			0.0	0.0
2	Buxar Sadar	2,523	2,140										
3	Buxar Urban	195	0	0	0	89.8	82.3	3.0	10.9	50.0	48.5	1.6	2.8
4	Chakki	332	320	0	0	94.8	100.0	2.0	0.0			0.0	0.0
5	Chaugain	475	485	0	0	84.8	83.5	8.6	11.7			0.0	0.0
6	Chausa	915	852	0	0	98.0	96.5	0.0	0.0			0.0	0.0
7	Dumraon	2,183	1,862	0	0	93.7	94.0	2.9	3.3			0.0	0.0
8	Itarhi	1,763	1,401	0	0		94.5		2.3				0.0
9	Kesath	371	409	0	0	58.9	49.9	36.5	27.1			0.0	0.0
10	Nawanagar	1,676	1,371	0	0	87.5	88.3	16.2	16.2			0.0	0.0
11	Rajpur	2,103	2,026	0	0	81.9	78.3	44.9	43.3			0.0	0.0
12	Simri	2,017	1,789	0	0	97.8	100.0	49.1	49.0	100.0		0.1	0.0

Performance of Key HMIS Indicators for Bihar-> Buxar (Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to August

These indicators are under compilation (83,84,85,86,197,198)

Indicators		169		170		171		172		173		174	
		IPD (Number)		OPD (Allopathic)		Ayush OPD (Number)		OPD (Ayush+Allopathic)		% IPD to OPD		Number of Major Operations	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	11,951	13,282	260,651	303,797	72,577	84,587	333,228	388,384	3.6	3.4	743	736
1	Brahampur	850	1,430	37,163	39,211	8,965	6,777	46,128	45,988	1.8	3.1	0	0
2	Buxar Sadar	0	0	0	0	2,504	3,662	2,504	3,662	0.0	0.0	0	0
3	Buxar Urban	1,932	1,163	50,468	54,020	2,560	2,461	53,028	56,481	3.6	2.1	216	248
4	Chakki	98	88	9,358	9,100	0	0	9,358	9,100	1.0	1.0	0	0
5	Chaugain	1,328	1,331	11,243	16,701	4,726	3,628	15,969	20,329	8.3	6.5	38	47
6	Chausa	1,644	1,666	15,520	17,306	6,289	6,290	21,809	23,596	7.5	7.1	72	69
7	Dumraon	1,437	1,592	40,822	40,300	9,781	9,973	50,603	50,273	2.8	3.2	142	83
8	Itarhi	0	983	19,923	26,267	7,742	17,056	27,665	43,323	0.0	2.3	0	0
9	Kesath	353	512	5,336	8,338	0	0	5,336	8,338	6.6	6.1	8	3
10	Nawanagar	948	1,120	25,382	50,513	10,257	13,326	35,639	63,839	2.7	1.8	113	115
11	Rajpur	1,676	1,620	32,913	25,589	1,053	1,060	33,966	26,649	4.9	6.1	51	27
12	Simri	1,685	1,777	12,523	16,452	18,700	20,354	31,223	36,806	5.4	4.8	103	144

Performance of Key HMIS Indicators for Bihar-> Buxar (Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to August

These indicators are under compilation (83,84,85,86,197,198)

Indicators		175		176		177		178		179		180	
		Number of Minor Operations		% Major Operations to Total Operation		Number of Hysterectomy Surgeries		% Hysterectomy Surgeries to Total Major Operations		% AYUSH OPD to Total OPD		Dental OPD (Number)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	3,439	4,421	17.8	14.3	3	2	0.4	0.2	21.7	21.7	2,379	1,671
1	Brahampur	0	0			0	0			19.4	14.7	0	0
2	Buxar Sadar	0	0			0	0			100.0	100.0	0	0
3	Buxar Urban	872	1,134	19.9	17.9	3	2	1.4	0.8	4.8	4.4	1,867	1,597
4	Chakki	0	0			0	0			0.0	0.0	0	0
5	Chaugain	381	352	9.1	11.8	0	0	0.0	0.0	29.6	17.8	0	0
6	Chausa	393	337	15.5	17.0	0	0	0.0	0.0	28.8	26.7	107	32
7	Dumraon	381	581	27.2	12.5	0	0	0.0	0.0	19.3	19.8	201	0
8	Itarhi	0	91		0.0	0	0			28.0	39.4	194	12
9	Kesath	98	118	7.5	2.5	0	0	0.0	0.0	0.0	0.0	0	0
10	Nawanagar	642	1,075	15.0	9.7	0	0	0.0	0.0	28.8	20.9	10	30
11	Rajpur	151	248	25.2	9.8	0	0	0.0	0.0	3.1	4.0	0	0
12	Simri	521	485	16.5	22.9	0	0	0.0	0.0	59.9	55.3	0	0

Performance of Key HMIS Indicators for Bihar-> Buxar (Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to August

These indicators are under compilation (83,84,85,86,197,198)

Indicators		181		182		183		184		185		186	
		% Dental OPD to Total OPD		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female screened for HIV to Total ANC Registration		% Female HIV Positive to Total Females Tested		% Total HIV Positive to Total Tested (Male + Female)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	0.7	0.4	11.0	1.5	1.6	1.8	10.0	12.5	0.8	0.6	1.1	1.0
1	Brahampur	0.0	0.0	15.2	0.0	0.4		0.0	0.0			0.4	
2	Buxar Sadar	0.0	0.0					0.0	0.0				
3	Buxar Urban	3.5	2.8	24.4	2.0	2.4	2.1	46.5	102.3	1.7	1.3	2.0	1.6
4	Chakki	0.0	0.0	0.0	0.3			0.0	0.0				
5	Chaugain	0.0	0.0	2.5	2.4	1.1	9.1	22.4	8.3	0.0	0.0	0.4	2.8
6	Chausa	0.5	0.1	1.9	1.9	0.0	1.8	2.0	10.6	0.0	0.0	0.0	0.6
7	Dumraon	0.4	0.0	1.8	0.0	0.0	3.5	8.5	0.7	0.0	0.0	0.0	2.6
8	Itarhi	0.7	0.0	11.5	3.4	0.0	0.0	15.2	42.2	0.0	0.0	0.0	0.0
9	Kesath	0.0	0.0					0.0	0.0				
10	Nawanagar	0.0	0.0	1.8	1.1	0.0	0.0	18.5	21.1	0.0	0.0	0.0	0.0
11	Rajpur	0.0	0.0					0.0	0.0				
12	Simri	0.0	0.0	0.0	0.0			2.9	0.0	0.0		0.0	

Indicators		187		188		189		190		191		192	
		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar		0.0		0.0	84	82	3.6	8.5	6.0	6.1	1.2	1.2
1	Brahampur					0	4		0.0		25.0		0.0
2	Buxar Sadar					1	0	0.0		0.0		0.0	
3	Buxar Urban					30	27	10.0	22.2	13.3	11.1	0.0	0.0
4	Chakki					0	0						
5	Chaugain					8	9	0.0	0.0	0.0	0.0	0.0	0.0
6	Chausa					4	0	0.0		0.0		0.0	
7	Dumraon		0.0		0.0	0	0						
8	Itarhi					12	3	0.0	0.0	8.3	33.3	0.0	0.0
9	Kesath					0	0						
10	Nawanagar		0.0		0.0	10	14	0.0	7.1	0.0	0.0	0.0	0.0
11	Rajpur					0	0						
12	Simri					19	25	0.0	0.0	0.0	0.0	5.3	4.0

Performance of Key HMIS Indicators for Bihar-> Buxar (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to August
These indicators are under compilation (83,84,85,86,197,198)

Indicators		193		194		195		196		197		198	
		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		Institutional Deliveries at Urban Health Facilities i.e SC+PHC+CHC+SDH		Institutional Deliveries at District Hospitals		Measles immunization at urban Health facilities i.e SC+PHC+CHC+SDH+DH	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	1.2	2.4	6.0	2.4	0.0	0.0	1,185	1,365				
1	Brahampur		0.0		0.0		0.0						
2	Buxar Sadar	0.0		0.0		0.0		0	0				
3	Buxar Urban	0.0	0.0	0.0	0.0	0.0	0.0						
4	Chakki												
5	Chaugain	0.0	0.0	12.5	11.1	0.0	0.0						
6	Chausa	0.0		0.0		0.0							
7	Dumraon							1,185	1,365				
8	Itarhi	0.0	33.3	0.0	0.0	0.0	0.0						
9	Kesath												
10	Nawanagar	0.0	0.0	10.0	0.0	0.0	0.0						
11	Rajpur												
12	Simri	5.3	4.0	15.8	4.0	0.0	0.0						