| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|--------------------|--|--|--|--|---|---|--|---|---|--|---|--|---|
| | Indicators | Total number of pregnant women Registere d for ANC | Number of Pregnant women registere d within first trimester | Number of Women registere d under JSY | % 1st Trimeste r registrati on to Total ANC Registrati ons | % JSY registrati on to Total ANC Registrati on | Number of pregnant women received 3 ANC check ups | TT2 or Booster given to Pregnant women (numbers | % Pregnant Woman received 3 ANC check ups to Total ANC Registrati ons | % Pregnant women received TT2 or Booster to Total ANC Registrati on | Number of Pregnant women given 100 IFA tablets | % Pregnant women given 100 IFA to Total ANC Registrati on | Number having Hb level<11 (tested cases) | Number having severe anaemia (Hb<7) treated at institutio |
| | | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 |
| | _Lohardaga | 2,617 | 452 | 2,496 | 17.2 | 95.4 | 1,799 | 2,046 | 68.7 | 78.1 | 1,940 | 74.1 | 688 | 16 |
| 1 | Bhandra | 404 | 43 | 404 | 10.6 | 100.0 | 290 | 307 | 71.8 | 76.0 | 300 | 74.3 | 155 | 3 |
| 2 | DHQ | 101 | 2 | 101 | 2.0 | 100.0 | 35 | 78 | 34.7 | 77.2 | 308 | 305.0 | 44 | 1 |
| 3 | Kisko | 417 | 54 | 417 | 12.9 | 100.0 | 287 | 314 | 68.8 | 75.3 | 164 | 39.3 | 121 | 0 |
| 4 | Kuru | 641 | 135 | 633 | 21.1 | 98.8 | 475 | 564 | 74.1 | 88.0 | 613 | 95.6 | 153 | 0 |
| 5 | Lohardaga Sadar | 654 | 182 | 541 | 27.8 | 82.7 | 442 | 433 | 67.6 | 66.2 | 274 | 41.9 | 132 | 12 |
| 6 | Senha | 400 | 36 | 400 | 9.0 | 100.0 | 270 | 350 | 67.5 | 87.5 | 281 | 70.3 | 83 | 0 |

Updated On Weekly Basis Status As On: 310CT2015

| | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 |
|---|--------------------|---|---|---------------------------------|--|--|--|--|--|--|--|--|---|---|
| | Indicators | % Pregnant women having severe anaemia (Hb<7) treated at institutio n to women having hb level<11 | % New cases detected at institutio n for hyperten sion to Total ANC Registrations | Number of Home deliveries | Number of home deliveries attended by SBA trained (Doctor/ Nurse/ ANM) | Number of home deliveries attended by Non SBA trained (trained TB/Dai) | % SBA attended home deliveries to Total Reported Home Deliveries | Mothers paid JSY incentive for home deliveries | % Mothers paid JSY incentive for home deliveries to Total Reported Home Deliveries | Deliveries Conducte d at Public Institutio ns | Number of Women Discharge d under 48 hours of delivery in public facilities | % Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at public institutio ns | Institutio nal deliveries (Public Insts.+Pvt . Insts.) | % Institutio nal Deliveries to total ANC registrati on |
| | | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 |
| | _Lohardaga | 2.3 | 2.1 | 452 | 44 | 408 | 9.7 | 4 | 0.9 | 1,578 | 1,576 | 99.8 | 1,976 | 75.5 |
| 1 | Bhandra | 1.9 | 0.0 | 36 | 9 | 27 | 25.0 | 0 | 0.0 | 298 | 298 | 100.0 | 298 | 73.8 |
| 2 | DHQ | 2.3 | 26.7 | | | | | | | 481 | 481 | 100.0 | 481 | 476.2 |
| 3 | Kisko | 0.0 | 3.6 | 184 | 13 | 171 | 7.1 | 2 | 1.1 | 148 | 148 | 100.0 | 148 | 35.5 |
| 4 | Kuru | 0.0 | 0.9 | 66 | 2 | 64 | 3.0 | 0 | 0.0 | 461 | 461 | 100.0 | 461 | 71.9 |
| 5 | Lohardaga Sadar | 9.1 | 1.2 | 74 | 2 | 72 | 2.7 | 2 | 2.7 | 29 | 28 | 96.6 | 427 | 65.3 |
| 6 | Senha | 0.0 | 0.0 | 92 | 18 | 74 | 19.6 | 0 | 0.0 | 161 | 160 | 99.4 | 161 | 40.3 |

| | | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 |
|---|--------------------|---------------------------------|--|---|---|---|--|--|---|---|--|---|--|---|
| | Indicators | Total reported deliveries | % Institutio nal deliveries to Total Reported Deliveries | % Safe deliveries to Total Reported Deliveries | % Home deliveries to Total Reported Deliveries | Number of C-section deliveries conducte d at public facilities | Number of C-section deliveries conducte d at private facilities | % C-section deliveries (Public + Pvt.) to reported institutio nal (Public + Pvt.) deliveries | % C-section s conducte d at public facilities to Deliveries conducte d at public facilities | % C-section s conducte d at Private facilities to Deliveries conducte d at private facilities | % Deliveries conducte d at Public Institutio ns to Total Institutio nal Deliveries | % Mothers paid JSY Incentive for Delivery at Public institutio n to Total Public Deliveries | % of cases where JSY Incentive paid to ASHA for Delivery at Public institutio n to Total Public Deliveries | % Deliveries conducte d at Private Institutio ns to Total Institutio nal Deliveries |
| | | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 |
| | _Lohardaga | 2,428 | 81.4 | 83.2 | 18.6 | 9 | 163 | 8.7 | 0.6 | 41.0 | 79.9 | 94.0 | 82.8 | 20.1 |
| 1 | Bhandra | 334 | 89.2 | 91.9 | 10.8 | 0 | | 0.0 | 0.0 | | 100.0 | 100.0 | 100.0 | 0.0 |
| 2 | DHQ | 481 | 100.0 | 100.0 | 0.0 | 9 | | 1.9 | 1.9 | | 100.0 | 84.4 | 49.7 | 0.0 |
| 3 | Kisko | 332 | 44.6 | 48.5 | 55.4 | 0 | | 0.0 | 0.0 | | 100.0 | 103.4 | 99.3 | 0.0 |
| 4 | Kuru | 527 | 87.5 | 87.9 | 12.5 | 0 | | 0.0 | 0.0 | | 100.0 | 94.4 | 93.7 | 0.0 |
| 5 | Lohardaga Sadar | 501 | 85.2 | 85.6 | 14.8 | 0 | 163 | 38.2 | 0.0 | 41.0 | 6.8 | 86.2 | 86.2 | 93.2 |
| | | | | | | | | | | | | | | |

| | | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 |
|---|--------------------|--|---|---|--|---|--|--|--|---|--|---|--|--|
| | Indicators | Women received post partum check-up within 48 hours of delivery | Post - Natal Care / Women got a post partum check up between 48 hours and 14 days | % Women receiving post partum check-up within 48 hours of delivery to Total Reported Deliveries | % Women getting Post Partum Checkup between 48 hours and 14 days to Total Deliveries | Total Number of reported live births | % Total Reported Live Births to Total Deliveries | Total Number of reported Still Births | % live birth to Reported Birth | Number of Newborns weighed at birth | % Newborns weighed at birth to live birth | Number of Newborns having weight less than 2.5 kg | % Newborns having weight less than 2.5 kg to Newborns weighed at birth | Number of New Borns Breast Fed within 1 hour |
| | | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 |
| | _Lohardaga | 1,708 | 628 | 70.3 | 25.9 | 2,284 | 94.1 | 38 | 98.4 | 2,231 | 97.7 | 337 | 15.1 | 2,269 |
| 1 | Bhandra | 296 | 38 | 88.6 | 11.4 | 334 | 100.0 | 1 | 99.7 | 333 | 99.7 | 4 | 1.2 | 334 |
| 2 | DHQ | 476 | 8 | 99.0 | 1.7 | 466 | 96.9 | 15 | 96.9 | 466 | 100.0 | 158 | 33.9 | 466 |
| 3 | Kisko | 139 | 212 | 41.9 | 63.9 | 331 | 99.7 | 1 | 99.7 | 325 | 98.2 | 5 | 1.5 | 325 |
| 4 | Kuru | 453 | 75 | 86.0 | 14.2 | 519 | 98.5 | 8 | 98.5 | 518 | 99.8 | 66 | 12.7 | 518 |
| 5 | Lohardaga Sadar | 140 | 154 | 27.9 | 30.7 | 381 | 76.0 | 13 | 96.7 | 341 | 89.5 | 76 | 22.3 | 374 |
| 6 | Senha | 204 | 141 | 80.6 | 55.7 | 253 | 100.0 | 0 | 100.0 | 248 | 98.0 | 28 | 11.3 | 252 |

| | | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 |
|---|--------------------|--|---|--|---|---|---|--|---|--|--|--|---------------------------------------|---|
| | Indicators | % Newborns breast fed within 1 hour of birth to Total live birth | Number of New Borns visited within 24 hrs of Home Delivery | % newborns visited within 24hrs of home delivery to total reported home deliveries | Sex Ratio at birth (Female Live Births/ Male Births *1000) | % cases of Pregnant women with Obstetric Complica tions and attended to reported deliveries | % Complica ted Pregnanci es treated with IV antihyper tensive/ Magsulph injection to Total Women with Obstetric Complica tions attended | % Complica ted Pregnanci es treated with IV antihyper tensive/ Magsulph injection to Total New cases detected with Hyperten sion | % Complica ted Pregnanci es treated with Blood Transfusi on to Total Women with Obstetric Complica tions attended | % Post - Natal Care / PNC maternal complicat ions attended to Total Deliveries | Total Number of Abortions (Spontan eous/ Induced) Reported | Total Number of MTPs (Public) reported | % MTPs (Public) to Abortions | % MTPs up to 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns |
| | | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 |
| | _Lohardaga | 99.3 | 409 | 90.4 | 907 | 6.0 | 0.8 | 1.8 | 17.6 | 0.0 | 49 | 28 | 57.1 | 100.0 |
| 1 | Bhandra | 100.0 | 35 | 97.2 | 953 | 0.0 | | | | 0.0 | 1 | 0 | 0.0 | |
| 2 | DHQ | 100.0 | | | 864 | 1.9 | 11.1 | 3.7 | 66.7 | 0.2 | 7 | 7 | 100.0 | 100.0 |
| 3 | Kisko | 98.2 | 152 | 82.6 | 913 | 0.0 | | 0.0 | | 0.0 | 4 | 0 | 0.0 | |
| 4 | Kuru | 99.8 | 64 | 97.0 | 944 | 0.0 | | 0.0 | | 0.0 | 22 | 21 | 95.5 | 100.0 |
| 5 | Lohardaga Sadar | 98.2 | 70 | 94.6 | 944 | 25.8 | 0.0 | 0.0 | 13.6 | 0.0 | 13 | 0 | 0.0 | |
| 6 | Senha | 99.6 | 88 | 95.7 | 794 | 0.0 | | | | 0.0 | 2 | 0 | 0.0 | |

| | | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 | 76 | 77 | 78 |
|---|--------------------|---|---|--|---|--|--|--|---|---|--|---|---|---|
| | Indicators | % MTPs more than 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns | % MTPs Conducte d at Public Institutio ns to Total MTPs | % MTPs Conducte d at Private Institutio ns to Total MTPs | % Total MTPs (Public) Conducte d to Total ANC Registrati on | % Number of Wet Mount Tests conducte d to Number of new RTI/ STI female cases for which treatmen t initiated | Number of Vasectom ies Conducte d (Public + Pvt.) | Number of Tubecto mies Conducte d (Public + Pvt.) | Total Sterilisati on Conducte d | % Male Sterlisati on (Vasecto mies) to Total sterilisati on | % Tubecto mies to Total sterilisati on | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at PHC | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at CHC | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at SDH/DH |
| | | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 |
| | _Lohardaga | 0.0 | 100.0 | 0.0 | 1.1 | 0.0 | 3 | 19 | 22 | 13.6 | 86.4 | 1 | 4 | 3 |
| 1 | Bhandra | | | | 0.0 | | 1 | 0 | 1 | 100.0 | 0.0 | | 1 | |
| 2 | DHQ | 0.0 | 100.0 | 0.0 | 6.9 | 0.0 | 1 | 2 | 3 | 33.3 | 66.7 | | | 3 |
| 3 | Kisko | | | | 0.0 | 0.0 | 0 | 0 | 0 | | | | 0 | |
| 4 | Kuru | 0.0 | 100.0 | 0.0 | 3.3 | | 0 | 0 | 0 | | | 0 | 0 | |
| 5 | Lohardaga Sadar | | | | 0.0 | | 1 | 14 | 15 | 6.7 | 93.3 | 1 | | |
| 6 | Senha | | | | 0.0 | | 0 | 3 | 3 | 0.0 | 100.0 | 0 | 3 | |

| | | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 |
|---|-----------------------|--|---|---|---|--|--|--|--|--|--|---|---|--|
| | Indicators | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at Other public Institutio ns | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns | % Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at PHC to Total Sterlisati on | % Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at CHC to Total Sterlisati on | % Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at SDH/DH to Total Sterlisati on | % Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Other public Institutio ns to Total Sterlisati on | % Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns to Total Sterilisati on | % Laparosc opic sterlisati ons to Total Female Sterilisati ons | % Mini Lap Sterlisati ons to Total Female Sterilisati ons | % Post Partum Sterlisati ons to Total Female Sterilisati ons | % Laparosc opic sterlisati ons at Public Institutio ns to Total Laparosc opic Sterilisati ons | % Mini Lap sterlisati ons at Public Institutio ns to Total Mini Lap Sterilisati ons | % Post Partum sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on |
| | _Lohardaga Bhandra | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 |
| | _Lohardaga | | 0 | 4.5 | 18.2 | 13.6 | 0.0 | 63.6 | 0.0 | 26.3 | 73.6 | | 100.0 | 0.0 |
| 1 | Bhandra | | | 0.0 | 100.0 | 0.0 | 0.0 | 0.0 | | | | | | |
| 2 | DHQ | | | 0.0 | 0.0 | 100.0 | 0.0 | 0.0 | 0.0 | 100.0 | 0.0 | | 100.0 | |
| 3 | Kisko | | | | | | | | | | | | | |
| 4 | Kuru | | | | | | | | | | | | | |
| 5 | Lohardaga Sadar | | 0 | 6.7 | 0.0 | 0.0 | 0.0 | 93.3 | 0.0 | 0.0 | 100.0 | | | 0.0 |
| 6 | Senha | | | 0.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 0.0 | | 100.0 | |

| | | 92 | 93 | 94 | 95 | 96 | 97 | 98 | 99 | 100 | 101 | 102 | 103 | 104 |
|---|--------------------|---|--|--|---|---|---|---|---|-------------------------------|-------------------------------------|--|---|-----------------------------------|
| | Indicators | Total cases of deaths following Sterlisati on (Male + Female) | IUCD Insertions done (public facilities) | IUCD insertions done (pvt. facilities) | Total IUCD Insertions done (public+p rivate) | PP IUCD Insertions done (public facilities) | % PP IUCD Insertions (public) to Total IUCD Insertions (public) | % PP IUCD Insertions (public) to Total Institutio nal Deliveries (public) | % IUCD insertions in public plus private institutio ns to all family planning methods (IUCD plus permane nt) | Oral Pills distribute d | Condom pieces distribute d | Centchro man Pills distribute d | Number of Infants given OPV 0 (Birth Dose) | Number of Infants given BCG |
| | | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 |
| | _Lohardaga | 0 | 269 | 0 | 269 | 0 | 0.0 | 0.0 | 92.4 | 4,309 | 19,925 | 21 | 1,488 | 2,412 |
| 1 | Bhandra | 0 | 27 | | 27 | | 0.0 | 0.0 | 96.4 | 925 | 2,189 | 10 | 267 | 334 |
| 2 | DHQ | 0 | 79 | | 79 | | 0.0 | 0.0 | 96.3 | 89 | 900 | 0 | 592 | 592 |
| 3 | Kisko | 0 | 17 | | 17 | | 0.0 | 0.0 | 100.0 | 895 | 4,991 | 7 | 86 | 308 |
| 4 | Kuru | 0 | 87 | | 87 | | 0.0 | 0.0 | 100.0 | 1,196 | 5,545 | 4 | 115 | 456 |
| 5 | Lohardaga Sadar | 0 | 37 | 0 | 37 | 0 | 0.0 | 0.0 | 71.2 | 457 | 2,907 | 0 | 333 | 407 |
| 6 | Senha | 0 | 22 | | 22 | | 0.0 | 0.0 | 88.0 | 747 | 3,393 | 0 | 95 | 315 |

| | | 105 | 106 | 107 | 108 | 109 | 110 | 111 | 112 | 113 | 114 | 115 | 116 | 117 |
|---|--------------------|---|---|---------------------------------------|---------------------------------------|---------------------------------------|--|--|--|--|---|---|--|-----------------------|
| | Indicators | % Newborns given OPVO at birth to Reported live birth | % Newborns given BCG to Reported live birth | Number of Infants given DPT1 | Number of Infants given DPT2 | Number of Infants given DPT3 | Number of Infants given Pentavale nt 1 | Number of Infants given Pentavale nt 2 | Number of Infants given Pentavale nt 3 | Number of Infants given Measles | % Infants 0 to 11 months old who received Measles vaccine to reported live births | Number of fully immunize d children (9-11 months) | % Drop Out between BCG & Measles | Vitamin - A dose 1 |
| | | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 |
| | _Lohardaga | 65.1 | 105.6 | 2,449 | 2,394 | 2,355 | | | | 2,708 | 118.5 | 2,693 | -12.3 | 2,135 |
| 1 | Bhandra | 79.9 | 100.0 | 370 | 335 | 326 | | | | 511 | 153.0 | 508 | -53.0 | 462 |
| 2 | DHQ | 127.0 | 127.0 | 198 | 192 | 197 | | | | 179 | 38.4 | 179 | 69.8 | 179 |
| 3 | Kisko | 26.0 | 93.1 | 410 | 412 | 408 | | | | 430 | 129.9 | 430 | -39.6 | 364 |
| 4 | Kuru | 22.2 | 87.9 | 594 | 592 | 585 | | | | 671 | 129.3 | 666 | -47.1 | 527 |
| 5 | Lohardaga Sadar | 87.4 | 106.8 | 452 | 460 | 477 | | | | 529 | 138.8 | 523 | -30.0 | 380 |
| 6 | Senha | 37.5 | 124.5 | 425 | 403 | 362 | | | | 388 | 153.4 | 387 | -23.2 | 223 |

| | | 118 | 119 | 120 | 121 | 122 | 123 | 124 | 125 | 126 | 127 | 128 | 129 | 130 |
|---|--------------------|---|--|---|---|---|--|---|--|---|--|--|---|--|
| | Indicators | % Children given Vit A dose1 to Reported live birth | % Children given Vitamin A Dose 9 to Children given Vit A dose1 | Adverse Events Following Imunisati on (Others) | % immunisa tion Sessions Held to Immunisa tion Sessions Planned | % Immunisa tion Sessions where ASHAs were present to Immunisa tion Sessions Planned | % Diptheria in Children 0-5 Years of Age to Total Reported Childhoo d Diseases 0-5 Years | % Pertusis in Children 0-5 Years of Age to Total Reported Childhoo d Diseases 0-5 Years | % Tetanus Neonator um in Children 0-5 Years of Age to Total Reported Childhoo d Diseases 0-5 Years | % Tetanus Others in Children 0-5 Years of Age to Total Reported Childhoo d Diseases 0-5 Years | % Polio in Children 0-5 Years of Age to Total Reported Childhoo d Diseases 0-5 Years | % Measles in Children 0-5 Years of Age to Total Reported Childhoo d Diseases 0-5 Years | % Diarrhoea and dehydrati on in Children 0-5 Years of Age to Total Reported Childhoo d Diseases 0-5 Years | % Malaria in Children 0-5 Years of Age to Total Reported Childhoo d Diseases 0-5 Years |
| | | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 |
| | _Lohardaga | 93.5 | 17.3 | 29 | 94.3 | 73.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.3 | 38.3 | 43.3 |
| 1 | Bhandra | 138.3 | 14.9 | 24 | 95.2 | 87.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 |
| 2 | DHQ | 38.4 | 26.3 | 0 | 90.0 | 0.0 | | | | | | | | |
| 3 | Kisko | 110.0 | 3.8 | 0 | 94.4 | 82.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 0.0 |
| 4 | Kuru | 101.5 | 15.7 | 0 | 96.3 | 84.5 | | | | | | | | |
| 5 | Lohardaga Sadar | 99.7 | 19.2 | 5 | 96.6 | 77.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.4 | 0.0 | 94.6 |
| 6 | Senha | 88.1 | 37.2 | 0 | 91.0 | 73.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26.7 | 53.3 | 20.0 |

| | | 131 | 132 | 133 | 134 | 135 | 136 | 137 | 138 | 139 | 140 | 141 | 142 | 143 |
|---|--------------------|---|---|---|---------------------------------|-----------------|-----------------|--------------------|--------------------------------------|--------------------------------------|---|---|--|--------------------------|
| | Indicators | % Adult Female Inpatient s to Total Adult Inpatient | % Children Inpatient to Total Inpatient | % Female Inpatient Deaths to Total Inpatient Deaths | % Inpatient Deaths to Total IPD | IPD (Number) | OPD (Number) | % IPD to OPD | Number of Major Operatio ns | Number of Minor Operatio ns | % Major Operatio ns to Total Operatio n | Number of Hysterect omy Surgeries | % Hysterect omy Surgeries to Total Major Operatio ns | Ayush OPD (Number) |
| | | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 |
| | _Lohardaga | 72.4 | 9.3 | 47.8 | 1.3 | 1,815 | 51,882 | 3.5 | 14 | 0 | 100.0 | | 0.0 | 0 |
| 1 | Bhandra | 100.0 | 0.0 | | 0.0 | 212 | 8,055 | 2.6 | 0 | 0 | | | | 0 |
| 2 | DHQ | 58.2 | 13.9 | 47.8 | 1.9 | 1,213 | 13,462 | 9.0 | 12 | 0 | 100.0 | | 0.0 | 0 |
| 3 | Kisko | 85.7 | 0.0 | | 0.0 | 126 | 7,550 | 1.7 | 0 | 0 | | | | 0 |
| 4 | Kuru | 100.0 | 0.0 | | 0.0 | 123 | 7,509 | 1.6 | 0 | 0 | | | | 0 |
| 5 | Lohardaga Sadar | 100.0 | 0.0 | | 0.0 | 2 | 5,700 | 0.0 | 0 | 0 | | | | 0 |
| 6 | Senha | 100.0 | 0.0 | | 0.0 | 139 | 9,606 | 1.4 | 2 | 0 | 100.0 | | 0.0 | 0 |

Updated On Weekly Basis Status As On: 310CT2015

| | | 144 | 145 | 146 | 147 | 148 | 149 | 150 | 151 | 152 | 153 | 154 | 155 | 156 |
|---|--------------------|--------------------------------------|---------------------------|---------------------------------------|--|--|--|---|---|--|--|--|--|--|
| | Indicators | % AYUSH OPD to Total OPD | Dental OPD (Number) | % Dental OPD to Total OPD | Adolesce nt counselle d (Number) | % Hb < 7 mg to Total Hb Tests Conducte d | % Male HIV Positive to Total Males Tested | % Female HIV Positive to Total Females Tested | % Total HIV Positive to Total Tested (Male + Female) | % Plasmodi um Vivax test positive to Total Blood Smears Examined | % Plasmodi um Falciparu m test positive to Total Blood Smears Examined | Total Number of Infant Deaths reported | % Deaths due to Sepsis to Total Reported Infant Deaths | % Deaths due to Asphyxia to Total Reported Infant Deaths |
| | | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 |
| | _Lohardaga | 0.0 | 0 | 0.0 | 25 | 5.4 | 0.6 | 0.2 | 0.2 | 0.0 | 0.9 | | | |
| 1 | Bhandra | 0.0 | 0 | 0.0 | 25 | 4.5 | 0.0 | 0.0 | 0.0 | 0.0 | 1.5 | | | |
| 2 | DHQ | 0.0 | 0 | 0.0 | 0 | 3.5 | 0.6 | 0.2 | 0.3 | 0.0 | 0.8 | | | |
| 3 | Kisko | 0.0 | 0 | 0.0 | 0 | 7.5 | | | | | | | | |
| 4 | Kuru | 0.0 | 0 | 0.0 | 0 | 4.2 | | 0.0 | 0.0 | | | | | |
| 5 | Lohardaga Sadar | 0.0 | 0 | 0.0 | 0 | 7.7 | | | | | | | | |
| 6 | Senha | 0.0 | 0 | 0.0 | 0 | 9.8 | | | | | | | | |

| Indicators | | 157 | 158 | 159 | 160 | 161 | 162 |
|------------|--------------------|---|--|---|---|---|--|
| | | % Deaths due to LBW to Total Reported Infant Deaths | % Deaths due to Pneumoni a to Total Reported Infant Deaths | % Deaths due to Diarrhoea to Total Reported Infant Deaths | % Deaths due to Fever to Total Reported Infant Deaths | % Deaths due to Measles to Total Reported Infant Deaths | % Deaths due to Other Causes to Total Reported Infant Deaths |
| | | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 |
| | _Lohardaga | | | | | | |
| 1 | Bhandra | | | | | | |
| 2 | DHQ | | | | | | |
| 3 | Kisko | | | | | | |
| 4 | Kuru | | | | | | |
| 5 | Lohardaga Sadar | | | | | | |
| 6 | Senha | | | | | | |