

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2012-13
Provisional Figures for the Period April to September

Indicator		1		2		3		4		5		6	
		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	Meghalaya	37,629	36,982	98.0	98.4	883	962	97.7	97.5	31,234	29,017	17,623	17,402
1	East Garo Hills	3,157	3,003	98.3	97.5	40	94	98.7	97.0	2,292	1,726	1,647	1,690
2	East Jaintia Hills												
3	East Khasi Hills	12,938	12,515	97.4	98.6	383	388	97.1	97.0	11,526	10,673	8,809	8,518
4	North Garo Hills												
5	Ri Bhoi	2,761	2,784	99.5	99.1	22	33	99.2	98.8	1,665	1,479	925	805
6	South Garo Hills	1,066	1,066	99.1	99.4	21	17	98.1	98.4	887	711	380	437
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	7,864	7,392	98.0	98.4	196	194	97.6	97.4	7,748	7,108	2,455	2,511
10	West Jaintia Hills	5,500	5,862	98.2	97.7	140	177	97.5	97.1	4,301	4,620	1,819	1,979
11	West Khasi Hills	4,343	4,360	98.5	98.9	81	59	98.2	98.7	2,815	2,700	1,588	1,462

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2012-13
Provisional Figures for the Period April to September

Indicator		7		8		9		10		11		12	
		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	Meghalaya	40,341	39,975	46.8	47.1	107.2	108.1	40,527	38,977	39,438	37,377	36,998	34,450
1	East Garo Hills	3,739	4,039	52.2	56.3	118.4	134.5	4,380	4,150	4,023	4,212	3,685	3,436
2	East Jaintia Hills												
3	East Khasi Hills	12,104	11,639	68.1	68.1	93.6	93.0	9,768	9,182	9,228	8,513	8,801	8,093
4	North Garo Hills												
5	Ri Bhoi	3,129	3,059	33.5	28.9	113.3	109.9	3,653	3,489	3,369	3,174	3,097	3,006
6	South Garo Hills	1,553	1,750	35.6	41.0	145.7	164.2	1,735	1,904	1,882	1,946	1,601	1,587
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	8,061	7,667	31.2	34.0	102.5	103.7	8,116	7,505	8,300	7,217	8,015	6,812
10	West Jaintia Hills	6,349	6,578	33.1	33.8	115.4	112.2	6,680	6,713	6,499	6,508	6,088	5,974
11	West Khasi Hills	5,406	5,243	36.6	33.5	124.5	120.3	6,195	6,034	6,137	5,807	5,711	5,542

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2012-13
Provisional Figures for the Period April to September

Indicator		13		14		15		16		17		18	
		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Meghalaya							32,717	31,162	86.9	84.3	30,406	29,154
1	East Garo Hills							3,175	3,016	100.6	100.4	2,945	2,922
2	East Jaintia Hills												
3	East Khasi Hills							7,722	7,028	59.7	56.2	7,351	6,651
4	North Garo Hills												
5	Ri Bhoi							2,969	2,799	107.5	100.5	2,709	2,615
6	South Garo Hills							1,383	1,567	129.7	147.0	1,060	1,264
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills							7,080	6,923	90.0	93.7	6,605	6,636
10	West Jaintia Hills							5,492	5,012	99.9	85.5	5,139	4,674
11	West Khasi Hills							4,896	4,817	112.7	110.5	4,597	4,392

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2012-13
Provisional Figures for the Period April to September

Indicator		19		20		21		22		23		24	
		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	Meghalaya	18.9	22.0	25,507	26,471	67.8	71.6	30.7	34.4	250	6	80.0	80.9
1	East Garo Hills	15.1	25.3	2,371	2,058	75.1	68.5	66.0	53.6	0	0	75.0	79.5
2	East Jaintia Hills												
3	East Khasi Hills	36.2	39.6	6,614	7,098	51.1	56.7	12.3	11.8	2	6	92.9	92.5
4	North Garo Hills												
5	Ri Bhoi	5.1	8.5	2,905	2,798	105.2	100.5	12.5	11.7	0	0	80.2	82.8
6	South Garo Hills	10.9	10.5	1,184	1,140	111.1	106.9	47.3	44.9	0	0	77.3	77.0
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	12.2	9.7	3,759	5,783	47.8	78.2	52.4	55.9	0	0	79.7	79.6
10	West Jaintia Hills	13.5	23.8	5,435	4,777	98.8	81.5	34.4	52.3	1	0	89.0	91.2
11	West Khasi Hills	9.4	8.1	3,239	2,817	74.6	64.6	21.3	21.0	247	0	62.5	61.3

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2012-13
Provisional Figures for the Period April to September

Indicator		25		26		27		28		29		30	
		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Meghalaya	60.6	59.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	East Garo Hills	68.3	73.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	East Jaintia Hills												
3	East Khasi Hills	64.5	58.4	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
4	North Garo Hills												
5	Ri Bhoi	56.8	57.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	South Garo Hills	67.0	66.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	73.9	71.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	West Jaintia Hills	42.7	50.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	West Khasi Hills	44.6	41.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2012-13
Provisional Figures for the Period April to September

Indicator		31		32		33		34		35		36	
		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Meghalaya	0.4	1.1	94.7	92.8	4.9	6.0	933	777	5.6	4.8	9.1	8.1
1	East Garo Hills	2.2	5.3	67.2	60.0	30.6	34.6	39	11	2.7	0.0	8.1	0.0
2	East Jaintia Hills												
3	East Khasi Hills	0.1	0.4	99.5	99.1	0.5	0.5	350	397	4.5	5.9	13.0	6.5
4	North Garo Hills												
5	Ri Bhoi	1.2	0.5	97.3	97.4	1.5	2.0	45	37	2.6	3.8	0.0	3.8
6	South Garo Hills	1.6	1.8	71.2	77.3	27.1	20.9	34	20	0.0	0.0	0.0	0.0
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	0.3	2.2	89.7	80.8	10.0	17.0	213	118	1.7	2.0	5.8	25.0
10	West Jaintia Hills	0.1	0.7	99.3	97.6	0.6	1.8	146	104	18.3	8.4	18.3	3.6
11	West Khasi Hills	0.1	0.7	96.4	97.6	3.5	1.7	106	90	4.9	1.5	0.0	0.0

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2012-13
Provisional Figures for the Period April to September

Indicator		37		38		39		40		41		42	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Meghalaya	8.3	4.5	14.8	14.1	2.4	2.5	11.1	10.5	0.0	0.0	48.7	55.5
1	East Garo Hills	8.1	0.0	16.2	0.0	0.0	0.0	10.8	100.0	0.0	0.0	54.1	0.0
2	East Jaintia Hills												
3	East Khasi Hills	3.2	2.6	11.3	12.7	0.0	2.9	7.3	5.6	0.0	0.0	60.7	63.7
4	North Garo Hills												
5	Ri Bhoi	12.8	7.7	15.4	3.8	7.7	3.8	12.8	15.4	0.0	0.0	48.7	61.5
6	South Garo Hills	0.0	5.3	8.3	5.3	0.0	0.0	8.3	21.1	0.0	0.0	83.3	68.4
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	7.5	11.0	28.3	16.0	0.6	2.0	22.5	18.0	0.0	0.0	33.5	26.0
10	West Jaintia Hills	21.1	3.6	7.3	27.7	2.8	1.2	2.8	12.0	0.0	0.0	29.4	43.4
11	West Khasi Hills	8.5	3.0	7.3	7.5	12.2	3.0	9.8	13.4	0.0	0.0	57.3	71.6