

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to August
These indicators are under compilation (83,84,85,86,197,198)

Indicators		1		2		3		4		5		6	
		Total number of pregnant women Registered for ANC		Number of Pregnant women registered within first trimester		% 1st Trimester registration to Total ANC Registrations		Number of pregnant women received 4 or more ANC check ups		TT2 given to Pregnant women (numbers)		TT Booster given to Pregnant women (numbers)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	6,296	6,281	5,412	5,288	85.9	84.1	5,431	5,620	5,430	5,347	1,291	1,140
1	Devanahalli	1,368	1,323	1,196	1,163	87.4	87.9	1,366	1,031	1,142	1,131	255	202
2	Doddaballapur	1,729	1,726	1,408	1,441	81.4	83.5	1,072	1,777	1,382	1,571	248	194
3	Hosakote	1,937	1,917	1,805	1,778	93.2	92.7	2,029	1,521	1,926	1,801	628	530
4	Nelamanagala	1,262	1,315	1,003	906	79.5	68.9	964	1,291	980	844	160	214

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to August
These indicators are under compilation (83,84,85,86,197,198)

Indicators		7		8		9		10		11		12	
		% Pregnant Woman received 4 ANC check ups to Total ANC Registrations		% Pregnant women received TT2+ TT Booster to Total ANC Registration		Number of Pregnant women given 180 IFA tablets		% Pregnant women given 180 IFA to Total ANC Registration		Number of Pregnant Women having Hb level<11 (tested cases)		Number of Pregnant Women having severe anaemia (Hb<7) treated at institution	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	86.2	89.4	106.7	103.2	6,706	4,417	106.5	70.3	6,384	6,313	36	112
1	Devanahalli	99.9	77.9	102.1	100.8	1,622	781	118.6	59.0	1,615	1,764	10	20
2	Doddaballapur	62.0	103.0	94.3	102.3	1,672	1,637	96.7	94.8	1,547	1,554	1	37
3	Hosakote	104.7	79.3	131.9	121.6	2,209	852	114.0	44.4	2,071	1,622	16	18
4	Nelamanagala	76.4	98.2	90.3	80.5	1,203	1,147	95.3	87.2	1,151	1,373	9	37

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to August
These indicators are under compilation (83,84,85,86,197,198)

Indicators		13		14		15		16		17		18	
		% Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<7		% New cases of Pregnant Women detected at institution for hypertension to Total ANC Registrations		Number of Home deliveries		Number of home deliveries attended by SBA trained (Doctor/Nurse/ANM)		Number of home deliveries attended by Non SBA trained (trained TB/Dai)		% SBA attended home deliveries to Total Reported Home Deliveries	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	35.0	28.3	2.2	5.9	2	2	2	0	0	2	100.0	0.0
1	Devanahalli	71.4	83.3	0.4	1.2	0	0	0	0	0	0		
2	Doddaballapur	4.0	19.3	1.3	3.5	2	2	2	0	0	2	100.0	0.0
3	Hosakote	48.5	16.1	4.1	12.3	0	0	0	0	0	0		
4	Nelamanagala	29.0	54.4	2.7	4.6	0	0	0	0	0	0		

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to August
These indicators are under compilation (83,84,85,86,197,198)

Indicators		19		20		21		22		23		24	
		Deliveries Conducted at Public Institutions		Number of Women Discharged under 48 hours of delivery in public facilities		% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at public institutions		Deliveries Conducted at Private Institutions		Number of Women Discharged under 48 hours of delivery in private institutions		% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at private institutions	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	1,954	2,133	61	102	3.1	4.7	1,108	1,387	108	143	9.7	10.3
1	Devanahalli	283	273	3	2	1.1	0.7	104	164	0	0	0.0	0.0
2	Doddaballapur	979	932	35	7	3.6	0.8	236	278	0	0	0.0	0.0
3	Hosakote	394	520	4	79	1.0	15.2	594	738	86	123	14.5	16.7
4	Nelamanagala	298	408	19	14	6.4	3.4	174	207	22	20	12.6	9.7

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to August
These indicators are under compilation (83,84,85,86,197,198)

Indicators		25		26		27		28		29		30	
		Institutional deliveries (Public Insts.+Pvt. Insts.)		% Institutional Deliveries to total ANC registration		Total reported deliveries		% Institutional deliveries to Total Reported Deliveries		% Safe deliveries to Total Reported Deliveries		% Home deliveries to Total Reported Deliveries	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	3,062	3,520	48.6	56.0	3,064	3,522	99.9	99.9	100.0	99.9	0.1	0.1
1	Devanahalli	387	437	28.3	33.0	387	437	100.0	100.0	100.0	100.0	0.0	0.0
2	Doddaballapur	1,215	1,210	70.3	70.1	1,217	1,212	99.8	99.8	100.0	99.8	0.2	0.2
3	Hosakote	988	1,258	51.0	65.6	988	1,258	100.0	100.0	100.0	100.0	0.0	0.0
4	Nelamanagala	472	615	37.4	46.8	472	615	100.0	100.0	100.0	100.0	0.0	0.0

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to August
These indicators are under compilation (83,84,85,86,197,198)

Indicators		31		32		33		34		35		36	
		Number of C-section deliveries conducted at public facilities		Number of C-section deliveries conducted at private facilities		% C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries		% C-sections conducted at public facilities to Deliveries conducted at public facilities		% C-sections conducted at Private facilities to Deliveries conducted at private facilities		% Deliveries conducted at Public Institutions to Total Institutional Deliveries	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	499	506	754	900	40.9	39.9	25.5	23.7	68.1	64.9	63.8	60.6
1	Devanahalli	76	31	72	103	38.2	30.7	26.9	11.4	69.2	62.8	73.1	62.5
2	Doddaballapur	340	305	166	189	41.6	40.8	34.7	32.7	70.3	68.0	80.6	77.0
3	Hosakote	22	68	364	428	39.1	39.4	5.6	13.1	61.3	58.0	39.9	41.3
4	Nelamanagala	61	102	152	180	45.1	45.9	20.5	25.0	87.4	87.0	63.1	66.3

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to August
These indicators are under compilation (83,84,85,86,197,198)

Indicators		37		38		39		40		41		42	
		% Deliveries conducted at Private Institutions to Total Institutional Deliveries		Women received 1st post partum check-up within 48 hours of home delivery		Women received 1st post partum check up between 48 hours and 14 days		% Women getting 1st post partum check-up within 48 hours of home delivery to Total Reported Home Deliveries		% Women getting 1st Post Partum Checkup between 48 hours and 14 days to Total Reported Deliveries		Total Number of reported live births	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	36.2	39.4	369	1,759	4,112	4,768	8450.0	7950.0	134.2	135.4	3,079	3,504
1	Devanahalli	26.9	37.5	96	289	785	875			202.8	200.2	385	433
2	Doddaballapur	19.4	23.0	11	471	769	1,365	550.0	3550.0	63.2	112.6	1,230	1,210
3	Hosakote	60.1	58.7	260	852	1,509	1,426			152.7	113.4	985	1,246
4	Nelamanagala	36.9	33.7	2	147	1,049	1,102			222.2	179.2	479	615

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to August
These indicators are under compilation (83,84,85,86,197,198)

Indicators		43		44		45		46		47		48	
		% Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		% Newborns weighed at birth to live birth		Number of Newborns having weight less than 2.5 kg	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	100.5	99.5	15	19	99.5	99.5	3,005	3,502	97.6	99.9	223	307
1	Devanahalli	99.5	99.1	0	4	100.0	99.1	383	434	99.5	100.2	21	47
2	Doddaballapur	101.1	99.8	11	2	99.1	99.8	1,221	1,208	99.3	99.8	60	99
3	Hosakote	99.7	99.0	4	13	99.6	99.0	985	1,246	100.0	100.0	115	144
4	Nelamanagala	101.5	100.0	0	0	100.0	100.0	416	614	86.8	99.8	27	17

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to August
These indicators are under compilation (83,84,85,86,197,198)

Indicators		49		50		51		52		53		54	
		% Newborns having weight less than 2.5 kg to Newborns weighed at birth		Number of New Borns Breast Fed within 1 hour		% Newborns breast fed within 1 hour of birth to Total live birth		Sex Ratio at birth (Female Live Births/ Male Live Births *1000)		% cases of Pregnant women with Obstetric Complications and attended to reported deliveries		% Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	7.4	8.7	3,060	3,498	99.3	99.8	965	940	9.1	5.0	16.7	25.1
1	Devanahalli	5.5	10.8	384	434	99.7	100.2	944	883	0.8	0.5	0.0	100.0
2	Doddaballapur	4.9	8.2	1,218	1,210	99.0	100.0	934	977	1.0	0.8	100.0	110.0
3	Hosakote	11.7	11.6	985	1,246	100.0	100.0	986	959	26.7	12.2	12.9	8.4
4	Nelamanagala	6.5	2.8	473	608	98.7	98.9	1,021	875	0.4	2.1	50.0	146.2

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to August
These indicators are under compilation (83,84,85,86,197,198)

Indicators		55		56		57		58		59		60	
		Number of PW given 360 Calcium tablets		% Pregnant women given 360 Calcium to Total ANC Registration		Number of PW given one Albendazole tablet after 1st trimester		% Pregnant women given one Albendazole tablet after 1st trimester to Total ANC Registration		Number of PW tested for blood sugar using OGTT (Oral Glucose Tolerance Test)		% Pregnant women tested for blood sugar using OGTT to Total ANC Registration	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	6,119	2,996	97.2	47.7	4,869	3,725	77.3	59.3	1,046	1,199	16.6	19.1
1	Devanahalli	1,415	549	103.4	41.5	1,126	1,015	82.3	76.7	44	21	3.2	1.6
2	Doddaballapur	1,590	994	92.0	57.6	1,026	731	59.3	42.4	246	10	14.2	0.6
3	Hosakote	1,984	516	102.4	26.9	1,970	1,547	101.7	80.7	464	158	24.0	8.2
4	Nelamanagala	1,130	937	89.5	71.3	747	432	59.2	32.9	292	1,010	23.1	76.8

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to August
These indicators are under compilation (83,84,85,86,197,198)

Indicators		61		62		63		64		65		66	
		Number of PW tested positive for GDM		% Pregnant women tested positive for GDM to Total ANC Registration		Number of pregnant women tested for Syphilis		Number of pregnant women tested found sero positive for Syphilis		% Pregnant women tested for Syphilis to Total ANC Registration		% Pregnant women treated for Syphilis to Total sero positive for Syphilis	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	37	29	0.6	0.5	4,040	2,509	8	217	64.2	39.9	0.0	1.8
1	Devanahalli	0	1	0.0	0.1	1,070	1,028	8	24	78.2	77.7	0.0	1.6
2	Doddaballapur	3	0	0.2	0.0	564	827	0	48	32.6	47.9	0.0	0.8
3	Hosakote	34	2	1.8	0.1	1,665	415	0	0	86.0	21.6	0.0	0.0
4	Nelamanagala	0	26	0.0	2.0	741	239	0	145	58.7	18.2	0.0	9.6

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to August
These indicators are under compilation (83,84,85,86,197,198)

Indicators		67		68		69		70		71		72	
		% of babies treated for congenital Syphilis to babies total diagnosed with Congenital Syphilis		Total no. maternal deaths		Total Facility Based Maternal Death Reviews (FBMDR) done		Total Number of Abortions (Spontaneous) Reported		Total Number of MTPs (Public) conducted		% MTPs to total Abortions	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural		0.0	2	3	0	0	276	371	206	209	57.8	58.0
1	Devanahalli		0.0	0	1	0	0	49	82	86	77	68.0	48.4
2	Doddaballapur			2	1	0	0	43	40	72	79	62.6	66.4
3	Hosakote			0	0	0	0	127	159	8	12	53.6	65.1
4	Nelamanagala		0.0	0	1	0	0	57	90	40	41	49.1	39.6

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to August
These indicators are under compilation (83,84,85,86,197,198)

Indicators		73		74		75		76		77		78	
		% MTPs up to 12 weeks of Pregnancy to Total MTPs at Public Institutions		% MTPs more than 12 weeks of Pregnancy to Total MTPs at Public Institutions		% MTPs Conducted at Public Institutions to Total MTPs		% MTPs Conducted at Private Institutions to Total MTPs		% Total MTPs (Public) Conducted to Total ANC Registration		Number of Vasectomies Conducted	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	91.7	90.4	8.3	9.6	54.5	40.8	45.5	59.2	3.3	3.3	17	10
1	Devanahalli	97.7	100.0	2.3	0.0	82.7	100.0	17.3	0.0	6.3	5.8	2	0
2	Doddaballapur	80.6	79.7	19.4	20.3	100.0	100.0	0.0	0.0	4.2	4.6	1	0
3	Hosakote	100.0	91.7	0.0	8.3	5.4	4.0	94.6	96.0	0.4	0.6	8	5
4	Nelamanagala	97.5	92.7	2.5	7.3	72.7	69.5	27.3	30.5	3.2	3.1	6	5

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to August
These indicators are under compilation (83,84,85,86,197,198)

Indicators		79		80		81		82		83		84	
		Number of Tubectomies Conducted		Total Sterilisation Conducted		% Male Sterilisation (Vasectomies) to Total sterilisation		% Female Serlisation (Tubectomies) to Total sterilisation		Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC		Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	1,334	1,857	1,351	1,867	1.2	0.5	98.7	99.5				
1	Devanahalli	277	229	279	229	0.7	0.0	99.3	100.0				
2	Doddaballapur	444	616	445	616	0.2	0.0	99.8	100.0				
3	Hosakote	353	526	361	531	2.2	0.9	97.8	99.1				
4	Nelamanagala	260	486	266	491	2.3	1.0	97.7	99.0				

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to August
These indicators are under compilation (83,84,85,86,197,198)

Indicators		85		86		87		88		89		90	
		Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH		Total Sterilisation (Tubectomies and Vasectomies) conducted at DH		Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions		Total Sterilisation (Tubectomies and Vasectomies) conducted at Public institutions		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Public institutions to Total Sterilisation	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural					142	178	1,209	1,689	10.5	9.5	89.5	90.5
1	Devanahalli					21	3	258	226	7.5	1.3	92.5	98.7
2	Doddaballapur					0	5	445	611	0.0	0.8	100.0	99.2
3	Hosakote					77	132	284	399	21.3	24.9	78.7	75.1
4	Nelamanagala					44	38	222	453	16.5	7.7	83.5	92.3

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to August
These indicators are under compilation (83,84,85,86,197,198)

Indicators		91		92		93		94		95		96	
		% Laparoscopic sterilisations to Total Female Sterilisations		% Mini Lap Sterilisations to Total Female Sterilisations		% Post Partum Sterilisations to Total Female Sterilisations		% Post Abortion Sterilisations to Total Female Sterilisations		% Laparoscopic sterilisations at Public Institutions to Total Laparoscopic Sterilisations		% Mini Lap sterilisations at Public Institutions to Total Mini Lap Sterilisations	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	78.6	75.9	10.0	9.2	10.8	14.9	0.5	0.0	95.8	97.0	53.7	56.5
1	Devanahalli	73.3	88.2	14.8	9.2	11.6	2.6	0.4	0.0	100.0	100.0	73.2	85.7
2	Doddaballapur	79.1	72.2	6.5	7.8	14.4	20.0	0.0	0.0	100.0	100.0	100.0	100.0
3	Hosakote	79.9	70.2	11.3	12.5	8.8	17.3	0.0	0.0	90.4	89.4	25.0	36.4
4	Nelamanagala	81.5	80.9	9.2	7.2	6.9	11.9	2.3	0.0	92.0	99.2	12.5	17.1

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to August
These indicators are under compilation (83,84,85,86,197,198)

Indicators		97		98		99		100		101		102	
		% Post Partum sterlisations at Public Institutions to Total Post Partum Sterilisation		% Post Abortion sterlisations at Public Institutions to Total Post Partum Sterilisation		Total cases of deaths following Sterilisation (Male + Female)		Total cases of deaths following Male Sterilisation		Total cases of deaths following Female Sterilisation		Total cases of failure following Male Sterilisation	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	80.0	77.7	0.0		0	0	0	0	0	0	0	0
1	Devanahalli	71.9	100.0	0.0		0	0	0	0	0	0	0	0
2	Doddaballapur	100.0	95.9			0	0	0	0	0	0	0	0
3	Hosakote	35.5	44.0			0	0	0	0	0	0	0	0
4	Nelamanagala	100.0	89.7	0.0		0	0	0	0	0	0	0	0

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to August
These indicators are under compilation (83,84,85,86,197,198)

Indicators		103		104		105		106		107		108	
		Total cases of failure following Female Sterilisation		Total cases of complication following Male Sterilisation		Total cases of complication following Female Sterilisation		IUCD Insertions done (public facilities)		IUCD insertions done (pvt. facilities)		% PP IUCD Insertions (public) to Total IUCD Insertions (public)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	0	0	0	0	6	0	1,309	1,771	86	191	31.3	36.8
1	Devanahalli	0	0	0	0	1	0	244	304	0	5	33.6	32.6
2	Doddaballapur	0	0	0	0	5	0	269	417	0	0	25.3	39.1
3	Hosakote	0	0	0	0	0	0	443	587	47	158	17.2	14.8
4	Nelamanagala	0	0	0	0	0	0	353	463	39	28	52.4	65.4

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to August
These indicators are under compilation (83,84,85,86,197,198)

Indicators		109		110		111		112		113		114	
		% PP IUCD Insertions (public) to Total Institutional Deliveries (public)		% IUCD insertions to all family planning methods (IUCD plus permanent)		Total Interval IUCD Insertions done		Total PP IUCD Insertions done		Total PAIUCD insertions done		Combined Oral Pills distributed	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	21.0	30.5	50.8	51.2	917	1,272	433	659	45	31	14,174	27,710
1	Devanahalli	29.0	36.3	46.7	57.4	162	208	82	101	0	0	2,246	2,299
2	Doddaballapur	6.9	17.5	37.7	40.4	200	244	68	163	1	10	3,496	15,861
3	Hosakote	19.3	16.7	57.6	58.4	408	656	76	87	6	2	5,343	6,937
4	Nelamanagala	62.1	74.3	59.6	50.0	147	164	207	308	38	19	3,089	2,613

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to August
These indicators are under compilation (83,84,85,86,197,198)

Indicators		115		116		117		118		119		120	
		Emergency pills distributed		Condom pieces distributed		Centchroman (weekly pills) distributed		Number of beneficiaries given 1st dose of Injectable (Antara Program)		Number of beneficiaries given 2nd dose of Injectable (Antara Program)		Number of beneficiaries given 3rd dose of Injectable (Antara Program)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	264	250	194,932	262,275	660	304	60	4	31	0	9	0
1	Devanahalli	174	132	36,419	33,016	33	120	9	0	0	0	0	0
2	Doddaballapur	50	41	50,049	89,725	10	172	39	4	26	0	8	0
3	Hosakote	9	71	63,584	95,869	455	0	0	0	2	0	0	0
4	Nelamanagala	31	6	44,880	43,665	162	12	12	0	3	0	1	0

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to August
These indicators are under compilation (83,84,85,86,197,198)

Indicators		121		122		123		124		125		126	
		Number of beneficiaries given 4th or more than 4 doses of Injectable (Antara Program)		Pregnancy testing kits used		Number of Infants given OPV 0 (Birth Dose)		Number of Infants given BCG		Number of Infants given Hep- B0 (birth dose)		% Newborns given OPV0 at birth to Reported live birth	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	37	0	7,679	5,617	3,101	3,168	3,320	3,686	2,935	3,349	100.7	90.4
1	Devanahalli	0	0	1,205	951	388	406	419	470	385	401	100.8	93.8
2	Doddaballapur	36	0	1,445	1,144	1,251	958	1,291	1,162	1,144	1,104	101.7	79.2
3	Hosakote	0	0	2,772	3,054	997	1,230	1,053	1,330	944	1,227	101.2	98.7
4	Nelamanagala	1	0	2,257	468	465	574	557	724	462	617	97.1	93.3

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to August
These indicators are under compilation (83,84,85,86,197,198)

Indicators		127		128		129		130		131		132	
		% Newborns given BCG to Reported live birth		% Newborns given Hep-B0(Birth Dose)at birth to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3		Number of Infants given Pentavalent 1	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	107.8	105.2	95.3	95.6	21	99	3	3	1	1	5,927	6,226
1	Devanahalli	108.8	108.5	100.0	92.6	0	0	0	0	0	0	1,210	1,234
2	Doddaballapur	105.0	96.0	93.0	91.2	19	0	1	0	0	0	1,706	1,794
3	Hosakote	106.9	106.7	95.8	98.5	1	0	0	0	0	0	1,827	1,993
4	Nelamanagala	116.3	117.7	96.5	100.3	1	99	2	3	1	1	1,184	1,205

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to August
These indicators are under compilation (83,84,85,86,197,198)

Indicators		133		134		135		136		137		138	
		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		Number of Infants given MR		% Infants 0 to 11 months old who received Measles+ MR vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	6,034	6,100	6,212	6,128	136	246	6,232	5,630	206.8	167.6	6,217	5,376
1	Devanahalli	1,297	1,172	1,292	1,194	4	11	1,374	1,171	357.9	273.0	1,364	1,136
2	Doddaballapur	1,725	1,776	1,751	1,701	47	98	1,705	1,531	142.4	134.6	1,717	1,343
3	Hosakote	1,848	1,980	1,912	2,016	68	133	1,868	1,787	196.5	154.1	1,897	1,798
4	Nelamanagala	1,164	1,172	1,257	1,217	17	4	1,285	1,141	271.8	186.2	1,239	1,099

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to August
These indicators are under compilation (83,84,85,86,197,198)

Indicators		139		140		141		142		143		144	
		% Drop Out between BCG & Measles/ MR		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Imunisation (Abcess)		Adverse Events Following Imunisation (Deaths)		Adverse Events Following Imunisation (Others)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	95.9	93.3	155.4	200.5	9.8	132.3	6	6	0	0	0	0
1	Devanahalli	99.0	97.7	320.0	384.3	2.8	169.1	4	0	0	0	0	0
2	Doddaballapur	96.4	91.6	122.4	130.1	26.3	84.4	2	4	0	0	0	0
3	Hosakote	93.5	90.0	98.6	215.7	4.2	138.9	0	2	0	0	0	0
4	Nelamanagala	96.9	99.4	224.6	179.0	0.0	129.1	0	0	0	0	0	0

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to August
These indicators are under compilation (83,84,85,86,197,198)

Indicators		145		146		147		148		149		150	
		% immunisation Sessions Held to Immunisation Sessions Planned		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		Pneumonia in Children 0-5 Years of Age		Asthma in Children 0-5 Years of Age		Sepsis in Children 0-5 Years of Age		Diphtheria in Children 0-5 Years of Age	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	98.0	97.1	69.2	67.2	351	398	531	870	71	53	3	0
1	Devanahalli	97.7	97.7	75.9	79.0	338	205	197	119	48	4	3	0
2	Doddaballapur	98.0	96.9	73.9	73.3	3	26	0	89	0	0	0	0
3	Hosakote	99.9	99.7	70.0	69.9	6	0	5	3	17	0	0	0
4	Nelamanagala	96.1	93.5	54.8	43.2	4	167	329	659	6	49	0	0

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to August
These indicators are under compilation (83,84,85,86,197,198)

Indicators		151		152		153		154		155		156	
		Pertussis in Children 0-5 Years of Age		Tetanus Neonatorum in Children 0-5 Years of Age		Tuberculosis (TB) in Children 0-5 Years of Age		Acute Flaccid Paralysis(AFP)in Children 0-5 Years of Age		Measles in Children 0-5 Years of Age		Malaria in Children 0-5 Years of Age	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	0	0	1	0	5	10	5	10	3	1	351	398
1	Devanahalli	0	0	0	0	5	0	5	0	0	0	338	205
2	Doddaballapur	0	0	0	0	0	3	0	3	0	0	3	26
3	Hosakote	0	0	1	0	0	0	0	0	3	0	6	0
4	Nelamanagala	0	0	0	0	0	7	0	7	0	1	4	167

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to August
These indicators are under compilation (83,84,85,86,197,198)

Indicators		157		158		159		160		161		162	
		Diarrhoea in Children 0-5 Years of Age		Diarrhoea treated in Inpatients in Children 0-5 Years of Age		No. of infants given Measles Rubella vaccine 1st dose		No. of infants received Rotavirus Vaccine 1st dose		No. of infants received Rotavirus Vaccine 2nd dose		No. of infants received Rotavirus Vaccine 3rd dose	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	2,048	1,870	127	209	6,232	5,630	29	0	29	0	29	0
1	Devanahalli	830	397	29	8	1,374	1,171	5	0	5	0	5	0
2	Doddaballapur	90	598	1	64	1,705	1,531	0	0	0	0	0	0
3	Hosakote	362	204	13	55	1,868	1,787	21	0	24	0	24	0
4	Nelamanagala	766	671	84	82	1,285	1,141	3	0	0	0	0	0

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to August
These indicators are under compilation (83,84,85,86,197,198)

Indicators		163		164		165		166		167		168	
		No of children 16-24 months age given Measles 2nd dose		No of children 16-24 months age given Measles Rubella Vaccine 2nd dose		% Adult Female Inpatients to Total Adult Inpatient		% Children Inpatient to Total Inpatient		% Female Inpatient Deaths to Total Inpatient Deaths		% Inpatient Deaths to Total IPD	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	152	531	6,109	4,770	57.2	57.9	10.6	10.1	30.0	24.5	0.1	0.1
1	Devanahalli	18	18	1,321	1,201	67.0	64.4	7.2	5.5	0.0		0.0	0.0
2	Doddaballapur	54	189	1,691	1,148	56.8	60.3	5.0	5.5	30.8	28.6	0.3	0.1
3	Hosakote	49	220	1,789	1,469	55.0	55.0	13.7	12.7	37.5	25.0	0.1	0.1
4	Nelamanagala	31	104	1,308	952	56.6	60.0	6.2	9.8	21.4	18.2	0.3	0.2

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to August
These indicators are under compilation (83,84,85,86,197,198)

Indicators		169		170		171		172		173		174	
		IPD (Number)		OPD (Allopathic)		Ayush OPD (Number)		OPD (Ayush+Allopathic)		% IPD to OPD		Number of Major Operations	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	58,221	61,451	742,719	723,094	6,784	6,802	749,503	729,896	7.8	8.4	4,387	5,121
1	Devanahalli	8,058	9,324	127,006	113,705	1,081	0	128,087	113,705	6.3	8.2	59	63
2	Doddaballapur	11,245	10,600	174,312	166,720	1,988	2,614	176,300	169,334	6.4	6.3	144	243
3	Hosakote	34,853	35,808	328,538	340,673	1,713	2,043	330,251	342,716	10.6	10.4	4,181	4,779
4	Nelamanagala	4,065	5,719	112,863	101,996	2,002	2,145	114,865	104,141	3.5	5.5	3	36

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to August
These indicators are under compilation (83,84,85,86,197,198)

Indicators		175		176		177		178		179		180	
		Number of Minor Operations		% Major Operations to Total Operation		Number of Hysterectomy Surgeries		% Hysterectomy Surgeries to Total Major Operations		% AYUSH OPD to Total OPD		Dental OPD (Number)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	14,952	14,803	22.7	25.7	473	87	10.7	1.6	0.9	0.9	18,388	10,845
1	Devanahalli	69	96	46.1	39.6	15	2	25.4	3.2	0.8	0.0	4,577	2,971
2	Doddaballapur	100	490	59.0	33.2	55	48	38.2	19.8	1.1	1.5	1,748	2,721
3	Hosakote	14,702	14,149	22.1	25.2	401	18	9.6	0.4	0.5	0.6	6,676	1,670
4	Nelamanagala	81	68	3.6	34.6	2	19	66.7	52.8	1.7	2.1	5,387	3,483

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to August
These indicators are under compilation (83,84,85,86,197,198)

Indicators		181		182		183		184		185		186	
		% Dental OPD to Total OPD		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female screened for HIV to Total ANC Registration		% Female HIV Positive to Total Females Tested		% Total HIV Positive to Total Tested (Male + Female)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	2.5	1.5	2.3	2.9	0.6	1.0	73.8	79.7	3.8	0.5	1.7	0.8
1	Devanahalli	3.6	2.6	1.7	2.3	0.4	0.5	82.2	61.7	0.4	0.9	0.4	0.6
2	Doddaballapur	1.0	1.6	3.0	2.4	0.8	3.3	59.1	68.8	2.7	0.6	1.5	2.3
3	Hosakote	2.0	0.5	2.8	2.3	0.7	0.1	74.9	92.4	0.9	0.3	0.7	0.2
4	Nelamanagala	4.7	3.3	1.0	7.9	0.5	0.6	83.4	93.5	12.3	0.6	4.6	0.6

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to August
These indicators are under compilation (83,84,85,86,197,198)

Indicators		187		188		189		190		191		192	
		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	0.0	0.0	0.0	0.0	10	11	10.0	0.0	0.0	18.2	0.0	0.0
1	Devanahalli	0.0	0.0	0.0	0.0	3	4	0.0	0.0	0.0	0.0	0.0	0.0
2	Doddaballapur	0.0	0.0	0.0	0.0	3	3	0.0	0.0	0.0	33.3	0.0	0.0
3	Hosakote	0.0	0.0	0.0	0.0	3	2	33.3	0.0	0.0	50.0	0.0	0.0
4	Nelamanagala	0.0	0.0	0.0	0.0	1	2	0.0	0.0	0.0	0.0	0.0	0.0

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to August
These indicators are under compilation (83,84,85,86,197,198)

Indicators		193		194		195		196		197		198	
		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		Institutional Deliveries at Urban Health Facilities i.e SC+PHC+CHC+SDH		Institutional Deliveries at District Hospitals		Measles immunization at urban Health facilities i.e SC+PHC+CHC+SDH+DH	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	0.0	0.0	0.0	0.0	0.0	0.0	1,108	1,387				
1	Devanahalli	0.0	0.0	0.0	0.0	0.0	0.0	104	164				
2	Doddaballapur	0.0	0.0	0.0	0.0	0.0	0.0	236	278				
3	Hosakote	0.0	0.0	0.0	0.0	0.0	0.0	594	738				
4	Nelamanagala	0.0	0.0	0.0	0.0	0.0	0.0	174	207				