

Performance of Key HMIS Indicators for Mizoram (Across Districts)
Financial Year: 2012-13
Provisional Figures for the Period April to June

| Indicator | | 1 | | 2 | | 3 | | 4 | | 5 | | 6 | |
|-----------|-------------|--------------------------------------|---------|--|---------|---------------------------------------|---------|--------------------------------|---------|-------------------------------------|---------|--|---------|
| | | Total Number of reported live births | | % Total Reported Live Births to Total Deliveries | | Total Number of reported Still Births | | % live birth to Reported Birth | | Number of Newborns weighed at birth | | Number of Infants given OPV 0 (Birth Dose) | |
| | | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 |
| | _Mizoram | 5,257 | 4,886 | 99.1 | 101.6 | 52 | 51 | 99.0 | 99.0 | 5,046 | 4,481 | 505 | 435 |
| 1 | Aizawl East | 711 | 530 | 99.3 | 126.8 | 10 | 11 | 98.6 | 98.0 | 698 | 405 | 23 | 0 |
| 2 | Aizawl West | 1,385 | 1,301 | 98.6 | 98.9 | 20 | 15 | 98.6 | 98.9 | 1,385 | 1,300 | 469 | 435 |
| 3 | Champhai | 699 | 639 | 99.3 | 99.5 | 5 | 3 | 99.3 | 99.5 | 678 | 614 | 4 | 0 |
| 4 | Kolasib | 319 | 333 | 99.4 | 99.1 | 1 | 3 | 99.7 | 99.1 | 319 | 334 | 5 | 0 |
| 5 | Lawngtlai | 418 | 351 | 99.3 | 97.8 | 3 | 3 | 99.3 | 99.2 | 318 | 286 | 4 | |
| 6 | Lunglei | 724 | 692 | 99.5 | 99.1 | 5 | 6 | 99.3 | 99.1 | 715 | 608 | 0 | 0 |
| 7 | Mamit | 356 | 370 | 99.2 | 99.2 | 3 | 3 | 99.2 | 99.2 | 299 | 317 | 0 | 0 |
| 8 | Saiha | 348 | 391 | 99.7 | 99.5 | 1 | 5 | 99.7 | 98.7 | 337 | 341 | 0 | 0 |
| 9 | Serchhip | 297 | 279 | 98.7 | 102.6 | 4 | 2 | 98.7 | 99.3 | 297 | 276 | 0 | 0 |

Performance of Key HMIS Indicators for Mizoram (Across Districts)
Financial Year: 2012-13
Provisional Figures for the Period April to June

| Indicator | | 7 | | 8 | | 9 | | 10 | | 11 | | 12 | |
|-----------|-------------|-----------------------------|---------|---|---------|---|---------|------------------------------|---------|------------------------------|---------|------------------------------|---------|
| | | Number of Infants given BCG | | % Newborns given OPV0 at birth to Reported live birth | | % Newborns given BCG to Reported live birth | | Number of Infants given DPT1 | | Number of Infants given DPT2 | | Number of Infants given DPT3 | |
| | | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 |
| | _Mizoram | 5,701 | 5,670 | 9.6 | 8.9 | 108.4 | 116.0 | 5,556 | 5,466 | 5,502 | 5,370 | 5,599 | 5,474 |
| 1 | Aizawl East | 1,265 | 942 | 3.2 | 0.0 | 177.9 | 177.7 | 1,270 | 938 | 1,276 | 1,008 | 1,385 | 1,078 |
| 2 | Aizawl West | 1,086 | 998 | 33.9 | 33.4 | 78.4 | 76.7 | 832 | 734 | 793 | 782 | 800 | 804 |
| 3 | Champhai | 746 | 837 | 0.6 | 0.0 | 106.7 | 131.0 | 725 | 838 | 701 | 793 | 690 | 783 |
| 4 | Kolasib | 445 | 367 | 1.6 | 0.0 | 139.5 | 110.2 | 447 | 368 | 466 | 395 | 454 | 380 |
| 5 | Lawngtlai | 486 | 526 | 1.0 | 0.0 | 116.3 | 149.9 | 515 | 566 | 501 | 508 | 572 | 511 |
| 6 | Lunglei | 663 | 760 | 0.0 | 0.0 | 91.6 | 109.8 | 712 | 748 | 727 | 764 | 691 | 854 |
| 7 | Mamit | 415 | 440 | 0.0 | 0.0 | 116.6 | 118.9 | 438 | 458 | 413 | 390 | 442 | 359 |
| 8 | Saiha | 269 | 394 | 0.0 | 0.0 | 77.3 | 100.8 | 300 | 350 | 316 | 302 | 258 | 309 |
| 9 | Serchhip | 326 | 406 | 0.0 | 0.0 | 109.8 | 145.5 | 317 | 466 | 309 | 428 | 307 | 396 |

Performance of Key HMIS Indicators for Mizoram (Across Districts)
Financial Year: 2012-13
Provisional Figures for the Period April to June

| Indicator | | 13 | | 14 | | 15 | | 16 | | 17 | | 18 | |
|-----------|-------------|---------------------------------------|---------|---------------------------------------|---------|---------------------------------------|---------|---------------------------------|---------|---|---------|--|---------|
| | | Number of Infants given Pentavalent 1 | | Number of Infants given Pentavalent 2 | | Number of Infants given Pentavalent 3 | | Number of Infants given Measles | | % Infants 0 to 11 months old who received Measles vaccine to reported live births | | Number of fully immunized children (9-11 months) | |
| | | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 |
| | _Mizoram | | | | | | | 5,084 | 5,139 | 96.7 | 105.2 | 4,900 | 5,056 |
| 1 | Aizawl East | | | | | | | 1,320 | 944 | 185.7 | 178.1 | 1,232 | 943 |
| 2 | Aizawl West | | | | | | | 751 | 818 | 54.2 | 62.9 | 726 | 810 |
| 3 | Champhai | | | | | | | 679 | 722 | 97.1 | 113.0 | 662 | 727 |
| 4 | Kolasib | | | | | | | 435 | 339 | 136.4 | 101.8 | 419 | 330 |
| 5 | Lawngtlai | | | | | | | 436 | 438 | 104.3 | 124.8 | 439 | 433 |
| 6 | Lunglei | | | | | | | 583 | 745 | 80.5 | 107.7 | 561 | 720 |
| 7 | Mamit | | | | | | | 324 | 408 | 91.0 | 110.3 | 309 | 375 |
| 8 | Saiha | | | | | | | 263 | 301 | 75.6 | 77.0 | 259 | 294 |
| 9 | Serchhip | | | | | | | 293 | 424 | 98.7 | 152.0 | 293 | 424 |

Performance of Key HMIS Indicators for Mizoram (Across Districts)
Financial Year: 2012-13
Provisional Figures for the Period April to June

| Indicator | | 19 | | 20 | | 21 | | 22 | | 23 | | 24 | |
|-----------|-------------|----------------------------------|---------|--------------------|---------|---|---------|---|---------|--|---------|---|---------|
| | | % Drop Out between BCG & Measles | | Vitamin - A dose 1 | | % Children given Vit A dose1 to Reported live birth | | % Children given Vitamin A Dose 9 to Children given Vit A dose1 | | Adverse Events Following Immunisation (Others) | | % immunisation Sessions Held to Immunisation Sessions Planned | |
| | | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 |
| | _Mizoram | 10.8 | 9.4 | 4,564 | 2,018 | 86.8 | 41.3 | 69.9 | 50.5 | 18 | 251 | 94.8 | 95.6 |
| 1 | Aizawl East | -4.3 | -0.2 | 915 | 537 | 128.7 | 101.3 | 73.2 | 55.1 | 0 | 0 | 99.0 | 96.9 |
| 2 | Aizawl West | 30.8 | 18.0 | 712 | 382 | 51.4 | 29.4 | 68.7 | 57.6 | 0 | 27 | 98.2 | 88.9 |
| 3 | Champhai | 9.0 | 13.7 | 657 | 250 | 94.0 | 39.1 | 66.4 | 71.6 | 17 | 46 | 97.0 | 98.3 |
| 4 | Kolasib | 2.2 | 7.6 | 414 | 221 | 129.8 | 66.4 | 46.6 | 35.3 | 0 | 0 | 95.4 | 100.0 |
| 5 | Lawngtlai | 10.3 | 16.7 | 419 | 83 | 100.2 | 23.6 | 44.4 | 12.0 | | 171 | 93.4 | 97.3 |
| 6 | Lunglei | 12.1 | 2.0 | 573 | 84 | 79.1 | 12.1 | 94.6 | 39.3 | 0 | 0 | 96.8 | 97.5 |
| 7 | Mamit | 21.9 | 7.3 | 334 | 306 | 93.8 | 82.7 | 103.6 | 54.9 | 0 | 0 | 83.4 | 89.4 |
| 8 | Saiha | 2.2 | 23.6 | 245 | 141 | 70.4 | 36.1 | 58.8 | 18.4 | 1 | 0 | 82.5 | 89.1 |
| 9 | Serchhip | 10.1 | -4.4 | 295 | 14 | 99.3 | 5.0 | 62.4 | 71.4 | 0 | 7 | 100.0 | 102.5 |

Performance of Key HMIS Indicators for Mizoram (Across Districts)
Financial Year: 2012-13
Provisional Figures for the Period April to June

| Indicator | | 25 | | 26 | | 27 | | 28 | | 29 | | 30 | |
|-----------|-------------|---|---------|---|---------|--|---------|--|---------|--|---------|---|---------|
| | | % Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned | | % Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | |
| | | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 |
| | _Mizoram | 79.1 | 78.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1 | Aizawl East | 73.5 | 75.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 2 | Aizawl West | 73.5 | 56.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3 | Champhai | 90.1 | 82.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 4 | Kolasib | 96.9 | 105.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 5 | Lawngtlai | 70.5 | 77.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 6 | Lunglei | 79.9 | 79.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 7 | Mamit | 60.5 | 70.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 8 | Saiha | 78.1 | 76.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 9 | Serchhip | 96.6 | 103.7 | 0.0 | 0.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

Performance of Key HMIS Indicators for Mizoram (Across Districts)
Financial Year: 2012-13
Provisional Figures for the Period April to June

| Indicator | | 31 | | 32 | | 33 | | 34 | | 35 | | 36 | |
|-----------|-------------|---|---------|---|---------|---|---------|--|---------|--|---------|--|---------|
| | | % Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | Total Number of Infant Deaths reported | | % Deaths due to Sepsis to Total Reported Infant Deaths | | % Deaths due to Asphyxia to Total Reported Infant Deaths | |
| | | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 |
| | _Mizoram | 2.6 | 4.5 | 84.3 | 76.3 | 13.1 | 19.2 | 88 | 44 | 3.5 | 5.7 | 4.7 | 0.0 |
| 1 | Aizawl East | 0.4 | 9.2 | 99.6 | 79.4 | 0.0 | 11.5 | 40 | 12 | 2.6 | 9.1 | 7.7 | 0.0 |
| 2 | Aizawl West | 3.2 | 5.3 | 90.1 | 90.9 | 6.7 | 3.8 | | | | | | |
| 3 | Champhai | 2.3 | 1.4 | 96.4 | 96.4 | 1.3 | 2.2 | 10 | 5 | 0.0 | 0.0 | 11.1 | 0.0 |
| 4 | Kolasib | 3.9 | 1.3 | 89.2 | 86.0 | 6.9 | 12.7 | 2 | 1 | 50.0 | 0.0 | 0.0 | 0.0 |
| 5 | Lawngtlai | 1.8 | 11.5 | 74.8 | 69.0 | 23.4 | 19.5 | 9 | | 11.1 | | 0.0 | |
| 6 | Lunglei | 0.8 | 2.3 | 62.5 | 57.6 | 36.7 | 40.0 | 10 | 5 | 0.0 | 25.0 | 0.0 | 0.0 |
| 7 | Mamit | 7.6 | 0.0 | 88.9 | 73.4 | 3.5 | 26.6 | 1 | | 0.0 | | 0.0 | |
| 8 | Saiha | 1.2 | 7.6 | 90.7 | 69.5 | 8.2 | 22.9 | 13 | 9 | 0.0 | 0.0 | 0.0 | 0.0 |
| 9 | Serchhip | 2.7 | 12.2 | 89.7 | 75.6 | 7.5 | 11.8 | 3 | 12 | 0.0 | 0.0 | 0.0 | 0.0 |

Performance of Key HMIS Indicators for Mizoram (Across Districts)
Financial Year: 2012-13
Provisional Figures for the Period April to June

| Indicator | | 37 | | 38 | | 39 | | 40 | | 41 | | 42 | |
|-----------|-------------|---|---------|---|---------|---|---------|---|---------|---|---------|--|---------|
| | | % Deaths due to LBW to Total Reported Infant Deaths | | % Deaths due to Pneumonia to Total Reported Infant Deaths | | % Deaths due to Diarrhoea to Total Reported Infant Deaths | | % Deaths due to Fever to Total Reported Infant Deaths | | % Deaths due to Measles to Total Reported Infant Deaths | | % Deaths due to Other Causes to Total Reported Infant Deaths | |
| | | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 |
| | _Mizoram | 3.5 | 0.0 | 36.0 | 28.6 | 3.5 | 11.4 | 14.0 | 20.0 | 0.0 | 0.0 | 34.9 | 34.3 |
| 1 | Aizawl East | 7.7 | 0.0 | 41.0 | 54.5 | 2.6 | 18.2 | 17.9 | 9.1 | 0.0 | 0.0 | 20.5 | 9.1 |
| 2 | Aizawl West | | | | | | | | | | | | |
| 3 | Champhai | 0.0 | 0.0 | 22.2 | 0.0 | 11.1 | 0.0 | 11.1 | 0.0 | 0.0 | 0.0 | 44.4 | 100.0 |
| 4 | Kolasib | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 50.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 5 | Lawngtlai | 0.0 | | 44.4 | | 0.0 | | 22.2 | | 0.0 | | 22.2 | |
| 6 | Lunglei | 0.0 | 0.0 | 30.0 | 50.0 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 60.0 | 25.0 |
| 7 | Mamit | 0.0 | | 100.0 | | 0.0 | | 0.0 | | 0.0 | | 0.0 | |
| 8 | Saiha | 0.0 | 0.0 | 23.1 | 22.2 | 0.0 | 11.1 | 7.7 | 11.1 | 0.0 | 0.0 | 69.2 | 55.6 |
| 9 | Serchhip | 0.0 | 0.0 | 66.7 | 0.0 | 0.0 | 11.1 | 0.0 | 44.4 | 0.0 | 0.0 | 33.3 | 44.4 |