		•	1	2	2	:	3	4	4	!	5		5
	Indicators	Total nu pregnant Registere	t women	Number of women re within first		1st Tri registratio ANC Regi	mester n to Total	Number of women red more ANC		TT2 given t		Pregnant	er given to t women bers)
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	11,299	11,108	5,971	5,723	52.8	51.5	6,418	6,017	7,566	7,626	1,114	1,367
1	Ater	1,315	1,348	602	627	45.8	46.5	615	603	956	1,200	84	99
2	Bhind (Phoop)	3,130	3,070	1,358	1,210	43.4	39.4	1,715	1,520	1,634	1,467	620	893
3	Gohad	1,833	1,986	1,040	1,136	56.7	57.2	872	1,007	1,471	1,511	217	108
4	Lahar	1,925	1,377	689	609	35.8	44.2	1,385	1,027	1,355	1,090	10	21
5	Mehgaon	1,879	1,937	1,309	935	69.7	48.3	1,091	859	1,599	1,667	118	94
6	Mihona(Ron)	1,217	1,390	973	1,206	80.0	86.8	740	1,001	551	691	65	152

		7	7	8	3	Ç		1	0	1	1	1	2
ı	Indicators	Pregnant received 4 ups to To Registr	: Woman ANC check otal ANC	Pregnant receive TT Booste ANC Regi	t women d TT2+ r to Total	Number of women give tab	en 180 IFA	Pregnant given 180 ll ANC Regi	t women FA to Total	Number of Women h leve (tested	aving Hb l<11	Number of Women hav anae (Hb treated at	ring severe emia <7)
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	56.8	54.1	76.8	80.9	10,556	10,312	93.4	92.8	5,336	6,153	168	535
1	Ater	46.8	44.7	79.1	96.4	1,315	1,279	100.0	94.9	992	1,102	20	70
2	Bhind (Phoop)	54.8	49.5	72.0	76.9	3,109	2,657	99.3	86.5	1,592	1,750	89	166
3	Gohad	47.6	50.7	92.1	81.5	1,621	1,771	88.4	89.2	940	1,325	53	134
4	Lahar	71.9	74.6	70.9	80.7	1,415	1,282	73.5	93.1	1,084	929	6	37
5	Mehgaon	58.1	44.3	91.4	90.9	1,879	1,937	100.0	100.0	478	532	0	49
6	Mihona(Ron)	60.8	72.0	50.6	60.6	1,217	1,386	100.0	99.7	250	515	0	79

		1	3	1	4	1	5	1	6	1	7	1	8
	Indicators	treated at to women	t women ere anaemia <7) institution	New cases of Women de institut hypertension	of Pregnant etected at cion for on to Total	Number deliv	of Home eries			Non SBA	ttended by	SBA atten deliveries Reporte Deliv	ded home to Total d Home
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	43.5	72.4	0.7	1.8	183	262	16	8	167	254	8.7	3.0
1	Ater	38.5	100.0	0.4	1.6	31	37	0	0	31	37	0.0	0.0
2	Bhind (Phoop)	44.3	68.6	1.2	0.5	24	19	0	0	24	19	0.0	0.0
3	Gohad	69.7	67.3	0.3	1.3	40	49	0	0	40	49	0.0	0.0
4	Lahar	15.4	56.9	1.1	1.2	65	53	11	6	54	47	16.9	11.3
5	Mehgaon	0.0	94.2	0.6	3.1	18	22	0	0	18	22	0.0	0.0
6	Mihona(Ron)	0.0	71.2	0.0	4.5	5	82	5	2	0	80	100.0	2.4

		1	9	2	0	2	1	2	2	2	3	2	4
	Indicators	Deliveries ( at Public Ir		hours of o	of Women I under 48 Ielivery in acilities	Women dis less than 4 delivery Reported at public in	8 hours of to Total Deliveries	Deliveries at Private I	-		d under 48 delivery in	Women dis less than 4 delivery	Deliveries
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	4,690	4,580	674	620	14.3	13.5	107	417	0	0	0.0	0.0
1	Ater	166	167	1	0	0.6	0.0						
2	Bhind (Phoop)	2,042	1,938	0	0	0.0	0.0	53	363	0	0	0.0	0.0
3	Gohad	760	802	60	13	7.9	1.6	54	54	0	0	0.0	0.0
4	Lahar	624	700	259	606	41.5	86.6						
5	Mehgaon	653	600	0	1	0.0	0.2						
6	Mihona(Ron)	445	373	354	0	79.6	0.0						

		2	5	2	6	2	7	2	8	2	9	3	0
1	Indicators			Institu Deliverie ANC regi	itional s to total	Total re deliv	eported reries	Institu deliveries Reported	itional s to Total	Safe deli Total Re Deliv	eported	Home del Total Re	% iveries to eported eries
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	4,797	4,997	42.4	44.9	4,980	5,259	96.3	95.0	96.6	95.2	3.7	5.0
1	Ater	166	167	12.6	12.4	197	204	84.3	81.9	84.3	81.9	15.7	18.1
2	Bhind (Phoop)	2,095	2,301	66.9	75.0	2,119	2,320	98.9	99.2	98.9	99.2	1.1	0.8
3	Gohad	814	856	44.4	43.1	854	905	95.3	94.6	95.3	94.6	4.7	5.4
4	Lahar	624	700	32.4	50.8	689	753	90.6	93.0	92.2	93.8	9.4	7.0
5	Mehgaon	653	600	34.8	31.0	671	622	97.3	96.5	97.3	96.5	2.7	3.5
6	Mihona(Ron)	445	373	36.6	26.8	450	455	98.9	82.0	100.0	82.4	1.1	18.0

		3	1	3	2	3	3	3	4	3	5	3	6
	Indicators	Number of deliveries at public		Number of deliveries at private		to rep institu (Public	+ Pvt.)	C-sections at public f Deliveries	acilities to	C-sections at Private 1 Deliveries at private	facilities to conducted	Deliveries at Public II to Total In Deliv	conducted nstitutions
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	49	65	20	49	1.4	2.2	1.0	1.4	18.7	11.8	97.8	91.7
1	Ater	0	0			0.0	0.0	0.0	0.0			100.0	100.0
2	Bhind (Phoop)	45	63	20	49	3.1	4.9	2.2	3.3	37.7	13.5	97.5	84.2
3	Gohad	4	2	0	0	0.5	0.2	0.5	0.2	0.0	0.0	93.4	93.7
4	Lahar		0			0.0	0.0	0.0	0.0			100.0	100.0
5	Mehgaon	0	0			0.0	0.0	0.0	0.0			100.0	100.0
6	Mihona(Ron)	0	0			0.0	0.0	0.0	0.0			100.0	100.0

		3	7	3	8	3	9	4	0	4	1	4	2
	Indicators	9 Deliveries at Private I to Total In Deliv	conducted nstitutions stitutional	Women repost partun within 48 home d	n check-up hours of	Women rec post partur between 48	n check up		etting 1st n check-up hours of livery to rted Home	Women go Post Partur between 48 14 days	6 etting 1st m Checkup 3 hours and to Total Deliveries	Total Nu reported l	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	2.2	8.3	183	535	1,762	1,049	100.0	204.2	35.4	19.9	4,939	5,198
1	Ater	0.0	0.0	0	0	197	36	0.0	0.0	100.0	17.6	197	197
2	Bhind (Phoop)	2.5	15.8	22	364	151	572	91.7	1915.8	7.1	24.7	2,096	2,287
3	Gohad	6.6	6.3	123	101	123	102	307.5	206.1	14.4	11.3	849	898
4	Lahar	0.0	0.0	15	7	682	11	23.1	13.2	99.0	1.5	685	779
5	Mehgaon	0.0	0.0	18	8	168	16	100.0	36.4	25.0	2.6	662	614
6	Mihona(Ron)	0.0	0.0	5	55	441	312	100.0	67.1	98.0	68.6	450	423

		4	3	4	4	4	5	4	6	4	7	4	8
-	ndicators	% Live Birth Deliv	s to Total	Total Nu reported S	mber of till Births	live birth to Bir	Reported	Number of weighed		Newborns birth to l		Number of having we than 2	eight less
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	99.2	98.8	40	74	99.2	98.6	4,924	4,955	99.7	95.3	725	623
1	Ater	100.0	96.6	0	8	100.0	96.1	195	197	99.0	100.0	16	15
2	Bhind (Phoop)	98.9	98.6	17	31	99.2	98.7	2,087	2,283	99.6	99.8	328	326
3	Gohad	99.4	99.2	5	8	99.4	99.1	849	702	100.0	78.2	66	62
4	Lahar	99.4	103.5	4	10	99.4	98.7	685	746	100.0	95.8	95	82
5	Mehgaon	98.7	98.7	9	8	98.7	98.7	662	614	100.0	100.0	150	83
6	Mihona(Ron)	100.0	93.0	5	9	98.9	97.9	446	413	99.1	97.6	70	55

		4	9	5	0	5	1	5	2	5	3	5	4
	Indicators		wborns	Number of Breast Fed	within 1	Newborns within 1 ho to Total l	our of birth	`Birt Male Liv	male Live ths/	cases of women with Complica attended to	tions and	Compl Pregnancie with l Transfusion Women Obste Complie atter	icated es treated Blood n to Total n with etric cations
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	14.7	12.5	4,777	4,778	96.7	91.9	940	885	9.6	4.1	30.9	32.3
1	Ater	8.2	7.6	195	197	99.0	100.0	824	655	0.0	0.0		
2	Bhind (Phoop)	15.7	14.3	1,945	2,106	92.8	92.1	911	862	21.2	6.7	33.0	45.2
3	Gohad	7.8	8.8	849	702	100.0	78.2	916	956	3.5	4.5	0.0	0.0
4	Lahar	13.9	11.0	683	746	99.7	95.8	1,045	842	0.0	0.8		0.0
5	Mehgaon	22.7	13.5	662	614	100.0	100.0	982	987	0.0	0.0		
6	Mihona(Ron)	15.7	13.3	443	413	98.4	97.6	965	932	0.0	3.3		0.0

Indicators  _Bhind	5	5	5	6	5	7	5	8	5	9	6	0	
	Indicators	Number of 360 Calciu		Pregnant given 360 Total Regist	t women Calcium to ANC	Number of one Albe tablet a trime	endazole fter 1st		fter 1st to Total	OG (Oral C	ugar using	Pregnant tested for busing OGT ANC Reg	t women blood sugar T to Total
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	10,053	9,509	89.0	85.6	7,770	8,470	68.8	76.3	0	0	0.0	0.0
1	Ater	1,315	1,275	100.0	94.6	1,006	1,173	76.5	87.0	0	0	0.0	0.0
2	Bhind (Phoop)	3,110	2,588	99.4	84.3	2,306	2,117	73.7	69.0	0	0	0.0	0.0
3	Gohad	1,216	1,253	66.3	63.1	1,010	1,256	55.1	63.2	0	0	0.0	0.0
4	Lahar	1,316	1,068	68.4	77.6	1,152	1,036	59.8	75.2			0.0	0.0
5	Mehgaon	1,879	1,937	100.0	100.0	1,323	1,694	70.4	87.5	0	0	0.0	0.0
6	Mihona(Ron)	1,217	1,388	100.0	99.9	973	1,194	80.0	85.9	0	0	0.0	0.0

		6	1	6	2	6	3	6	4	6	5	6	6
1	Indicators	Number of positive		Pregnant tested po GDM to T Regist	sitive for otal ANC	Number of women to Syp		Number of women tes sero pos Sypi	sted found	Pregnant tested for Total Regist	t women Syphilis to ANC	Pregnant treatd for Total sero p Syp	t women Syphilis to
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	0	0	0.0	0.0	3,359	3,135	56	0	29.7	28.2	0.0	0.0
1	Ater	0	0	0.0	0.0	28	44	0	0	2.1	3.3	0.0	0.0
2	Bhind (Phoop)	0	0	0.0	0.0	1,772	1,354	0	0	56.6	44.1	0.0	0.0
3	Gohad	0	0	0.0	0.0	396	184	0	0	21.6	9.3	0.0	0.0
4	Lahar			0.0	0.0	0	1	0	0	0.0	0.1		0.0
5	Mehgaon	0	0	0.0	0.0	815	1,180	0	0	43.4	60.9	0.0	0.0
6	Mihona(Ron)	0	0	0.0	0.0	348	372	56	0	28.6	26.8	0.0	0.0

		6	7	6	8	6	9	7	0	7	1	7	2
	Indicators	of babies t congenital babies tota with Co Syp	reated for Syphilis to I diagnosed	Tota materna		Total Faci Materna Revi (FBMDF	al Death iews	Total Nu Abort ( Sponta Repo	tions aneous)	Total Nu MTPs ( condu	Public)	9 MTPs t Abor	o total
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind			2	5	1	0	58	54	104	150	68.3	75.9
1	Ater			1	1	0	0	38	25	0	0	0.0	0.0
2	Bhind (Phoop)			1	1	1	0	18	18	41	75	69.5	81.4
3	Gohad			0	0	0	0	0	3	63	75	100.0	96.8
4	Lahar			0				0					
5	Mehgaon			0	1	0	0	0	0	0	0		
6	Mihona(Ron)			0	2	0	0	2	8	0	0	0.0	0.0

		7	3	7	<b>'</b> 4	7	5	7	6	7	7	7	8
Indicators		MTPs up to of Pregn Total MTPs Institu	12 weeks ancy to s at Public	MTPs mor weeks of F to Total	Pregnancy	MTPs Cone Public Insti Total	ducted at tutions to	MTPs Con Private Ins to Tota	ducted at stitutions	% Tota (Pub Conducted ANC Regi	olic) to Total	Numb Vasect Condu	omies
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	100.0	100.0	0.0	0.0	83.2	88.2	16.8	11.8	0.9	1.4	6	5
1	Ater									0.0	0.0	0	0
2	Bhind (Phoop)	100.0	100.0	0.0	0.0	100.0	94.9	0.0	5.1	1.3	2.4	6	2
3	Gohad	100.0	100.0	0.0	0.0	75.0	82.4	25.0	17.6	3.4	3.8	0	1
4	Lahar									0.0	0.0		
5	Mehgaon									0.0	0.0	0	2
6	Mihona(Ron)									0.0	0.0	0	0

		7	9	8	0	8	1	8	2	8	3	8	4
	Indicators	Numb Tubect Condi	tomies	Total Ste Condi		% Male St (Vasect to Total st	omies)	% Female (Tubect to Total st	tomies)	Total Ste (Tubecto Vasect conducte	mies and omies)	Total Ste (Tubecto Vasect conducte	mies and omies)
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	107	154	113	159	5.3	3.1	94.7	96.9				
1	Ater	18	29	18	29	0.0	0.0	100.0	100.0				
2	Bhind (Phoop)	80	86	86	88	7.0	2.3	93.0	97.7				
3	Gohad	4	4	4	5	0.0	20.0	100.0	80.0				
4	Lahar		3		3		0.0		100.0				
5	Mehgaon	5	24	5	26	0.0	7.7	100.0	92.3				
6	Mihona(Ron)	0	8	0	8		0.0		100.0				

		8	5	8	6	8	7	8	8	8	9	9	0
	Indicators	Total Ste (Tubecto Vasect conducte	mies and omies)	Total Ste (Tubecto Vasect conducte	mies and omies)	Total Ste (Tubecto Vasect conducted institu	mies and omies) at Private	Total Ste (Tubecto Vasect conducted institu	mies and omies) I at Public	% Total Sto (Tubecto Vasect conducted institution Sterlis	mies and omies) at Private s to Total	% Total Sto (Tubecto Vasecto conducted institution Sterlis	mies and omies) d at Public es to Total
	2018-19		2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind					0	0	113	159	0.0	0.0	100.0	100.0
1	Ater							18	29	0.0	0.0	100.0	100.0
2	Bhind (Phoop)							86	88	0.0	0.0	100.0	100.0
3	Gohad					0	0	4	5	0.0	0.0	100.0	100.0
4	Lahar								3		0.0		100.0
5	Mehgaon							5	26	0.0	0.0	100.0	100.0
6	Mihona(Ron)							0	8		0.0		100.0

		9	1	9	2	9	3	9	4	9	5	9	6
	Indicators	% Laparo sterlisation Female Ste	scopic s to Total	% Mini Lap St to Total Sterilis	erlisations Female	Post P Sterlisation Female Ste	artum s to Total	Post Ab Sterlisation Female Ste	oortion ns to Total	Laparo sterlisation Institutions Laparo Sterilis	scopic s at Public s to Total scopic	Mini Lap st at Public In to Total Sterilis	erlisations stitutions Mini Lap
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	55.1	95.5	10.3	0.6	22.4	1.2	12.1	2.5	100.0	100.0	100.0	100.0
1	Ater	83.3	93.1	5.6	3.4	11.1	0.0	0.0	3.4	100.0	100.0	100.0	100.0
2	Bhind (Phoop)	43.8	97.7	12.5	0.0	27.5	2.3	16.3	0.0	100.0	100.0	100.0	
3	Gohad	100.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0		
4	Lahar		0.0		0.0		0.0		100.0				
5	Mehgaon	100.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0		
6	Mihona(Ron)		100.0		0.0		0.0		0.0		100.0		

		9	7	9	8	9	9	10	00	10	01	10	02
	Indicators	Post P sterlisation Institution: Post P Sterili	artum s at Public s to Total artum	Post Al sterlisation Institution	s to Total artum	Total cases follo Sterlisatio Fem	wing n ( Male +	Total cases followii Sterlis	ng Male	Total cases following Sterlis	g Female	Total cases followin Sterlis	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	100.0	100.0	100.0	100.0	0	0	0	0	0	0	0	0
1	Ater	100.0			100.0	0	0	0	0	0	0	0	0
2	Bhind (Phoop)	100.0	100.0	100.0		0	0	0	0	0	0	0	0
3	Gohad					0	0	0	0	0	0	0	0
4	Lahar				100.0								
5	Mehgaon					0	0	0	0	0	0	0	0
6	Mihona(Ron)					0	0	0	0	0	0	0	0

		10	)3	10	04	10	)5	10	06	10	07	10	08
	Indicators	Total cases following Sterlis		compli	ases of ication ng Male sation	Total c compli following Sterli	Female	IUCD Inser (public f		IUCD inser		to Tota	olic)
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	0	0	0	0	0	2	2,643	2,524	0	0	21.9	18.3
1	Ater	0	0	0	0	0	2	399	445			2.3	1.1
2	Bhind (Phoop)	0	0	0	0	0	0	315	210			46.3	38.1
3	Gohad	0	0	0	0	0	0	310	520	0	0	17.7	14.2
4	Lahar			0		0		490	373			16.5	27.3
5	Mehgaon	0	0	0	0	0	0	839	738			17.4	18.0
6	Mihona(Ron)	0	0	0	0	0	0	290	238			49.7	29.4

		10	)9	11	10	11	11	11	12	11	13	1′	14
1	Indicators	% PP IUCD (pul to Total In: Deliverie	olic) stitutional	IUCD insert family p methods ( perma	tions to all planning IUCD plus	Total Inte		Total P Insertion		Total P		Combined distril	-
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	12.3	10.1	95.8	94.0	2,013	2,058	581	464	49	2	12,612	11,898
1	Ater	5.4	3.0	95.7	93.9	390	440	9	5	0	0	2,098	2,710
2	Bhind (Phoop)	7.1	4.1	78.6	70.5	131	130	146	80	38	0	3,710	4,408
3	Gohad	7.2	9.2	98.7	99.0	253	444	55	74	2	2	998	993
4	Lahar	13.0	14.6	100.0	99.2	406	271	81	102	3		1,595	939
5	Mehgaon	22.4	22.2	99.4	96.6	687	605	146	133	6	0	1,570	823
6	Mihona(Ron)	32.4	18.8	100.0	96.7	146	168	144	70	0	0	2,641	2,025

		11	15	11	16	11	17	11	18	11	19	12	20
ı	Indicators	Emerge distril	ncy pills buted	Condom distril		Centch ( week distril	ly pills)	dose of Ir	es given 1st		ries given lose of table	Numb beneficia 3rd d Injec (Antara F	ries given ose of table
	201		2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	105	282	15,674	21,035	58	0	149	0	64	0	95	0
1	Ater	0	0	2,876	7,672	0	0	23	0	0	0	0	0
2	Bhind (Phoop)	7	237	3,714	5,885	0	0	126	0	64	0	17	0
3	Gohad	0	0	1,537	1,498	0	0	0	0	0	0	0	0
4	Lahar	98	45	2,243	1,546	0	0	0	0	0	0	0	0
5	Mehgaon	0	0	1,905	996	0	0	0	0	0	0	0	0
6	Mihona(Ron)	0	0	3,399	3,438	58	0	0	0	0	0	78	0

		12	21	12	22	12	23	12	24	12	25	12	26
1	Indicators	Numb beneficia 4th or mo doses of I (Antara I	ries given ore than 4	Pregnancy us	testing kits ed	Number o given (Birth	OPV 0	Number o		Number o given H (birth	lep- B0	Newborns g at birth to	
	20		2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	332	0	5,499	4,870	4,509	5,263	4,849	5,391	4,323	4,981	91.3	101.3
1	Ater	0	0	1,241	1,310	197	197	197	197	166	167	100.0	100.0
2	Bhind (Phoop)	0	0	2,060	1,707	2,057	2,309	2,169	2,390	2,081	2,324	98.1	101.0
3	Gohad	0	0	741	981	831	863	828	882	757	754	97.9	96.1
4	Lahar	0	0	485	256	460	782	676	788	394	780	67.2	100.4
5	Mehgaon	0	0	473	219	525	715	535	715	477	592	79.3	116.4
6	Mihona(Ron)	332	0	499	397	439	397	444	419	448	364	97.6	93.9

		12	27	12	28	12	29	13	30	13	31	13	32
ı	Indicators	Newborns to Repo	given BCG	birth to Re	ns given th Dose)at	Number o		Number o		Number o		Number o	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	98.2	103.7	87.5	95.8	3	29	3	19	0	16	7,248	6,552
1	Ater	100.0	100.0	84.3	84.8	0	0	0	0	0	0	777	699
2	Bhind (Phoop)	103.5	104.5	99.3	101.6	3	0	3	0	0	0	2,132	2,156
3	Gohad	97.5	98.2	89.2	84.0	0	0	0	0	0	0	1,214	1,201
4	Lahar	98.7	101.2	57.5	100.1	0	29	0	19	0	16	1,091	719
5	Mehgaon	80.8	116.4	72.1	96.4	0	0	0	0	0	0	1,327	1,187
6	Mihona(Ron)	98.7	99.1	99.6	86.1	0	0	0	0	0	0	707	590

		13	33	13	34	13	35	13	36	1:	37	1:	38
	Indicators	Number o		Number o		Number o	of Infants Neasles	Number o	of Infants n MR	Infants months received MR vac	old who Measles+	Number immunize (9-11 n	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	6,866	6,492	7,059	6,675	7,200	7,067	0	0	145.7	135.9	7,030	7,344
1	Ater	814	710	871	822	926	971	0	0	470.1	492.9	926	971
2	Bhind (Phoop)	1,816	1,872	1,787	1,822	1,901	2,202	0	0	90.7	96.3	1,831	2,440
3	Gohad	1,145	1,249	1,163	1,318	1,163	1,263	0	0	137.0	140.6	1,163	1,247
4	Lahar	1,052	792	1,220	813	1,227	812	0	0	179.1	104.2	1,127	869
5	Mehgaon	1,396	1,292	1,397	1,293	1,472	1,203	0	0	222.4	195.9	1,472	1,203
6	Mihona(Ron)	643	577	621	607	511	616	0	0	113.6	145.6	511	614

		13	39	14	40	14	41	14	42	14	43	14	14
	Indicators	9 Drop Out BCG & Me	between	Children g dose1 to live	iven Vit A		iven Vit A	Adverse Following I (Abc	munisation	Adverse Following I	munisation	Adverse Following I (Oth	munisation
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	-48.5	-31.1	146.8	145.3	64.4	66.0	6	0	0	0	0	0
1	Ater	-370.1	-392.9	472.1	492.9	0.0	0.0	0	0	0	0	0	0
2	Bhind (Phoop)	12.4	7.9	90.7	100.3	96.2	118.1	0	0	0	0	0	0
3	Gohad	-40.5	-43.2	136.5	140.6	2.1	0.0	0	0	0	0	0	0
4	Lahar	-81.5	-3.0	188.9	101.3	86.8	106.7	6	0	0	0	0	0
5	Mehgaon	-175.1	-68.3	220.4	195.9	78.4	83.6	0	0	0	0	0	0
6	Mihona(Ron)	-15.1	-47.0	112.4	244.9	108.9	41.6	0	0	0	0	0	0

		14	45	14	46	14	147		48	149		150	
Indicators		% immunisation Sessions Held to Immunisation Sessions Planned		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		Children 0-	Pneumonia in Children 0-5 Years of Age		Asthma in Children 0-5 Years of Age		hildren 0-5 of Age	Diphtheria in Children 0-5 Years of Age	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	99.3	98.6	76.1	86.6	25	239	5	42	1	34	0	0
1	Ater	100.0	100.0	64.8	100.0	0	0	0	0	0	0	0	0
2	Bhind (Phoop)	99.4	98.4	84.6	82.0	22	26	5	0	1	0	0	0
3	Gohad	100.0	99.7	80.7	77.8	3	5	0	2	0	0	0	0
4	Lahar	95.5	95.9	55.9	83.9	0	4						
5	Mehgaon	100.0	97.9	75.2	87.1	0	8	0	0	0	0	0	0
6	Mihona(Ron)	100.0	99.7	100.0	93.0	0	196	0	40	0	34	0	0

		1!	51	152		1!	153		154		55	156	
Indicators		Pertussis i 0-5 Year	n Children	Tetanus Neonatorum in Children 0-5 Years of Age		(T in Childrer	Tuberculosis (TB) in Children 0-5 Years of Age		Flaccid s(AFP)in -5 Years of ge	Measles ir 0-5 Year		Malaria in Children 0-5 Years of Age	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	0	0	12	1	85	2	85	2	4	15	25	239
1	Ater	0	0	0	0	0	0	0	0	0	0	0	0
2	Bhind (Phoop)	0	0	12	1	8	0	8	0	4	11	22	26
3	Gohad	0	0	0	0	0	0	0	0	0	0	3	5
4	Lahar					0	1	0	1	0	4	0	4
5	Mehgaon	0	0	0	0	77	1	77	1	0	0	0	8
6	Mihona(Ron)	0	0	0	0	0	0	0	0	0	0	0	196

		1!	57	1!	158		159		160		51	162	
Indicators		Diarrhoea i 0-5 Year		Diarrhoea treated in Inpatients in Children 0-5 Years of Age		of infan Measles	No. of infants given Measles Rubella vaccine 1st dose		No. of infants received Rotavirus Vaccine 1st dose		received accine 2nd se	No. of infants received Rotavirus Vaccine 3nd dose	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	2,860	2,492	1,472	746	0	0	7,244	5,761	6,810	4,120	6,810	4,120
1	Ater	1,096	1,141	23	14	0	0	777	695	814	706	814	706
2	Bhind (Phoop)	1,030	716	1,030	595	0	0	2,133	2,058	1,820	1,468	1,820	1,468
3	Gohad	2	21	0	5	0	0	1,209	717	1,119	313	1,119	313
4	Lahar	7	235			0	0	1,091	657	1,052	403	1,052	403
5	Mehgaon	612	229	419	12	0	0	1,327	1,044	1,362	654	1,362	654
6	Mihona(Ron)	113	150	0	120	0	0	707	590	643	576	643	576

		16	53	10	54	10	165		166		57	168	
Indicators		No of children 16-24 months age given Measles 2nd dose		No of children 16-24 months age given Measles Rubella Vaccine 2nd dose		Adult F Inpatients	% Adult Female Inpatients to Total Adult Inpatient		% Children Inpatient to Total Inpatient		6 npatient to Total t Deaths	% Inpatient Deaths to Total IPD	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	6,651	5,015	0	0	62.4	59.5	18.9	20.7	41.4	35.7	0.1	0.6
1	Ater	789	625	0	0	97.3	100.0	5.1	0.0			0.0	0.0
2	Bhind (Phoop)	1,813	1,688	0	0	61.1	57.0	16.3	18.1	41.4	35.7	0.2	0.8
3	Gohad	1,181	905	0	0	71.9	65.8	9.7	10.8			0.0	0.0
4	Lahar	1,031	443	0	0	47.4	42.4	55.2	53.6			0.0	0.0
5	Mehgaon	1,363	836	0	0	81.2	86.5	13.7	0.8			0.0	0.0
6	Mihona(Ron)	474	518	0	0	67.8	72.7	36.1	22.2			0.0	0.0

		16	169		70	171		172		173		174	
	Indicators	IPD (Nu	ımber)	OPD (Allopathic)		Ayush OPD	Ayush OPD (Number)		OPD (Ayush+Allopathic)		to OPD	Number of Major Operations	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	22,793	20,254	285,428	264,404	6,110	7,208	291,538	271,612	7.8	7.5	99	144
1	Ater	197	252	18,855	12,701	0	399	18,855	13,100	1.0	1.9	0	0
2	Bhind (Phoop)	18,456	14,748	119,721	125,418	3,230	3,524	122,951	128,942	15.0	11.4	99	114
3	Gohad	1,283	1,510	54,456	54,778	2,326	2,121	56,782	56,899	2.3	2.7	0	0
4	Lahar	1,742	2,189	54,525	35,537	27	122	54,552	35,659	3.2	6.1		30
5	Mehgaon	838	763	25,262	24,019	0	0	25,262	24,019	3.3	3.2	0	0
6	Mihona(Ron)	277	792	12,609	11,951	527	1,042	13,136	12,993	2.1	6.1	0	0

		17	75	17	176		177		178		79	180	
Indicators		Number of Minor Operations		% Major Operations to Total Operation		Hystere	Number of Hysterectomy Surgeries		% Hysterectomy Surgeries to Total Major Operations		6 D to Total PD	Dental OPD (Number)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	1,578	1,796	5.9	7.4	0	0	0.0	0.0	2.0	2.6	4,433	1,356
1	Ater	637	610	0.0	0.0	0	0			0.0	3.0	0	2
2	Bhind (Phoop)	905	1,072	9.9	9.6	0	0	0.0	0.0	2.6	2.7	4,071	976
3	Gohad	0	5		0.0	0	0			4.1	3.7	0	3
4	Lahar	31	43	0.0	41.1				0.0	0.0	0.3	15	144
5	Mehgaon	5	21	0.0	0.0	0	0			0.0	0.0	26	38
6	Mihona(Ron)	0	45		0.0	0	0			4.0	8.0	321	193

		18	31	18	182		183		184		35	186	
Indicators		% Dental OPD to Total OPD		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female screened for HIV to Total ANC Registration		% Female HIV Positive to Total Females Tested		% Total HIV Positive to Total Tested ( Male + Female)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	1.5	0.5	2.4	4.0	2.3	1.3	3.3	8.6	1.9	0.4	2.0	0.7
1	Ater	0.0	0.0	2.5	3.2			0.0	0.0				
2	Bhind (Phoop)	3.3	0.8	3.4	6.0	2.8	2.3	10.6	13.9	1.8	0.9	2.2	1.4
3	Gohad	0.0	0.0	1.4	1.5	0.0	0.0	0.5	5.4	0.0	0.0	0.0	0.0
4	Lahar	0.0	0.4	1.2	1.4	0.0	0.0	1.0	5.0	0.0	0.0	0.0	0.0
5	Mehgaon	0.1	0.2	1.3	2.1			0.0	0.0				
6	Mihona(Ron)	2.4	1.5	2.7	7.2	0.0	0.0	0.9	25.0	9.1	0.0	4.3	0.0

		18	37	18	38	18	189		90	191		192	
Indicators		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Infant	Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		6 due to to Total d Infant aths	% Deaths due to Pneumonia to Total Reported Infant Deaths	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	1.1	1.3	0.0	0.0	64	123	9.4	4.9	3.1	4.1	3.1	5.7
1	Ater	0.1	0.4	0.0	0.0	10	10	0.0	0.0	0.0	10.0	10.0	20.0
2	Bhind (Phoop)	0.6	0.4	0.0	0.0	44	52	13.6	9.6	4.5	3.8	2.3	9.6
3	Gohad	2.3	1.9	0.0	0.0	0	34		0.0		5.9		0.0
4	Lahar	0.4	0.1	0.0	0.0	10	15	0.0	6.7	0.0	0.0	0.0	0.0
5	Mehgaon	0.4	3.7	0.0	0.0	0	7		0.0		0.0		0.0
6	6 Mihona(Ron) 0.7		2.8	0.0	0.5	0	5		0.0		0.0		0.0

		19	93	194		19	195		96	197		198	
Indicators		Deaths Diarrhoea Reporte Dea	due to a to Total d Infant	% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		Institu Deliveries Heatlh Fac SC+PHC+0	at Urban cilities i.e	Institutional Deliveries at District Hospitals		Measles immunization at urban Health facilities i.e SC+PHC+CHC+SDH+D H	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	0.0	0.0	3.1	4.1	0.0	0.0	1,416	1,816				
1	Ater	0.0	0.0	10.0	0.0	0.0	0.0						
2	Bhind (Phoop)	0.0	0.0	0.0	1.9	0.0	0.0	179	538				
3	Gohad		0.0		8.8		0.0	774	805				
4	Lahar	0.0	0.0	10.0	0.0	0.0	0.0	463	473			·	
5	Mehgaon 0.0		0.0		0.0		0.0						
6	6 Mihona(Ron) 0.0		0.0		20.0		0.0						