Performance of Key HMIS Indicators for Sikkim ( Across Districts) Financial Year: 2011-12 Provisional Figures for the Period April to December

		1		2	2	3	3	4	ı	5	5	6	
Indicator		Total Nu	imber of live births	% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11
	_Sikkim	6,126	6,007	100.3	98.5	147	121	97.7	98.0	5,716	4,687	5,124	4,786
1	East	3,408	3,427	99.4	95.0	83	63	97.6	98.2	3,266	2,413	3,581	3,454
2	North	393	315	103.1	97.8	18	8	95.6	97.5	330	303	297	225
3	South	1,156	1,204	98.3	111.6	26	18	97.8	98.5	1,087	1,167	527	334
4	West	1,169	1,061	104.4	97.6	20	32	98.3	97.1	1,033	804	719	773

		7		8		9	9	10		11		12	
Indicator		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11
	_Sikkim	6,762	6,553	83.6	79.7	110.4	109.1	6,523	6,522	6,538	6,325	6,447	6,558
1	East	3,774	3,572	105.1	100.8	110.7	104.2	3,057	3,281	3,092	3,047	2,950	3,180
2	North	388	325	75.6	71.4	98.7	103.2	495	386	490	382	527	397
3	South	1,263	1,343	45.6	27.7	109.3	111.5	1,512	1,488	1,468	1,463	1,483	1,564
4	West	1,337	1,313	61.5	72.9	114.4	123.8	1,459	1,367	1,488	1,433	1,487	1,417

Indicator		13  Number of Infants		14		15		16 Number of Infants		17  % Infants 0 to 11 months old who received Measles vaccine to		Number	· of fully
		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		given Measles		Measles v reported		immunized children (9-11 months)	
		2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11
	_Sikkim							6,920	6,755	113.0	112.5	6,641	6,702
1	East							3,364	3,176	98.7	92.7	3,194	3,176
2	North							545	449	138.7	142.5	498	421
3	South							1,459	1,615	126.2	134.1	1,391	1,590
4	West							1,552	1,515	132.8	142.8	1,558	1,515

		19		2	0	2	21		22		3	24	
Indicator		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Imunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11
	_Sikkim	-2.3	-3.1	4,586	2,687	74.9	44.7	112.1	131.8	59		98.2	95.3
1	East	10.9	11.1	2,294	1,288	67.3	37.6	93.6	79.8	0		98.6	99.1
2	North	-40.5	-38.2	405	178	103.1	56.5	66.7	14.6	0		94.7	95.1
3	South	-15.5	-20.3	933	546	80.7	45.3	187.2	174.9	59	·	99.6	100.0
4	West	-16.1	-15.4	954	675	81.6	63.6	102.4	227.1	0	-	98.4	88.3

Indicator		25  // Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		28  Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		29  "% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11
	_Sikkim	90.0	88.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	East	76.2	80.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	North	92.1	92.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	South	97.6	81.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	West	104.3	100.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Indicator		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		34  Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		36  % Deaths due to Asphyxia to Total Reported Infant Deaths	
		2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11
	_Sikkim	2.9	4.7	95.7	95.3	1.4	0.0	5	82	0.0	3.4	0.0	8.5
1	East	1.2	7.3	96.4	92.7	2.4	0.0	1	37		8.3		20.8
2	North	4.4	4.7	92.9	95.3	2.7	0.0		9		0.0		0.0
3	South	1.8	0.0	98.2	100.0	0.1	0.0		16		0.0		0.0
4	West	6.4	4.5	93.4	95.5	0.1	0.0	4	20	0.0	0.0	0.0	0.0

		37		38		3	39		40		1	42	
Indicator		% Deaths due to LBW to Total Reported Infant Deaths		Pneumonia to Total Di		Deaths Diarrhoe Reporte	% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		6 to Measles Reported Deaths	% Deaths due to Other Causes to Total Reported Infant Deaths	
		2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11
	_Sikkim	25.0	13.6	25.0	13.6	0.0	3.4	25.0	1.7	0.0	0.0	25.0	55.9
1	East		20.8		0.0		0.0		4.2		0.0		45.8
2	North		0.0		25.0		0.0		0.0		0.0		75.0
3	South		6.3		31.3		12.5		0.0		0.0		50.0
4	West	25.0	13.3	25.0	13.3	0.0	0.0	25.0	0.0	0.0	0.0	25.0	73.3