

Performance of Key HMIS Indicators for Bihar (Across Districts)
Financial Year: 2009-10
Provisional Figures for the Period April to September

Indicator		1		2		3		4		5		6	
		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	Bihar	478,696	401,673	96.4	122.6	13,331	5,939	97.3	98.5	353,104	319,600	612,936	558,258
1	Araria	12,900	13,350	93.6	99.8	51		99.6	100.0	12,901	10,500	13,743	15,862
2	Arwal	4,326	4,677	95.3	235.7	83		98.1	100.0	3,534	4,467	6,165	5,449
3	Aurangabad	15,434	4,022	101.2	31.3	313	67	98.0	98.4	10,467	1,573	17,921	5,230
4	Banka	11,943	11,815	96.8	97.7	395	278	96.8	97.7	11,943	11,815	14,024	11,053
5	Begusarai	15,520	7,342	91.3	41.3	2,392	28	86.6	99.6	7,327	2,412	17,632	15,436
6	Bhagalpur	18,048	21,158	98.0	75.3	375	400	98.0	98.1	10,946	21,569	25,520	23,648
7	Bhojpur	4,008		88.6	0.0	45	229	98.9	0.0	3,454		4,249	16,702
8	Buxar	5,367	5,206	99.2	245.9	44	57	99.2	98.9	2,783	2,557	4,156	7,741
9	Darbhanga	14,708	13,615	86.6		12		99.9	100.0	13,183	4,273	19,569	19,231
10	East Champaran	34,598	16,747	140.3	79.5	1		100.0	100.0	31,798	7,739	46,080	22,585
11	Gaya	23,216	14,435	131.9	70.2	631	203	97.4	98.6	18,376	8,553	22,073	10,505
12	Gopalganj	17,435	16,456	85.6	902.7	209	172	98.8	99.0	8,257	16,456	7,254	6,971
13	Jamui	10,123	6,930	402.2	69.4	112	226	98.9	96.8	5,891	7,366	10,610	7,783
14	Jehanabad			0.0								10,572	8,848
15	Kaimur Bhabua	9,539		102.0	0.0	46		99.5		9,800		10,148	8,780
16	Katihar	5,722	12,815	83.5	314.2	240	192	96.0	98.5	3,705	6,756	10,361	11,951
17	Khagaria	14,144	13,577	95.7	2433.2	257	241	98.2	98.3	13,612	8,489	16,405	3,646
18	Kishanganj	6,675	9,566	308.2	1125.4	406	437	94.3	95.6	6,250	9,218	8,665	2,905
19	Lakhisarai	5,547	7,305	122.5	72.2	120	139	97.9	98.1	5,313	1,598	5,750	12,617
20	Madhepura	6,106	5,962	99.7	590.3	273		95.7	100.0	4,577		15,058	10,985
21	Madhubani	20,767	25,334	83.0	178.6	64	167	99.7	99.3	17,305	28,943	22,242	21,407
22	Munger	9,528	5,472	97.9	55.3	213	234	97.8	95.9	8,860		11,473	9,130
23	Muzaffarpur			0.0	0.0		106		0.0		7,324		
24	Nalanda	13,642	20,269	82.2	433.4	1,626	181	89.4	99.1	10,803	20,269	13,451	13,884
25	Nawada			0.0		291	336	0.0	0.0		9,484	14,823	34,369
26	Patna	12,542	19,594	181.3	85.1	418		96.8	100.0	9,377	19,594	17,148	47,870
27	Purnia	23,780	21,695	299.2	816.2	653	369	97.3	98.3	23,580	15,872	34,209	20,731
28	Rohtas	17,377	19,720	99.2	89.8	135	74	99.2	99.6	16,953	17,031	20,465	18,354
29	Saharsa	13,635	2,003	97.6	31.1	342	308	97.6	86.7	13,633	1,703	15,841	9,870
30	Samastipur	35,841		94.9		560	602	98.5	0.0	22,856	5,547	16,222	15,340
31	Saran	26,669	23,562	98.6	591.3	550	241	98.0	99.0	1,628		32,693	17,579
32	Sheikhpura	6,095	6,324	99.2	91.5	94	19	98.5	99.7	6,066	6,316	6,662	9,556
33	Sheohar	973	1,310	62.3		64	43	93.8	96.8	973	1,301	3,031	
34	Sitamarhi	6,904	13,118		89.0	6	221	99.9	98.3	1,172	12,271	14,694	18,323
35	Siwan	10,691		65.1		646		94.3		6,414		32,081	26,711
36	Supaul	7,990	4,752	81.2	45.4	319	158	96.2	96.8			17,278	13,996

(Continued)

Performance of Key HMIS Indicators for Bihar (Across Districts)
Financial Year: 2009-10
Provisional Figures for the Period April to September

Indicator		7		8		9		10		11		12	
		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	Bihar	1,006,211	1,141,115	128.0	139.0	210.2	284.1	1,063,305	850,172	1,159,076	877,600	1,200,956	867,123
1	Araria	14,046	16,997	106.5	118.8	108.9	127.3	15,851	18,562	16,779	18,778	16,243	17,592
2	Arwal	6,423	6,596	142.5	116.5	148.5	141.0	6,342	4,766	7,289	5,925	7,903	7,128
3	Aurangabad	24,262	20,536	116.1	130.0	157.2	510.6	23,701	32,687	29,115	16,010	33,359	22,075
4	Banka	22,050	20,338	117.4	93.6	184.6	172.1	21,356	12,149	24,065	14,618	26,632	17,007
5	Begusarai	22,617	26,388	113.6	210.2	145.7	359.4	26,430	16,453	29,506	17,172	30,568	16,528
6	Bhagalpur	36,176	33,430	141.4	111.8	200.4	158.0	35,174	19,001	38,610	21,908	41,605	24,223
7	Bhojpur	6,943	26,746	106.0		173.2		5,973	16,623	6,379	18,499	7,455	19,923
8	Buxar	18,034	18,872	77.4	148.7	336.0	362.5	19,653	12,113	20,933	13,001	21,155	12,962
9	Darbhanga	39,364	40,459	133.1	141.2	267.6	297.2	41,241	26,593	45,225	30,712	45,257	32,438
10	East Champaran	53,815	52,278	133.2	134.9	155.5	312.2	52,465	54,833	51,276	58,420	49,969	24,670
11	Gaya	48,678	62,246	95.1	72.8	209.7	431.2	43,432	61,008	48,935	60,095	51,187	47,153
12	Gopalganj	26,891	17,486	41.6	42.4	154.2	106.3	28,590	12,854	33,262	14,759	35,063	15,715
13	Jamui	23,600	23,015	104.8	112.3	233.1	332.1	26,375	14,577	21,579	14,179	21,274	16,141
14	Jehanabad	12,432	12,635					11,118	6,821	12,399	7,592	13,568	8,346
15	Kaimur Bhabua	14,509	17,971	106.4		152.1		14,701	14,856	16,881	15,448	17,465	15,052
16	Katihar	21,318	33,286	181.1	93.3	372.6	259.7	25,755	24,937	29,449	25,584	27,807	24,667
17	Khagaria	22,332	24,729	116.0	26.9	157.9	182.1	20,672	12,706	23,014	17,949	24,116	19,059
18	Kishanganj	18,482	19,425	129.8	30.4	276.9	203.1	21,619	14,180	21,038	10,714	18,798	8,302
19	Lakhisarai	9,511	12,617	103.7	172.7	171.5	172.7	8,448	6,438	9,578	7,662	9,565	7,147
20	Madhepura	18,878	17,124	246.6	184.3	309.2	287.2	23,074	20,813	27,177		28,818	
21	Madhubani	38,884	41,691	107.1	84.5	187.2	164.6	48,048	30,714	57,859	37,271	64,125	40,523
22	Munger	14,192	13,877	120.4	166.8	149.0	253.6	12,790	10,906	13,999	12,010	15,495	12,552
23	Muzaffarpur	46,402	62,651					47,299	45,413	48,932	48,962	47,710	47,963
24	Nalanda	26,156	25,131	98.6	68.5	191.7	124.0	28,180	18,430	31,303	19,295	33,564	20,807
25	Nawada	21,526	70,835					24,402	30,494	28,255	50,689	28,391	69,143
26	Patna	25,947	59,723	136.7	244.3	206.9	304.8	26,872	56,032	29,355	58,946	30,316	58,403
27	Purnia	43,711	40,365	143.9	95.6	183.8	186.1	40,234	27,593	45,781	26,767	48,301	25,697
28	Rohtas	28,859	28,467	117.8	93.1	166.1	144.4	29,231	15,365	32,577	16,611	33,836	16,225
29	Saharsa	13,535	19,705	116.2	492.8	99.3	983.8	22,429	15,871	26,778	17,259	27,509	17,466
30	Samastipur	37,182	39,733	45.3		103.7		43,174	24,823	45,563	29,727	49,060	32,547
31	Saran	66,426	48,079	122.6	74.6	249.1	204.1	67,286	32,406	67,361	32,761	74,277	32,591
32	Sheikhpura	8,779	9,182	109.3	151.1	144.0	145.2	7,425	9,234	8,313	8,409	9,227	8,235
33	Sheohar	6,703	5,709	311.5	0.0	688.9	435.8	6,487	3,418	7,477	3,622	6,485	3,557
34	Sitamarhi	25,127	35,870	212.8	139.7	363.9	273.4	27,771	28,400	30,835	29,273	30,157	32,317
35	Siwan	36,648	40,276	300.1		342.8		45,921	38,576	49,833	40,184	50,526	40,664
36	Supaul	23,163	22,457	216.2	294.5	289.9	472.6	23,160	25,069	26,259	23,945	26,717	21,623

(Continued)

Performance of Key HMIS Indicators for Bihar (Across Districts)
Financial Year: 2009-10
Provisional Figures for the Period April to September

Indicator		13		14		15		16		17		18	
		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	Bihar							1,018,417	1,096,804	212.7	273.1	1,132,414	1,766,595
1	Araria							16,084	19,885	124.7	149.0	30,292	16,643
2	Arwal							8,381	9,108	193.7	194.7	8,381	9,108
3	Aurangabad							28,626	28,552	185.5	709.9	24,231	18,737
4	Banka							20,649	18,920	172.9	160.1	23,046	14,461
5	Begusarai							18,253	22,124	117.6	301.3	81,234	11,928
6	Bhagalpur							38,526	35,712	213.5	168.8	54,831	37,682
7	Bhojpur							7,560	28,148	188.6		7,560	23,143
8	Buxar							18,943	18,250	353.0	350.6	18,943	17,511
9	Darbhanga							38,461	30,518	261.5	224.1	36,826	36,824
10	East Champaran							56,629	23,359	163.7	139.5	52,424	
11	Gaya							42,295	48,874	182.2	338.6	45,465	39,992
12	Gopalganj							28,610	24,387	164.1	148.2	28,268	24,387
13	Jamui							21,000	13,549	207.4	195.5	22,927	26,169
14	Jehanabad							13,599	16,558				
15	Kaimur Bhabua							14,225	11,494	149.1		13,619	94,914
16	Katihar							18,761	39,687	327.9	309.7	39,693	25,973
17	Khagaria							21,751	22,560	153.8	166.2	35,880	90,462
18	Kishanganj							14,507	13,787	217.3	144.1	38,060	10,073
19	Lakhisarai							5,773	9,813	104.1	134.3	2,669	11,478
20	Madhepura							22,193	16,968	363.5	284.6	21,623	75,718
21	Madhubani							53,690	52,253	258.5	206.3	52,582	51,614
22	Munger							14,433	14,640	151.5	267.5	13,648	14,640
23	Muzaffarpur							39,851	64,519			39,851	64,519
24	Nalanda							32,665	27,851	239.4	137.4	30,106	27,053
25	Nawada							23,433	69,253			23,433	
26	Patna							25,406	50,777	202.6	259.1	47,151	441,851
27	Purnia							40,048	34,671	168.4	159.8	39,803	230,469
28	Rohtas							29,828	26,124	171.7	132.5	29,828	30,328
29	Saharsa							25,009	27,111	183.4	1353.5	11,710	6,653
30	Samastipur							41,244	34,558	115.1		21,526	22,730
31	Saran							59,802	42,494	224.2	180.3	6,625	31,293
32	Sheikhpura							8,965	9,655	147.1	152.7	51,715	79,430
33	Sheohar							3,553	4,714	365.2	359.8	3,540	21,031
34	Sitamarhi							23,594	40,894	341.7	311.7	23,594	43,566
35	Siwan							41,520	45,578	388.4		60,028	39,357
36	Supaul							23,091	30,139	289.0	634.2	4,573	26,348

(Continued)

Performance of Key HMIS Indicators for Bihar (Across Districts)
Financial Year: 2009-10
Provisional Figures for the Period April to September

Indicator		19		20		21		22		23		24	
		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	Bihar	-1.2	3.9	702,004	693,981	146.6	172.8	13.0	24.5	4,207	1,735	94.1	97.0
1	Araria	-14.5	-17.0	16,408	19,365	127.2	145.1	0.6	0.0	5		95.5	99.7
2	Arwal	-30.5	-38.1	6,800	5,480	157.2	117.2	0.0	0.0			98.7	100.0
3	Aurangabad	-18.0	-39.0	20,690	14,734	134.1	366.3	0.3	0.0			90.9	
4	Banka	6.4	7.0	14,727	12,134	123.3	102.7	0.0	0.0			99.5	100.0
5	Begusarai	19.3	16.2	7,440	13,399	47.9	182.5	14.3	74.3	547		104.9	
6	Bhagalpur	-6.5	-6.8	19,796	26,552	109.7	125.5	0.0	74.1			98.3	96.6
7	Bhojpur	-8.9	-5.2	1,906	29,289	47.6		5.6	376.7			72.5	
8	Buxar	-5.0	3.3	5,189	13,741	96.7	263.9	0.0	0.0		1,735	99.3	99.0
9	Darbhanga	2.3	24.6	20,671	22,798	140.5	167.4	3.4	7.0			89.7	
10	East Champaran	-5.2	55.3	17,415		50.3	0.0	55.9					
11	Gaya	13.1	21.5	51,773	57,046	223.0	395.2	12.6	0.0			88.7	
12	Gopalganj	-6.4	-39.5	24,373	20,261	139.8	123.1	0.0	0.0				81.3
13	Jamui	11.0	41.1	6,226	6,004	61.5	86.6	8.2	0.0			46.9	
14	Jehanabad	-9.4	-31.0	11,271	9,573			0.0	0.0				
15	Kaimur Bhabua	2.0	36.0	14,225	14,249	149.1		0.0	0.0			98.9	97.9
16	Katihar	12.0	-19.2	11,028	19,651	192.7	153.3	225.8	0.0			75.2	100.0
17	Khagaria	2.6	8.8	7,809	16,942	55.2	124.8	1.3	0.0			97.6	100.0
18	Kishanganj	21.5	29.0	12,066	8,451	180.8	88.3	0.1	0.0			86.2	98.2
19	Lakhisarai	39.3	22.2	2,272	5,486	41.0	75.1	0.0	0.0			57.0	
20	Madhepura	-17.6	0.9	16,725		273.9	0.0	13.6				94.6	
21	Madhubani	-38.1	-25.3	42,992	46,348	207.0	182.9	0.0	0.0			93.0	105.5
22	Munger	-1.7	-5.5	11,001	3,276	115.5	59.9	0.0	3.7			98.4	97.7
23	Muzaffarpur	14.1	-3.0	35,210	51,751			0.0	0.0				
24	Nalanda	-24.9	-10.8	14,050	17,563	103.0	86.6	0.0	0.0	3,655		100.7	93.5
25	Nawada	-8.9	2.2	14,192				0.0					
26	Patna	2.1	15.0	18,710	19,226	149.2	98.1	9.0	0.0			93.0	97.4
27	Purnia	8.4	14.1	29,322	24,987	123.3	115.2	7.7	50.2			93.2	
28	Rohtas	-3.4	8.2	27,696	28,045	159.4	142.2	0.0	0.0			99.5	
29	Saharsa	-84.8	-37.6	25,009	9,307	183.4	464.7	0.0	0.0				
30	Samastipur	-10.9	13.0	21,493	24,740	60.0		0.1	3.1			93.4	84.5
31	Saran	10.0	11.6	50,604	39,861	189.7	169.2	65.5	26.1				
32	Sheikhpura	-2.1	-5.2	5,369	15,443	88.1	244.2	0.3	2.5			94.9	100.0
33	Sheohar	47.0	17.4	3,930	3,812	403.9	291.0	9.4	0.0			100.0	
34	Sitamarhi	6.1	-14.0	13,130	26,301	190.2	200.5	0.0	0.0			88.0	
35	Siwan	-13.3	-13.2	50,246	17,401	470.0		10.0	0.0			94.9	93.7
36	Supaul	0.3	-34.2	3,346	5,957	41.9	125.4	0.0	0.4			86.7	77.2

(Continued)

Performance of Key HMIS Indicators for Bihar (Across Districts)
Financial Year: 2009-10
Provisional Figures for the Period April to September

Indicator		25		26		27		28		29		30	
		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Bihar	63.2	65.3	3.3	0.3	0.1	0.0	1.4	0.1	0.4	0.7	0.1	0.0
1	Araria	37.5	35.7	0.0		0.0		0.0		0.0		0.0	
2	Arwal	92.8	100.0	0.0		0.0		0.0		0.0		0.0	
3	Aurangabad	82.6		0.1		0.0		0.0		1.2		0.0	
4	Banka	99.5	100.0	0.0		0.0		0.0		0.0		0.0	
5	Begusarai	65.0		0.0	0.0	0.5	0.0	0.1	0.0	0.8	0.0	0.9	0.0
6	Bhagalpur	15.1	35.3										
7	Bhojpur	31.9											
8	Buxar	80.5	72.0										
9	Darbhanga	32.0		0.0		0.0		0.0		0.0		1.3	
10	East Champaran												
11	Gaya	90.2		0.0	0.0	2.4	0.0	0.1	0.7	3.4	8.5	0.0	0.0
12	Gopalganj		0.0										
13	Jamui	76.1		43.0	0.0	0.0	0.0	21.9	0.0	0.0	0.0	0.0	0.0
14	Jehanabad												
15	Kaimur Bhabua	95.6	82.2	0.0		0.0		0.0		0.0		0.0	
16	Katihar	41.3	100.0	0.0		0.0		0.0		0.0		0.0	
17	Khagaria	54.8	0.0	0.0	5.8	0.0	0.0	0.0	0.0	0.0	0.4	0.7	0.0
18	Kishanganj	71.4	60.2	0.0	0.0	0.0	0.0	0.0	0.0	6.6	0.0	0.0	0.0
19	Lakhisarai	38.1		98.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20	Madhepura	61.6		4.2		0.0		0.0		0.0		0.4	
21	Madhubani	78.9	17.5	0.0		0.0		0.0		0.0		0.0	
22	Munger	31.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23	Muzaffarpur			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0
24	Nalanda	87.0	88.0										
25	Nawada												
26	Patna	58.2	97.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27	Purnia	78.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
28	Rohtas	67.7											
29	Saharsa			0.0	27.3	0.0	0.0	0.1	0.0	0.4	1.1	0.0	0.0
30	Samastipur	0.0	0.0	0.0		0.0		0.0		0.0		0.0	
31	Saran												
32	Sheikhpura	51.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
33	Sheohar	274.7		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
34	Sitamarhi	87.6			0.0		0.0		0.9		0.0		0.0
35	Siwan	50.7	0.0	0.0		0.4		0.0		0.0		0.0	
36	Supaul	46.5	38.6										

(Continued)

Performance of Key HMIS Indicators for Bihar (Across Districts)
Financial Year: 2009-10
Provisional Figures for the Period April to September

Indicator		31		32		33		34		35		36	
		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Bihar	16.4	8.0	70.1	87.0	8.2	3.9	167	194	0.0	0.0	5.2	0.0
1	Araria	0.0		100.0		0.0							
2	Arwal	16.7		41.7		41.7		32		0.0		0.0	
3	Aurangabad	1.4		29.3		68.0							
4	Banka	0.0		93.3		6.7							
5	Begusarai	45.8	0.0	44.5	100.0	7.5	0.0	14					
6	Bhagalpur								80		0.0		0.0
7	Bhojpur												
8	Buxar												
9	Darbhanga	0.0		80.7		18.1							
10	East Champaran												
11	Gaya	72.1	31.8	17.1	37.5	4.9	21.5						
12	Gopalganj												
13	Jamui	2.7	23.8	30.8	54.8	1.6	21.4						
14	Jehanabad												
15	Kaimur Bhabua	51.5		7.2		41.3		12					
16	Katihar	6.4		84.4		9.2							
17	Khagaria	1.7	0.0	96.6	2.7	1.0	91.2	51					
18	Kishanganj	0.0	0.1	78.6	99.9	14.8	0.0						
19	Lakhisarai	0.0	22.2	1.3	77.8	0.0	0.0						
20	Madhepura	5.0		90.5		0.0		10					
21	Madhubani	0.0		0.0		100.0							
22	Munger	0.0	0.0	100.0	100.0	0.0	0.0	11		0.0		30.0	
23	Muzaffarpur	11.5	0.0	87.8	100.0	0.0	0.0						
24	Nalanda												
25	Nawada												
26	Patna	55.3	0.0	43.3	0.0	1.4	100.0	1		0.0		0.0	
27	Purnia	0.0	0.0	100.0	99.1	0.0	0.9	1	9	0.0	0.0	0.0	0.0
28	Rohtas							11	71	0.0	0.0	0.0	0.0
29	Saharsa	0.0	0.0	99.5	71.6	0.0	0.0						
30	Samastipur	27.5		72.5		0.0		8		0.0		0.0	
31	Saran												
32	Sheikhpura	0.0	0.0	100.0	100.0	0.0	0.0						
33	Sheohar	30.4	57.6	69.6	42.4	0.0	0.0	14					
34	Sitamarhi		0.0		99.1		0.0						
35	Siwan	68.8		17.2		13.6							
36	Supaul												

(Continued)

Performance of Key HMIS Indicators for Bihar (Across Districts)
Financial Year: 2009-10
Provisional Figures for the Period April to September

Indicator		37		38		39		40		41		42	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Bihar	5.2	0.0	5.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	84.5	100.0
1	Araria												
2	Arwal	0.0		0.0		0.0		0.0		0.0		100.0	
3	Aurangabad												
4	Banka												
5	Begusarai												
6	Bhagalpur		0.0		0.0		0.0		0.0		0.0		100.0
7	Bhojpur												
8	Buxar												
9	Darbhanga												
10	East Champaran												
11	Gaya												
12	Gopalganj												
13	Jamui												
14	Jehanabad												
15	Kaimur Bhabua												
16	Katihar												
17	Khagaria												
18	Kishanganj												
19	Lakhisarai												
20	Madhepura												
21	Madhubani												
22	Munger	0.0		10.0		0.0		0.0		0.0		60.0	
23	Muzaffarpur												
24	Nalanda												
25	Nawada												
26	Patna	0.0		0.0		0.0		0.0		0.0		100.0	
27	Purnia	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0
28	Rohtas	33.3	0.0	33.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33.3	100.0
29	Saharsa												
30	Samastipur	12.5		0.0		0.0		0.0		0.0		87.5	
31	Saran												
32	Sheikhpura												
33	Sheohar												
34	Sitamarhi												
35	Siwan												
36	Supaul												

(Continued)

Performance of Key HMIS Indicators for Bihar (Across Districts)
Financial Year: 2009-10
Provisional Figures for the Period April to September

Indicator		1		2		3		4		5		6	
		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
37	Vaishali	21,894	32,411	99.0	302.0	265	211	98.8	99.4	21,576	32,411	35,774	32,411
38	West Champaran	15,009	21,131	68.7	470.5	1,080		93.3	100.0	7,791	16,193	18,894	20,799

Performance of Key HMIS Indicators for Bihar (Across Districts)
Financial Year: 2009-10
Provisional Figures for the Period April to September

Indicator		7		8		9		10		11		12	
		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
37	Vaishali	44,387	34,915	163.4	100.0	202.7	107.7	46,469	18,674	48,732	20,582	50,100	20,429
38	West Champaran	38,223	39,275	125.9	98.4	254.7	185.9	44,157	15,784	47,375	12,262	47,353	10,253

Performance of Key HMIS Indicators for Bihar (Across Districts)
 Financial Year: 2009-10
 Provisional Figures for the Period April to September

Indicator		13		14		15		16		17		18	
		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
37	Vaishali							42,042	34,522	192.0	106.5	41,219	32,193
38	West Champaran							35,417	34,798	236.0	164.7	45,510	18,317

Indicator		19		20		21		22		23		24	
		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
37	Vaishali	5.3	1.1	32,305	35,685	147.6	110.1	4.5	9.8			95.8	96.5
38	West Champaran	7.3	11.4	14,589	9,123	97.2	43.2	9.0	10.4			97.1	91.7

Performance of Key HMIS Indicators for Bihar (Across Districts)
 Financial Year: 2009-10
 Provisional Figures for the Period April to September

Indicator		25		26		27		28		29		30	
		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diphtheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
37	Vaishali	92.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
38	West Champaran	50.9	91.7	0.0		0.0		0.0		0.0		0.0	

Performance of Key HMIS Indicators for Bihar (Across Districts)
 Financial Year: 2009-10
 Provisional Figures for the Period April to September

Indicator		31		32		33		34		35		36	
		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
37	Vaishali	0.0	0.0	93.7	100.0	6.3	0.0	2	34		0.0		0.0
38	West Champaran	41.5		33.3		25.3							

Indicator		37		38		39		40		41		42	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
37	Vaishali		0.0		0.0		0.0		0.0		0.0		100.0
38	West Champaran												