		1		2	2		3	4	1		i	6	
Indicator		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Sikkim	6,007	4,925	98.5	120.7	121	210	98.0	95.9	4,687	3,974	4,786	3,468
1	East	3,427	1,999	95.0	149.3	63	45	98.2	97.8	2,413	1,192	3,454	2,086
2	North	315	405	97.8	145.2	8	114	97.5	78.0	303	384	225	345
3	South	1,204	1,233	111.6	106.1	18	25	98.5	98.0	1,167	1,237	334	333
4	West	1,061	1,288	97.6	99.0	32	26	97.1	98.0	804	1,161	773	704

		7		8	3	9)	1	0	1	1	12	
Indicator		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Sikkim	6,553	5,751	79.7	70.4	109.1	116.8	6,522	6,184	6,325	6,101	6,558	6,152
1	East	3,572	2,296	100.8	104.4	104.2	114.9	3,281	2,468	3,047	2,415	3,180	2,437
2	North	325	455	71.4	85.2	103.2	112.3	386	527	382	547	397	524
3	South	1,343	1,529	27.7	27.0	111.5	124.0	1,488	1,662	1,463	1,543	1,564	1,633
4	West	1,313	1,471	72.9	54.7	123.8	114.2	1,367	1,527	1,433	1,596	1,417	1,558

		13		1	4	1	5	1	6	1	7	18	
In	dicator	Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Sikkim							6,755	6,316	112.5	128.2	6,702	6,154
1	East							3,176	2,493	92.7	124.7	3,176	2,491
2	North							449	453	142.5	111.9	421	220
3	South							1,615	1,703	134.1	138.1	1,590	1,776
4	West							1,515	1,667	142.8	129.4	1,515	1,667

		19		2	0	2	1	2	2	2	3	24	
Indicator		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Imunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Sikkim	-3.1	-9.8	2,687	6,228	44.7	126.5	131.8	109.6			95.3	92.9
1	East	11.1	-8.6	1,288	2,533	37.6	126.7	79.8	77.6			99.1	90.2
2	North	-38.2	0.4	178	436	56.5	107.7	14.6	51.6			95.1	89.3
3	South	-20.3	-11.4	546	1,608	45.3	130.4	174.9	112.1			100.0	87.8
4	West	-15.4	-13.3	675	1,651	63.6	128.2	227.1	171.7			88.3	99.6

Indicator		25 '% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		26 % Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		9% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		29 7/6 Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Sikkim	88.7	88.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	East	80.3	81.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	North	92.4	82.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	South	81.4	84.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	West	100.8	99.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Indicator		% Measles in Children 0-5 Years of Age to		32 % Diarrhoea and dehydration in		33		34		3		36	
		0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		Deaths due to Asphyxia to Total Reported Infant Deaths	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Sikkim	4.7	2.6	95.3	96.5	0.0	0.9	82	16	3.4	18.2	8.5	9.1
1	East	7.3	4.8	92.7	93.3	0.0	1.9	37	6	8.3	66.7	20.8	0.0
2	North	4.7	0.7	95.3	99.3	0.0	0.0	9		0.0		0.0	
3	South	0.0	0.0	100.0	100.0	0.0	0.0	16	2	0.0	0.0	0.0	50.0
4	West	4.5	1.1	95.5	98.9	0.0	0.0	20	8	0.0	0.0	0.0	0.0

Indicator		% Deaths due to LBW to Total Reported Infant Deaths		38 % Deaths due to Pneumonia to Total Reported Infant Deaths		39 We to Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		9% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Sikkim	13.6	9.1	13.6	18.2	3.4	0.0	1.7	9.1	0.0	0.0	55.9	36.4
1	East	20.8	0.0	0.0	0.0	0.0	0.0	4.2	0.0	0.0	0.0	45.8	33.3
2	North	0.0		25.0		0.0		0.0		0.0		75.0	
3	South	6.3	50.0	31.3	0.0	12.5	0.0	0.0	0.0	0.0	0.0	50.0	0.0
4	West	13.3	0.0	13.3	33.3	0.0	0.0	0.0	16.7	0.0	0.0	73.3	50.0