

Performance of Key HMIS Indicators for Odisha-> Cuttack (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|------------|---------------------|---|--|---|---|--|---|--|---|--|--|--|--|
| | | Total number of pregnant women Registered for ANC | Number of Pregnant women registered within first trimester | % 1st Trimester registration to Total ANC Registrations | Number of pregnant women received 4 or more ANC check ups | TT2 given to Pregnant women (numbers) | TT Booster given to Pregnant women (numbers) | % Pregnant Woman received 4 ANC check ups to Total ANC Registrations | % Pregnant women received TT2+ TT Booster to Total ANC Registration | Number of Pregnant women given 180 IFA tablets | % Pregnant women given 180 IFA to Total ANC Registration | Number of Pregnant Women having Hb level<11 (tested cases) | Number of Pregnant Women having severe anaemia (Hb<7) treated at institution |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Cuttack | 26,784 | 20,987 | 78.3 | 24,051 | 23,766 | 1,104 | 89.7 | 92.8 | 18,498 | 69.0 | 12,497 | 37 |
| 1 | Athagarh | 1,785 | 1,483 | 83.1 | 1,163 | 1,761 | 0 | 65.2 | 98.7 | 1,164 | 65.2 | 836 | 0 |
| 2 | Baramba | 1,883 | 1,548 | 82.2 | 1,799 | 1,708 | 77 | 95.5 | 94.8 | 1,595 | 84.7 | 792 | 0 |
| 3 | Baranga | 1,013 | 872 | 86.1 | 1,040 | 980 | 33 | 102.7 | 100.0 | 592 | 58.4 | 419 | 0 |
| 4 | Cuttack | 1,336 | 1,103 | 82.6 | 983 | 1,230 | 67 | 73.6 | 97.1 | 1,034 | 77.4 | 338 | 0 |
| 5 | Dampada | 1,092 | 925 | 84.7 | 757 | 956 | 92 | 69.3 | 96.0 | 778 | 71.2 | 579 | 0 |
| 6 | Dist Level Facility | 5,684 | 3,189 | 56.1 | 3,498 | 4,183 | 281 | 61.5 | 78.5 | 2,777 | 48.9 | 1,756 | 29 |
| 7 | KANTAPADA | 815 | 731 | 89.7 | 893 | 820 | 22 | 109.6 | 103.3 | 712 | 87.4 | 299 | 0 |
| 8 | Mahanga | 1,973 | 1,676 | 84.9 | 1,872 | 1,739 | 99 | 94.9 | 93.2 | 1,508 | 76.4 | 1,016 | 0 |
| 9 | Narsinghapur | 1,867 | 1,525 | 81.7 | 1,676 | 1,670 | 87 | 89.8 | 94.1 | 1,373 | 73.5 | 863 | 0 |
| 10 | Niali | 1,426 | 1,333 | 93.5 | 1,646 | 1,375 | 45 | 115.4 | 99.6 | 1,182 | 82.9 | 126 | 0 |
| 11 | Nischintakoil | 1,742 | 1,486 | 85.3 | 1,593 | 1,688 | 47 | 91.4 | 99.6 | 1,748 | 100.3 | 917 | 0 |
| 12 | SUBARNAPUR | 1,275 | 1,075 | 84.3 | 977 | 1,125 | 99 | 76.6 | 96.0 | 716 | 56.2 | 633 | 0 |
| 13 | Salepur | 2,138 | 1,701 | 79.6 | 1,613 | 1,985 | 76 | 75.4 | 96.4 | 1,467 | 68.6 | 1,586 | 6 |
| 14 | Tangichoudwar | 1,832 | 1,522 | 83.1 | 3,761 | 1,713 | 46 | 205.3 | 96.0 | 1,101 | 60.1 | 1,758 | 2 |
| 15 | Tigiria | 923 | 818 | 88.6 | 780 | 833 | 33 | 84.5 | 93.8 | 751 | 81.4 | 579 | 0 |

Performance of Key HMIS Indicators for Odisha-> Cuttack (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |
|------------|---------------------|---|---|---------------------------|--|--|--|---|--|--|--|---|---|
| | | % Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<7 | % New cases of Pregnant Women detected at institution for hypertension to Total ANC Registrations | Number of Home deliveries | Number of home deliveries attended by SBA trained (Doctor/ Nurse/ ANM) | Number of home deliveries attended by Non SBA trained (trained TB/Dai) | % SBA attended home deliveries to Total Reported Home Deliveries | Deliveries Conducted at Public Institutions | Number of Women Discharged under 48 hours of delivery in public facilities | % Women discharged in less than 48 hours of delivery to Total Reported Deliveries at public institutions | Deliveries Conducted at Private Institutions | Number of Women Discharged under 48 hours of delivery in private institutions | % Women discharged in less than 48 hours of delivery to Total Reported Deliveries at private institutions |
| | | 2017-18 | 2017-18 | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Cuttack | 23.4 | 0.8 | 275 | 18 | 257 | 6.5 | 19,177 | 9,683 | 50.4 | 13,394 | | 0.0 |
| 1 | Athagarh | 0.0 | 0.5 | 17 | 0 | 17 | 0.0 | 177 | 134 | 75.7 | | | |
| 2 | Baramba | 0.0 | 0.1 | 21 | 0 | 21 | 0.0 | 405 | 405 | 100.0 | | | |
| 3 | Baranga | 0.0 | 1.0 | 15 | 6 | 9 | 40.0 | 632 | 552 | 87.3 | | | |
| 4 | Cuttack | 0.0 | 0.4 | 19 | 0 | 19 | 0.0 | 152 | 152 | 100.0 | | | |
| 5 | Dampada | 0.0 | 1.1 | 18 | 1 | 17 | 5.6 | 4 | 4 | 100.0 | | | |
| 6 | Dist Level Facility | 59.2 | 1.9 | 52 | 5 | 47 | 9.6 | 11,543 | 2,572 | 22.3 | 13,394 | | 0.0 |
| 7 | KANTAPADA | | 0.2 | 0 | 0 | 0 | | 159 | 159 | 100.0 | | | |
| 8 | Mahanga | 0.0 | 1.6 | 12 | 1 | 11 | 8.3 | 545 | 480 | 88.1 | | | |
| 9 | Narsinghapur | 0.0 | 0.1 | 9 | 0 | 9 | 0.0 | 1,108 | 1,108 | 100.0 | | | |
| 10 | Niali | 0.0 | 0.0 | 2 | 1 | 1 | 50.0 | 568 | 568 | 100.0 | | | |
| 11 | Nischintakoil | 0.0 | 0.5 | 9 | 4 | 5 | 44.4 | 954 | 954 | 100.0 | | | |
| 12 | SUBARNAPUR | 0.0 | 0.0 | 12 | 0 | 12 | 0.0 | 223 | 223 | 100.0 | | | |
| 13 | Salepur | 60.0 | 0.4 | 32 | 0 | 32 | 0.0 | 732 | 716 | 97.8 | | | |
| 14 | Tangichoudwar | 3.8 | 1.1 | 53 | 0 | 53 | 0.0 | 736 | 419 | 56.9 | | | |
| 15 | Tigiria | 0.0 | 0.3 | 4 | 0 | 4 | 0.0 | 1,239 | 1,237 | 99.8 | | | |

Performance of Key HMIS Indicators for Odisha-> Cuttack (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
|------------|---------------------|--|--|---------------------------|---|--|--|---|--|---|--|--|---|
| | | Institutional deliveries (Public Insts.+Pvt. Insts.) | % Institutional Deliveries to total ANC registration | Total reported deliveries | % Institutional deliveries to Total Reported Deliveries | % Safe deliveries to Total Reported Deliveries | % Home deliveries to Total Reported Deliveries | Number of C-section deliveries conducted at public facilities | Number of C-section deliveries conducted at private facilities | % C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries | % C-sections conducted at public facilities to Deliveries conducted at public facilities | % C-sections conducted at Private facilities to Deliveries conducted at private facilities | % Deliveries conducted at Public Institutions to Total Institutional Deliveries |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Cuttack | 32,571 | 121.6 | 32,846 | 99.2 | 99.2 | 0.8 | 4,678 | 2,688 | 22.6 | 24.4 | 20.1 | 58.9 |
| 1 | Athagarh | 177 | 9.9 | 194 | 91.2 | 91.2 | 8.8 | 0 | | 0.0 | 0.0 | | 100.0 |
| 2 | Baramba | 405 | 21.5 | 426 | 95.1 | 95.1 | 4.9 | 0 | | 0.0 | 0.0 | | 100.0 |
| 3 | Baranga | 632 | 62.4 | 647 | 97.7 | 98.6 | 2.3 | 0 | | 0.0 | 0.0 | | 100.0 |
| 4 | Cuttack | 152 | 11.4 | 171 | 88.9 | 88.9 | 11.1 | 0 | | 0.0 | 0.0 | | 100.0 |
| 5 | Dampada | 4 | 0.4 | 22 | 18.2 | 22.7 | 81.8 | 0 | | 0.0 | 0.0 | | 100.0 |
| 6 | Dist Level Facility | 24,937 | 438.7 | 24,989 | 99.8 | 99.8 | 0.2 | 4,674 | 2,688 | 29.5 | 40.5 | 20.1 | 46.3 |
| 7 | KANTAPADA | 159 | 19.5 | 159 | 100.0 | 100.0 | 0.0 | 0 | | 0.0 | 0.0 | | 100.0 |
| 8 | Mahanga | 545 | 27.6 | 557 | 97.8 | 98.0 | 2.2 | 4 | | 0.7 | 0.7 | | 100.0 |
| 9 | Narsinghapur | 1,108 | 59.3 | 1,117 | 99.2 | 99.2 | 0.8 | 0 | | 0.0 | 0.0 | | 100.0 |
| 10 | Niali | 568 | 39.8 | 570 | 99.6 | 99.8 | 0.4 | 0 | | 0.0 | 0.0 | | 100.0 |
| 11 | Nischintakoil | 954 | 54.8 | 963 | 99.1 | 99.5 | 0.9 | 0 | | 0.0 | 0.0 | | 100.0 |
| 12 | SUBARNAPUR | 223 | 17.5 | 235 | 94.9 | 94.9 | 5.1 | 0 | | 0.0 | 0.0 | | 100.0 |
| 13 | Salepur | 732 | 34.2 | 764 | 95.8 | 95.8 | 4.2 | 0 | | 0.0 | 0.0 | | 100.0 |
| 14 | Tangichoudwar | 736 | 40.2 | 789 | 93.3 | 93.3 | 6.7 | 0 | | 0.0 | 0.0 | | 100.0 |
| 15 | Tigiria | 1,239 | 134.2 | 1,243 | 99.7 | 99.7 | 0.3 | 0 | | 0.0 | 0.0 | | 100.0 |

Performance of Key HMIS Indicators for Odisha-> Cuttack (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 |
|------------|---------------------|--|--|--|---|---|--------------------------------------|-----------------------------------|---------------------------------------|--------------------------------|-------------------------------------|---|---|
| | | % Deliveries conducted at Private Institutions to Total Institutional Deliveries | Women received 1st post partum check-up within 48 hours of home delivery | Women received 1st post partum check up between 48 hours and 14 days | % Women getting 1st post partum check-up within 48 hours of home delivery to Total Reported Home Deliveries | % Women getting 1st Post Partum Checkup between 48 hours and 14 days to Total Reported Deliveries | Total Number of reported live births | % Live Births to Total Deliveries | Total Number of reported Still Births | % live birth to Reported Birth | Number of Newborns weighed at birth | % Newborns weighed at birth to live birth | Number of Newborns having weight less than 2.5 kg |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Cuttack | 41.1 | 222 | 19,473 | 80.7 | 59.3 | 32,417 | 98.7 | 650 | 98.0 | 32,415 | 100.0 | 4,930 |
| 1 | Athagarh | 0.0 | 11 | 1,828 | 64.7 | 942.3 | 192 | 99.0 | 2 | 99.0 | 192 | 100.0 | 3 |
| 2 | Baramba | 0.0 | 20 | 1,553 | 95.2 | 364.6 | 418 | 98.1 | 8 | 98.1 | 418 | 100.0 | 62 |
| 3 | Baranga | 0.0 | 9 | 829 | 60.0 | 128.1 | 639 | 98.8 | 9 | 98.6 | 639 | 100.0 | 32 |
| 4 | Cuttack | 0.0 | 18 | 1,338 | 94.7 | 782.5 | 169 | 98.8 | 2 | 98.8 | 169 | 100.0 | 16 |
| 5 | Dampada | 0.0 | 8 | 663 | 44.4 | 3013.6 | 18 | 81.8 | 7 | 72.0 | 17 | 94.4 | 4 |
| 6 | Dist Level Facility | 53.7 | 46 | 2,167 | 88.5 | 8.7 | 24,621 | 98.5 | 557 | 97.8 | 24,620 | 100.0 | 3,722 |
| 7 | KANTAPADA | 0.0 | 0 | 754 | | 474.2 | 157 | 98.7 | 3 | 98.1 | 157 | 100.0 | 27 |
| 8 | Mahanga | 0.0 | 10 | 1,430 | 83.3 | 256.7 | 555 | 99.6 | 4 | 99.3 | 555 | 100.0 | 64 |
| 9 | Narsinghapur | 0.0 | 9 | 810 | 100.0 | 72.5 | 1,108 | 99.2 | 15 | 98.7 | 1,108 | 100.0 | 41 |
| 10 | Niali | 0.0 | 2 | 1,301 | 100.0 | 228.2 | 565 | 99.1 | 6 | 98.9 | 565 | 100.0 | 77 |
| 11 | Nischintakoil | 0.0 | 9 | 1,712 | 100.0 | 177.8 | 961 | 99.8 | 6 | 99.4 | 961 | 100.0 | 332 |
| 12 | SUBARNAPUR | 0.0 | 12 | 1,139 | 100.0 | 484.7 | 231 | 98.3 | 5 | 97.9 | 231 | 100.0 | 8 |
| 13 | Salepur | 0.0 | 32 | 1,692 | 100.0 | 221.5 | 755 | 98.8 | 12 | 98.4 | 755 | 100.0 | 122 |
| 14 | Tangichoudwar | 0.0 | 32 | 1,519 | 60.4 | 192.5 | 788 | 99.9 | 4 | 99.5 | 788 | 100.0 | 223 |
| 15 | Tigiria | 0.0 | 4 | 738 | 100.0 | 59.4 | 1,240 | 99.8 | 10 | 99.2 | 1,240 | 100.0 | 197 |

| Indicators | | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 |
|------------|---------------------|--|--|--|--|--|---|--|---|--|--|---|--|
| | | % Newborns having weight less than 2.5 kg to Newborns weighed at birth | Number of New Borns Breast Fed within 1 hour | % Newborns breast fed within 1 hour of birth to Total live birth | Sex Ratio at birth (Female Live Births/ Male Live Births *1000) | % cases of Pregnant women with Obstetric Complica tions and attended to reported deliveries | % Complica ted Pregnanci es treated with Blood Transfusi on to Total Women with Obstetric Complica tions attended | Number of PW given 360 Calcium tablets | % Pregnant women given 360 Calcium to Total ANC Registrati on | Number of PW given one Albendaz ole tablet after 1st trimester | % Pregnant women given one Albendaz ole tablet after 1st trimester to Total ANC Registrati on | Number of PW tested for blood sugar using OGTT (Oral Glucose Toleranc e Test) | % Pregnant women tested for blood sugar using OGTT to Total ANC Registrati on |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Cuttack | 15.2 | 30,487 | 94.0 | 906 | 6.6 | 9.2 | 4,813 | 18.0 | 4,119 | 15.4 | 0 | 0.0 |
| 1 | Athagarh | 1.6 | 192 | 100.0 | 811 | 0.0 | | 286 | 16.0 | 184 | 10.3 | 0 | 0.0 |
| 2 | Baramba | 14.8 | 418 | 100.0 | 841 | 0.0 | | 348 | 18.5 | 95 | 5.0 | 0 | 0.0 |
| 3 | Baranga | 5.0 | 639 | 100.0 | 1,048 | 0.0 | | 93 | 9.2 | 91 | 9.0 | 0 | 0.0 |
| 4 | Cuttack | 9.5 | 169 | 100.0 | 943 | 0.0 | | 419 | 31.4 | 500 | 37.4 | 0 | 0.0 |
| 5 | Dampada | 23.5 | 18 | 100.0 | 1,000 | 0.0 | | 375 | 34.3 | 608 | 55.7 | 0 | 0.0 |
| 6 | Dist Level Facility | 15.1 | 22,696 | 92.2 | 911 | 8.5 | 9.4 | 1,513 | 26.6 | 559 | 9.8 | 0 | 0.0 |
| 7 | KANTAPADA | 17.2 | 157 | 100.0 | 987 | 0.0 | | 148 | 18.2 | 11 | 1.3 | 0 | 0.0 |
| 8 | Mahanga | 11.5 | 555 | 100.0 | 697 | 9.0 | 0.0 | 631 | 32.0 | 1,129 | 57.2 | 0 | 0.0 |
| 9 | Narsinghapur | 3.7 | 1,108 | 100.0 | 844 | 0.0 | | 146 | 7.8 | 253 | 13.6 | 0 | 0.0 |
| 10 | Niali | 13.6 | 565 | 100.0 | 1,040 | 0.0 | | 131 | 9.2 | 12 | 0.8 | 0 | 0.0 |
| 11 | Nischintakoil | 34.5 | 956 | 99.5 | 926 | 0.3 | 0.0 | 66 | 3.8 | 11 | 0.6 | 0 | 0.0 |
| 12 | SUBARNAPUR | 3.5 | 231 | 100.0 | 699 | 0.0 | | 38 | 3.0 | 234 | 18.4 | 0 | 0.0 |
| 13 | Salepur | 16.2 | 755 | 100.0 | 936 | 0.0 | | 97 | 4.5 | 79 | 3.7 | 0 | 0.0 |
| 14 | Tangichoudwar | 28.3 | 788 | 100.0 | 913 | 0.0 | | 309 | 16.9 | 42 | 2.3 | 0 | 0.0 |
| 15 | Tigiria | 15.9 | 1,240 | 100.0 | 873 | 0.0 | | 213 | 23.1 | 311 | 33.7 | 0 | 0.0 |

Performance of Key HMIS Indicators for Odisha-> Cuttack (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 |
|------------|---------------------|---------|---|--|--|---|--|--|---------------------------|--|--|---|---------------------------|
| | | | % Pregnant women tested positive for GDM to Total ANC Registrati on | Number of pregnant women tested for Syphilis | Number of pregnant women tested found sero positive for Syphilis | % Pregnant women tested for Syphilis to Total ANC Registrati on | % Pregnant women treatd for Syphilis to Total sero positive for Syphilis | % of babies treated for congenita l Syphilis to babies total diagnosed with Congenit al Syphilis | Total no. maternal deaths | Total Facility Based Maternal Death Reviews (FBMDR) done | Total Number of Abortions (Spontan eous) Reported | Total Number of MTPs (Public) conducte d | % MTPs to total Abortions |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Cuttack | 0 | 0.0 | 8,833 | 2 | 33.0 | 0.0 | | 24 | 0 | 886 | 1,005 | 55.2 |
| 1 | Athagarh | 0 | 0.0 | 249 | 0 | 13.9 | 0.0 | | 0 | 0 | 102 | 0 | 0.0 |
| 2 | Baramba | 0 | 0.0 | 216 | 0 | 11.5 | 0.0 | | 2 | 0 | 99 | 141 | 58.8 |
| 3 | Baranga | 0 | 0.0 | 0 | 0 | 0.0 | | | 0 | 0 | 20 | 36 | 64.3 |
| 4 | Cuttack | 0 | 0.0 | 0 | 0 | 0.0 | | | 0 | 0 | 20 | 0 | 0.0 |
| 5 | Dampada | 0 | 0.0 | 9 | 0 | 0.8 | 0.0 | | 2 | 0 | 59 | 0 | 0.0 |
| 6 | Dist Level Facility | 0 | 0.0 | 4,277 | 2 | 75.2 | 0.0 | | 0 | 0 | 165 | 676 | 82.2 |
| 7 | KANTAPADA | 0 | 0.0 | 0 | 0 | 0.0 | | | 2 | 0 | 18 | 8 | 30.8 |
| 8 | Mahanga | 0 | 0.0 | 1,228 | 0 | 62.2 | 0.0 | | 2 | 0 | 105 | 10 | 8.7 |
| 9 | Narsinghapur | 0 | 0.0 | 260 | 0 | 13.9 | 0.0 | | 5 | 0 | 35 | 0 | 0.0 |
| 10 | Niali | 0 | 0.0 | 319 | 0 | 22.4 | 0.0 | | 0 | 0 | 0 | 0 | |
| 11 | Nischintakoil | 0 | 0.0 | 0 | 0 | 0.0 | | | 1 | 0 | 64 | 61 | 48.8 |
| 12 | SUBARNAPUR | 0 | 0.0 | 192 | 0 | 15.1 | 0.0 | | 2 | 0 | 6 | 0 | 0.0 |
| 13 | Salepur | 0 | 0.0 | 1,098 | 0 | 51.4 | 0.0 | | 2 | 0 | 60 | 11 | 15.5 |
| 14 | Tangichoudwar | 0 | 0.0 | 538 | 0 | 29.4 | 0.0 | | 4 | 0 | 66 | 62 | 48.4 |
| 15 | Tigiria | 0 | 0.0 | 447 | 0 | 48.4 | 0.0 | | 2 | 0 | 67 | 0 | 0.0 |

Performance of Key HMIS Indicators for Odisha-> Cuttack (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 73 | 74 | 75 | 76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 |
|------------|---------------------|---|---|---|--|--|---------------------------------|---------------------------------|-------------------------------|---|--|--|--|
| | | % MTPs up to 12 weeks of Pregnancy to Total MTPs at Public Institutions | % MTPs more than 12 weeks of Pregnancy to Total MTPs at Public Institutions | % MTPs Conducted at Public Institutions to Total MTPs | % MTPs Conducted at Private Institutions to Total MTPs | % Total MTPs (Public) Conducted to Total ANC Registrations | Number of Vasectomies Conducted | Number of Tubectomies Conducted | Total Sterilisation Conducted | % Male Sterilisation (Vasectomies) to Total sterilisation | % Female Serilisation (Tubectomies) to Total sterilisation | Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC | Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Cuttack | 97.1 | 2.9 | 92.2 | 7.8 | 3.8 | 27 | 2,333 | 2,360 | 1.1 | 98.9 | | |
| 1 | Athagarh | | | | | 0.0 | 2 | 66 | 68 | 2.9 | 97.1 | | |
| 2 | Baramba | 85.1 | 14.9 | 100.0 | 0.0 | 7.5 | 5 | 137 | 142 | 3.5 | 96.5 | | |
| 3 | Baranga | 94.4 | 5.6 | 100.0 | 0.0 | 3.6 | 4 | 205 | 209 | 1.9 | 98.1 | | |
| 4 | Cuttack | | | | | 0.0 | 1 | 66 | 67 | 1.5 | 98.5 | | |
| 5 | Dampada | | | | | 0.0 | 0 | 74 | 74 | 0.0 | 100.0 | | |
| 6 | Dist Level Facility | 100.0 | 0.0 | 88.8 | 11.2 | 11.9 | 2 | 1,030 | 1,032 | 0.2 | 99.8 | | |
| 7 | KANTAPADA | 25.0 | 75.0 | 100.0 | 0.0 | 1.0 | 0 | 75 | 75 | 0.0 | 100.0 | | |
| 8 | Mahanga | 100.0 | 0.0 | 100.0 | 0.0 | 0.5 | 0 | 132 | 132 | 0.0 | 100.0 | | |
| 9 | Narsinghapur | | | | | 0.0 | 0 | 75 | 75 | 0.0 | 100.0 | | |
| 10 | Niali | | | | | 0.0 | 10 | 49 | 59 | 16.9 | 83.1 | | |
| 11 | Nischintakoil | 100.0 | 0.0 | 100.0 | 0.0 | 3.5 | 0 | 128 | 128 | 0.0 | 100.0 | | |
| 12 | SUBARNAPUR | | | | | 0.0 | 0 | 3 | 3 | 0.0 | 100.0 | | |
| 13 | Salepur | 100.0 | 0.0 | 100.0 | 0.0 | 0.5 | 1 | 149 | 150 | 0.7 | 99.3 | | |
| 14 | Tangichoudwar | 100.0 | 0.0 | 100.0 | 0.0 | 3.4 | 2 | 122 | 124 | 1.6 | 98.4 | | |
| 15 | Tigiria | | | | | 0.0 | 0 | 22 | 22 | 0.0 | 100.0 | | |

Performance of Key HMIS Indicators for Odisha-> Cuttack (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95 | 96 |
|------------|---------------------|--|---|--|---|--|---|---|--|---|---|--|--|
| | | Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at SDH | Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at DH | Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns | Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Public institutio ns | % Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns to Total Sterilisati on | % Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Public institutio ns to Total Sterilisati on | % Laparosc opic sterilisati ons to Total Female Sterilisati ons | % Mini Lap Sterilisati ons to Total Female Sterilisati ons | % Post Partum Sterilisati ons to Total Female Sterilisati ons | % Post Abortion Sterilisati ons to Total Female Sterilisati ons | % Laparosc opic sterilisati ons at Public Institutio ns to Total Laparosc opic Sterilisati ons | % Mini Lap sterilisati ons at Public Institutio ns to Total Mini Lap Sterilisati ons |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Cuttack | | | 280 | 2,080 | 11.9 | 88.1 | 43.9 | 35.8 | 16.2 | 4.0 | 87.9 | 100.0 |
| 1 | Athagarh | | | | 68 | 0.0 | 100.0 | 1.5 | 98.5 | 0.0 | 0.0 | 100.0 | 100.0 |
| 2 | Baramba | | | | 142 | 0.0 | 100.0 | 0.0 | 99.3 | 0.0 | 0.7 | | 100.0 |
| 3 | Baranga | | | | 209 | 0.0 | 100.0 | 75.1 | 19.5 | 0.0 | 5.4 | 100.0 | 100.0 |
| 4 | Cuttack | | | | 67 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 100.0 | |
| 5 | Dampada | | | | 74 | 0.0 | 100.0 | 27.0 | 73.0 | 0.0 | 0.0 | 100.0 | 100.0 |
| 6 | Dist Level Facility | | | 280 | 752 | 27.1 | 72.9 | 48.6 | 6.9 | 36.4 | 8.1 | 75.2 | 100.0 |
| 7 | KANTAPADA | | | | 75 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 100.0 | |
| 8 | Mahanga | | | | 132 | 0.0 | 100.0 | 0.0 | 97.0 | 3.0 | 0.0 | | 100.0 |
| 9 | Narsinghapur | | | | 75 | 0.0 | 100.0 | 0.0 | 100.0 | 0.0 | 0.0 | | 100.0 |
| 10 | Niali | | | | 59 | 0.0 | 100.0 | 0.0 | 100.0 | 0.0 | 0.0 | | 100.0 |
| 11 | Nischintakoil | | | | 128 | 0.0 | 100.0 | 81.3 | 18.8 | 0.0 | 0.0 | 100.0 | 100.0 |
| 12 | SUBARNAPUR | | | | 3 | 0.0 | 100.0 | 0.0 | 100.0 | 0.0 | 0.0 | | 100.0 |
| 13 | Salepur | | | | 150 | 0.0 | 100.0 | 0.0 | 100.0 | 0.0 | 0.0 | | 100.0 |
| 14 | Tangichoudwar | | | | 124 | 0.0 | 100.0 | 84.4 | 15.6 | 0.0 | 0.0 | 100.0 | 100.0 |
| 15 | Tigiria | | | | 22 | 0.0 | 100.0 | 0.0 | 100.0 | 0.0 | 0.0 | | 100.0 |

Performance of Key HMIS Indicators for Odisha-> Cuttack (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 97 | 98 | 99 | 100 | 101 | 102 | 103 | 104 | 105 | 106 | 107 | 108 |
|------------|---------------------|--|--|--|--|--|---|---|--|--|--|--|---|
| | | % Post Partum sterilisations at Public Institutions to Total Post Partum Sterilisation | % Post Abortion sterilisations at Public Institutions to Total Post Partum Sterilisation | Total cases of deaths following Sterilisation (Male + Female) | Total cases of deaths following Male Sterilisation | Total cases of deaths following Female Sterilisation | Total cases of failure following Male Sterilisation | Total cases of failure following Female Sterilisation | Total cases of complication following Male Sterilisation | Total cases of complication following Female Sterilisation | IUCD Insertions done (public facilities) | IUCD insertions done (pvt. facilities) | % PP IUCD Insertions (public) to Total IUCD Insertions (public) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Cuttack | 60.2 | 94.7 | 0 | 0 | 0 | 1 | 43 | 0 | 2 | 4,734 | 1 | 42.2 |
| 1 | Athagarh | | | 0 | 0 | 0 | 0 | 4 | 0 | 0 | 305 | | 0.7 |
| 2 | Baramba | | 100.0 | 0 | 0 | 0 | 0 | 7 | 0 | 2 | 278 | | 7.2 |
| 3 | Baranga | | 100.0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 461 | | 28.2 |
| 4 | Cuttack | | | 0 | 0 | 0 | 0 | 8 | 0 | 0 | 236 | | 8.1 |
| 5 | Dampada | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 81 | | 0.0 |
| 6 | Dist Level Facility | 59.7 | 94.0 | 0 | 0 | 0 | 1 | 3 | 0 | 0 | 1,845 | 1 | 77.6 |
| 7 | KANTAPADA | | | 0 | 0 | 0 | 0 | 6 | 0 | 0 | 62 | | 64.5 |
| 8 | Mahanga | 100.0 | | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 360 | | 14.2 |
| 9 | Narsinghapur | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 217 | | 21.2 |
| 10 | Niali | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 40 | | 40.0 |
| 11 | Nischintakoil | | | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 111 | | 82.9 |
| 12 | SUBARNAPUR | | | 0 | 0 | 0 | 0 | 4 | 0 | 0 | 134 | | 0.0 |
| 13 | Salepur | | | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 158 | | 0.0 |
| 14 | Tangichoudwar | | | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 206 | | 66.5 |
| 15 | Tigiria | | | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 240 | | 5.8 |

Performance of Key HMIS Indicators for Odisha-> Cuttack (Across Sub Districts)

Financial Year: 2017-18

Provisional Figures for the Period April to December

These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 109 | 110 | 111 | 112 | 113 | 114 | 115 | 116 | 117 | 118 | 119 | 120 |
|------------|---------------------|---|--|---|--|---------------------------------------|---|--|-------------------------------------|--|--|--|--|
| | | % PP IUCD Insertions (public) to Total Institutional Deliveries (public) | % IUCD insertions to all family planning methods (IUCD plus permane nt) | Total Interval IUCD Insertions done | Total PP IUCD Insertions done | Total PAIUCD insertions done | Combine d Oral Pills distribute d | Emergenc y pills distribute d | Condom pieces distribute d | Centchro man (weekly pills) distribute d | Number of beneficia ries given 1st dose of Injectabl e (Antara Program) | Number of beneficia ries given 2nd dose of Injectabl e (Antara Program) | Number of beneficia ries given 3rd dose of Injectabl e (Antara Program) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Cuttack | 10.4 | 66.7 | 2,534 | 1,998 | 203 | 73,280 | 5,107 | 378,472 | 567 | 0 | 0 | 0 |
| 1 | Athagarh | 1.1 | 81.8 | 303 | 2 | 0 | 3,390 | 0 | 16,812 | 0 | 0 | 0 | 0 |
| 2 | Baramba | 4.9 | 66.2 | 253 | 20 | 5 | 4,668 | 212 | 28,033 | 5 | 0 | 0 | 0 |
| 3 | Baranga | 20.6 | 68.8 | 331 | 130 | 0 | 3,852 | 38 | 29,572 | 1 | 0 | 0 | 0 |
| 4 | Cuttack | 12.5 | 77.9 | 216 | 19 | 1 | 6,233 | 172 | 12,674 | 0 | 0 | 0 | 0 |
| 5 | Dampada | 0.0 | 52.3 | 81 | 0 | 0 | 2,172 | 0 | 17,584 | 0 | 0 | 0 | 0 |
| 6 | Dist Level Facility | 12.4 | 64.1 | 240 | 1,431 | 175 | 10,160 | 603 | 20,972 | 484 | 0 | 0 | 0 |
| 7 | KANTAPADA | 25.2 | 45.3 | 22 | 40 | 0 | 4,517 | 99 | 39,481 | 0 | 0 | 0 | 0 |
| 8 | Mahanga | 9.4 | 73.2 | 304 | 51 | 5 | 8,958 | 164 | 42,506 | 0 | 0 | 0 | 0 |
| 9 | Narsinghapur | 4.2 | 74.3 | 171 | 46 | 0 | 5,795 | 204 | 22,535 | 0 | 0 | 0 | 0 |
| 10 | Niali | 2.8 | 40.4 | 24 | 16 | 0 | 3,866 | 463 | 30,521 | 0 | 0 | 0 | 0 |
| 11 | Nischintakoil | 9.6 | 46.4 | 19 | 92 | 0 | 5,503 | 360 | 54,568 | 24 | 0 | 0 | 0 |
| 12 | SUBARNAPUR | 0.0 | 97.8 | 134 | 0 | 0 | 3,647 | 4 | 13,852 | 0 | 0 | 0 | 0 |
| 13 | Salepur | 0.0 | 51.3 | 158 | 0 | 0 | 2,870 | 2,745 | 27,711 | 21 | 0 | 0 | 0 |
| 14 | Tangichoudwar | 18.6 | 62.4 | 52 | 137 | 17 | 1,361 | 43 | 8,066 | 0 | 0 | 0 | 0 |
| 15 | Tigiria | 1.1 | 91.6 | 226 | 14 | 0 | 6,288 | 0 | 13,585 | 32 | 0 | 0 | 0 |

Performance of Key HMIS Indicators for Odisha-> Cuttack (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 121 | 122 | 123 | 124 | 125 | 126 | 127 | 128 | 129 | 130 | 131 | 132 |
|------------|---------------------|---|-----------------------------|--|-----------------------------|--|---|---|---|------------------------------|------------------------------|------------------------------|--|
| | | Number of beneficiaries given 4th or more than 4 doses of Injectable (Antara Program) | Pregnancy testing kits used | Number of Infants given OPV 0 (Birth Dose) | Number of Infants given BCG | Number of Infants given Hep- B0 (birth dose) | % Newborns given OPV0 at birth to Reported live birth | % Newborns given BCG to Reported live birth | % Newborns given Hep-B0 (Birth Dose)at birth to Reported live birth | Number of Infants given DPT1 | Number of Infants given DPT2 | Number of Infants given DPT3 | Number of Infants given Pentavale nt 1 |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Cuttack | 0 | 18,325 | 21,689 | 27,370 | 16,876 | 66.9 | 84.4 | 52.1 | 0 | 0 | 0 | 26,795 |
| 1 | Athagarh | 0 | 2,029 | 175 | 635 | 175 | 91.1 | 330.7 | 91.1 | 0 | 0 | 0 | 1,732 |
| 2 | Baramba | 0 | 1,516 | 415 | 758 | 293 | 99.3 | 181.3 | 70.1 | 0 | 0 | 0 | 1,637 |
| 3 | Baranga | 0 | 748 | 673 | 997 | 609 | 105.3 | 156.0 | 95.3 | 0 | 0 | 0 | 1,135 |
| 4 | Cuttack | 0 | 619 | 287 | 593 | 135 | 169.8 | 350.9 | 79.9 | 0 | 0 | 0 | 1,282 |
| 5 | Dampada | 0 | 314 | 25 | 84 | 6 | 138.9 | 466.7 | 33.3 | 0 | 0 | 0 | 935 |
| 6 | Dist Level Facility | 0 | 2,426 | 12,682 | 13,445 | 8,566 | 51.5 | 54.6 | 34.8 | 0 | 0 | 0 | 6,462 |
| 7 | KANTAPADA | 0 | 859 | 175 | 405 | 156 | 111.5 | 258.0 | 99.4 | 0 | 0 | 0 | 851 |
| 8 | Mahanga | 0 | 653 | 558 | 884 | 495 | 100.5 | 159.3 | 89.2 | 0 | 0 | 0 | 1,933 |
| 9 | Narsinghapur | 0 | 1,450 | 1,108 | 1,108 | 1,108 | 100.0 | 100.0 | 100.0 | 0 | 0 | 0 | 1,592 |
| 10 | Niali | 0 | 803 | 560 | 1,476 | 560 | 99.1 | 261.2 | 99.1 | 0 | 0 | 0 | 1,529 |
| 11 | Nischintakoil | 0 | 1,251 | 969 | 1,228 | 940 | 100.8 | 127.8 | 97.8 | 0 | 0 | 0 | 1,857 |
| 12 | SUBARNAPUR | 0 | 698 | 249 | 388 | 216 | 107.8 | 168.0 | 93.5 | 0 | 0 | 0 | 1,045 |
| 13 | Salepur | 0 | 2,614 | 2,180 | 2,533 | 2,003 | 288.7 | 335.5 | 265.3 | 0 | 0 | 0 | 2,258 |
| 14 | Tangichoudwar | 0 | 472 | 684 | 1,864 | 686 | 86.8 | 236.5 | 87.1 | 0 | 0 | 0 | 1,791 |
| 15 | Tigiria | 0 | 1,873 | 949 | 972 | 928 | 76.5 | 78.4 | 74.8 | 0 | 0 | 0 | 756 |

Performance of Key HMIS Indicators for Odisha-> Cuttack (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 133 | 134 | 135 | 136 | 137 | 138 | 139 | 140 | 141 | 142 | 143 | 144 |
|------------|---------------------|---------|---------|---------|---------|---|---|---|---|--|--|---|---|
| | | | | | | % Infants 0 to 11 months old who received Measles+ MR vaccine to reported live births | Number of fully immunize d children (9-11 months) | % Drop Out between BCG & Measles/ MR | % Children given Vit A dose1 to Reported live birth | % Children given Vitamin A Dose 9 to Children given Vit A dose1 | Adverse Events Following Imunisati on (Abcess) | Adverse Events Following Imunisati on (Deaths) | Adverse Events Following Imunisati on (Others) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Cuttack | 25,472 | 25,159 | 22,355 | 0 | 68.9 | 21,551 | 18.3 | 67.2 | 108.6 | 262 | 0 | 0 |
| 1 | Athagarh | 1,703 | 1,657 | 1,486 | 0 | 774.0 | 1,486 | -134.0 | 774.0 | 166.7 | 0 | 0 | 0 |
| 2 | Baramba | 1,547 | 1,575 | 1,396 | 0 | 334.0 | 1,379 | -84.2 | 332.3 | 179.8 | 2 | 0 | 0 |
| 3 | Baranga | 1,061 | 1,133 | 948 | 0 | 148.4 | 841 | 4.9 | 125.0 | 109.8 | 21 | 0 | 0 |
| 4 | Cuttack | 1,247 | 1,231 | 1,151 | 0 | 681.1 | 1,145 | -94.1 | 686.4 | 216.6 | 1 | 0 | 0 |
| 5 | Dampada | 960 | 957 | 823 | 0 | 4572.2 | 818 | -879.8 | 4566.7 | 96.7 | 0 | 0 | 0 |
| 6 | Dist Level Facility | 5,946 | 5,828 | 5,026 | 0 | 20.4 | 4,396 | 62.6 | 18.8 | 65.0 | 59 | 0 | 0 |
| 7 | KANTAPADA | 825 | 853 | 783 | 0 | 498.7 | 783 | -93.3 | 498.7 | 126.9 | 0 | 0 | 0 |
| 8 | Mahanga | 1,840 | 1,827 | 1,581 | 0 | 284.9 | 1,576 | -78.8 | 284.9 | 127.3 | 36 | 0 | 0 |
| 9 | Narsinghapur | 1,471 | 1,409 | 1,404 | 0 | 126.7 | 1,404 | -26.7 | 126.7 | 79.2 | 11 | 0 | 0 |
| 10 | Niali | 1,403 | 1,418 | 1,177 | 0 | 208.3 | 1,177 | 20.3 | 208.1 | 1.2 | 89 | 0 | 0 |
| 11 | Nischintakoil | 1,805 | 1,809 | 1,518 | 0 | 158.0 | 1,484 | -23.6 | 157.8 | 125.6 | 2 | 0 | 0 |
| 12 | SUBARNAPUR | 976 | 968 | 977 | 0 | 422.9 | 977 | -151.8 | 422.9 | 48.7 | 2 | 0 | 0 |
| 13 | Salepur | 2,203 | 2,124 | 1,905 | 0 | 252.3 | 1,905 | 24.8 | 252.6 | 80.0 | 29 | 0 | 0 |
| 14 | Tangichoudwar | 1,715 | 1,636 | 1,478 | 0 | 187.6 | 1,478 | 20.7 | 184.6 | 197.5 | 10 | 0 | 0 |
| 15 | Tigiria | 770 | 734 | 702 | 0 | 56.6 | 702 | 27.8 | 56.6 | 84.0 | 0 | 0 | 0 |

Performance of Key HMIS Indicators for Odisha-> Cuttack (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 145 | 146 | 147 | 148 | 149 | 150 | 151 | 152 | 153 | 154 | 155 | 156 |
|------------|---------------------|---|---|--|-------------------------------------|-------------------------------------|---|--|---|--|--|--------------------------------------|--------------------------------------|
| | | % immunisation Sessions Held to Immunisation Sessions Planned | % Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned | Pneumonia in Children 0-5 Years of Age | Asthma in Children 0-5 Years of Age | Sepsis in Children 0-5 Years of Age | Diphtheria in Children 0-5 Years of Age | Pertussis in Children 0-5 Years of Age | Tetanus Neonatorum in Children 0-5 Years of Age | Tuberculosis (TB) in Children 0-5 Years of Age | Acute Flaccid Paralysis (AFP) in Children 0-5 Years of Age | Measles in Children 0-5 Years of Age | Malaria in Children 0-5 Years of Age |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Cuttack | 99.9 | 93.1 | 356 | 342 | 13 | 0 | 0 | 0 | 4 | 4 | 37 | 356 |
| 1 | Athagarh | 100.0 | 100.0 | 9 | 33 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 9 |
| 2 | Baramba | 100.0 | 100.0 | 28 | 15 | 4 | 0 | 0 | 0 | 1 | 1 | 7 | 28 |
| 3 | Baranga | 100.0 | 100.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| 4 | Cuttack | 100.0 | 94.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| 5 | Dampada | 100.0 | 98.1 | 1 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 1 |
| 6 | Dist Level Facility | 99.3 | 71.4 | 57 | 133 | 7 | 0 | 0 | 0 | 0 | 0 | 10 | 57 |
| 7 | KANTAPADA | 100.0 | 94.4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8 | Mahanga | 100.0 | 100.0 | 71 | 14 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 71 |
| 9 | Narsinghapur | 100.0 | 100.0 | 112 | 29 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 112 |
| 10 | Niali | 100.0 | 100.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11 | Nischintakoil | 100.0 | 99.8 | 9 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 9 |
| 12 | SUBARNAPUR | 100.0 | 100.0 | 43 | 48 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 43 |
| 13 | Salepur | 100.0 | 88.0 | 0 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14 | Tangichoudwar | 100.0 | 100.0 | 5 | 2 | 0 | 0 | 0 | 0 | 2 | 2 | 2 | 5 |
| 15 | Tigiria | 100.0 | 100.0 | 21 | 46 | 2 | 0 | 0 | 0 | 0 | 0 | 5 | 21 |

Performance of Key HMIS Indicators for Odisha-> Cuttack (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 157 | 158 | 159 | 160 | 161 | 162 | 163 | 164 | 165 | 166 | 167 | 168 |
|------------|---------------------|--|--|---|--|--|--|--|--|--|---|---|---------------------------------|
| | | Diarrhoea in Children 0-5 Years of Age | Diarrhoea treated in Inpatients in Children 0-5 Years of Age | No. of infants given Measles Rubella vaccine 1st dose | No. of infants received Rotavirus Vaccine 1st dose | No. of infants received Rotavirus Vaccine 2nd dose | No. of infants received Rotavirus Vaccine 3rd dose | No of children 16-24 months age given Measles Rubella Vaccine 2nd dose | No of children 16-24 months age given Measles Rubella Vaccine 2nd dose | % Adult Female Inpatients to Total Adult Inpatient | % Children Inpatient to Total Inpatient | % Female Inpatient Deaths to Total Inpatient Deaths | % Inpatient Deaths to Total IPD |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Cuttack | 2,826 | 67 | 0 | 24,281 | 22,602 | 22,602 | 19,150 | 0 | 47.1 | 14.9 | 37.0 | 0.1 |
| 1 | Athagarh | 78 | 0 | 0 | 1,482 | 1,449 | 1,449 | 1,494 | 0 | 66.5 | 0.0 | | 0.0 |
| 2 | Baramba | 42 | 0 | 0 | 1,327 | 1,230 | 1,230 | 1,151 | 0 | 53.8 | 13.7 | 13.6 | 0.5 |
| 3 | Baranga | 150 | 0 | 0 | 1,045 | 976 | 976 | 977 | 0 | 94.1 | 0.0 | | 0.0 |
| 4 | Cuttack | 290 | 0 | 0 | 1,165 | 1,132 | 1,132 | 1,007 | 0 | 64.0 | 29.1 | | 0.0 |
| 5 | Dampada | 49 | 0 | 0 | 890 | 923 | 923 | 863 | 0 | 59.5 | 1.5 | | 0.0 |
| 6 | Dist Level Facility | 139 | 27 | 0 | 6,038 | 5,406 | 5,406 | 2,690 | 0 | 40.4 | 13.9 | 39.0 | 0.1 |
| 7 | KANTAPADA | 236 | 0 | 0 | 737 | 672 | 672 | 748 | 0 | 61.7 | 14.2 | | 0.0 |
| 8 | Mahanga | 85 | 14 | 0 | 1,794 | 1,754 | 1,754 | 1,493 | 0 | 64.4 | 23.2 | 50.0 | 0.2 |
| 9 | Narsinghapur | 68 | 2 | 0 | 1,592 | 1,471 | 1,471 | 1,486 | 0 | 63.0 | 24.4 | 80.0 | 0.1 |
| 10 | Niali | 0 | 0 | 0 | 1,207 | 1,078 | 1,078 | 1,160 | 0 | 51.4 | 12.2 | | 0.0 |
| 11 | Nischintakoil | 519 | 0 | 0 | 1,677 | 1,623 | 1,623 | 1,501 | 0 | 96.8 | 4.5 | 50.0 | 0.2 |
| 12 | SUBARNAPUR | 163 | 0 | 0 | 1,000 | 890 | 890 | 919 | 0 | 44.3 | 6.9 | | 0.0 |
| 13 | Salepur | 359 | 1 | 0 | 1,953 | 1,803 | 1,803 | 1,590 | 0 | 82.6 | 24.6 | | 0.0 |
| 14 | Tangichoudwar | 293 | 0 | 0 | 1,638 | 1,468 | 1,468 | 1,444 | 0 | 64.7 | 18.3 | | 0.0 |
| 15 | Tigiria | 355 | 23 | 0 | 736 | 727 | 727 | 627 | 0 | 76.2 | 28.4 | 50.0 | 0.0 |

Performance of Key HMIS Indicators for Odisha-> Cuttack (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 169 | 170 | 171 | 172 | 173 | 174 | 175 | 176 | 177 | 178 | 179 | 180 |
|------------|---------------------|-----------------|---------------------|--------------------------|---------------------------|--------------------|----------------------------------|----------------------------------|---|---|--|--------------------------------------|---------------------------|
| | | IPD (Number) | OPD (Allopathic) | Ayush OPD (Number) | OPD (Ayush+Allopathic) | % IPD to OPD | Number of Major Operations | Number of Minor Operations | % Major Operations to Total Operation | Number of Hysterectomy Surgeries | % Hysterectomy Surgeries to Total Major Operations | % AYUSH OPD to Total OPD | Dental OPD (Number) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Cuttack | 134,866 | 3,227,189 | 236,488 | 3,463,677 | 3.9 | 14,895 | 59,837 | 19.9 | 69 | 0.4 | 6.8 | 78,503 |
| 1 | Athagarh | 477 | 89,170 | 21,535 | 110,705 | 0.4 | 0 | 62 | 0.0 | 0 | | 19.5 | 550 |
| 2 | Baramba | 4,495 | 108,445 | 11,969 | 120,414 | 3.7 | 104 | 181 | 36.5 | 0 | 0.0 | 9.9 | 2,050 |
| 3 | Baranga | 735 | 49,090 | 7,113 | 56,203 | 1.3 | 0 | 41 | 0.0 | 0 | | 12.7 | 443 |
| 4 | Cuttack | 1,015 | 72,647 | 18,829 | 91,476 | 1.1 | 0 | 1,950 | 0.0 | 0 | | 20.6 | 742 |
| 5 | Dampada | 133 | 37,881 | 12,430 | 50,311 | 0.3 | 0 | 754 | 0.0 | 0 | | 24.7 | 232 |
| 6 | Dist Level Facility | 94,421 | 2,027,379 | 0 | 2,027,379 | 4.7 | 14,789 | 48,234 | 23.5 | 69 | 0.5 | 0.0 | 68,163 |
| 7 | KANTAPADA | 2,288 | 61,264 | 7,944 | 69,208 | 3.3 | 0 | 36 | 0.0 | 0 | | 11.5 | 0 |
| 8 | Mahanga | 3,718 | 134,966 | 24,823 | 159,789 | 2.3 | 2 | 361 | 0.6 | 0 | 0.0 | 15.5 | 1,327 |
| 9 | Narsinghapur | 5,304 | 69,824 | 5,511 | 75,335 | 7.0 | 0 | 2,320 | 0.0 | 0 | | 7.3 | 331 |
| 10 | Niali | 5,397 | 82,714 | 18,784 | 101,498 | 5.3 | 0 | 205 | 0.0 | 0 | | 18.5 | 637 |
| 11 | Nischintakoil | 1,684 | 122,039 | 22,459 | 144,498 | 1.2 | 0 | 3,717 | 0.0 | 0 | | 15.5 | 298 |
| 12 | SUBARNAPUR | 4,562 | 54,982 | 19,257 | 74,239 | 6.1 | 0 | 299 | 0.0 | 0 | | 25.9 | 1,336 |
| 13 | Salepur | 3,469 | 93,671 | 22,721 | 116,392 | 3.0 | 0 | 928 | 0.0 | 0 | | 19.5 | 432 |
| 14 | Tangichoudwar | 3,001 | 135,826 | 22,816 | 158,642 | 1.9 | 0 | 194 | 0.0 | 0 | | 14.4 | 1,127 |
| 15 | Tigiria | 4,167 | 87,291 | 20,297 | 107,588 | 3.9 | 0 | 555 | 0.0 | 0 | | 18.9 | 835 |

Performance of Key HMIS Indicators for Odisha-> Cuttack (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 181 | 182 | 183 | 184 | 185 | 186 | 187 | 188 | 189 | 190 | 191 | 192 |
|------------|---------------------|---------------------------------------|--|--|---|---|---|--|---|--|---|---|---|
| | | % Dental OPD to Total OPD | % Hb < 7 mg to Total Hb Tests Conducte d | % Male HIV Positive to Total Males Tested | % Female screened for HIV to Total ANC Registrati on | % Female HIV Positive to Total Females Tested | % Total HIV Positive to Total Tested (Male + Female) | % Plasmodi um Vivax test positive to Total Blood Smears Examined | % Plasmodi um Falciparu m test positive to Total Blood Smears Examined | Total Number of Infant Deaths reported | % Deaths due to Sepsis to Total Reported Infant Deaths | % Deaths due to Asphyxia to Total Reported Infant Deaths | % Deaths due to Pneumoni a to Total Reported Infant Deaths |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Cuttack | 2.3 | 0.4 | 1.7 | 18.4 | 2.4 | 1.9 | 0.1 | 0.2 | 268 | 7.1 | 10.1 | 4.1 |
| 1 | Athagarh | 0.5 | 0.8 | 0.0 | 4.9 | 0.0 | 0.0 | 0.1 | 0.2 | 15 | 0.0 | 0.0 | 0.0 |
| 2 | Baramba | 1.7 | 0.0 | 0.0 | 11.3 | 0.0 | 0.0 | 2.6 | 0.0 | 17 | 11.8 | 11.8 | 5.9 |
| 3 | Baranga | 0.8 | 0.7 | 0.0 | 49.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0 | | | |
| 4 | Cuttack | 0.8 | 0.0 | 0.0 | 1.9 | 0.0 | 0.0 | 0.1 | 0.1 | 14 | 57.1 | 7.1 | 0.0 |
| 5 | Dampada | 0.5 | 0.5 | 0.0 | 3.7 | 0.0 | 0.0 | 0.1 | 0.3 | 11 | 0.0 | 9.1 | 0.0 |
| 6 | Dist Level Facility | 3.4 | 0.4 | 3.6 | 41.2 | 4.9 | 4.0 | 0.2 | 1.2 | 21 | 14.3 | 28.6 | 0.0 |
| 7 | KANTAPADA | 0.0 | 0.0 | 0.0 | 17.4 | 0.0 | 0.0 | 0.0 | 0.0 | 5 | 0.0 | 0.0 | 0.0 |
| 8 | Mahanga | 0.8 | 0.1 | 0.0 | 13.4 | 0.4 | 0.1 | 0.0 | 0.0 | 13 | 0.0 | 15.4 | 0.0 |
| 9 | Narsinghapur | 0.4 | 0.0 | 0.0 | 18.4 | 0.0 | 0.0 | 0.1 | 0.1 | 30 | 0.0 | 16.7 | 13.3 |
| 10 | Niali | 0.6 | 0.1 | 0.0 | 3.3 | 0.0 | 0.0 | 0.0 | 0.0 | 20 | 5.0 | 10.0 | 10.0 |
| 11 | Nischintakoil | 0.2 | 0.3 | 0.0 | 7.9 | 0.0 | 0.0 | 0.0 | 0.0 | 20 | 5.0 | 5.0 | 0.0 |
| 12 | SUBARNAPUR | 1.8 | 0.4 | | 0.0 | | | 1.3 | 0.2 | 2 | 0.0 | 50.0 | 0.0 |
| 13 | Salepur | 0.4 | 0.1 | 0.1 | 14.6 | 0.0 | 0.1 | 0.0 | 0.1 | 45 | 4.4 | 6.7 | 8.9 |
| 14 | Tangichoudwar | 0.7 | 0.9 | 0.0 | 20.4 | 0.0 | 0.0 | 0.1 | 0.7 | 43 | 4.7 | 2.3 | 0.0 |
| 15 | Tigiria | 0.8 | 0.1 | 0.0 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12 | 0.0 | 16.7 | 0.0 |

Performance of Key HMIS Indicators for Odisha-> Cuttack (Across Sub Districts)

Financial Year: 2017-18

Provisional Figures for the Period April to December

These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 193 | 194 | 195 | 196 | 197 | 198 |
|------------|---------------------|---|---|---|--|--|---|
| | | % Deaths due to Diarrhoea to Total Reported Infant Deaths | % Deaths due to Fever to Total Reported Infant Deaths | % Deaths due to Measles to Total Reported Infant Deaths | Institutional Deliveries at Urban Health Facilities i.e SC+PHC+CHC+SDH | Institutional Deliveries at District Hospitals | Measles immunization at urban Health facilities i.e SC+PHC+CHC+SDH+DH |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Cuttack | 0.4 | 0.7 | 0.0 | 0 | | |
| 1 | Athagarh | 0.0 | 0.0 | 0.0 | | | |
| 2 | Baramba | 0.0 | 0.0 | 0.0 | | | |
| 3 | Baranga | | | | | | |
| 4 | Cuttack | 0.0 | 7.1 | 0.0 | | | |
| 5 | Dampada | 0.0 | 0.0 | 0.0 | | | |
| 6 | Dist Level Facility | 0.0 | 0.0 | 0.0 | 0 | | |
| 7 | KANTAPADA | 0.0 | 0.0 | 0.0 | | | |
| 8 | Mahanga | 0.0 | 0.0 | 0.0 | | | |
| 9 | Narsinghapur | 0.0 | 3.3 | 0.0 | | | |
| 10 | Niali | 0.0 | 0.0 | 0.0 | | | |
| 11 | Nischintakoil | 0.0 | 0.0 | 0.0 | | | |
| 12 | SUBARNAPUR | 0.0 | 0.0 | 0.0 | | | |
| 13 | Salepur | 0.0 | 0.0 | 0.0 | | | |
| 14 | Tangichoudwar | 2.3 | 0.0 | 0.0 | | | |
| 15 | Tigiria | 0.0 | 0.0 | 0.0 | | | |