Performance of Key HMIS Indicators for Kerala ( Across Districts) Financial Year: 2013-14 Provisional Figures for the Period April to June

Indicator		]	1	2	2	3	,	4	ı	5		6	
		Total Number of reported live births		% Total Reported Live Births to Total Deliveries			Total Number of reported Still Births		% live birth to Reported Birth		Newborns at birth	Number of Infants given OPV 0 (Birth Dose)	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Kerala	128,799	128,883	100.4	100.2	591	565	99.5	99.6	128,097	128,799	122,544	117,186
1	Alappuzha	5,212	5,259	100.7	100.6	10	2	99.8	100.0	5,212	5,259	5,127	5,265
2	Ernakulam	10,365	10,148	101.0	100.4	19	30	99.8	99.7	10,362	10,137	10,186	10,450
3	Idukki	3,374	3,541	100.3	100.6	22	13	99.4	99.6	3,341	3,521	3,443	3,428
4	KOZHIKKODE	14,784	14,609	100.3	99.9	153	140	99.0	99.1	14,155	14,609	13,764	13,734
5	Kannur	11,653	11,696	100.1	99.7	43	44	99.6	99.6	11,649	11,696	12,066	11,518
6	Kasaragod	5,465	5,448	100.5	100.8	8	10	99.9	99.8	5,464	5,432	5,490	4,591
7	Kollam	7,597	8,058	100.5	100.3	8	9	99.9	99.9	7,597	8,058	7,634	8,072
8	Kottayam	6,552	6,542	100.9	100.6	27	26	99.6	99.6	6,552	6,542	6,851	6,769
9	Malappuram	22,982	23,969	100.3	99.8	116	103	99.5	99.6	22,977	23,969	19,106	17,560
10	Palakkad	9,914	10,243	99.6	100.2	28	30	99.7	99.7	9,912	10,257	9,891	7,589
11	Pathanamthitta	4,013	3,886	100.8	100.8	11	11	99.7	99.7	3,996	3,887	3,870	3,960
12	Thiruvananthapuram	10,892	10,012	100.3	100.7	98	99	99.1	99.0	10,891	9,960	10,549	10,059
13	Thrissur	11,995	11,735	100.9	100.4	13	21	99.9	99.8	11,990	11,735	10,800	11,213
14	Wayanad	4,001	3,737	99.5	99.5	35	27	99.1	99.3	3,999	3,737	3,767	2,978

		,		8		,			0	11		12	
	Indicator	Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		Newborns	% Newborns given BCG to Reported live birth		of Infants DPT1	Number of Infants given DPT2		Number of Infants given DPT3	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Kerala	130,198	130,728	95.1	90.9	101.1	101.4	2,070	10,227	1,669	9,914	1,459	13,567
1	Alappuzha	5,570	5,302	98.4	100.1	106.9	100.8	20	575	21	170	11	195
2	Ernakulam	10,327	10,585	98.3	103.0	99.6	104.3	57	1,198	44	977	44	1,028
3	Idukki	3,455	3,534	102.0	96.8	102.4	99.8	60	108	48	68	47	114
4	KOZHIKKODE	14,325	14,739	93.1	94.0	96.9	100.9	136	1,137	149	1,069	125	1,497
5	Kannur	12,302	11,973	103.5	98.5	105.6	102.4	93	58	92	377	104	718
6	Kasaragod	5,616	5,467	100.5	84.3	102.8	100.3	367	457	304	477	317	650
7	Kollam	7,649	8,073	100.5	100.2	100.7	100.2	228	1,178	170	1,050	141	1,075
8	Kottayam	6,869	6,832	104.6	103.5	104.8	104.4	403	1,039	247	897	186	885
9	Malappuram	23,120	23,577	83.1	73.3	100.6	98.4	325	1,866	199	2,056	184	3,449
10	Palakkad	10,812	10,321	99.8	74.1	109.1	100.8	44	586	65	990	29	1,634
11	Pathanamthitta	4,088	3,961	96.4	101.9	101.9	101.9	3	3	35	15	3	94
12	Thiruvananthapuram	11,120	10,137	96.9	100.5	102.1	101.2	132	610	125	547	123	691
13	Thrissur	11,059	12,528	90.0	95.6	92.2	106.8	145	892	128	625	102	775
14	Wayanad	3,886	3,699	94.2	79.7	97.1	99.0	57	520	42	596	43	762

		1	3	1	4	1	5	1	6	1	7	18	
Indicator		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Kerala	129,477		124,277		122,739		121,536	123,319	94.4	95.7	121,507	117,540
1	Alappuzha	6,024		5,858		5,681		6,277	6,343	120.4	120.6	5,915	6,136
2	Ernakulam	10,766		10,507		10,509		11,025	10,747	106.4	105.9	10,997	9,820
3	Idukki	4,199		3,963		3,802		3,491	3,381	103.5	95.5	3,471	3,419
4	KOZHIKKODE	13,074		12,522		12,566		12,277	12,893	83.0	88.3	12,152	12,225
5	Kannur	11,800		11,349		11,548		11,151	11,137	95.7	95.2	10,389	10,506
6	Kasaragod	6,478		6,234		5,999		5,863	5,915	107.3	108.6	5,863	5,851
7	Kollam	8,702		8,872		9,056		9,346	8,918	123.0	110.7	9,344	8,916
8	Kottayam	6,178		5,732		5,644		6,056	6,183	92.4	94.5	6,037	5,810
9	Malappuram	21,649		20,163		19,298		19,356	18,164	84.2	75.8	18,774	17,027
10	Palakkad	10,741		10,580		10,542		11,621	10,851	117.2	105.9	10,708	10,687
11	Pathanamthitta	4,162		4,010		3,788		3,898	3,939	97.1	101.4	3,886	3,860
12	Thiruvananthapuram	10,858		10,483		10,300		7,182	10,838	65.9	108.3	10,333	10,636
13	Thrissur	10,563		10,049		10,327		10,660	10,550	88.9	89.9	10,487	9,572
14	Wayanad	4,283	_	3,955	_	3,679	_	3,333	3,460	83.3	92.6	3,151	3,075

			19		20		21		22		23		24	
	Indicator	% Drop Out between BCG & Measles		Vitamin - A dose 1		Children g dose1 to R bir	% iven Vit A eported live	% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Imunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned		
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	
	_Kerala	6.7	5.7	15,468	97,386	12.0	75.6	76.8	64.1	853	317	99.7	99.3	
1	Alappuzha	-12.7	-19.6	945	4,963	18.1	94.4	89.4	92.7	339	18	99.5	100.0	
2	Ernakulam	-6.8	-1.5	651	7,079	6.3	69.8	81.1	78.0	55	13	100.0	99.7	
3	Idukki	-1.0	4.3	1,993	2,745	59.1	77.5	90.1	102.2	1	5	98.9	97.8	
4	KOZHIKKODE	14.3	12.5	12	11,611	0.1	79.5	0.0	28.8	39	39	99.2	98.8	
5	Kannur	9.4	7.0	1,337	9,842	11.5	84.1	42.9	74.5	19	64	100.3	100.1	
6	Kasaragod	-4.4	-8.2	105	5,547	1.9	101.8	86.7	66.6	16	18	100.0	99.7	
7	Kollam	-22.2	-10.5	834	5,373	11.0	66.7	83.6	103.9	44	8	100.0	99.6	
8	Kottayam	11.8	9.5	2,765	5,409	42.2	82.7	50.2	72.1	10	1	99.5	99.8	
9	Malappuram	16.3	23.0	209	17,637	0.9	73.6	18.7	12.4	92	48	99.8	99.3	
10	Palakkad	-7.5	-5.1	3,069	4,542	31.0	44.3	82.0	74.1	37	51	99.5	99.3	
11	Pathanamthitta	4.6	0.6	1,300	2,692	32.4	69.3	108.2	100.1	1	7	99.9	100.0	
12	Thiruvananthapuram	35.4	-6.9	1,097	7,353	10.1	73.4	81.2	99.3	137	5	99.7	98.8	
13	Thrissur	3.6	15.8	1,151	8,652	9.6	73.7	96.8	97.9	19	8	99.6	99.3	
14	Wayanad	14.2	6.5		3,941	0.0	105.5		41.2	44	32	99.9	99.8	

Indicator		2	5	2	6	2	7	2	8	2	9	3	0
		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Pertusis ir 0-5 Years Total R Childhood	% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Others in -5 Years of al Reported Diseases 0-5 ars	% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Kerala	87.5	86.0	0.0	0.0	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0
1	Alappuzha	97.2	95.9	0.0	0.0	2.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0
2	Ernakulam	86.2	87.3	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0
3	Idukki	76.3	72.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	KOZHIKKODE	71.5	71.0	0.1	0.0	0.1	0.3	0.0	0.0	0.2	0.1	0.0	0.0
5	Kannur	90.3	90.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	Kasaragod	90.9	88.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	Kollam	95.3	91.1	0.0	0.0	0.3	0.5	0.0	0.0	0.0	0.0	0.0	0.0
8	Kottayam	74.6	73.4	0.0	0.0	0.6	0.0	0.0	0.0	0.2	0.0	0.0	0.0
9	Malappuram	91.0	86.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	Palakkad	91.7	90.4	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
11	Pathanamthitta	84.0	87.3	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0
12	Thiruvananthapuram	90.0	88.5	0.0	0.1	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0
13	Thrissur	91.9	94.6	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14	Wayanad	87.0	90.6	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0

Indicator		3	1	3	2	3	3	3	4	3	5	36	
		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Kerala	1.6	1.2	97.0	97.7	1.1	0.9	267	144	2.8	3.7	13.0	28.7
1	Alappuzha	1.6	1.2	95.9	98.1	0.5	0.2	13	11	18.2	11.1	9.1	33.3
2	Ernakulam	0.1	1.4	99.6	94.5	0.3	3.9	8	9	0.0	0.0	33.3	12.5
3	Idukki	0.3	1.6	98.6	98.1	1.2	0.4	8	11	33.3	11.1	33.3	33.3
4	KOZHIKKODE	2.4	0.5	96.9	97.4	0.1	1.7	170	2	0.0	0.0	0.0	0.0
5	Kannur	1.6	1.0	98.4	98.0	0.0	1.0	15	6	0.0	25.0	77.8	0.0
6	Kasaragod	3.9	1.9	96.1	97.6	0.0	0.5	5	9	0.0	0.0	66.7	66.7
7	Kollam	0.6	2.8	99.1	96.6	0.0	0.0	8	18	0.0	0.0	66.7	6.7
8	Kottayam	2.0	1.1	96.7	98.2	0.6	0.7		13		14.3		71.4
9	Malappuram	3.5	0.4	96.4	99.1	0.1	0.5	11	15	9.1	0.0	27.3	36.4
10	Palakkad	2.1	0.3	86.2	98.7	11.7	0.0	12	17	0.0	0.0	50.0	46.2
11	Pathanamthitta	0.5	0.4	99.3	97.4	0.1	2.1	2	2	0.0	0.0	0.0	0.0
12	Thiruvananthapuram	0.8	2.7	98.6	97.1	0.3	0.1	2	7	100.0	0.0	0.0	50.0
13	Thrissur	0.6	0.8	97.7	99.0	1.5	0.2	3	1	0.0	0.0	33.3	0.0
14	Wayanad	1.0	3.9	99.0	95.8	0.0	0.0	10	23	0.0	0.0	33.3	11.1

		3	7	3	8	3	9	4	0	41		42	
Indicator		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		Deaths Diarrhoe Reporte	% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		6 to Measles Reported Deaths	% Deaths due to Other Causes to Total Reported Infant Deaths	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Kerala	38.0	23.1	1.4	2.8	0.5	0.0	0.9	0.9	0.0	0.0	43.5	40.7
1	Alappuzha	63.6	11.1	0.0	0.0	9.1	0.0	0.0	0.0	0.0	0.0	0.0	44.4
2	Ernakulam	33.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33.3	87.5
3	Idukki	0.0	22.2	0.0	11.1	0.0	0.0	0.0	0.0	0.0	0.0	33.3	22.2
4	KOZHIKKODE	44.4	100.0	1.4	0.0	0.0	0.0	0.7	0.0	0.0	0.0	53.5	0.0
5	Kannur	11.1	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.1	0.0
6	Kasaragod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33.3	33.3
7	Kollam	16.7	13.3	0.0	6.7	0.0	0.0	0.0	0.0	0.0	0.0	16.7	73.3
8	Kottayam		14.3		0.0		0.0		0.0		0.0		0.0
9	Malappuram	18.2	18.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45.5	45.5
10	Palakkad	33.3	30.8	0.0	0.0	0.0	0.0	0.0	7.7	0.0	0.0	16.7	15.4
11	Pathanamthitta	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
12	Thiruvananthapuram	0.0	25.0	0.0	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13	Thrissur	33.3	0.0	0.0	0.0	0.0	0.0	33.3	0.0	0.0	0.0	0.0	100.0
14	Wayanad	11.1	38.9	11.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44.4	50.0