

Performance of Key HMIS Indicators for Himachal Pradesh (Across Districts)
Financial Year: 2012-13
Provisional Figures for the Period April to June

Indicator		1		2		3		4		5		6	
		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	Himachal Pradesh	20,540	20,315	99.3	98.9	257	289	98.8	98.6	19,974	19,596	9,542	7,470
1	Bilaspur	1,312	1,434	99.7	99.8	12	10	99.1	99.3	1,312	1,434	623	529
2	Chamba	1,837	1,820	99.0	99.2	20	19	98.9	99.0	1,814	1,797	268	375
3	Hamirpur	1,451	1,459	99.0	98.7	21	24	98.6	98.4	1,448	1,457	1,379	1,054
4	Kangra	3,939	3,872	98.5	98.8	67	55	98.3	98.6	3,937	3,842	1,814	1,563
5	Kinnaur	195	201	99.5	99.5	1	2	99.5	99.0	137	176	19	26
6	Kullu	1,539	1,430	99.2	99.2	16	13	99.0	99.1	1,526	1,410	663	494
7	Lahul Spiti	47	36	100.0	100.0			100.0	100.0	40	32	13	22
8	Mandi	2,610	2,693	99.7	99.6	20	25	99.2	99.1	2,553	2,637	1,279	620
9	Shimla	2,876	2,811	99.9	97.9	43	74	98.5	97.4	2,499	2,331	1,069	1,209
10	Sirmaur	1,395	1,531	99.8	98.5	14	24	99.0	98.5	1,390	1,514	603	299
11	Solan	1,928	1,766	99.5	99.4	27	23	98.6	98.7	1,923	1,746	1,095	762
12	Una	1,411	1,262	99.4	98.9	16	20	98.9	98.4	1,395	1,220	717	517

Performance of Key HMIS Indicators for Himachal Pradesh (Across Districts)
Financial Year: 2012-13
Provisional Figures for the Period April to June

Indicator		7		8		9		10		11		12	
		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	Himachal Pradesh	26,903	26,662	46.5	36.8	131.0	131.2	26,677	25,565	27,737	25,838	28,691	27,124
1	Bilaspur	1,486	1,704	47.5	36.9	113.3	118.8	1,432	1,566	1,426	1,520	1,560	1,644
2	Chamba	2,450	2,250	14.6	20.6	133.4	123.6	2,389	2,255	2,560	2,292	2,428	2,251
3	Hamirpur	1,762	1,840	95.0	72.2	121.4	126.1	1,627	1,699	1,640	1,692	1,825	1,873
4	Kangra	5,146	5,746	46.1	40.4	130.6	148.4	5,193	5,116	5,629	5,119	6,129	5,395
5	Kinnaur	286	280	9.7	12.9	146.7	139.3	347	353	377	328	403	305
6	Kullu	1,887	1,888	43.1	34.5	122.6	132.0	1,884	1,795	1,838	1,848	1,799	1,940
7	Lahul Spiti	65	90	27.7	61.1	138.3	250.0	97	106	83	118	74	88
8	Mandi	3,539	3,393	49.0	23.0	135.6	126.0	3,700	3,446	3,955	3,582	4,206	3,916
9	Shimla	3,511	3,436	37.2	43.0	122.1	122.2	3,282	3,007	3,260	2,933	3,229	2,846
10	Sirmaur	2,300	2,089	43.2	19.5	164.9	136.4	2,393	2,222	2,509	2,239	2,421	2,325
11	Solan	2,323	2,218	56.8	43.1	120.5	125.6	2,395	2,306	2,479	2,426	2,519	2,589
12	Una	2,148	1,728	50.8	41.0	152.2	136.9	1,938	1,694	1,981	1,741	2,098	1,952

Performance of Key HMIS Indicators for Himachal Pradesh (Across Districts)
Financial Year: 2012-13
Provisional Figures for the Period April to June

Indicator		13		14		15		16		17		18	
		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	Himachal Pradesh							27,212	29,376	132.5	144.6	27,163	29,349
1	Bilaspur							1,610	1,696	122.7	118.3	1,610	1,696
2	Chamba							2,226	2,356	121.2	129.5	2,226	2,356
3	Hamirpur							1,908	2,142	131.5	146.8	1,908	2,142
4	Kangra							5,751	6,452	146.0	166.6	5,751	6,447
5	Kinnaur							356	353	182.6	175.6	340	342
6	Kullu							1,745	1,843	113.4	128.9	1,737	1,843
7	Lahul Spiti							106	138	225.5	383.3	92	127
8	Mandi							3,762	4,209	144.1	156.3	3,762	4,209
9	Shimla							2,978	3,169	103.5	112.7	2,967	3,169
10	Sirmaur							2,149	2,221	154.1	145.1	2,149	2,221
11	Solan							2,489	2,534	129.1	143.5	2,489	2,534
12	Una							2,132	2,263	151.1	179.3	2,132	2,263

Performance of Key HMIS Indicators for Himachal Pradesh (Across Districts)
Financial Year: 2012-13
Provisional Figures for the Period April to June

Indicator		19		20		21		22		23		24	
		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	Himachal Pradesh	-1.1	-10.2	25,914	28,993	126.2	142.7	115.6	118.4	3	2	98.9	97.5
1	Bilaspur	-8.3	0.5	1,610	1,696	122.7	118.3	132.4	120.6			99.5	99.0
2	Chamba	9.1	-4.7	2,225	2,363	121.1	129.8	94.8	127.5			98.7	96.8
3	Hamirpur	-8.3	-16.4	1,883	2,131	129.8	146.1	121.1	117.0			99.7	99.0
4	Kangra	-11.8	-12.3	5,327	6,450	135.2	166.6	121.7	121.6			99.5	97.7
5	Kinnaur	-24.5	-26.1	352	332	180.5	165.2	101.7	98.8	1		96.1	92.8
6	Kullu	7.5	2.4	1,730	1,809	112.4	126.5	124.3	120.9			98.7	94.9
7	Lahul Spiti	-63.1	-53.3	40	132	85.1	366.7	35.0	54.5			87.8	89.0
8	Mandi	-6.3	-24.0	3,570	4,155	136.8	154.3	154.6	167.8			98.8	99.0
9	Shimla	15.2	7.8	2,888	2,998	100.4	106.7	81.0	79.3	2		98.2	96.5
10	Sirmaur	6.6	-6.3	1,766	2,219	126.6	144.9	111.2	104.8			99.0	97.0
11	Solan	-7.1	-14.2	2,440	2,483	126.6	140.6	98.3	100.7		2	99.9	98.6
12	Una	0.7	-31.0	2,083	2,225	147.6	176.3	105.6	97.8			98.8	97.6

Performance of Key HMIS Indicators for Himachal Pradesh (Across Districts)
Financial Year: 2012-13
Provisional Figures for the Period April to June

Indicator		25		26		27		28		29		30	
		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Himachal Pradesh	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Bilaspur	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	Chamba	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	Hamirpur	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	Kangra	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	Kinnaur	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	Kullu	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	Lahul Spiti	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	Mandi	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	Shimla	0.0	0.0	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	Sirmaur	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	Solan	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	Una	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Indicator		31		32		33		34		35		36	
		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	Himachal Pradesh	0.4	0.3	99.1	99.6	0.3	0.1	216	227	10.1	12.4	5.0	13.1
1	Bilaspur	0.1	0.3	99.9	99.7	0.0	0.0	10	9	0.0	0.0	10.0	25.0
2	Chamba	0.0	0.0	100.0	100.0	0.0	0.0	15	27	16.7	12.5	16.7	16.7
3	Hamirpur	0.6	0.0	99.4	100.0	0.0	0.0	33	6	9.4	0.0	3.1	16.7
4	Kangra	0.0	0.0	99.7	100.0	0.3	0.0	62	88	25.0	14.8	3.1	13.1
5	Kinnaur	0.9	0.0	99.1	100.0	0.0	0.0	8	2	0.0	0.0	25.0	0.0
6	Kullu	0.2	0.2	99.8	98.6	0.0	1.2	29	5	0.0	0.0	0.0	0.0
7	Lahul Spiti	0.0	0.0	100.0	100.0	0.0	0.0						
8	Mandi	1.1	1.5	97.4	98.4	1.5	0.1	3	19	0.0	0.0	0.0	28.6
9	Shimla	0.2	0.0	97.2	99.7	0.0	0.3	15	26	0.0	0.0	0.0	0.0
10	Sirmaur	0.7	0.7	99.3	99.3	0.0	0.0	23	22	5.0	17.6	0.0	0.0
11	Solan	0.0	0.5	100.0	99.2	0.0	0.3	11	6	10.0	16.7	10.0	33.3
12	Una	0.0	0.0	97.5	100.0	2.5	0.0	7	17	20.0	23.1	20.0	0.0

Performance of Key HMIS Indicators for Himachal Pradesh (Across Districts)
Financial Year: 2012-13
Provisional Figures for the Period April to June

Indicator		37		38		39		40		41		42	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	Himachal Pradesh	10.1	19.6	17.6	9.2	4.4	2.6	5.7	5.2	0.0	0.0	47.2	37.9
1	Bilaspur	40.0	75.0	0.0	0.0	10.0	0.0	20.0	0.0	0.0	0.0	20.0	0.0
2	Chamba	8.3	4.2	0.0	33.3	0.0	0.0	0.0	0.0	0.0	0.0	58.3	33.3
3	Hamirpur	9.4	66.7	65.6	0.0	0.0	0.0	9.4	16.7	0.0	0.0	3.1	0.0
4	Kangra	3.1	19.7	3.1	6.6	3.1	3.3	3.1	0.0	0.0	0.0	59.4	42.6
5	Kinnaur	0.0	50.0	0.0	50.0	25.0	0.0	0.0	0.0	0.0	0.0	50.0	0.0
6	Kullu	0.0	50.0	3.6	0.0	10.7	0.0	0.0	0.0	0.0	0.0	85.7	50.0
7	Lahul Spiti												
8	Mandi	0.0	42.9	0.0	0.0	0.0	7.1	0.0	7.1	0.0	0.0	100.0	14.3
9	Shimla	33.3	25.0	66.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	75.0
10	Sirmaur	15.0	0.0	15.0	0.0	0.0	5.9	10.0	29.4	0.0	0.0	55.0	47.1
11	Solan	10.0	0.0	0.0	0.0	10.0	0.0	10.0	0.0	0.0	0.0	50.0	50.0
12	Una	40.0	7.7	0.0	7.7	0.0	0.0	0.0	7.7	0.0	0.0	20.0	53.8