| | | 1 | I | 2 | 2 | : | 3 | 4 | 4 | ! | 5 | | 6 |
|---|-----------------|------------------------------------|---------|---------------------------------------|-----------|----------|---------|-------------------------------------|------------|-------------------------------|---------|---------------------------------|-----------|
| | Indicators | Total nu pregnant Registered | women | Number of women re within first | egistered | Number o | | 1st Trii registratio ANC Regi | n to Total | JSY regist Total Regist | ANC | Number of women re ANC ch | eceived 3 |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhopal | 14,700 | 15,766 | 9,744 | 9,187 | 12,403 | 12,981 | 66.2 | 58.2 | 84.4 | 82.3 | 13,865 | 12,253 |
| 1 | Berasia | 2,096 | 2,239 | 1,168 | 1,116 | 2,096 | 2,202 | 55.7 | 49.8 | 100.0 | 98.3 | 1,375 | 1,333 |
| 2 | Phanda (Bhopal) | 12,604 | 13,527 | 8,576 | 8,071 | 10,307 | 10,779 | 68.0 | 59.7 | 81.8 | 79.7 | 12,490 | 10,920 |

| | Indicators _Bhopal | 7 | 7 | 8 | 3 | | 9 | 1 | 0 | 1 | 1 | 1 | 2 |
|---|---------------------|----------------------------------|----------|--|-----------------------|--|---------------------|-------------------------|------------|------------------------------------|---------|--|---------|
| | Indicators | TT2 or Boo to Pregnai (num | nt women | Pregnant received 3 ups to To Registr | ANC check otal ANC | Pregnant received Booster to Regist | TT2 or Total ANC | Number of women give | en 100 IFA | Pregnant given 100 I ANC Reg | | Number havi level<1 (tested cas: 2015-16 2 7,214 1,140 6,074 | l<11 |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhopal | 12,006 | 12,062 | 94.3 | 77.7 | 81.6 | 76.5 | 16,903 | 15,566 | 114.9 | 98.7 | 7,214 | 13,386 |
| 1 | Berasia | 1,534 | 1,384 | 65.6 | 59.5 | 73.2 | 61.8 | 2,252 | 2,345 | 107.4 | 104.7 | 1,140 | 2,547 |
| 2 | Phanda (Bhopal) | 10,472 | 10,678 | 99.1 | 80.7 | 83.1 | 78.9 | 14,651 | 13,221 | 116.2 | 97.7 | 6,074 | 10,839 |

| | | 1 | 3 | 1 | 4 | 1 | 5 | 1 | 6 | 1 | 7 | 1 | 8 |
|---|-----------------|--|-------------|--|---|---|--------------------------|-----------------|------------------|---------|---------|---|-----------------------|
| | Indicators | Number ha anae (Hb treated at | emia <7) | Pregnant having seve (Hb treated at to women leve | re anaemia <7) institution having hb | New cases at institu hypertensi ANC Regi | ution for on to Total | Number deliv | of Home eries | | | Number deliveries a Non SBA (trained | ttended by trained |
| | 2015-16 | | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhopal | 653 | 718 | 9.1 | 5.4 | 10.4 | 8.4 | 338 | 358 | 121 | 154 | 217 | 204 |
| 1 | Berasia | 34 | 29 | 3.0 | 1.1 | 15.6 | 11.8 | 96 | 97 | 29 | 36 | 67 | 61 |
| 2 | Phanda (Bhopal) | 619 | 689 | 10.2 | 6.4 | 9.6 | 7.9 | 242 | 261 | 92 | 118 | 150 | 143 |

| | Indicators _Bhopal Berasia | 1 | 9 | 2 | 0 | 2 | 1 | 2 | 2 | 2 | 3 | 2 | 4 |
|---|------------------------------|--|----------------------------------|-------------------------------|----------|--|--------------------------------|--------------|---------|---------------------------------|---------------------------|--|--------------------------------------|
| | Indicators | SBA attended deliveries Reporte Deliveries | ded home s to Total d Home | Mothers incentive deliv | for home | Mothers incentive deliveries Reporte Deliv | for home to Total d Home | Deliveries (| | Number of Discharged hours of o | l under 48 lelivery in | Women dis less than 4 delivery Reported at public in | 8 hours of to Total Deliveries |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhopal | 35.7 | 43.0 | 2 | 16 | 0.6 | 4.5 | 7,625 | 7,516 | 80 | 2,275 | 1.0 | 30.2 |
| 1 | Berasia | 30.2 | 37.1 | 2 | 0 | 2.1 | 0.0 | 902 | 1,038 | 47 | 28 | 5.2 | 2.7 |
| 2 | Phanda (Bhopal) | 38.0 | 45.2 | 0 | 16 | 0.0 | 6.1 | 6,723 | 6,478 | 33 | 2,247 | 0.5 | 34.7 |

| | Indicators _Bhopal Berasia | 2 | 5 | 2 | 6 | 2 | 7 | 2 | 8 | 2 | 9 | 3 | 0 |
|---|------------------------------|--------------------------------|--------------------|-----------------------------------|------------|-------------------|------------------|-----------------------------------|------------|--------------------------------|---------|------------------------------------|---------|
| | Indicators | Institu deliv (Public In | eries sts.+Pvt. | Institu Deliveries ANC regi | s to total | Total re deliv | eported eries | Institu deliveries Reported | s to Total | Safe deli Total Re Deliv | eported | 9 Home del Total Re Deliv | eported |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhopal | 10,844 | 10,237 | 73.7 | 64.9 | 11,182 | 10,595 | 97.0 | 96.6 | 98.1 | 98.1 | 3.0 | 3.4 |
| 1 | Berasia | 902 | 1,038 | 43.0 | 46.4 | 998 | 1,135 | 90.4 | 91.5 | 93.3 | 94.6 | 9.6 | 8.5 |
| 2 | Phanda (Bhopal) | 9,942 | 9,199 | 78.9 | 68.0 | 10,184 | 9,460 | 97.6 | 97.2 | 98.5 | 98.5 | 2.4 | 2.8 |

| | | 3 | 1 | 3 | 2 | 3 | 3 | 3 | 4 | 3 | 5 | 3 | 6 |
|---|-----------------|--------------------------------------|-----------|---------------------------------------|-----------|---|--|--|--------------|--|------------------------|---|----------------------------|
| | Indicators | Number of deliveries at public | conducted | Number of deliveries at private | conducted | % C-section (Public to rep institu (Public deliv | + Pvt.) orted itional + Pvt.) | C-sections at public for Deliveries at public | acilities to | C-sections at Private f Deliveries at private | acilities to conducted | Deliveries at Public In to Total In: Deliv | nstitutions stitutional |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhopal | 1,647 | 1,489 | 1,796 | 1,279 | 31.7 | 27.0 | 21.6 | 19.8 | 55.8 | 47.0 | 70.3 | 73.4 |
| 1 | Berasia | 8 | 51 | | | 0.9 | 4.9 | 0.9 | 4.9 | | | 100.0 | 100.0 |
| 2 | Phanda (Bhopal) | 1,639 | 1,438 | 1,796 | 1,279 | 34.6 | 29.5 | 24.4 | 22.2 | 55.8 | 47.0 | 67.6 | 70.4 |

| | Indicators _Bhopal Berasia | 3 | 7 | 3 | 8 | 3 | 9 | 4 | 0 | 4 | 1 | 4 | 2 |
|---|------------------------------|--|---------------------------------------|--|--------------------------|---|----------------------------|---|---------------------|--|------------|--|------------------------------------|
| | Indicators | Mothers Incentive fo at Public i to Tota Deliv | or Delivery nstitution I Public | of cases w Incentive ASHA for D Public inst Total Public | e paid to Delivery at | Deliveries at Private I to Total In: Deliv | nstitutions stitutional | Women rec partum o within 48 deliv | heck-up hours of | Care / Wo post partur between 48 | n check up | Women rec partum o within 48 delivery Reported I | check-up B hours of to Total |
| | _Bhopal | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhopal | 85.7 | 90.4 | 29.9 | 31.2 | 29.7 | 26.6 | 11,048 | 10,331 | 10,076 | 5,616 | 98.8 | 97.5 |
| 1 | Berasia | 101.7 | 85.5 | 77.5 | 47.3 | 0.0 | 0.0 | 960 | 1,038 | 848 | 956 | 96.2 | 91.5 |
| 2 | Phanda (Bhopal) | 83.5 | 91.2 | 23.5 | 28.7 | 32.4 | 29.6 | 10,088 | 9,293 | 9,228 | 4,660 | 99.1 | 98.2 |

| | | 4 | 3 | 4 | 4 | 4 | 5 | 4 | 6 | 4 | 7 | 4 | 8 |
|---|-----------------|--|--|------------------------|---------|--------------------------------------|-----------------------|------------------------|---------|---------------------------|---------|----------------------|---------|
| | Indicators | Women ge Partum (between 48 14 days Deliv | tting Post Checkup I hours and to Total | Total Nu reported I | | 7 Total Repo Births t Deliv | orted Live o Total | Total Nu reported S | | 9 live birth to Bir | - | Number of weighed | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhopal | 90.1 | 53.0 | 10,946 | 10,398 | 97.9 | 98.1 | 314 | 263 | 97.2 | 97.5 | 10,817 | 10,175 |
| 1 | Berasia | 85.0 | 84.2 | 985 | 1,107 | 98.7 | 97.5 | 17 | 31 | 98.3 | 97.3 | 951 | 1,070 |
| 2 | Phanda (Bhopal) | 90.6 | 49.3 | 9,961 | 9,291 | 97.8 | 98.2 | 297 | 232 | 97.1 | 97.6 | 9,866 | 9,105 |

| | Indicators _Bhopal Berasia | 4 | 9 | 5 | 0 | 5 | 1 | 5 | 2 | 5 | 3 | 5 | 4 |
|---|------------------------------|-------------------------------|------------|----------------------------------|------------|--|----------------------|-------------------------|----------|---------------------------------------|--------------|-------------------------------|------------|
| | Indicators | % Newborns v birth to l | weighed at | Number of having we than 2 | eight less | Newborr weight les kg to Ne weighed | s than 2.5 wborns | Number of Breast Fed | within 1 | Newborns within 1 ho to Total l | our of birth | Number of visited wit of Home | hin 24 hrs |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhopal | 98.8 | 97.9 | 1,323 | 1,181 | 12.2 | 11.6 | 10,220 | 9,824 | 93.3 | 94.4 | 253 | 255 |
| 1 | Berasia | 96.5 | 96.7 | 128 | 151 | 13.5 | 14.1 | 913 | 1,002 | 92.7 | 90.5 | 59 | 72 |
| 2 | Phanda (Bhopal) | 99.0 | 98.0 | 1,195 | 1,030 | 12.1 | 11.3 | 9,307 | 8,822 | 93.4 | 95.0 | 194 | 183 |

| | | 5 | 5 | 5 | 6 | 5 | 7 | 5 | 8 | 5 | 9 | 6 | 0 |
|---|-----------------|---|---|--|-------------------|-------------------------------------|-----------|---------|--|---|--------------------------------------|---|-----------------------------------|
| | Indicators | newborn within 24h delivery reporte deliv | s visited rs of home to total d home | Sex Ra birth (Fe Bitr Male Birtl | male Live ths/ | women wit Complica attended t | tions and | Compli | icated es treated h IV rtensive/ njection to | Compl Pregnancie witl antihype Magsulph ii Total Ne detecte | rtensive/ njection to ew cases | Compl Pregnancie with Transfusio Wome Obst Compli | es treated Blood n to Total |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhopal | 74.8 | 71.2 | 950 | 905 | 23.7 | 28.2 | 14.9 | 9.7 | 25.0 | 21.0 | 23.4 | 17.8 |
| 1 | Berasia | 61.5 | 74.2 | 1,035 | 886 | 28.8 | 28.7 | 17.7 | 12.8 | 14.1 | 14.4 | 0.0 | 0.3 |
| 2 | Phanda (Bhopal) | 80.2 | 70.1 | 942 | 908 | 23.3 | 28.2 | 14.5 | 9.3 | 28.0 | 22.6 | 26.0 | 19.8 |

| | | 6 | 1 | 6 | 2 | 6 | 3 | 6 | 4 | 6 | 5 | 6 | 6 |
|---|-----------------|---|--|---|------------------|----------------------------|---------|---------------------------|---------|---|------------------------------------|--|----------------------|
| | Indicators | Post - Care / PNC compli attended Deliv | Natal C maternal cations to Total | Total Nu Abort (Sponta Induced) | tions aneous/ | Total Nu MTPs (repo | Public) | % <i>N</i> (Public) to | | MTPs up to of Pregn Total MTPs Institu | 12 weeks ancy to s at Public | MTPs mor weeks of F to Total Public Ins | Pregnancy MTPs at |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhopal | 0.8 | 0.6 | 2,233 | 1,605 | 625 | 420 | 28.0 | 26.2 | 98.4 | 96.2 | 1.6 | 3.8 |
| 1 | Berasia | 0.1 | 0.6 | 229 | 193 | 220 | 123 | 96.1 | 63.7 | 99.5 | 98.4 | 0.5 | 1.6 |
| 2 | Phanda (Bhopal) | 0.8 | 0.6 | 2,004 | 1,412 | 405 | 297 | 20.2 | 21.0 | 97.8 | 95.3 | 2.2 | 4.7 |

| | | 6 | 7 | 6 | 8 | 6 | 9 | 7 | 0 | 7 | 1 | 7 | 2 |
|---|-----------------|--|-------------------------|---|-------------------------|---|---------------------|--|---|------------------------------------|----------------|------------------------------------|---------|
| | Indicators | % MTPs Cond Public Instit Total | ducted at tutions to | % MTPs Con Private Ins to Tota | ducted at stitutions | % Tota (Pul Conducted ANC Regi | blic) I to Total | Number of Tests cond Number of STI female which tr | ducted to f new RTI/ e cases for eatment | Numb Vasect Condi (Public | omies ucted | Numb Tubect Condu (Public | tomies |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhopal | 31.8 | 28.8 | 68.2 | 71.2 | 4.3 | 2.7 | 4.2 | 2.4 | 333 | 55 | 3,028 | 2,961 |
| 1 | Berasia | 100.0 | 100.0 | 0.0 | 0.0 | 10.5 | 5.5 | 5.2 | 0.0 | 0 | 0 | 13 | 14 |
| 2 | Phanda (Bhopal) | 23.2 | 22.2 | 76.8 | 77.8 | 3.2 | 2.2 | 4.1 | 2.5 | 333 | 55 | 3,015 | 2,947 |

| | | 7 | 3 | 7 | 4 | 7 | 5 | 7 | 6 | 7 | 7 | 7 | 8 |
|---|-----------------|--------------------|---------|-------------------------------------|---------|----------------------------|---------|---|--------------------|---|--------------------|---|--------------------|
| | Indicators | Total Ste Condo | | % Male St (Vasect to Total st | omies) | 7 Tubector Total ste | mies to | Total Ste (Tubecto Vasect conducte | mies and omies) | Total Ste (Tubecto Vasect conducte | mies and omies) | Total Ste (Tubecto Vasecto conducted | mies and omies) |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhopal | 3,361 | 3,016 | 9.9 | 1.8 | 90.1 | 98.2 | 0 | 0 | 88 | 73 | 790 | 872 |
| 1 | Berasia | 13 | 14 | 0.0 | 0.0 | 100.0 | 100.0 | 0 | 0 | 13 | 14 | | |
| 2 | Phanda (Bhopal) | 3,348 | 3,002 | 9.9 | 1.8 | 90.1 | 98.2 | 0 | 0 | 75 | 59 | 790 | 872 |

| | | 7 | 9 | 8 | 0 | 8 | 1 | 8 | 2 | 8 | 3 | 8 | 4 |
|---|-----------------|---|----------------------------------|---|----------------------------------|--|---------------------------------|---|---------------------------------|---|---------------------------------|---|--|
| | Indicators | Total Ste (Tubector Vasector conducted public Ins | mies and omies) I at Other | Total Ste (Tubecto Vasect conducted institu | mies and omies) at Private | % Total Sto (Tubecto Vasecto conducted Total Ste | mies and omies) at PHC to | % Total Sto (Tubecto Vasect conducted Total Ste | mies and omies) at CHC to | % Total Sto (Tubecto Vasect conducted to Total St | mies and omies) at SDH/DH | % Total Sto (Tubecto Vasecto conducted public Institution Total Ste | mies and omies) I at Other tutions to |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhopal | | | 277 | 5 | 0.0 | 0.0 | 2.6 | 2.4 | 23.5 | 28.9 | 0.0 | 0.0 |
| 1 | Berasia | | | | | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 2 | Phanda (Bhopal) | | | 277 | 5 | 0.0 | 0.0 | 2.2 | 2.0 | 23.6 | 29.0 | 0.0 | 0.0 |

| | | 8 | 5 | 8 | 6 | 8 | 7 | 8 | 8 | 8 | 9 | 9 | 0 |
|---|--|-------------|--|---|----------------------|--|---------|--------------------------------------|------------|--|-----------------------------------|---|------------------------|
| | Indicators | institution | mies and omies) at Private s to Total | % Laparo sterlisation Female Ste | scopic s to Total | % Mini Lap St to Total Sterilis | Female | Post P Sterlisation Female Ste | s to Total | Laparo sterlisation Institutions Laparo Sterilis | s at Public to Total scopic | Mini Lap st at Public In to Total Sterilis | stitutions Mini Lap |
| | conducted at F institutions to Sterlisatio | | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhopal | 73.9 | 68.7 | 34.8 | 44.7 | 26.4 | 35.2 | 38.8 | 20.0 | 33.7 | 30.7 | 9.5 | 15.1 |
| 1 | Berasia | 0.0 | 0.0 | 15.4 | 35.7 | 46.2 | 28.6 | 38.5 | 35.7 | 100.0 | 100.0 | 100.0 | 100.0 |
| 2 | Phanda (Bhopal) | 74.2 | 69.0 | 34.9 | 44.8 | 26.3 | 35.2 | 38.8 | 20.0 | 33.6 | 30.5 | 8.8 | 14.8 |

| | | 9 | 1 | 9 | 2 | 9 | 3 | 9 | 4 | 9 | 5 | 9 | 6 |
|---|-----------------|--|---|--|--------------------|-------------------------|---------|------------------------|---------|--------------------------|---------|-----------|---------|
| | Indicators | Post P sterlisation Institutions Post P Sterilis | artum s at Public s to Total artum | Total cases follo Sterlisatio Fem | wing n (Male + | IUCD Inser (public f | | IUCD inser (pvt. fa | | Total IUCD done(publi | | PP IUCD I | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhopal | 33.2 | 55.6 | 0 | 0 | 1,639 | 1,657 | 1,214 | 309 | 2,853 | 1,966 | 949 | 848 |
| 1 | Berasia | 100.0 | 100.0 | 0 | 0 | 191 | 131 | | | 191 | 131 | 9 | 17 |
| 2 | Phanda (Bhopal) | 33.0 | 55.3 | 0 | 0 | 1,448 | 1,526 | 1,214 | 309 | 2,662 | 1,835 | 940 | 831 |

| | | 9 | 7 | 9 | 8 | 9 | 9 | 10 | 00 | 10 | 01 | 10 | 02 |
|---|---|---------|------------------|---|----------------------|------------|---|--------------|-------------|-------------------|---------|---------------------|--------------------|
| | Indicators % PP IUCD Insertion (public) to Total IUCD Insertions (public) | | olic) al IUCD | % PP IUCD (pul to Total In: Deliverie: | olic) stitutional | institutio | ertions in us private ons to all planning IUCD plus | Oral Pills c | listributed | Condom distril | | Centchro distril | man Pills buted |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhopal | 57.9 | 51.1 | 12.4 | 11.2 | 45.9 | 39.4 | 16,362 | 16,424 | 123,695 | 157,453 | 0 | 0 |
| 1 | Berasia | 4.7 | 13.0 | 1.0 | 1.6 | 93.6 | 90.3 | 2,450 | 2,779 | 5,050 | 4,521 | 0 | 0 |
| 2 | Phanda (Bhopal) | 64.9 | 54.5 | 14.0 | 12.8 | 44.3 | 37.9 | 13,912 | 13,645 | 118,645 | 152,932 | 0 | 0 |

| | | 10 |)3 | 10 |)4 | 10 |)5 | 10 | 06 | 10 | 07 | 10 | 08 |
|---|-----------------|-----------------------------|---------|----------|---------|-----------------------------------|----------|---------------------|---------|----------|---------|----------|---------|
| | Indicators | Number o given (Birth | OPV 0 | Number o | | Newborns g at birth to live | Reported | Newborns to Repo | | Number o | | Number o | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhopal | 9,629 | 9,560 | 10,952 | 10,161 | 88.0 | 91.9 | 100.1 | 97.7 | 682 | 10,183 | 865 | 10,012 |
| 1 | Berasia | 871 | 964 | 978 | 1,087 | 88.4 | 87.1 | 99.3 | 98.2 | 97 | 1,084 | 105 | 1,145 |
| 2 | Phanda (Bhopal) | 8,758 | 8,596 | 9,974 | 9,074 | 87.9 | 92.5 | 100.1 | 97.7 | 585 | 9,099 | 760 | 8,867 |

| | | 10 | 09 | 11 | 10 | 1 | 11 | 1 | 12 | 1 | 13 | 11 | 14 |
|---|-----------------|----------|---------|----------|---------|----------|--------------------------|----------|---------|----------|-----------------------|---|---|
| | Indicators | Number o | | Number o | | Number o | of Infants tavalent 2 | Number o | | Number o | of Infants Measles | Infants months received vaccine to live b | 0 to 11 old who Measles reported |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhopal | 926 | 9,957 | 9,396 | 0 | 9,296 | 0 | 8,929 | 0 | 10,093 | 11,169 | 92.2 | 107.4 |
| 1 | Berasia | 115 | 1,220 | 1,129 | 0 | 1,126 | 0 | 1,116 | 0 | 1,167 | 1,223 | 118.5 | 110.5 |
| 2 | Phanda (Bhopal) | 811 | 8,737 | 8,267 | 0 | 8,170 | 0 | 7,813 | 0 | 8,926 | 9,946 | 89.6 | 107.0 |

| | | 11 | 15 | 11 | 16 | 11 | 17 | 1 | 18 | 11 | 19 | 12 | 20 |
|---|-----------------|-------------------------------|------------|--------------------------|---------|-----------|----------|--------------------------------|------------------------|---|------------------------------------|---------------------------------|------------|
| | Indicators | Number immunize (9-11 n | d children | 9 Drop Out BCG & 1 | between | Vitamin - | A dose 1 | Children g dose1 to live | iven Vit A Reported | Childre Vitamin A Children g dos | n given Dose 9 to iven Vit A | Adverse Following II (Oth | munisation |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhopal | 9,939 | 10,652 | 7.8 | -9.9 | 10,039 | 11,024 | 91.7 | 106.0 | 32.2 | 14.3 | 10 | 27 |
| 1 | Berasia | 782 | 1,073 | -19.3 | -12.5 | 1,184 | 1,229 | 120.2 | 111.0 | 66.1 | 12.1 | 2 | 1 |
| 2 | Phanda (Bhopal) | 9,157 | 9,579 | 10.5 | -9.6 | 8,855 | 9,795 | 88.9 | 105.4 | 27.7 | 14.6 | 8 | 26 |

| | | 12 | 21 | 12 | 22 | 12 | 23 | 12 | 24 | 12 | 25 | 12 | 26 |
|---|-----------------|--|---------------------------|---|----------|--|------------------------------------|--|------------------------------------|--|--------------------------------------|---|---|
| | Indicators | immunisatio Held to Imr Sessions | on Sessions nunisation | Immunisatio where ASI preser Immunisatio Plan | HAs were | Diptheria i 0-5 Years Total Re Childhood 0-5 Y | of Age to eported I Diseases | Pertusis ir 0-5 Years Total Re Childhood 0-5 Y | of Age to eported I Diseases | Tetanus Nein Children of Age t Reported (Diseases (| o O-5 Years To Total Childhood | Tetanus (Children 0- Age to Tota Childhood 0-5 Y | -5 Years of I Reported I Diseases |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhopal | 97.2 | 96.9 | 73.1 | 45.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1 | Berasia | 95.2 | 95.3 | 82.2 | 81.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 2 | Phanda (Bhopal) | 97.7 | 97.2 | 70.9 | 38.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

| | | 12 | 27 | 12 | 28 | 12 | 29 | 1: | 30 | 13 | 31 | 13 | 32 |
|---|-----------------|--|--|--|--|--|---|-------------------------|---------|--|----------|---|------------|
| | Indicators | Polio in Ch Years of Ag Reported (Diseases (| ildren 0-5 ge to Total Childhood | Measles in 0-5 Years Total Re Childhood | Children of Age to eported I Diseases | Diarrho dehydra Children 0- Age to Tota Childhood 0-5 Y | pea and ation in -5 Years of al Reported d Diseases | Years of Ag Reported | | 9 Adult F Inpatients Adult In | to Total | 9 Children In _l Total In | patient to |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhopal | 0.0 | 0.0 | 0.2 | 0.0 | 97.2 | 93.7 | 2.6 | 6.3 | 59.2 | 62.9 | 17.9 | 18.1 |
| 1 | Berasia | 0.0 | 0.0 | 0.6 | 0.0 | 90.6 | 93.3 | 8.9 | 6.7 | 91.5 | 91.6 | 8.3 | 5.6 |
| 2 | Phanda (Bhopal) | 0.0 | 0.0 | 0.2 | 0.0 | 97.4 | 93.7 | 2.5 | 6.3 | 58.6 | 61.8 | 18.0 | 18.6 |

| | | 13 | 33 | 13 | 34 | 13 | 35 | 13 | 36 | 1: | 37 | 13 | 38 |
|---|-----------------|----------------------------------|----------------------|--------------------------|-----------|---------|---------|-----------|---------|---------|---------|-----------------|---------|
| | Indicators | Female I Deaths t Inpatien | npatient to Total | % Inpatient [Tota | Deaths to | IPD (Nu | ımber) | OPD (N | umber) | % IPD | to OPD | Number Opera | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhopal | 40.7 | 38.3 | 1.2 | 1.2 | 75,238 | 43,247 | 1,269,456 | 906,794 | 5.9 | 4.8 | 13,190 | 9,574 |
| 1 | Berasia | | | 0.0 | 0.0 | 1,196 | 1,481 | 44,887 | 32,075 | 2.7 | 4.6 | 7 | 56 |
| 2 | Phanda (Bhopal) | 40.7 | 38.3 | 1.2 | 1.2 | 74,042 | 41,766 | 1,224,569 | 874,719 | 6.0 | 4.8 | 13,183 | 9,518 |

| | | 13 | 39 | 14 | 10 | 14 | 41 | 14 | 42 | 14 | 43 | 14 | 14 |
|---|-----------------|-----------------|---------|----------------------------|------------|-------------------------|---------|----------------------------------|---------|-----------|----------|----------------|---------|
| | Indicators | Number Opera | | % Major Ope Total Op | rations to | Numb Hystere Surg | | Hystere Surgeries Major Op | ectomy | Ayush OPD | (Number) | AYUSH OP OI | - |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhopal | 13,489 | 10,024 | 49.4 | 48.9 | 1,046 | 507 | 7.9 | 5.2 | 13,278 | 18,232 | 1.0 | 2.0 |
| 1 | Berasia | 316 | 189 | 2.2 | 22.9 | 1 | 4 | 14.3 | 7.1 | 5,376 | 5,619 | 12.0 | 17.5 |
| 2 | Phanda (Bhopal) | 13,173 | 9,835 | 50.0 | 49.2 | 1,045 | 503 | 7.9 | 5.3 | 7,902 | 12,613 | 0.6 | 1.4 |

| Indicators | | 145 | | 146 | | 147 | | 148 | | 149 | | 150 | |
|------------|-----------------|---------------------|---------|---------------------------------|---------|--------------------------------|---------|---|---------|---|---------|---|---------|
| | | Dental OPD (Number) | | % Dental OPD to Total OPD | | Adolescent counselled (Number) | | % Hb < 7 mg to Total Hb Tests Conducted | | % Male HIV Positive to Total Males Tested | | % Female HIV Positive to Total Females Tested | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhopal | 10,446 | 7,277 | 0.8 | 0.8 | 2,401 | 1,136 | 3.7 | 4.9 | 0.3 | 0.7 | 0.1 | 0.1 |
| 1 | Berasia | 0 | 0 | 0.0 | 0.0 | 93 | 10 | 2.9 | 2.9 | 0.0 | 0.0 | 0.0 | 0.0 |
| 2 | Phanda (Bhopal) | 10,446 | 7,277 | 0.9 | 0.8 | 2,308 | 1,126 | 3.7 | 5.0 | 0.3 | 0.7 | 0.1 | 0.1 |

| | | 151 | | 152 | | 153 | | 154 | | 155 | | 156 | |
|------------|-----------------|---|---------|---|---------|--|---------|--|---------|--|---------|--|---------|
| Indicators | | % Total HIV Positive to Total Tested (Male + Female) | | % Plasmodium Vivax test positive to Total Blood Smears Examined | | % Plasmodium Falciparum test positive to Total Blood Smears Examined | | Total Number of Infant Deaths reported | | % Deaths due to Sepsis to Total Reported Infant Deaths | | % Deaths due to Asphyxia to Total Reported Infant Deaths | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhopal | 0.2 | 0.2 | 0.8 | 2.1 | 0.2 | 1.5 | 281 | 106 | 26.6 | 35.1 | 16.4 | 24.5 |
| 1 | Berasia | 0.0 | 0.0 | 0.1 | 0.1 | 0.0 | 0.0 | 31 | 15 | 0.0 | 0.0 | 0.0 | 0.0 |
| 2 | Phanda (Bhopal) | 0.2 | 0.2 | 1.4 | 3.2 | 0.4 | 2.4 | 250 | 91 | 31.5 | 40.7 | 19.5 | 28.4 |

| Indicators | | 157 | | 158 | | 159 | | 160 | | 161 | | 162 | |
|------------|-----------------|---|---------|---|---------|---|---------|---|---------|---|---------|--|---------|
| | | % Deaths due to LBW to Total Reported Infant Deaths | | % Deaths due to Pneumonia to Total Reported Infant Deaths | | % Deaths due to Diarrhoea to Total Reported Infant Deaths | | % Deaths due to Fever to Total Reported Infant Deaths | | % Deaths due to Measles to Total Reported Infant Deaths | | % Deaths due to Other Causes to Total Reported Infant Deaths | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhopal | 6.2 | 9.6 | 1.1 | 0.0 | 0.6 | 0.0 | 1.1 | 1.1 | 0.0 | 0.0 | 48.0 | 29.8 |
| 1 | Berasia | 0.0 | 15.4 | 0.0 | 0.0 | 0.0 | 0.0 | 3.6 | 0.0 | 0.0 | 0.0 | 96.4 | 84.6 |
| 2 | Phanda (Bhopal) | 7.4 | 8.6 | 1.3 | 0.0 | 0.7 | 0.0 | 0.7 | 1.2 | 0.0 | 0.0 | 38.9 | 21.0 |