

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2010-11
Provisional Figures for the Period April to March

Indicator		1		2		3		4		5		6	
		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Meghalaya	70,183	66,133	99.6	99.8	1,681	1,448	97.7	97.9	49,414	45,079	30,029	26,012
1	East Garo Hills	4,972	3,161	100.0	108.0	55	45	98.9	98.6	2,361	1,380	2,889	1,721
2	East Jaintia Hills												
3	East Khasi Hills	22,211	23,116	99.2	101.0	688	634	97.0	97.3	16,966	16,920	13,738	13,686
4	North Garo Hills												
5	Ri Bhoi	5,277	5,590	99.2	99.6	55	47	99.0	99.2	2,094	2,187	1,598	1,453
6	South Garo Hills	2,070	1,605	100.0	99.7	21	10	99.0	99.4	1,138	438	1,181	411
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	15,974	15,091	98.0	98.1	343	317	97.9	97.9	14,952	14,153	4,770	4,281
10	West Jaintia Hills	11,388	10,529	97.9	98.2	324	276	97.2	97.4	7,509	6,051	3,811	2,851
11	West Khasi Hills	8,291	7,041	106.3	98.4	195	119	97.7	98.3	4,394	3,950	2,042	1,609

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2010-11
Provisional Figures for the Period April to March

Indicator		7		8		9		10		11		12	
		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Meghalaya	79,822	76,241	42.8	39.3	113.7	115.3	78,234	72,966	73,292	67,480	67,272	61,899
1	East Garo Hills	8,977	5,230	58.1	54.4	180.6	165.5	9,246	5,175	8,780	4,394	7,810	4,041
2	East Jaintia Hills												
3	East Khasi Hills	20,318	21,687	61.9	59.2	91.5	93.8	16,662	17,920	15,554	16,352	14,232	14,663
4	North Garo Hills												
5	Ri Bhoi	6,556	6,352	30.3	26.0	124.2	113.6	7,119	6,839	6,582	6,156	6,203	5,704
6	South Garo Hills	3,568	3,523	57.1	25.6	172.4	219.5	3,764	3,361	3,448	3,104	2,951	2,701
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	16,927	16,618	29.9	28.4	106.0	110.1	17,015	16,368	16,679	16,258	15,670	15,471
10	West Jaintia Hills	13,017	12,444	33.5	27.1	114.3	118.2	13,111	12,617	11,888	11,433	10,777	10,435
11	West Khasi Hills	10,459	10,387	24.6	22.9	126.1	147.5	11,317	10,686	10,361	9,783	9,629	8,884

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2010-11
Provisional Figures for the Period April to March

Indicator		13		14		15		16		17		18	
		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Meghalaya							63,191	54,405	90.0	82.3	57,891	52,447
1	East Garo Hills							7,255	3,482	145.9	110.2	5,891	3,958
2	East Jaintia Hills												
3	East Khasi Hills							11,880	12,586	53.5	54.4	11,525	11,528
4	North Garo Hills												
5	Ri Bhoi							5,526	5,052	104.7	90.4	5,167	4,761
6	South Garo Hills							2,900	2,090	140.1	130.2	2,197	2,490
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills							15,579	14,690	97.5	97.3	14,266	14,136
10	West Jaintia Hills							10,574	8,811	92.9	83.7	9,895	8,426
11	West Khasi Hills							9,477	7,694	114.3	109.3	8,950	7,148

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2010-11
Provisional Figures for the Period April to March

Indicator		19		20		21		22		23		24	
		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Meghalaya	20.8	28.6	71,128	45,651	101.3	69.0	31.4	16.2	13	1	82.1	78.0
1	East Garo Hills	19.2	33.4	5,257	2,934	105.7	92.8	68.1	29.8			81.9	74.8
2	East Jaintia Hills												
3	East Khasi Hills	41.5	42.0	16,061	14,804	72.3	64.0	9.0	5.9	13		93.2	90.3
4	North Garo Hills												
5	Ri Bhoi	15.7	20.5	6,365	4,178	120.6	74.7	40.4	5.5			86.1	87.2
6	South Garo Hills	18.7	40.7	2,976	1,675	143.8	104.4	36.1	30.0			71.5	72.2
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	8.0	11.6	15,576	9,663	97.5	64.0	46.4	30.1			80.8	82.2
10	West Jaintia Hills	18.8	29.2	14,614	7,048	128.3	66.9	32.9	21.8		1	88.9	86.5
11	West Khasi Hills	9.4	25.9	10,279	5,349	124.0	76.0	15.8	9.1			64.3	50.9

Performance of Key HMIS Indicators for Meghalaya (Across Districts)

Financial Year: 2010-11

Provisional Figures for the Period April to March

Indicator		25		26		27		28		29		30	
		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Meghalaya	63.0	60.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	East Garo Hills	70.8	64.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	East Jaintia Hills												
3	East Khasi Hills	63.8	65.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	North Garo Hills												
5	Ri Bhoi	60.6	61.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	South Garo Hills	62.7	67.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	78.6	79.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	West Jaintia Hills	48.9	45.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	West Khasi Hills	46.3	37.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2010-11
Provisional Figures for the Period April to March

Indicator		31		32		33		34		35		36	
		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Meghalaya	0.9	1.9	90.4	79.3	8.7	18.7	2,074	1,764	5.8	4.0	8.1	7.0
1	East Garo Hills	1.4	2.8	60.5	34.5	38.1	62.7	41	58	33.3	12.1	17.9	10.3
2	East Jaintia Hills												
3	East Khasi Hills	0.6	2.3	98.6	93.5	0.7	4.1	946	751	5.9	2.9	8.4	6.5
4	North Garo Hills												
5	Ri Bhoi	2.0	1.2	93.4	92.4	4.6	6.4	64	77	1.8	3.9	8.9	15.8
6	South Garo Hills	1.5	0.1	63.6	44.1	34.9	55.8	59	34	0.0	0.0	0.0	0.0
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	2.2	1.8	74.5	55.7	23.3	42.5	452	529	3.4	2.9	6.5	4.9
10	West Jaintia Hills	0.3	2.4	99.3	96.9	0.4	0.8	318	254	9.5	6.4	12.2	8.5
11	West Khasi Hills	0.3	1.3	96.7	90.6	3.0	8.1	194	61	0.0	9.3	2.3	13.0

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2010-11
Provisional Figures for the Period April to March

Indicator		37		38		39		40		41		42	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Meghalaya	5.7	6.9	13.2	8.9	3.5	2.8	11.6	15.4	0.2	0.9	51.8	54.0
1	East Garo Hills	0.0	1.7	0.0	5.2	2.6	1.7	17.9	17.2	2.6	6.9	25.6	44.8
2	East Jaintia Hills												
3	East Khasi Hills	3.7	4.5	11.0	8.8	2.1	0.3	4.4	6.4	0.2	0.5	64.4	70.1
4	North Garo Hills												
5	Ri Bhoi	3.6	5.3	8.9	5.3	7.1	13.2	21.4	17.1	0.0	1.3	48.2	38.2
6	South Garo Hills	3.9	0.0	5.9	0.0	0.0	13.8	11.8	69.0	0.0	0.0	78.4	17.2
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	8.5	8.7	22.9	12.4	1.9	1.4	24.9	26.4	0.2	0.4	31.6	42.9
10	West Jaintia Hills	10.5	13.7	10.5	6.0	7.4	3.8	3.4	9.0	0.3	1.7	46.3	50.9
11	West Khasi Hills	0.0	0.0	9.0	5.6	6.8	16.7	18.0	9.3	0.0	0.0	63.9	46.3