

Performance of Key HMIS Indicators for Bihar-> Kaimur Bhabua (Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to August

These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 1 | | 2 | | 3 | | 4 | | 5 | | 6 | |
|------------|----------------|---|---------|--|---------|---|---------|---|---------|---------------------------------------|---------|--|---------|
| | | Total number of pregnant women Registered for ANC | | Number of Pregnant women registered within first trimester | | % 1st Trimester registration to Total ANC Registrations | | Number of pregnant women received 4 or more ANC check ups | | TT2 given to Pregnant women (numbers) | | TT Booster given to Pregnant women (numbers) | |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Kaimur Bhabua | 21,476 | 23,578 | 15,400 | 14,676 | 71.7 | 62.2 | 16,291 | 12,390 | 11,233 | 10,947 | 8,961 | 9,577 |
| 1 | Adhaura | 619 | 798 | 398 | 528 | 64.3 | 66.2 | 536 | 635 | 363 | 469 | 215 | 287 |
| 2 | Bhabua | 3,190 | 2,971 | 2,042 | 1,634 | 64.0 | 55.0 | 1,785 | 1,340 | 1,569 | 1,421 | 1,514 | 1,495 |
| 3 | Bhagwanpur | 1,235 | 1,149 | 953 | 929 | 77.2 | 80.9 | 814 | 428 | 650 | 587 | 480 | 527 |
| 4 | Chainpur | 2,624 | 3,186 | 2,091 | 1,896 | 79.7 | 59.5 | 2,381 | 1,116 | 1,519 | 1,630 | 1,155 | 929 |
| 5 | Chand | 1,607 | 1,601 | 1,420 | 1,268 | 88.4 | 79.2 | 1,409 | 903 | 924 | 781 | 675 | 677 |
| 6 | Durgawati | 1,721 | 1,799 | 1,047 | 1,128 | 60.8 | 62.7 | 1,090 | 841 | 898 | 918 | 674 | 721 |
| 7 | Kaimur Urban | 1,184 | 1,978 | 826 | 1,076 | 69.8 | 54.4 | 2,190 | 2,049 | 223 | 283 | 396 | 414 |
| 8 | Kudra | 2,194 | 2,050 | 1,468 | 1,263 | 66.9 | 61.6 | 1,665 | 1,053 | 1,357 | 1,025 | 748 | 814 |
| 9 | Mohania | 3,201 | 3,690 | 2,108 | 2,020 | 65.9 | 54.7 | 1,450 | 1,149 | 1,603 | 1,573 | 1,467 | 1,703 |
| 10 | Nuoan | 1,223 | 1,348 | 973 | 826 | 79.6 | 61.3 | 749 | 801 | 623 | 752 | 539 | 672 |
| 11 | Ramgarh | 1,632 | 1,652 | 1,370 | 1,311 | 83.9 | 79.4 | 1,586 | 1,452 | 867 | 804 | 706 | 749 |
| 12 | Rampur | 1,046 | 1,356 | 704 | 797 | 67.3 | 58.8 | 636 | 623 | 637 | 704 | 392 | 589 |

| Indicators | | 7 | | 8 | | 9 | | 10 | | 11 | | 12 | |
|------------|----------------|--|---------|---|---------|--|---------|--|---------|--|---------|--|---------|
| | | % Pregnant Woman received 4 ANC check ups to Total ANC Registrations | | % Pregnant women received TT2+ TT Booster to Total ANC Registration | | Number of Pregnant women given 180 IFA tablets | | % Pregnant women given 180 IFA to Total ANC Registration | | Number of Pregnant Women having Hb level<11 (tested cases) | | Number of Pregnant Women having severe anaemia (Hb<7) treated at institution | |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Kaimur Bhabua | 75.8 | 52.5 | 94.0 | 87.0 | 14,119 | 18,419 | 65.7 | 78.1 | 5,105 | 4,009 | 70 | 42 |
| 1 | Adhaura | 86.6 | 79.6 | 93.4 | 94.7 | 498 | 16 | 80.5 | 2.0 | 100 | 197 | 2 | 5 |
| 2 | Bhabua | 56.0 | 45.1 | 96.6 | 98.1 | 1,289 | 3,585 | 40.4 | 120.7 | 0 | 0 | 0 | 0 |
| 3 | Bhagwanpur | 65.9 | 37.2 | 91.5 | 97.0 | 585 | 652 | 47.4 | 56.7 | 29 | 17 | 11 | 0 |
| 4 | Chainpur | 90.7 | 35.0 | 101.9 | 80.3 | 2,352 | 6,066 | 89.6 | 190.4 | 0 | 1 | 0 | 0 |
| 5 | Chand | 87.7 | 56.4 | 99.5 | 91.1 | 1,150 | 10 | 71.6 | 0.6 | 0 | 0 | 16 | 10 |
| 6 | Durgawati | 63.3 | 46.7 | 91.3 | 91.1 | 652 | 1,616 | 37.9 | 89.8 | 20 | 116 | 11 | 0 |
| 7 | Kaimur Urban | 185.0 | 103.6 | 52.3 | 35.2 | 1,182 | 1,624 | 99.8 | 82.1 | 3,408 | 2,033 | 22 | 4 |
| 8 | Kudra | 75.9 | 51.4 | 95.9 | 89.7 | 1,738 | 1,042 | 79.2 | 50.8 | 0 | 0 | 0 | 0 |
| 9 | Mohania | 45.3 | 31.1 | 95.9 | 88.8 | 1,586 | 2,744 | 49.5 | 74.4 | 1,548 | 1,395 | | 22 |
| 10 | Nuoan | 61.2 | 59.4 | 95.0 | 105.6 | 917 | 226 | 75.0 | 16.8 | 0 | 250 | 0 | 0 |
| 11 | Ramgarh | 97.2 | 87.9 | 96.4 | 94.0 | 1,266 | 82 | 77.6 | 5.0 | | 0 | | |
| 12 | Rampur | 60.8 | 45.9 | 98.4 | 95.4 | 904 | 756 | 86.4 | 55.8 | 0 | 0 | 8 | 1 |

Performance of Key HMIS Indicators for Bihar-> Kaimur Bhabua (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to August
These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 13 | | 14 | | 15 | | 16 | | 17 | | 18 | |
|------------|----------------|---|---------|---|---------|---------------------------|---------|--|---------|--|---------|--|---------|
| | | % Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<7 | | % New cases of Pregnant Women detected at institution for hypertension to Total ANC Registrations | | Number of Home deliveries | | Number of home deliveries attended by SBA trained (Doctor/Nurse/ANM) | | Number of home deliveries attended by Non SBA trained (trained TB/Dai) | | % SBA attended home deliveries to Total Reported Home Deliveries | |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Kaimur Bhabua | 17.9 | 8.3 | 0.7 | 1.0 | 612 | 766 | 81 | 98 | 531 | 668 | 13.2 | 12.7 |
| 1 | Adhaura | 18.2 | 83.3 | 1.8 | 2.3 | 80 | 134 | 12 | 18 | 68 | 116 | 15.0 | 13.4 |
| 2 | Bhabua | | | 0.0 | 0.0 | 31 | 8 | 27 | 4 | 4 | 4 | 87.1 | 50.0 |
| 3 | Bhagwanpur | 36.7 | | 0.3 | 1.3 | 61 | 53 | 24 | 18 | 37 | 35 | 39.3 | 34.0 |
| 4 | Chainpur | | 0.0 | 0.0 | 0.0 | 26 | 99 | 0 | 45 | 26 | 54 | 0.0 | 45.5 |
| 5 | Chand | 84.2 | 500.0 | 0.1 | 0.4 | 162 | 138 | 0 | 11 | 162 | 127 | 0.0 | 8.0 |
| 6 | Durgawati | 35.5 | 0.0 | 0.3 | 0.0 | 23 | 9 | 0 | 0 | 23 | 9 | 0.0 | 0.0 |
| 7 | Kaimur Urban | 11.4 | 1.4 | 8.5 | 0.5 | | | | | | | | |
| 8 | Kudra | | | 0.0 | 5.0 | 41 | 35 | 18 | 0 | 23 | 35 | 43.9 | 0.0 |
| 9 | Mohania | 0.0 | 16.3 | 0.2 | 0.0 | 44 | 87 | | 2 | 44 | 85 | 0.0 | 2.3 |
| 10 | Nuoan | | 0.0 | 0.0 | 5.0 | 20 | 53 | 0 | 0 | 20 | 53 | 0.0 | 0.0 |
| 11 | Ramgarh | | 0.0 | 0.0 | 0.0 | 102 | 119 | 0 | 0 | 102 | 119 | 0.0 | 0.0 |
| 12 | Rampur | 42.1 | 7.1 | 1.1 | 0.4 | 22 | 31 | 0 | 0 | 22 | 31 | 0.0 | 0.0 |

| Indicators | | 19 | | 20 | | 21 | | 22 | | 23 | | 24 | |
|------------|----------------|---|---------|--|---------|--|---------|--|---------|---|---------|---|---------|
| | | Deliveries Conducted at Public Institutions | | Number of Women Discharged under 48 hours of delivery in public facilities | | % Women discharged in less than 48 hours of delivery to Total Reported Deliveries at public institutions | | Deliveries Conducted at Private Institutions | | Number of Women Discharged under 48 hours of delivery in private institutions | | % Women discharged in less than 48 hours of delivery to Total Reported Deliveries at private institutions | |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Kaimur Bhabua | 8,311 | 9,434 | 7,861 | 9,384 | 94.5 | 99.4 | | | | | | |
| 1 | Adhaura | 381 | 343 | 381 | 342 | 100.0 | 99.7 | | | | | | |
| 2 | Bhabua | 0 | 0 | 0 | 0 | | | | | | | | |
| 3 | Bhagwanpur | 396 | 442 | 117 | 442 | 29.5 | 100.0 | | | | | | |
| 4 | Chainpur | 1,187 | 1,242 | 1,187 | 1,242 | 100.0 | 100.0 | | | | | | |
| 5 | Chand | 598 | 670 | 598 | 670 | 100.0 | 100.0 | | | | | | |
| 6 | Durgawati | 516 | 627 | 516 | 627 | 100.0 | 100.0 | | | | | | |
| 7 | Kaimur Urban | 2,039 | 2,383 | 1,874 | 2,326 | 91.9 | 97.6 | | | | | | |
| 8 | Kudra | 626 | 914 | 626 | 923 | 100.0 | 101.0 | | | | | | |
| 9 | Mohania | 1,036 | 1,173 | 1,030 | 1,170 | 99.4 | 99.7 | | | | | | |
| 10 | Nuoan | 385 | 465 | 385 | 465 | 100.0 | 100.0 | | | | | | |
| 11 | Ramgarh | 715 | 736 | 715 | 738 | 100.0 | 100.3 | | | | | | |
| 12 | Rampur | 432 | 439 | 432 | 439 | 100.0 | 100.0 | | | | | | |

Performance of Key HMIS Indicators for Bihar-> Kaimur Bhabua (Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to August

These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 25 | | 26 | | 27 | | 28 | | 29 | | 30 | |
|------------|----------------|---|---------|--|---------|---------------------------|---------|---|---------|--|---------|--|---------|
| | | Institutional deliveries (Public Insts.+Pvt. Insts.) | | % Institutional Deliveries to total ANC registration | | Total reported deliveries | | % Institutional deliveries to Total Reported Deliveries | | % Safe deliveries to Total Reported Deliveries | | % Home deliveries to Total Reported Deliveries | |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Kaimur Bhabua | 8,311 | 9,434 | 38.6 | 40.0 | 8,923 | 10,200 | 93.1 | 92.5 | 94.0 | 93.5 | 6.9 | 7.5 |
| 1 | Adhaura | 381 | 343 | 61.6 | 43.0 | 461 | 477 | 82.6 | 71.9 | 85.2 | 75.7 | 17.4 | 28.1 |
| 2 | Bhabua | 0 | 0 | 0.0 | 0.0 | 31 | 8 | 0.0 | 0.0 | 87.1 | 50.0 | 100.0 | 100.0 |
| 3 | Bhagwanpur | 396 | 442 | 32.1 | 38.5 | 457 | 495 | 86.7 | 89.3 | 91.9 | 92.9 | 13.3 | 10.7 |
| 4 | Chainpur | 1,187 | 1,242 | 45.2 | 39.0 | 1,213 | 1,341 | 97.9 | 92.6 | 97.9 | 96.0 | 2.1 | 7.4 |
| 5 | Chand | 598 | 670 | 37.2 | 41.8 | 760 | 808 | 78.7 | 82.9 | 78.7 | 84.3 | 21.3 | 17.1 |
| 6 | Durgawati | 516 | 627 | 30.0 | 34.9 | 539 | 636 | 95.7 | 98.6 | 95.7 | 98.6 | 4.3 | 1.4 |
| 7 | Kaimur Urban | 2,039 | 2,383 | 172.2 | 120.5 | 2,039 | 2,383 | 100.0 | 100.0 | 100.0 | 100.0 | 0.0 | 0.0 |
| 8 | Kudra | 626 | 914 | 28.5 | 44.6 | 667 | 949 | 93.9 | 96.3 | 96.6 | 96.3 | 6.1 | 3.7 |
| 9 | Mohania | 1,036 | 1,173 | 32.4 | 31.8 | 1,080 | 1,260 | 95.9 | 93.1 | 95.9 | 93.3 | 4.1 | 6.9 |
| 10 | Nuoan | 385 | 465 | 31.5 | 34.5 | 405 | 518 | 95.1 | 89.8 | 95.1 | 89.8 | 4.9 | 10.2 |
| 11 | Ramgarh | 715 | 736 | 43.8 | 44.6 | 817 | 855 | 87.5 | 86.1 | 87.5 | 86.1 | 12.5 | 13.9 |
| 12 | Rampur | 432 | 439 | 41.3 | 32.4 | 454 | 470 | 95.2 | 93.4 | 95.2 | 93.4 | 4.8 | 6.6 |

| Indicators | | 31 | | 32 | | 33 | | 34 | | 35 | | 36 | |
|------------|----------------|---|---------|--|---------|---|---------|--|---------|--|---------|---|---------|
| | | Number of C-section deliveries conducted at public facilities | | Number of C-section deliveries conducted at private facilities | | % C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries | | % C-sections conducted at public facilities to Deliveries conducted at public facilities | | % C-sections conducted at Private facilities to Deliveries conducted at private facilities | | % Deliveries conducted at Public Institutions to Total Institutional Deliveries | |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Kaimur Bhabua | 165 | 57 | | | 1.9 | 0.6 | 2.0 | 0.6 | | | 100.0 | 100.0 |
| 1 | Adhaura | 0 | 0 | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 2 | Bhabua | | 0 | | | | | | | | | | |
| 3 | Bhagwanpur | | 0 | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 4 | Chainpur | 0 | 0 | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 5 | Chand | | 0 | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 6 | Durgawati | 0 | 0 | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 7 | Kaimur Urban | 165 | 57 | | | 8.1 | 2.4 | 8.1 | 2.4 | | | 100.0 | 100.0 |
| 8 | Kudra | 0 | 0 | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 9 | Mohania | | | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 10 | Nuoan | 0 | | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 11 | Ramgarh | | | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 12 | Rampur | 0 | 0 | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |

Performance of Key HMIS Indicators for Bihar-> Kaimur Bhabua (Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to August

These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 37 | | 38 | | 39 | | 40 | | 41 | | 42 | |
|------------|----------------|--|---------|--|---------|--|---------|---|---------|---|---------|--------------------------------------|---------|
| | | % Deliveries conducted at Private Institutions to Total Institutional Deliveries | | Women received 1st post partum check-up within 48 hours of home delivery | | Women received 1st post partum check up between 48 hours and 14 days | | % Women getting 1st post partum check-up within 48 hours of home delivery to Total Reported Home Deliveries | | % Women getting 1st Post Partum Checkup between 48 hours and 14 days to Total Reported Deliveries | | Total Number of reported live births | |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Kaimur Bhabua | 0.0 | 0.0 | 2,997 | 4,376 | 4,650 | 3,713 | 489.7 | 571.3 | 52.1 | 36.4 | 9,066 | 10,363 |
| 1 | Adhaura | 0.0 | 0.0 | 0 | 286 | 454 | 136 | 0.0 | 213.4 | 98.5 | 28.5 | 453 | 473 |
| 2 | Bhabua | | | 27 | 3 | 28 | 5 | 87.1 | 37.5 | 90.3 | 62.5 | 31 | 8 |
| 3 | Bhagwanpur | 0.0 | 0.0 | 2 | 386 | 18 | 80 | 3.3 | 728.3 | 3.9 | 16.2 | 504 | 489 |
| 4 | Chainpur | 0.0 | 0.0 | 0 | 32 | 1,195 | 1,527 | 0.0 | 32.3 | 98.5 | 113.9 | 1,209 | 1,282 |
| 5 | Chand | 0.0 | 0.0 | 160 | 353 | 158 | 406 | 98.8 | 255.8 | 20.8 | 50.2 | 762 | 805 |
| 6 | Durgawati | 0.0 | 0.0 | 0 | 99 | 538 | 7 | 0.0 | 1100.0 | 99.8 | 1.1 | 535 | 631 |
| 7 | Kaimur Urban | 0.0 | 0.0 | 2,039 | 1,104 | 165 | 28 | | | 8.1 | 1.2 | 2,032 | 2,359 |
| 8 | Kudra | 0.0 | 0.0 | 0 | 623 | 797 | 435 | 0.0 | 1780.0 | 119.5 | 45.8 | 811 | 945 |
| 9 | Mohania | 0.0 | 0.0 | 3 | 218 | | 71 | 6.8 | 250.6 | 0.0 | 5.6 | 1,067 | 1,550 |
| 10 | Nuoan | 0.0 | 0.0 | 405 | 511 | 405 | 511 | 2025.0 | 964.2 | 100.0 | 98.6 | 400 | 508 |
| 11 | Ramgarh | 0.0 | 0.0 | 5 | 372 | 827 | 284 | 4.9 | 312.6 | 101.2 | 33.2 | 815 | 844 |
| 12 | Rampur | 0.0 | 0.0 | 356 | 389 | 65 | 223 | 1618.2 | 1254.8 | 14.3 | 47.4 | 447 | 469 |

Performance of Key HMIS Indicators for Bihar-> Kaimur Bhabua (Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to August

These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 43 | | 44 | | 45 | | 46 | | 47 | | 48 | |
|------------|----------------|-----------------------------------|---------|---------------------------------------|---------|--------------------------------|---------|-------------------------------------|---------|---|---------|---|---------|
| | | % Live Births to Total Deliveries | | Total Number of reported Still Births | | % live birth to Reported Birth | | Number of Newborns weighed at birth | | % Newborns weighed at birth to live birth | | Number of Newborns having weight less than 2.5 kg | |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Kaimur Bhabua | 101.6 | 101.6 | 118 | 132 | 98.7 | 98.7 | 9,011 | 10,065 | 99.4 | 97.1 | 1,355 | 1,571 |
| 1 | Adhaura | 98.3 | 99.2 | 12 | 4 | 97.4 | 99.2 | 453 | 465 | 100.0 | 98.3 | 63 | 102 |
| 2 | Bhabua | 100.0 | 100.0 | 0 | 2 | 100.0 | 80.0 | 31 | 8 | 100.0 | 100.0 | 0 | 2 |
| 3 | Bhagwanpur | 110.3 | 98.8 | 11 | 6 | 97.9 | 98.8 | 462 | 489 | 91.7 | 100.0 | 68 | 84 |
| 4 | Chainpur | 99.7 | 95.6 | 12 | 16 | 99.0 | 98.8 | 1,205 | 1,282 | 99.7 | 100.0 | 164 | 245 |
| 5 | Chand | 100.3 | 99.6 | 4 | 10 | 99.5 | 98.8 | 758 | 805 | 99.5 | 100.0 | 140 | 162 |
| 6 | Durgawati | 99.3 | 99.2 | 6 | 5 | 98.9 | 99.2 | 534 | 631 | 99.8 | 100.0 | 25 | 8 |
| 7 | Kaimur Urban | 99.7 | 99.0 | 29 | 24 | 98.6 | 99.0 | 2,032 | 2,367 | 100.0 | 100.3 | 309 | 399 |
| 8 | Kudra | 121.6 | 99.6 | 8 | 12 | 99.0 | 98.7 | 811 | 945 | 100.0 | 100.0 | 162 | 199 |
| 9 | Mohania | 98.8 | 123.0 | 14 | 30 | 98.7 | 98.1 | 1,064 | 1,249 | 99.7 | 80.6 | 206 | 77 |
| 10 | Nuoan | 98.8 | 98.1 | 6 | 5 | 98.5 | 99.0 | 400 | 507 | 100.0 | 99.8 | 70 | 145 |
| 11 | Ramgarh | 99.8 | 98.7 | 7 | 14 | 99.1 | 98.4 | 814 | 848 | 99.9 | 100.5 | 93 | 107 |
| 12 | Rampur | 98.5 | 99.8 | 9 | 4 | 98.0 | 99.2 | 447 | 469 | 100.0 | 100.0 | 55 | 41 |

| Indicators | | 49 | | 50 | | 51 | | 52 | | 53 | | 54 | |
|------------|----------------|--|---------|--|---------|---|---------|--|---------|---|---------|---|---------|
| | | % Newborns having weight less than 2.5 kg to Newborns weighed at birth | | Number of New Borns Breast Fed within 1 hour | | % Newborns breast fed within 1 hour of birth to Total live birth | | Sex Ratio at birth (Female Live Births/ Male Live Births *1000) | | % cases of Pregnant women with Obstetric Complications and attended to reported deliveries | | % Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended | |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Kaimur Bhabua | 15.0 | 15.6 | 8,976 | 9,994 | 99.0 | 96.4 | 913 | 873 | 2.4 | 1.0 | 51.9 | 37.1 |
| 1 | Adhaura | 13.9 | 21.9 | 440 | 463 | 97.1 | 97.9 | 857 | 855 | 3.5 | 3.8 | 0.0 | 0.0 |
| 2 | Bhabua | 0.0 | 25.0 | 31 | 8 | 100.0 | 100.0 | 824 | 600 | 0.0 | 0.0 | | |
| 3 | Bhagwanpur | 14.7 | 17.2 | 440 | 485 | 87.3 | 99.2 | 839 | 964 | 1.3 | 2.4 | 0.0 | 0.0 |
| 4 | Chainpur | 13.6 | 19.1 | 1,205 | 1,282 | 99.7 | 100.0 | 966 | 919 | 0.0 | 0.0 | | |
| 5 | Chand | 18.5 | 20.1 | 758 | 805 | 99.5 | 100.0 | 915 | 940 | 0.0 | 0.5 | | 0.0 |
| 6 | Durgawati | 4.7 | 1.3 | 534 | 631 | 99.8 | 100.0 | 884 | 948 | 0.0 | 0.5 | | 0.0 |
| 7 | Kaimur Urban | 15.2 | 16.9 | 2,032 | 2,300 | 100.0 | 97.5 | 948 | 893 | 8.8 | 2.3 | 62.2 | 69.6 |
| 8 | Kudra | 20.0 | 21.1 | 811 | 945 | 100.0 | 100.0 | 993 | 901 | 0.0 | 0.0 | | |
| 9 | Mohania | 19.4 | 6.2 | 1,064 | 1,254 | 99.7 | 80.9 | 833 | 757 | 0.0 | 0.6 | | 0.0 |
| 10 | Nuoan | 17.5 | 28.6 | 400 | 507 | 100.0 | 99.8 | 887 | 847 | 0.2 | 0.0 | 0.0 | |
| 11 | Ramgarh | 11.4 | 12.6 | 814 | 845 | 99.9 | 100.1 | 891 | 827 | 1.6 | 0.6 | 0.0 | 0.0 |
| 12 | Rampur | 12.3 | 8.7 | 447 | 469 | 100.0 | 100.0 | 918 | 846 | 0.0 | 0.0 | | |

| Indicators | | 55 | | 56 | | 57 | | 58 | | 59 | | 60 | |
|------------|----------------|--|---------|--|---------|---|---------|---|---------|--|---------|--|---------|
| | | Number of PW given 360 Calcium tablets | | % Pregnant women given 360 Calcium to Total ANC Registration | | Number of PW given one Albendazole tablet after 1st trimester | | % Pregnant women given one Albendazole tablet after 1st trimester to Total ANC Registration | | Number of PW tested for blood sugar using OGTT (Oral Glucose Tolerance Test) | | % Pregnant women tested for blood sugar using OGTT to Total ANC Registration | |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Kaimur Bhabua | 11,962 | 22,281 | 55.7 | 94.5 | 1,617 | 516 | 7.5 | 2.2 | 0 | 0 | 0.0 | 0.0 |
| 1 | Adhaura | 498 | 4 | 80.5 | 0.5 | 191 | 38 | 30.9 | 4.8 | 0 | 0 | 0.0 | 0.0 |
| 2 | Bhabua | 1,198 | 3,338 | 37.6 | 112.4 | 38 | 50 | 1.2 | 1.7 | 0 | 0 | 0.0 | 0.0 |
| 3 | Bhagwanpur | 197 | 1,202 | 16.0 | 104.6 | 25 | 0 | 2.0 | 0.0 | | 0 | 0.0 | 0.0 |
| 4 | Chainpur | 2,159 | 44 | 82.3 | 1.4 | 0 | 20 | 0.0 | 0.6 | 0 | 0 | 0.0 | 0.0 |
| 5 | Chand | 743 | 8 | 46.2 | 0.5 | 40 | 0 | 2.5 | 0.0 | 0 | 0 | 0.0 | 0.0 |
| 6 | Durgawati | 642 | 2,254 | 37.3 | 125.3 | 0 | 0 | 0.0 | 0.0 | 0 | 0 | 0.0 | 0.0 |
| 7 | Kaimur Urban | 629 | 11,363 | 53.1 | 574.5 | 1,026 | | 86.7 | 0.0 | | | 0.0 | 0.0 |
| 8 | Kudra | 1,698 | 2,290 | 77.4 | 111.7 | 37 | 16 | 1.7 | 0.8 | 0 | 0 | 0.0 | 0.0 |
| 9 | Mohania | 1,259 | 240 | 39.3 | 6.5 | 157 | 38 | 4.9 | 1.0 | | 0 | 0.0 | 0.0 |
| 10 | Nuoan | 910 | 17 | 74.4 | 1.3 | 71 | 231 | 5.8 | 17.1 | 0 | 0 | 0.0 | 0.0 |
| 11 | Ramgarh | 1,258 | 28 | 77.1 | 1.7 | 3 | 50 | 0.2 | 3.0 | | | 0.0 | 0.0 |
| 12 | Rampur | 771 | 1,493 | 73.7 | 110.1 | 29 | 73 | 2.8 | 5.4 | 0 | 0 | 0.0 | 0.0 |

| Indicators | | 61 | | 62 | | 63 | | 64 | | 65 | | 66 | |
|------------|----------------|--------------------------------------|---------|--|---------|--|---------|--|---------|--|---------|---|---------|
| | | Number of PW tested positive for GDM | | % Pregnant women tested positive for GDM to Total ANC Registration | | Number of pregnant women tested for Syphilis | | Number of pregnant women tested found sero positive for Syphilis | | % Pregnant women tested for Syphilis to Total ANC Registration | | % Pregnant women treated for Syphilis to Total sero positive for Syphilis | |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Kaimur Bhabua | 0 | 0 | 0.0 | 0.0 | 427 | 369 | 0 | 0 | 2.0 | 1.6 | 0.0 | 0.0 |
| 1 | Adhaura | 0 | 0 | 0.0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0.0 | | |
| 2 | Bhabua | 0 | 0 | 0.0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0.0 | | |
| 3 | Bhagwanpur | | 0 | 0.0 | 0.0 | | 0 | | 0 | 0.0 | 0.0 | | |
| 4 | Chainpur | 0 | 0 | 0.0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0.0 | | |
| 5 | Chand | 0 | 0 | 0.0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0.0 | | |
| 6 | Durgawati | 0 | 0 | 0.0 | 0.0 | 0 | 42 | 0 | 0 | 0.0 | 2.3 | | 0.0 |
| 7 | Kaimur Urban | | | 0.0 | 0.0 | 427 | 327 | 0 | 0 | 36.1 | 16.5 | 0.0 | 0.0 |
| 8 | Kudra | 0 | 0 | 0.0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0.0 | | |
| 9 | Mohania | | 0 | 0.0 | 0.0 | | 0 | | 0 | 0.0 | 0.0 | | |
| 10 | Nuoan | 0 | 0 | 0.0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0.0 | | |
| 11 | Ramgarh | | | 0.0 | 0.0 | | 0 | | 0 | 0.0 | 0.0 | | |
| 12 | Rampur | 0 | 0 | 0.0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0.0 | | |

| Indicators | | 67 | | 68 | | 69 | | 70 | | 71 | | 72 | |
|------------|----------------|--|---------|---------------------------|---------|--|---------|---|---------|--|---------|---------------------------|---------|
| | | % of babies treated for congenital Syphilis to babies total diagnosed with Congenital Syphilis | | Total no. maternal deaths | | Total Facility Based Maternal Death Reviews (FBMDR) done | | Total Number of Abortions (Spontaneous) Reported | | Total Number of MTPs (Public) conducted | | % MTPs to total Abortions | |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Kaimur Bhabua | | | 17 | 2 | 0 | | 2 | 9 | 0 | 1 | 0.0 | 10.0 |
| 1 | Adhaura | | | 1 | 0 | 0 | | 0 | 0 | 0 | 0 | | |
| 2 | Bhabua | | | 1 | 0 | | | 0 | 0 | | 0 | | |
| 3 | Bhagwanpur | | | 2 | 1 | | | 1 | 7 | | 0 | 0.0 | 0.0 |
| 4 | Chainpur | | | | 0 | | | 1 | 0 | 0 | 0 | 0.0 | |
| 5 | Chand | | | 2 | | | | 0 | 0 | | | | |
| 6 | Durgawati | | | 2 | 0 | | | 0 | 0 | 0 | 0 | | |
| 7 | Kaimur Urban | | | | | | | | 1 | | 1 | | 50.0 |
| 8 | Kudra | | | 0 | 1 | | | 0 | 1 | 0 | 0 | | 0.0 |
| 9 | Mohania | | | 4 | 0 | 0 | | | 0 | | | | |
| 10 | Nuoan | | | 0 | 0 | | | 0 | 0 | 0 | 0 | | |
| 11 | Ramgarh | | | 2 | | | | 0 | 0 | | | | |
| 12 | Rampur | | | 3 | 0 | | | 0 | 0 | 0 | 0 | | |

Performance of Key HMIS Indicators for Bihar-> Kaimur Bhabua (Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to August

These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 73 | | 74 | | 75 | | 76 | | 77 | | 78 | |
|------------|----------------|---|---------|---|---------|--|---------|---|---------|--|---------|---------------------------------------|---------|
| | | % MTPs up to 12 weeks of Pregnancy to Total MTPs at Public Institutions | | % MTPs more than 12 weeks of Pregnancy to Total MTPs at Public Institutions | | % MTPs Conducted at Public Institutions to Total MTPs | | % MTPs Conducted at Private Institutions to Total MTPs | | % Total MTPs (Public) Conducted to Total ANC Registration | | Number of Vasectomies Conducted | |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Kaimur Bhabua | | 0.0 | | 100.0 | | 100.0 | | 0.0 | 0.0 | 0.0 | 13 | 9 |
| 1 | Adhaura | | | | | | | | | 0.0 | 0.0 | 0 | 0 |
| 2 | Bhabua | | | | | | | | | 0.0 | 0.0 | 1 | 1 |
| 3 | Bhagwanpur | | | | | | | | | 0.0 | 0.0 | 2 | 0 |
| 4 | Chainpur | | | | | | | | | 0.0 | 0.0 | 0 | 0 |
| 5 | Chand | | | | | | | | | 0.0 | 0.0 | | 0 |
| 6 | Durgawati | | | | | | | | | 0.0 | 0.0 | 0 | 0 |
| 7 | Kaimur Urban | | 0.0 | | 100.0 | | 100.0 | | 0.0 | 0.0 | 0.1 | 3 | 4 |
| 8 | Kudra | | | | | | | | | 0.0 | 0.0 | 0 | 0 |
| 9 | Mohania | | | | | | | | | 0.0 | 0.0 | 4 | 1 |
| 10 | Nuoan | | | | | | | | | 0.0 | 0.0 | 0 | 1 |
| 11 | Ramgarh | | | | | | | | | 0.0 | 0.0 | 2 | |
| 12 | Rampur | | | | | | | | | 0.0 | 0.0 | 1 | 2 |

Performance of Key HMIS Indicators for Bihar-> Kaimur Bhabua (Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to August

These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 79 | | 80 | | 81 | | 82 | | 83 | | 84 | |
|------------|----------------|---------------------------------|---------|-------------------------------|---------|---|---------|---|---------|---|---------|---|---------|
| | | Number of Tubectomies Conducted | | Total Sterilisation Conducted | | % Male Sterilisation (Vasectomies) to Total sterilisation | | % Female Serlisation (Tubectomies) to Total sterilisation | | Total Sterlisation (Tubectomies and Vasectomies) conducted at PHC | | Total Sterlisation (Tubectomies and Vasectomies) conducted at CHC | |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Kaimur Bhabua | 723 | 847 | 736 | 856 | 1.7 | 1.0 | 98.2 | 98.9 | | | | |
| 1 | Adhaura | 8 | 15 | 8 | 15 | 0.0 | 0.0 | 100.0 | 100.0 | | | | |
| 2 | Bhabua | 73 | 62 | 74 | 63 | 1.4 | 1.6 | 98.6 | 98.4 | | | | |
| 3 | Bhagwanpur | 42 | 35 | 44 | 35 | 4.5 | 0.0 | 95.5 | 100.0 | | | | |
| 4 | Chainpur | 67 | 47 | 67 | 47 | 0.0 | 0.0 | 100.0 | 100.0 | | | | |
| 5 | Chand | 29 | 22 | 29 | 22 | 0.0 | 0.0 | 100.0 | 100.0 | | | | |
| 6 | Durgawati | 58 | 82 | 58 | 82 | 0.0 | 0.0 | 100.0 | 100.0 | | | | |
| 7 | Kaimur Urban | 95 | 237 | 98 | 241 | 3.1 | 1.7 | 96.9 | 98.3 | | | | |
| 8 | Kudra | 61 | 53 | 61 | 53 | 0.0 | 0.0 | 100.0 | 100.0 | | | | |
| 9 | Mohania | 128 | 138 | 132 | 139 | 3.0 | 0.7 | 97.0 | 99.3 | | | | |
| 10 | Nuoan | 20 | 30 | 20 | 31 | 0.0 | 3.2 | 100.0 | 96.8 | | | | |
| 11 | Ramgarh | 78 | 66 | 80 | 66 | 2.5 | 0.0 | 97.5 | 100.0 | | | | |
| 12 | Rampur | 64 | 60 | 65 | 62 | 1.5 | 3.2 | 98.5 | 96.8 | | | | |

Performance of Key HMIS Indicators for Bihar-> Kaimur Bhabua (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to August
These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 85 | | 86 | | 87 | | 88 | | 89 | | 90 | |
|------------|----------------|--|---------|---|---------|---|---------|--|---------|--|---------|---|---------|
| | | Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH | | Total Sterilisation (Tubectomies and Vasectomies) conducted at DH | | Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions | | Total Sterilisation (Tubectomies and Vasectomies) conducted at Public institutions | | % Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions to Total Sterilisation | | % Total Sterilisation (Tubectomies and Vasectomies) conducted at Public institutions to Total Sterilisation | |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Kaimur Bhabua | | | | | | 200 | 736 | 656 | 0.0 | 23.4 | 100.0 | 76.6 |
| 1 | Adhaura | | | | | | | 8 | 15 | 0.0 | 0.0 | 100.0 | 100.0 |
| 2 | Bhabua | | | | | | | 74 | 63 | 0.0 | 0.0 | 100.0 | 100.0 |
| 3 | Bhagwanpur | | | | | | | 44 | 35 | 0.0 | 0.0 | 100.0 | 100.0 |
| 4 | Chainpur | | | | | | | 67 | 47 | 0.0 | 0.0 | 100.0 | 100.0 |
| 5 | Chand | | | | | | | 29 | 22 | 0.0 | 0.0 | 100.0 | 100.0 |
| 6 | Durgawati | | | | | | | 58 | 82 | 0.0 | 0.0 | 100.0 | 100.0 |
| 7 | Kaimur Urban | | | | | | 200 | 98 | 41 | 0.0 | 83.0 | 100.0 | 17.0 |
| 8 | Kudra | | | | | | | 61 | 53 | 0.0 | 0.0 | 100.0 | 100.0 |
| 9 | Mohania | | | | | | | 132 | 139 | 0.0 | 0.0 | 100.0 | 100.0 |
| 10 | Nuoan | | | | | | | 20 | 31 | 0.0 | 0.0 | 100.0 | 100.0 |
| 11 | Ramgarh | | | | | | | 80 | 66 | 0.0 | 0.0 | 100.0 | 100.0 |
| 12 | Rampur | | | | | | | 65 | 62 | 0.0 | 0.0 | 100.0 | 100.0 |

| Indicators | | 91 | | 92 | | 93 | | 94 | | 95 | | 96 | |
|------------|----------------|--|---------|---|---------|--|---------|--|---------|---|---------|--|---------|
| | | % Laparoscopic sterilisations to Total Female Sterilisations | | % Mini Lap Sterlisations to Total Female Sterilisations | | % Post Partum Sterlisations to Total Female Sterilisations | | % Post Abortion Sterlisations to Total Female Sterilisations | | % Laparoscopic sterilisations at Public Institutions to Total Laparoscopic Sterilisations | | % Mini Lap sterlisations at Public Institutions to Total Mini Lap Sterilisations | |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Kaimur Bhabua | 0.0 | 0.0 | 91.7 | 96.1 | 8.2 | 3.8 | 0.0 | 0.0 | | | 100.0 | 75.4 |
| 1 | Adhaura | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 2 | Bhabua | 0.0 | 0.0 | 100.0 | 98.4 | 0.0 | 1.6 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 3 | Bhagwanpur | 0.0 | 0.0 | 85.7 | 100.0 | 14.3 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 4 | Chainpur | 0.0 | 0.0 | 98.5 | 100.0 | 1.5 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 5 | Chand | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 6 | Durgawati | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 7 | Kaimur Urban | 0.0 | 0.0 | 44.2 | 93.7 | 55.8 | 6.3 | 0.0 | 0.0 | | | 100.0 | 9.9 |
| 8 | Kudra | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 9 | Mohania | 0.0 | 0.0 | 100.0 | 88.4 | 0.0 | 11.6 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 10 | Nuoan | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 11 | Ramgarh | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 12 | Rampur | 0.0 | 0.0 | 100.0 | 98.3 | 0.0 | 1.7 | 0.0 | 0.0 | | | 100.0 | 100.0 |

Performance of Key HMIS Indicators for Bihar-> Kaimur Bhabua (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to August
These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 97 | | 98 | | 99 | | 100 | | 101 | | 102 | |
|------------|----------------|---|---------|---|---------|---|---------|--|---------|--|---------|---|---------|
| | | % Post Partum sterilisations at Public Institutions to Total Post Partum Sterilisation | | % Post Abortion sterilisations at Public Institutions to Total Post Partum Sterilisation | | Total cases of deaths following Sterilisation (Male + Female) | | Total cases of deaths following Male Sterilisation | | Total cases of deaths following Female Sterilisation | | Total cases of failure following Male Sterilisation | |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Kaimur Bhabua | 100.0 | 100.0 | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | Adhaura | | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | Bhabua | | 100.0 | | | | 0 | | 0 | | 0 | | 0 |
| 3 | Bhagwanpur | 100.0 | | | | | 0 | | 0 | | 0 | | 0 |
| 4 | Chainpur | 100.0 | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5 | Chand | | | | | | 0 | | 0 | | 0 | | 0 |
| 6 | Durgawati | | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7 | Kaimur Urban | 100.0 | 100.0 | | | | | | | | | | |
| 8 | Kudra | | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9 | Mohania | | 100.0 | | | | | | | | | | |
| 10 | Nuoan | | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11 | Ramgarh | | | | | | | | | | | | |
| 12 | Rampur | | 100.0 | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| Indicators | | 103 | | 104 | | 105 | | 106 | | 107 | | 108 | |
|------------|----------------|---|---------|--|---------|--|---------|--|---------|--|---------|---|---------|
| | | Total cases of failure following Female Sterilisation | | Total cases of complication following Male Sterilisation | | Total cases of complication following Female Sterilisation | | IUCD Insertions done (public facilities) | | IUCD insertions done (pvt. facilities) | | % PP IUCD Insertions (public) to Total IUCD Insertions (public) | |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Kaimur Bhabua | 0 | 0 | 2 | 0 | 0 | 0 | 1,654 | 1,708 | | | 63.9 | 47.2 |
| 1 | Adhaura | 0 | 0 | 0 | 0 | 0 | 0 | 113 | 175 | | | 95.6 | 54.9 |
| 2 | Bhabua | | 0 | 0 | 0 | 0 | 0 | 20 | 10 | | | 0.0 | 0.0 |
| 3 | Bhagwanpur | | 0 | | 0 | | 0 | 21 | 1 | | | 38.1 | 0.0 |
| 4 | Chainpur | 0 | 0 | 0 | 0 | 0 | 0 | 49 | 128 | | | 83.7 | 30.5 |
| 5 | Chand | | 0 | | 0 | | 0 | 207 | 164 | | | 24.2 | 35.4 |
| 6 | Durgawati | 0 | 0 | 2 | 0 | 0 | 0 | 98 | 63 | | | 42.9 | 30.2 |
| 7 | Kaimur Urban | | | | | | | 457 | 817 | | | 66.5 | 64.7 |
| 8 | Kudra | 0 | 0 | 0 | 0 | 0 | 0 | 143 | 60 | | | 61.5 | 20.0 |
| 9 | Mohania | | | 0 | | | | 133 | 95 | | | 91.0 | 13.7 |
| 10 | Nuoan | 0 | 0 | 0 | 0 | 0 | 0 | 127 | 48 | | | 91.3 | 25.0 |
| 11 | Ramgarh | | | | 0 | | 0 | 104 | 72 | | | 19.2 | 0.0 |
| 12 | Rampur | 0 | 0 | 0 | 0 | 0 | 0 | 182 | 75 | | | 87.4 | 38.7 |

| Indicators | | 109 | | 110 | | 111 | | 112 | | 113 | | 114 | |
|------------|----------------|--|---------|---|---------|-------------------------------------|---------|-------------------------------|---------|------------------------------|---------|---------------------------------|---------|
| | | % PP IUCD Insertions (public) to Total Institutional Deliveries (public) | | % IUCD insertions to all family planning methods (IUCD plus permanent) | | Total Interval IUCD Insertions done | | Total PP IUCD Insertions done | | Total PAIUCD insertions done | | Combined Oral Pills distributed | |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Kaimur Bhabua | 12.7 | 8.5 | 69.2 | 66.6 | 596 | 901 | 1,057 | 807 | 1 | 0 | 7,262 | 2,595 |
| 1 | Adhaura | 28.3 | 28.0 | 93.4 | 92.1 | 5 | 79 | 108 | 96 | 0 | 0 | 232 | 51 |
| 2 | Bhabua | | | 21.3 | 13.7 | 20 | 10 | 0 | 0 | | 0 | 76 | 0 |
| 3 | Bhagwanpur | 2.0 | 0.0 | 32.3 | 2.8 | 13 | 1 | 8 | 0 | | 0 | 842 | 169 |
| 4 | Chainpur | 3.5 | 3.1 | 42.2 | 73.1 | 8 | 89 | 41 | 39 | 0 | 0 | 0 | 512 |
| 5 | Chand | 8.4 | 8.7 | 87.7 | 88.2 | 157 | 106 | 50 | 58 | | | 1,532 | 446 |
| 6 | Durgawati | 8.1 | 3.0 | 62.8 | 43.4 | 56 | 44 | 42 | 19 | 0 | 0 | 30 | 7 |
| 7 | Kaimur Urban | 14.9 | 22.2 | 82.3 | 77.2 | 153 | 288 | 304 | 529 | | | 28 | 345 |
| 8 | Kudra | 14.1 | 1.3 | 70.1 | 53.1 | 55 | 48 | 88 | 12 | 0 | 0 | 339 | 61 |
| 9 | Mohania | 11.7 | 1.1 | 50.2 | 40.6 | 12 | 82 | 121 | 13 | | | 1,837 | 133 |
| 10 | Nuoan | 30.1 | 2.6 | 86.4 | 60.8 | 11 | 36 | 116 | 12 | 0 | 0 | 347 | 154 |
| 11 | Ramgarh | 2.8 | 0.0 | 56.5 | 52.2 | 84 | 72 | 20 | 0 | 0 | 0 | 1,491 | 284 |
| 12 | Rampur | 36.8 | 6.6 | 73.7 | 54.7 | 22 | 46 | 159 | 29 | 1 | 0 | 508 | 433 |

Performance of Key HMIS Indicators for Bihar-> Kaimur Bhabua (Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to August

These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 115 | | 116 | | 117 | | 118 | | 119 | | 120 | |
|------------|----------------|-----------------------------|---------|---------------------------|---------|---|---------|---|---------|---|---------|---|---------|
| | | Emergency pills distributed | | Condom pieces distributed | | Centchroman (weekly pills) distributed | | Number of beneficiaries given 1st dose of Injectable (Antara Program) | | Number of beneficiaries given 2nd dose of Injectable (Antara Program) | | Number of beneficiaries given 3rd dose of Injectable (Antara Program) | |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Kaimur Bhabua | 1,699 | 608 | 71,929 | 19,593 | 1,335 | 250 | 836 | 0 | 152 | 0 | 17 | 0 |
| 1 | Adhaura | 40 | 40 | 6,560 | 518 | 62 | 0 | 26 | 0 | 13 | 0 | 1 | 0 |
| 2 | Bhabua | 47 | 0 | 1,175 | 19 | 136 | 0 | 56 | 0 | 0 | 0 | 0 | 0 |
| 3 | Bhagwanpur | 119 | 26 | 2,364 | 712 | 105 | 1 | 60 | 0 | 5 | 0 | | 0 |
| 4 | Chainpur | 68 | 0 | 4,620 | 2,193 | 0 | 68 | 64 | 0 | 0 | 0 | 0 | 0 |
| 5 | Chand | 8 | 170 | 2,803 | 942 | 100 | 169 | 38 | | 5 | | | |
| 6 | Durgawati | 0 | 0 | 2,046 | 1,012 | 49 | 0 | 79 | 0 | 11 | 0 | 1 | 0 |
| 7 | Kaimur Urban | | 15 | 6,400 | 1,400 | | | 37 | | 8 | | 3 | |
| 8 | Kudra | 206 | 14 | 5,724 | 2,681 | 71 | 10 | 128 | 0 | 11 | 0 | 2 | 0 |
| 9 | Mohania | 728 | 12 | 11,279 | 4,150 | 480 | 2 | 116 | | 72 | | 9 | |
| 10 | Nuoan | 230 | 86 | 9,681 | 869 | 66 | 0 | 53 | 0 | 2 | 0 | 0 | 0 |
| 11 | Ramgarh | 249 | 173 | 13,485 | 1,587 | 266 | 0 | 97 | 0 | 13 | 0 | 1 | 0 |
| 12 | Rampur | 4 | 72 | 5,792 | 3,510 | 0 | 0 | 82 | 0 | 12 | 0 | 0 | 0 |

Performance of Key HMIS Indicators for Bihar-> Kaimur Bhabua (Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to August

These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 121 | | 122 | | 123 | | 124 | | 125 | | 126 | |
|------------|----------------|---|---------|-----------------------------|---------|--|---------|-----------------------------|---------|--|---------|---|---------|
| | | Number of beneficiaries given 4th or more than 4 doses of Injectable (Antara Program) | | Pregnancy testing kits used | | Number of Infants given OPV 0 (Birth Dose) | | Number of Infants given BCG | | Number of Infants given Hep- B0 (birth dose) | | % Newborns given OPV0 at birth to Reported live birth | |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Kaimur Bhabua | 12 | 0 | 2,508 | 1,087 | 9,097 | 8,574 | 13,291 | 12,938 | 7,697 | 7,638 | 100.3 | 82.7 |
| 1 | Adhaura | 0 | 0 | 126 | 168 | 383 | 367 | 547 | 552 | 358 | 326 | 84.5 | 77.6 |
| 2 | Bhabua | 0 | 0 | 262 | 7 | 208 | 156 | 741 | 925 | 93 | 8 | 671.0 | 1950.0 |
| 3 | Bhagwanpur | | 0 | 86 | 36 | 409 | 401 | 518 | 549 | 396 | 344 | 81.2 | 82.0 |
| 4 | Chainpur | 0 | 0 | 8 | 8 | 1,145 | 1,224 | 1,458 | 1,515 | 1,069 | 1,174 | 94.7 | 95.5 |
| 5 | Chand | | | 223 | 494 | 616 | 665 | 971 | 999 | 599 | 652 | 80.8 | 82.6 |
| 6 | Durgawati | 0 | 0 | 4 | 0 | 575 | 623 | 901 | 920 | 439 | 593 | 107.5 | 98.7 |
| 7 | Kaimur Urban | 2 | | | | 1,903 | 1,359 | 2,127 | 1,649 | 1,312 | 1,219 | 93.7 | 57.6 |
| 8 | Kudra | 0 | 0 | 265 | 15 | 894 | 971 | 1,463 | 1,389 | 749 | 744 | 110.2 | 102.8 |
| 9 | Mohania | 10 | | 685 | 115 | 1,363 | 1,017 | 1,833 | 1,584 | 1,152 | 958 | 127.7 | 65.6 |
| 10 | Nuoan | 0 | 0 | 154 | 64 | 380 | 509 | 891 | 767 | 380 | 475 | 95.0 | 100.2 |
| 11 | Ramgarh | 0 | 0 | 261 | 33 | 776 | 792 | 1,077 | 1,093 | 726 | 725 | 95.2 | 93.8 |
| 12 | Rampur | 0 | 0 | 434 | 147 | 445 | 490 | 764 | 996 | 424 | 420 | 99.6 | 104.5 |

| Indicators | | 127 | | 128 | | 129 | | 130 | | 131 | | 132 | |
|------------|----------------|---|---------|--|---------|------------------------------|---------|------------------------------|---------|------------------------------|---------|---------------------------------------|---------|
| | | % Newborns given BCG to Reported live birth | | % Newborns given Hep-B0(Birth Dose)at birth to Reported live birth | | Number of Infants given DPT1 | | Number of Infants given DPT2 | | Number of Infants given DPT3 | | Number of Infants given Pentavalent 1 | |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Kaimur Bhabua | 146.6 | 124.8 | 84.9 | 73.7 | 1 | 17 | 0 | 2 | 0 | 0 | 13,299 | 11,324 |
| 1 | Adhaura | 120.8 | 116.7 | 79.0 | 68.9 | 0 | 0 | 0 | 0 | 0 | 0 | 369 | 419 |
| 2 | Bhabua | 2390.3 | 1562.5 | 300.0 | 100.0 | 0 | 15 | 0 | 2 | 0 | 0 | 1,832 | 1,659 |
| 3 | Bhagwanpur | 102.8 | 112.3 | 78.6 | 70.3 | 0 | 0 | 0 | 0 | 0 | 0 | 777 | 589 |
| 4 | Chainpur | 120.6 | 118.2 | 88.4 | 91.6 | 0 | 0 | 0 | 0 | 0 | 0 | 1,643 | 1,472 |
| 5 | Chand | 127.4 | 124.1 | 78.6 | 81.0 | | 0 | | 0 | | 0 | 1,029 | 926 |
| 6 | Durgawati | 168.4 | 145.8 | 82.1 | 94.0 | 0 | 2 | 0 | 0 | 0 | 0 | 900 | 815 |
| 7 | Kaimur Urban | 104.7 | 69.9 | 64.6 | 51.7 | | | | | | | 388 | 385 |
| 8 | Kudra | 180.4 | 147.0 | 92.4 | 78.7 | 0 | 0 | 0 | 0 | 0 | 0 | 1,680 | 1,206 |
| 9 | Mohania | 171.8 | 102.2 | 108.0 | 61.8 | 0 | 0 | 0 | 0 | 0 | 0 | 2,112 | 1,281 |
| 10 | Nuoan | 222.8 | 151.0 | 95.0 | 93.5 | 0 | 0 | 0 | 0 | 0 | 0 | 887 | 751 |
| 11 | Ramgarh | 132.1 | 129.5 | 89.1 | 85.9 | 1 | 0 | 0 | 0 | 0 | 0 | 1,040 | 1,037 |
| 12 | Rampur | 170.9 | 212.4 | 94.9 | 89.6 | 0 | 0 | 0 | 0 | 0 | 0 | 642 | 784 |

Performance of Key HMIS Indicators for Bihar-> Kaimur Bhabua (Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to August

These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 133 | | 134 | | 135 | | 136 | | 137 | | 138 | |
|------------|----------------|---------------------------------------|---------|---------------------------------------|---------|---------------------------------|---------|----------------------------|---------|---|---------|--|---------|
| | | Number of Infants given Pentavalent 2 | | Number of Infants given Pentavalent 3 | | Number of Infants given Measles | | Number of Infants given MR | | % Infants 0 to 11 months old who received Measles+ MR vaccine to reported live births | | Number of fully immunized children (9-11 months) | |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Kaimur Bhabua | 15,102 | 12,223 | 16,818 | 13,044 | 19,653 | 15,611 | 0 | 0 | 216.7 | 150.6 | 19,496 | 15,422 |
| 1 | Adhaura | 442 | 412 | 501 | 440 | 748 | 649 | 0 | 0 | 165.1 | 137.2 | 742 | 639 |
| 2 | Bhabua | 2,242 | 1,784 | 2,682 | 1,967 | 3,037 | 2,380 | 0 | 0 | 9796.8 | 9750.0 | 3,006 | 2,345 |
| 3 | Bhagwanpur | 838 | 623 | 909 | 681 | 1,052 | 775 | | 0 | 208.7 | 158.5 | 1,031 | 764 |
| 4 | Chainpur | 1,890 | 1,714 | 2,094 | 1,799 | 2,468 | 2,137 | 0 | 0 | 204.1 | 166.7 | 2,465 | 2,137 |
| 5 | Chand | 1,148 | 992 | 1,302 | 1,075 | 1,604 | 1,403 | 0 | 0 | 210.5 | 174.3 | 1,601 | 1,403 |
| 6 | Durgawati | 1,064 | 926 | 1,218 | 1,063 | 1,430 | 1,320 | 0 | 0 | 267.3 | 209.2 | 1,430 | 1,329 |
| 7 | Kaimur Urban | 327 | 333 | 308 | 319 | 290 | 245 | | | 14.3 | 10.4 | 290 | 179 |
| 8 | Kudra | 1,833 | 1,280 | 1,979 | 1,326 | 2,236 | 1,586 | 0 | 0 | 275.7 | 167.8 | 2,222 | 1,585 |
| 9 | Mohania | 2,336 | 1,495 | 2,550 | 1,619 | 2,884 | 1,729 | | | 270.3 | 111.5 | 2,815 | 1,658 |
| 10 | Nuoan | 985 | 818 | 1,130 | 780 | 1,243 | 967 | | 0 | 310.8 | 190.4 | 1,236 | 967 |
| 11 | Ramgarh | 1,236 | 1,067 | 1,344 | 1,159 | 1,677 | 1,491 | | 0 | 205.8 | 176.7 | 1,677 | 1,491 |
| 12 | Rampur | 761 | 779 | 801 | 816 | 984 | 929 | 0 | 0 | 220.1 | 198.1 | 981 | 925 |

| Indicators | | 139 | | 140 | | 141 | | 142 | | 143 | | 144 | |
|------------|----------------|--------------------------------------|---------|---|---------|---|---------|--|---------|--|---------|--|---------|
| | | % Drop Out between BCG & Measles/ MR | | % Children given Vit A dose1 to Reported live birth | | % Children given Vitamin A Dose 9 to Children given Vit A dose1 | | Adverse Events Following Immunisation (Abscess) | | Adverse Events Following Immunisation (Deaths) | | Adverse Events Following Immunisation (Others) | |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Kaimur Bhabua | -47.9 | -20.7 | 0.2 | 9.0 | 100.0 | 6.7 | 0 | 0 | 1 | 0 | 1 | 0 |
| 1 | Adhaura | -36.7 | -17.6 | 0.0 | 0.0 | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | Bhabua | -309.9 | -157.3 | 0.0 | 5050.0 | | 9.4 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | Bhagwanpur | -103.1 | -41.2 | 0.0 | 0.0 | | | | 0 | | 0 | | 0 |
| 4 | Chainpur | -69.3 | -41.1 | 0.0 | 0.0 | | | 0 | 0 | 1 | 0 | 1 | 0 |
| 5 | Chand | -65.2 | -40.4 | 0.0 | 0.0 | | | | 0 | 0 | 0 | 0 | 0 |
| 6 | Durgawati | -58.7 | -43.5 | 0.0 | 36.6 | | 1.3 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7 | Kaimur Urban | 86.4 | 85.1 | 0.0 | 6.8 | | 0.0 | | | | | | |
| 8 | Kudra | -52.8 | -14.2 | 0.0 | 2.6 | | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9 | Mohania | -57.3 | -9.2 | 0.0 | 2.5 | | 17.9 | | | | | | |
| 10 | Nuoan | -39.5 | -26.1 | 4.5 | 13.4 | 100.0 | 20.6 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11 | Ramgarh | -55.7 | -36.4 | 0.0 | 0.0 | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 12 | Rampur | -28.8 | 6.7 | 0.0 | 0.0 | | | 0 | 0 | 0 | 0 | 0 | 0 |

| Indicators | | 145 | | 146 | | 147 | | 148 | | 149 | | 150 | |
|------------|----------------|---|---------|---|---------|--|---------|-------------------------------------|---------|-------------------------------------|---------|---|---------|
| | | % immunisation Sessions Held to Immunisation Sessions Planned | | % Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned | | Pneumonia in Children 0-5 Years of Age | | Asthma in Children 0-5 Years of Age | | Sepsis in Children 0-5 Years of Age | | Diphtheria in Children 0-5 Years of Age | |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Kaimur Bhabua | 98.6 | 95.2 | 98.2 | 96.7 | 7 | 6 | 1 | 0 | 0 | 0 | 0 | 0 |
| 1 | Adhaura | 86.8 | 100.0 | 99.4 | 96.4 | 5 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| 2 | Bhabua | 98.1 | 78.6 | 91.2 | 87.8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | Bhagwanpur | 97.7 | 97.9 | 98.6 | 98.7 | | 0 | | 0 | | 0 | | 0 |
| 4 | Chainpur | 99.8 | 97.1 | 99.7 | 97.1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5 | Chand | 100.0 | 100.0 | 100.0 | 100.0 | | 0 | | 0 | | 0 | | 0 |
| 6 | Durgawati | 100.0 | 99.9 | 98.5 | 97.4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7 | Kaimur Urban | | | | | 2 | | | | | | | |
| 8 | Kudra | 100.0 | 99.9 | 99.7 | 98.3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9 | Mohania | 100.0 | 100.0 | 99.8 | 100.9 | | 6 | | | | | | |
| 10 | Nuoan | 99.3 | 100.0 | 100.0 | 99.3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11 | Ramgarh | 100.0 | 100.0 | 100.0 | 99.7 | | | | | | | | |
| 12 | Rampur | 98.9 | 99.8 | 99.0 | 96.8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| Indicators | | 151 | | 152 | | 153 | | 154 | | 155 | | 156 | |
|------------|----------------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|
| | | Pertussis in Children 0-5 Years of Age | | Tetanus Neonatorum in Children 0-5 Years of Age | | Tuberculosis (TB) in Children 0-5 Years of Age | | Acute Flaccid Paralysis(AFP)in Children 0-5 Years of Age | | Measles in Children 0-5 Years of Age | | Malaria in Children 0-5 Years of Age | |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Kaimur Bhabua | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 7 | 6 |
| 1 | Adhaura | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 0 |
| 2 | Bhabua | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | Bhagwanpur | | 0 | | 0 | | 0 | | 0 | | 0 | | 0 |
| 4 | Chainpur | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5 | Chand | | 0 | | 0 | | 0 | | 0 | | 0 | | 0 |
| 6 | Durgawati | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7 | Kaimur Urban | | | | | | | | | | | 2 | |
| 8 | Kudra | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9 | Mohania | | | | | | 0 | | 0 | | 0 | | 6 |
| 10 | Nuoan | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11 | Ramgarh | | | | | | | | | | | | |
| 12 | Rampur | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Performance of Key HMIS Indicators for Bihar-> Kaimur Bhabua (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to August
These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 157 | | 158 | | 159 | | 160 | | 161 | | 162 | |
|------------|----------------|---|---------|--|---------|--|---------|---|---------|---|---------|---|---------|
| | | Diarrhoea in Children 0-5 Years of Age | | Diarrhoea treated in Inpatients in Children 0-5 Years of Age | | No. of infants given Measles Rubella vaccine 1st dose | | No. of infants received Rotavirus Vaccine 1st dose | | No. of infants received Rotavirus Vaccine 2nd dose | | No. of infants received Rotavirus Vaccine 3rd dose | |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Kaimur Bhabua | 16 | 61 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | Adhaura | 7 | 0 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | Bhabua | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | Bhagwanpur | | 0 | | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | Chainpur | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5 | Chand | 5 | 47 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6 | Durgawati | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7 | Kaimur Urban | 4 | | | | | | | | | | | |
| 8 | Kudra | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9 | Mohania | | 0 | | | | | | 0 | | 0 | | 0 |
| 10 | Nuoan | 0 | 0 | 0 | 0 | | 0 | | 0 | | 0 | | 0 |
| 11 | Ramgarh | | | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12 | Rampur | 0 | 14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| Indicators | | 163 | | 164 | | 165 | | 166 | | 167 | | 168 | |
|------------|----------------|--|---------|--|---------|--|---------|---|---------|---|---------|---------------------------------|---------|
| | | No of children 16-24 months age given Measles 2nd dose | | No of children 16-24 months age given Measles Rubella Vaccine 2nd dose | | % Adult Female Inpatients to Total Adult Inpatient | | % Children Inpatient to Total Inpatient | | % Female Inpatient Deaths to Total Inpatient Deaths | | % Inpatient Deaths to Total IPD | |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Kaimur Bhabua | 15,118 | 13,496 | 0 | 0 | 83.4 | 74.3 | 21.5 | 15.2 | 39.0 | 35.3 | 0.2 | 0.1 |
| 1 | Adhaura | 467 | 685 | 0 | 0 | 72.4 | 87.6 | 39.0 | 46.4 | 50.0 | | 0.2 | 0.0 |
| 2 | Bhabua | 2,349 | 2,113 | 0 | 0 | | | | | | | | |
| 3 | Bhagwanpur | 725 | 733 | | 0 | 77.9 | 96.1 | 24.0 | 38.4 | | | 0.0 | 0.0 |
| 4 | Chainpur | 1,854 | 1,786 | 0 | 0 | 88.5 | 77.0 | 6.5 | 1.0 | | | 0.0 | 0.0 |
| 5 | Chand | 1,280 | 1,182 | 0 | 0 | 86.1 | 74.8 | 1.7 | 0.0 | | | 0.0 | 0.0 |
| 6 | Durgawati | 1,197 | 1,165 | 0 | 0 | 75.5 | 66.5 | 28.4 | 12.4 | | | 0.0 | 0.0 |
| 7 | Kaimur Urban | 142 | 50 | | | 83.6 | 73.9 | 15.8 | 15.1 | 38.5 | 37.5 | 1.0 | 0.5 |
| 8 | Kudra | 1,671 | 1,411 | 0 | 0 | 90.8 | 94.2 | 30.7 | 1.0 | | | 0.0 | 0.0 |
| 9 | Mohania | 2,234 | 1,413 | | 0 | 84.8 | 61.9 | 26.7 | 24.6 | | 0.0 | 0.0 | 0.0 |
| 10 | Nuoan | 1,066 | 888 | | 0 | 83.7 | 91.0 | 7.2 | 0.0 | | | 0.0 | 0.0 |
| 11 | Ramgarh | 1,311 | 1,227 | | 0 | 83.1 | 69.9 | 19.1 | 21.6 | | | 0.0 | 0.0 |
| 12 | Rampur | 822 | 843 | 0 | 0 | 71.8 | 72.6 | 40.9 | 9.3 | | | 0.0 | 0.0 |

Performance of Key HMIS Indicators for Bihar-> Kaimur Bhabua (Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to August

These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 169 | | 170 | | 171 | | 172 | | 173 | | 174 | |
|------------|----------------|--------------|---------|------------------|---------|--------------------|---------|------------------------|---------|--------------|---------|----------------------------|---------|
| | | IPD (Number) | | OPD (Allopathic) | | Ayush OPD (Number) | | OPD (Ayush+Allopathic) | | % IPD to OPD | | Number of Major Operations | |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Kaimur Bhabua | 26,586 | 21,353 | 454,555 | 403,818 | 176,567 | 150,075 | 631,122 | 553,893 | 4.2 | 3.9 | 130 | 163 |
| 1 | Adhaura | 1,125 | 828 | 18,954 | 20,520 | 3,294 | 2,784 | 22,248 | 23,304 | 5.1 | 3.6 | 8 | 16 |
| 2 | Bhabua | | 0 | 14,673 | 6,785 | 5,229 | 4,876 | 19,902 | 11,661 | 0.0 | 0.0 | | 0 |
| 3 | Bhagwanpur | 862 | 843 | 13,014 | 16,652 | 11,373 | 7,354 | 24,387 | 24,006 | 3.5 | 3.5 | | 31 |
| 4 | Chainpur | 2,176 | 2,260 | 29,188 | 26,662 | 23,356 | 26,491 | 52,544 | 53,153 | 4.1 | 4.3 | 0 | 0 |
| 5 | Chand | 1,921 | 1,939 | 38,441 | 46,929 | 10,821 | 4,489 | 49,262 | 51,418 | 3.9 | 3.8 | | |
| 6 | Durgawati | 1,700 | 1,518 | 33,314 | 32,169 | 15,835 | 9,467 | 49,149 | 41,636 | 3.5 | 3.6 | 0 | 0 |
| 7 | Kaimur Urban | 4,075 | 3,400 | 94,482 | 78,668 | 18,239 | 15,031 | 112,721 | 93,699 | 3.6 | 3.6 | 62 | 60 |
| 8 | Kudra | 1,614 | 1,173 | 30,991 | 29,262 | 12,445 | 9,869 | 43,436 | 39,131 | 3.7 | 3.0 | 60 | |
| 9 | Mohania | 7,193 | 4,177 | 98,567 | 72,595 | 19,729 | 7,106 | 118,296 | 79,701 | 6.1 | 5.2 | | |
| 10 | Nuoan | 871 | 937 | 9,776 | 3,484 | 16,374 | 17,504 | 26,150 | 20,988 | 3.3 | 4.5 | 0 | 0 |
| 11 | Ramgarh | 3,548 | 3,140 | 56,124 | 55,470 | 30,864 | 27,675 | 86,988 | 83,145 | 4.1 | 3.8 | | |
| 12 | Rampur | 1,501 | 1,138 | 17,031 | 14,622 | 9,008 | 17,429 | 26,039 | 32,051 | 5.8 | 3.6 | 0 | 56 |

Performance of Key HMIS Indicators for Bihar-> Kaimur Bhabua (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to August
These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 175 | | 176 | | 177 | | 178 | | 179 | | 180 | |
|------------|----------------|----------------------------|---------|---------------------------------------|---------|----------------------------------|---------|--|---------|--------------------------|---------|---------------------|---------|
| | | Number of Minor Operations | | % Major Operations to Total Operation | | Number of Hysterectomy Surgeries | | % Hysterectomy Surgeries to Total Major Operations | | % AYUSH OPD to Total OPD | | Dental OPD (Number) | |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Kaimur Bhabua | 6,135 | 6,218 | 2.1 | 2.6 | 0 | 8 | 0.0 | 4.9 | 27.9 | 27.0 | 7,622 | 3,443 |
| 1 | Adhaura | 312 | 218 | 2.5 | 6.8 | 0 | 0 | 0.0 | 0.0 | 14.8 | 11.9 | 0 | 17 |
| 2 | Bhabua | | 0 | | | | 0 | | | 26.3 | 41.8 | 0 | 0 |
| 3 | Bhagwanpur | | 62 | | 33.3 | | 0 | | 0.0 | 46.6 | 30.6 | | 21 |
| 4 | Chainpur | 0 | 1,822 | | 0.0 | 0 | 0 | | | 44.5 | 49.8 | 0 | 0 |
| 5 | Chand | | | | | | | | | 22.0 | 8.7 | | 0 |
| 6 | Durgawati | 219 | 141 | 0.0 | 0.0 | 0 | 0 | | | 32.2 | 22.7 | 0 | 0 |
| 7 | Kaimur Urban | 4,293 | 3,137 | 1.4 | 1.9 | | 8 | 0.0 | 13.3 | 16.2 | 16.0 | 2,669 | 2,582 |
| 8 | Kudra | 313 | | 16.1 | | 0 | | 0.0 | | 28.7 | 25.2 | 1,745 | 356 |
| 9 | Mohania | | | | | | | | | 16.7 | 8.9 | 3,208 | 467 |
| 10 | Nuoan | 0 | 0 | | | 0 | 0 | | | 62.6 | 83.4 | 0 | 0 |
| 11 | Ramgarh | 793 | 709 | 0.0 | 0.0 | | | | | 35.5 | 33.3 | | |
| 12 | Rampur | 205 | 129 | 0.0 | 30.3 | 0 | 0 | | 0.0 | 34.6 | 54.4 | 0 | 0 |

Performance of Key HMIS Indicators for Bihar-> Kaimur Bhabua (Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to August

These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 181 | | 182 | | 183 | | 184 | | 185 | | 186 | |
|------------|----------------|---------------------------|---------|---|---------|---|---------|---|---------|---|---------|---|---------|
| | | % Dental OPD to Total OPD | | % Hb < 7 mg to Total Hb Tests Conducted | | % Male HIV Positive to Total Males Tested | | % Female screened for HIV to Total ANC Registration | | % Female HIV Positive to Total Females Tested | | % Total HIV Positive to Total Tested (Male + Female) | |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Kaimur Bhabua | 1.2 | 0.6 | 8.8 | 5.7 | 0.5 | 0.7 | 10.0 | 10.8 | 0.6 | 0.3 | 0.5 | 0.5 |
| 1 | Adhaura | 0.0 | 0.1 | 34.9 | 4.6 | 0.0 | 1.4 | 5.2 | 11.7 | 0.0 | 0.0 | 0.0 | 0.6 |
| 2 | Bhabua | 0.0 | 0.0 | | | | | 0.0 | 0.0 | | | | |
| 3 | Bhagwanpur | 0.0 | 0.1 | 15.0 | | | | 0.0 | 0.0 | | | | |
| 4 | Chainpur | 0.0 | 0.0 | 0.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | | | 0.0 | 0.0 |
| 5 | Chand | 0.0 | 0.0 | | | 16.7 | 14.3 | 0.6 | 0.6 | 0.0 | 0.0 | 6.3 | 6.3 |
| 6 | Durgawati | 0.0 | 0.0 | | 1.3 | | 0.0 | 16.6 | 0.0 | 0.0 | | 0.0 | 0.0 |
| 7 | Kaimur Urban | 2.4 | 2.8 | 4.3 | 10.7 | 1.0 | 0.7 | 52.7 | 19.4 | 1.9 | 1.8 | 1.3 | 0.9 |
| 8 | Kudra | 4.0 | 0.9 | 1.2 | 1.8 | 0.0 | | 2.7 | 0.0 | 0.0 | | 0.0 | |
| 9 | Mohania | 2.7 | 0.6 | 1.7 | 2.8 | 0.0 | 0.0 | 32.6 | 16.6 | 0.1 | 0.0 | 0.1 | 0.0 |
| 10 | Nuoan | 0.0 | 0.0 | 0.9 | 0.0 | 0.5 | 0.0 | 0.0 | 9.9 | | 0.0 | 0.5 | 0.0 |
| 11 | Ramgarh | 0.0 | 0.0 | 3.4 | 2.8 | 2.2 | 1.7 | 5.1 | 41.3 | 0.0 | 0.0 | 0.8 | 0.1 |
| 12 | Rampur | 0.0 | 0.0 | 2.1 | 0.5 | 0.0 | 0.0 | 1.8 | 45.9 | 0.0 | 0.0 | 0.0 | 0.0 |

| Indicators | | 187 | | 188 | | 189 | | 190 | | 191 | | 192 | |
|------------|----------------|---|---------|--|---------|--|---------|--|---------|--|---------|---|---------|
| | | % Plasmodium Vivax test positive to Total Blood Smears Examined | | % Plasmodium Falciparum test positive to Total Blood Smears Examined | | Total Number of Infant Deaths reported | | % Deaths due to Sepsis to Total Reported Infant Deaths | | % Deaths due to Asphyxia to Total Reported Infant Deaths | | % Deaths due to Pneumonia to Total Reported Infant Deaths | |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Kaimur Bhabua | 6.0 | 11.1 | 0.0 | 0.3 | 132 | 24 | 4.5 | 4.2 | 9.1 | 0.0 | 6.1 | 8.3 |
| 1 | Adhaura | | | | | 8 | 3 | 12.5 | 33.3 | 25.0 | 0.0 | 0.0 | 0.0 |
| 2 | Bhabua | | | | | 8 | 5 | 0.0 | 0.0 | 0.0 | 0.0 | 12.5 | 0.0 |
| 3 | Bhagwanpur | | | | | 11 | 8 | 0.0 | 0.0 | 0.0 | 0.0 | 36.4 | 25.0 |
| 4 | Chainpur | | | | | | 0 | | | | | | |
| 5 | Chand | 14.3 | 0.0 | 0.0 | 0.0 | 10 | | 0.0 | | 10.0 | | 0.0 | |
| 6 | Durgawati | | 0.4 | | 0.0 | 15 | 0 | 0.0 | | 0.0 | | 0.0 | |
| 7 | Kaimur Urban | | 1.4 | | 0.1 | | | | | | | | |
| 8 | Kudra | | | | | 9 | 8 | 11.1 | 0.0 | 0.0 | 0.0 | 22.2 | 0.0 |
| 9 | Mohania | 1.7 | 0.0 | 0.0 | 1.6 | 35 | 0 | 11.4 | | 25.7 | | 0.0 | |
| 10 | Nuoan | 0.0 | 0.0 | 0.0 | 0.0 | 2 | 0 | 0.0 | | 0.0 | | 0.0 | |
| 11 | Ramgarh | | | | | 10 | | 0.0 | | 0.0 | | 10.0 | |
| 12 | Rampur | 9.7 | 1.9 | 0.0 | 0.3 | 24 | 0 | 0.0 | | 0.0 | | 0.0 | |

| Indicators | | 193 | | 194 | | 195 | | 196 | | 197 | | 198 | |
|------------|----------------|---|---------|---|---------|---|---------|--|---------|--|---------|---|---------|
| | | % Deaths due to Diarrhoea to Total Reported Infant Deaths | | % Deaths due to Fever to Total Reported Infant Deaths | | % Deaths due to Measles to Total Reported Infant Deaths | | Institutional Deliveries at Urban Health Facilities i.e SC+PHC+CHC+SDH | | Institutional Deliveries at District Hospitals | | Measles immunization at urban Health facilities i.e SC+PHC+CHC+SDH+DH | |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Kaimur Bhabua | 0.8 | 0.0 | 2.3 | 0.0 | 0.8 | 4.2 | 0 | 0 | | | | |
| 1 | Adhaura | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | | | | | | |
| 2 | Bhabua | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 0 | 0 | | | | |
| 3 | Bhagwanpur | 9.1 | 0.0 | 9.1 | 0.0 | 0.0 | 0.0 | | | | | | |
| 4 | Chainpur | | | | | | | | | | | | |
| 5 | Chand | 0.0 | | 0.0 | | 0.0 | | | | | | | |
| 6 | Durgawati | 0.0 | | 0.0 | | 0.0 | | | | | | | |
| 7 | Kaimur Urban | | | | | | | | | | | | |
| 8 | Kudra | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | | | | | | |
| 9 | Mohania | 0.0 | | 5.7 | | 2.9 | | | | | | | |
| 10 | Nuoan | 0.0 | | 0.0 | | 0.0 | | | | | | | |
| 11 | Ramgarh | 0.0 | | 0.0 | | 0.0 | | | | | | | |
| 12 | Rampur | 0.0 | | 0.0 | | 0.0 | | | | | | | |