	Indicators		1		2		3	4	4	!	5	(5
	Indicators	Total nu pregnant Registere	t women	Number of women re within first	egistered	Number o	of Women under JSY	1st Trii registratio ANC Regi	n to Total	JSY regist Total Regist	ANC	Number of women re ANC che	eceived 3
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Shopian	3,382	3,297	2,314	1,947	3,384	3,286	68.4	59.0	100.1	99.7	2,791	2,702
1	Block Keller	806	891	601	600	806	891	74.6	67.3	100.0	100.0	700	767
2	Block Shopain	2,346	2,170	1,483	1,145	2,348	2,165	63.2	52.8	100.1	99.8	1,823	1,719
3	District HQ Shopian	230	236	230	202	230	230	100.0	85.6	100.0	97.5	268	216

			7	8	3	9	9	1	0	1	1	1	2
Indicators		TT2 or Boo to Pregna (num	nt women	Pregnant	ANC check otal ANC	Pregnant received Booster to Regist	d TT2 or	women giv	f Pregnant en 100 IFA lets	Pregnant given 100 l ANC Regi	FA to Total	Number h leve (tested	l<11
Shonian		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Shopian	2,787	2,522	82.5	81.9	82.4	76.4	1,645	1,469	48.6	44.5	1,560	1,530
1	Block Keller	664	693	86.8	86.1	82.4	77.8	341	428	42.3	48.0	254	305
2	Block Shopain	1,952	1,691	77.7	79.2	83.2	77.9	1,114	1,012	47.5	46.6	1,143	1,015
3	District HQ Shopian	171	138	116.5	91.5	74.3	58.5	190	29	82.6	12.3	163	210

		1	3	1	4	1	5	1	6	1	7	1	8
	Indicators	Number ha anae (Hb treated at	emia <7)	Pregnant having seve (Hb treated at to women leve	ere anaemia <7) institution having hb	New cases at institu hypertensi ANC Regi	detected ution for on to Total	Number deliv	of Home eries			Non SBA	ttended by
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Shopian	106	7	6.8	0.5	0.3	0.3	98	85	24	3	74	82
1	Block Keller	6	6	2.4	2.0	0.5	0.0	67	38	0	0	67	38
2	Block Shopain		1	0.0	0.1	0.0	0.5	31	47	24	3	7	44
3	District HQ Shopian	100		61.3	0.0	1.7	0.0						

		1	9	2	0	2	.1	2	2	2	3	2	4
	Indicators	deliveries Reporte	ded home s to Total	Mothers incentive deliv	•	Mothers incentive deliveries Reporte	for home s to Total	Deliveries (at Public Ir		Number of Discharged hours of d public f	l under 48 lelivery in	Women dis less than 4 delivery Reported at public in	8 hours of to Total Deliveries
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Shopian	24.4	3.5	5	2	5.1	2.4	816	916	649	708	79.5	77.2
1	Block Keller	0.0	0.0	5	2	7.5	5.3	171	189	160	168	93.6	88.9
2	Block Shopain	77.4	6.4			0.0	0.0	156	51	99	53	63.5	103.9
3	District HQ Shopian							489	676	390	487	79.8	72.0

		2	5	2	6	2	7	2	8	2	9	3	0
	Indicators			Institu Deliverie ANC regi	s to total	Total re deliv	eported Peries	Institu deliveries Reported	tional to Total	Safe deli Total Re Deliv	veries to eported	Home del Total Re Deliv	iveries to eported
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Shopian	816	916	24.1	27.7	914	1,001	89.3	91.5	91.9	91.8	10.7	8.5
1	Block Keller	171	189	21.2	21.2	238	227	71.8	83.3	71.8	83.3	28.2	16.7
2	Block Shopain	156	51	6.6	2.4	187	98	83.4	52.0	96.3	55.1	16.6	48.0
3	District HQ Shopian	489	676	212.6	286.4	489	676	100.0	100.0	100.0	100.0	0.0	0.0

		3	1	3	2	3	3	3	4	3	5	3	6
	Indicators	Number of deliveries at public	conducted	Number of deliveries at private	conducted	to rep institu (Public	+ Pvt.)	C-sections at public f Deliveries at public	conducted acilities to conducted	C-sections at Private f Deliveries at private	conducted facilities to conducted	Deliveries at Public In to Total In	nstitutions stitutional
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Shopian	160	217			19.6	23.6	19.6	23.7			100.0	100.0
1	Block Keller	9	28			5.3	14.8	5.3	14.8			100.0	100.0
2	Block Shopain	52				33.3	0.0	33.3	0.0			100.0	100.0
3	District HQ Shopian	99	189			20.2	28.0	20.2	28.0			100.0	100.0

	Indicators	3	7	3	8	3	9	4	0	4	1	4	2
Indicators			or Delivery	of cases w Incentive ASHA for D Public inst Total Public	e paid to Delivery at	Deliveries at Private I to Total In:	nstitutions		heck-up hours of	Care / Wo post partur between 48	n check up	Women rec partum o within 48 delivery Reported	theck-up hours of to Total
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Shopian	75.0	106.7	18.4	137.9	0.0	0.0	748	857	1,179	956	81.8	85.6
1	Block Keller	217.0	91.5	87.7	359.3	0.0	0.0	177	143	180	143	74.4	63.0
2	Block Shopain	130.8	652.9	0.0	1145.1	0.0	0.0	181	227	900	624	96.8	231.6
3	District HQ Shopian	7.6	69.7	0.0	0.0	0.0	0.0	390	487	99	189	79.8	72.0

	Indicators _Shopian Block Keller	4	3	4	4	4	5	4	6	4	7	4	8
	Indicators	14 days	Checkup 3 hours and	Total Nu reported l		Total Repo			imber of Still Births	live birth to	-	Number of weighed	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Shopian	129.0	95.5	911	993	99.7	99.2	8	13	99.1	98.7	886	935
1	Block Keller	75.6	63.0	237	227	99.6	100.0	4	0	98.3	100.0	215	169
2	Block Shopain	481.3	636.7	187	96	100.0	98.0	0	4	100.0	96.0	184	96
3	District HQ Shopian	20.2	28.0	487	670	99.6	99.1	4	9	99.2	98.7	487	670

		4	9	5	0	5	1	5	2	5	3	5	4
Indicators		Newborns v	weighed at	Number of having we than 2	eight less		ewborns	Number of Breast Fed ho	within 1	Newborns within 1 ho to Total I	breast fed our of birth	Number of visited wit	hin 24 hrs
Shopian		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Shopian	97.3	94.2	26	25	2.9	2.6	908	991	99.6	99.7	14	26
1	Block Keller	90.7	74.4	0	0	0.0	0.0	236	224	99.6	98.7	5	2
2	Block Shopain	98.4	100.0		0	0.0	0.0	185	97	98.9	101.0	9	24
3	District HQ Shopian	100.0	100.0	26	25	5.3	3.7	487	670	100.0	100.0		

		5	5	5	6	5	7	5	8	5	9	6	0
	Indicators	newborn within 24h delivery reporte	rs of home to total d home	Bitr	atio at male Live ths/ hs *1000)	cases of women with Complicat attended to	tions and	Compl Pregnanci witi antihype Magsulph ii Total Wo Obst Compli	kicated es treated h IV rtensive/ njection to men with etric cations nded	Pregnanci with antihype Magsulph in Total No detecte	icated es treated h IV rtensive/ njection to ew cases	Compl Pregnanci with Transfusio Wome Obst Compli atter	icated es treated Blood n to Total n with etric cations
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	2016-17 2015-16		30.5	942	1,073	0.0	0.0			0.0	0.0		
1	Block Keller	7.5	5.3	992	1,248	0.0	0.0			0.0			
2	Block Shopain	29.0	51.1	833	684	0.0	0.0			0.0	0.0		
3	District HQ Shopian			964	1,087	0.0	0.0			0.0			

		6	1	6	2	6	3	6	4	6	5	6	6
	Indicators	Post - Care / PNC compli- attended	cations	Total Nu Abort (Sponta Induced)	tions aneous/	Total Nu MTPs (repo	Public)	% <i>N</i> (Public) to	ATPs Abortions	MTPs up to of Pregn Total MTP Institu	12 weeks ancy to s at Public	MTPs mor weeks of F to Total Public Ins	re than 12 Pregnancy
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Shopian	0.4	0.0	88	162	0	0	0.0	0.0				
1	Block Keller	0.0	0.0	7	15	0	0	0.0	0.0				
2	Block Shopain	2.1	0.0										
3	District HQ Shopian	0.0	0.0	81	147			0.0	0.0				

	_Shopian Block Keller	6	7	6	8	6	9	7	0	7	1	7	2
	Indicators	9 MTPs Con Public Insti Total	ducted at	MTPs Con Private In: to Tota	stitutions	% Tota (Pul Conducted ANC Reg	olic) to Total	Number of Tests cond Number of STI female which tr	Wet Mount ducted to f new RTI/ e cases for eatment ated	Numb Vasect Condo (Public	tomies ucted	Numb Tubect Condu (Public	comies icted
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Shopian					0.0	0.0		0.0	2	1	20	36
1	Block Keller					0.0	0.0			0	1	0	24
2	Block Shopain					0.0	0.0		0.0	2		12	
3	District HQ Shopian					0.0	0.0			0		8	12

	Indicators Total Sterilisa Conducted		3	7	4	7	5	7	6	7	7	7	8
	Indicators			% Male St (Vasect to Total st	comies)	7 Tubector Total ste			mies and omies)	Total Ste (Tubecto Vasect conducte	mies and omies)	Total Ste (Tubecto Vasecto conducted	mies and omies)
Shonian		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Shopian	22	37	9.0	2.7	90.9	97.3			14	25	8	12
1	Block Keller	0	25		4.0		96.0			0	25		
2	Block Shopain	14		14.3		85.7				14			
3	District HQ Shopian	8	12	0.0	0.0	100.0	100.0					8	12

		7	9	8	0	8	1	8	2	8	3	8	4
	Indicators	Total Ste (Tubecto Vasecto conducted public Ins	mies and omies) I at Other	Total Ste (Tubecto Vasect conducted institu	mies and omies) at Private	% Total Sto (Tubecto Vasect conducted Total Ste	mies and omies) at PHC to	% Total Sto (Tubecto Vasect conducted Total Sto	mies and omies) at CHC to	% Total Sto (Tubecto Vasect conducted to Total St	mies and omies) at SDH/DH	% Total Ste (Tubector Vasector conducted public Institution	mies and omies) I at Other tutions to
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Shopian					0.0	0.0	63.6	67.6	36.4	32.4	0.0	0.0
1	Block Keller						0.0		100.0		0.0		0.0
2	Block Shopain					0.0		100.0		0.0		0.0	
3	District HQ Shopian		-			0.0	0.0	0.0	0.0	100.0	100.0	0.0	0.0

	Indicators _Shopian	8	5	8	6	8	7	8	8	8	9	9	0
	Indicators	` Vasect	mies and omies) at Private s to Total	Laparo sterlisation Female Ste	scopic s to Total	Mini Lap St to Total Sterilis	Female	Post P Sterlisation		Laparo sterlisation Institutions Laparo Sterilis	scopic s at Public to Total scopic	% Mini Lap st at Public In to Total Sterilis	stitutions Mini Lap
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Shopian	0.0	0.0	0.0	0.0	100.0	88.9	0.0	11.1			100.0	100.0
1	Block Keller		0.0		0.0		100.0		0.0				100.0
2	Block Shopain	0.0		0.0		100.0		0.0				100.0	
3	District HQ Shopian	0.0	0.0	0.0	0.0	100.0	66.7	0.0	33.3			100.0	100.0

		9	1	9	2	9	3	9	14	9	5	9	6
	Indicators	Post P sterlisation Institution Post P	artum as at Public s to Total artum sation	Sterlisatio	wing	IUCD Inser (public f			tions done	Total IUCD done(publi		PP IUCD I done (publi	nsertions ic facilities)
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Shopian		100.0	0	0	182	193			182	193	0	0
1	Block Keller			0	0	39	81			39	81	0	0
2	Block Shopain					126	86			126	86		
3	District HQ Shopian		100.0			17	26			17	26		

		9	7	9	8	9	9	10	00	10	01	10)2
	Indicators	% PP IUCD (pul to Tota Insertion:	blic) al IUCD	% PP IUCD (pul to Total In: Deliverie	olic) stitutional	public plu institutio family p methods (ons to all planning	Oral Pills o	distributed	Condom distril	n pieces buted	Centchro distrit	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Shopian	0.0	0.0	0.0	0.0	89.2	83.9	5,098	4,193	23,877	24,175	202	183
1	Block Keller	0.0	0.0	0.0	0.0	100.0	76.4	1,514	1,275	8,309	8,584	0	0
2	Block Shopain	0.0	0.0	0.0	0.0	90.0	100.0	3,573	2,918	15,568	15,591	201	183
3	District HQ Shopian	0.0	0.0	0.0	0.0	68.0	68.4	11				1	

	Indicators give (Bir		03	10	04	10	05	10	06	10)7	10	08
	Indicators		of Infants OPV 0 Dose)	Number o	of Infants n BCG	Newborns g		Newborns to Repo	given BCG	Number o		Number o	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Shopian	1,592	1,261	1,749	1,466	174.8	127.0	192.0	147.6	0	0	0	0
1	Block Keller	192	143	274	292	81.0	63.0	115.6	128.6	0	0	0	0
2	Block Shopain	985	674	1,060	765	526.7	702.1	566.8	796.9				
3	District HQ Shopian	415	444	415	409	85.2	66.3	85.2	61.0				

		10)9	11	10	11	11	11	12	11	13	11	14
	Indicators	Number o		Number o	of Infants tavalent 1	Number o		Number o		Number o	of Infants Aeasles	Infants months received vaccine to live b	0 to 11 old who Measles reported
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Shopian	0	0	3,146	2,996	3,114	3,050	3,272	2,843	2,950	2,767	323.8	278.6
1	Block Keller	0	0	684	673	630	657	660	594	613	610	258.6	268.7
2	Block Shopain			2,430	1,830	2,446	1,954	2,581	1,855	2,303	1,813	1231.6	1888.5
3	District HQ Shopian			32	493	38	439	31	394	34	344	7.0	51.3

		1	15	11	16	1	17	11	18	11	19	12	20
	Indicators	immunize	of fully d children nonths)	9 Drop Out BCG & <i>I</i>	between	Vitamin -	A dose 1	% Children g dose1 to live l	iven Vit A Reported	Childre Vitamin A Children g dos	n given Dose 9 to iven Vit A	Adverse Following I	munisation
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Shopian	2,950	2,759	-68.7	-88.7	2,930	2,740	321.6	275.9	74.6	63.9	0	2
1	Block Keller	613	598	-123.7	-108.9	586	566	247.3	249.3	44.9	70.8	0	2
2	Block Shopain	2,303	1,813	-117.3	-137.0	2,310	1,814	1235.3	1889.6	82.1	72.8		
3	District HQ Shopian	34	348	91.8	15.9	34	360	7.0	53.7	79.4	7.8		

	_Shopian Block Keller	12	21	12	22	13	23	12	24	12	25	12	26
	Indicators	immunisati Held to Imi Sessions	on Sessions	Immunisatio where AS preseo Immunisatio Plan	on Sessions HAs were nt to	Diptheria i 0-5 Years Total Re	Diseases	0-5 Years Total Re	of Age to eported I Diseases	of Age t Reported	eonatorum n 0-5 Years to Total	Tetanus (Children 0- Age to Tota Childhood	Others in -5 Years of I Reported I Diseases
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Shopian	75.7	84.8	69.5	81.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Block Keller	89.7	87.9	84.9	82.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	Block Shopain	71.9	83.6	65.4	80.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	District HQ Shopian	100.0	100.0	100.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

		12	27	12	28	13	29	13	30	13	31	13	32
	Indicators	Polio in Ch Years of Ag Reported Diseases	nildren 0-5 ge to Total	Measles ir 0-5 Years Total Re Childhood	Children of Age to eported I Diseases	Diarrho dehydr Children O Age to Tota Childhood	hea and ation in -5 Years of al Reported d Diseases Years	Malaria in C Years of Ag Reported C Diseases	Children 0-5 ge to Total Childhood	% Adult F Inpatients Adult In	emale to Total	% Children Inp Total In	patient to
	_Shopian	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Shopian	0.0	0.0	0.0	0.0	100.0	100.0	0.0	0.0	57.8	61.0	21.1	22.6
1	Block Keller	0.0	0.0	0.0	0.0	100.0	100.0	0.0	0.0	57.8	58.7	6.9	6.9
2	Block Shopain	0.0	0.0	0.0	0.0	100.0	100.0	0.0	0.0	53.9	51.7	13.1	13.8
3	District HQ Shopian	0.0	0.0	0.0	0.0	100.0	100.0	0.0	0.0	62.7	67.5	34.6	31.4

		13	33	1:	34	13	35	13	36	13	37	13	38
	Indicators	Female I Deaths t Inpatien	to Total	9 Inpatient I Tota		IPD (Nu	umber)	OPD (N	umber)	% IPD t	to OPD	Number Opera	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Shopian			0.0	0.0	11,485	11,356	300,363	237,947	3.8	4.8	1,042	1,145
1	Block Keller			0.0	0.0	1,997	1,831	43,783	35,431	4.6	5.2	123	257
2	Block Shopain			0.0	0.0	4,631	3,121	88,159	59,386	5.3	5.3	161	82
3	District HQ Shopian			0.0	0.0	4,857	6,404	168,421	143,130	2.9	4.5	758	806

	Indicators	1:	39	14	40	14	41	14	42	14	43	14	14
	Indicators	Number Opera		% Major Ope Total Op	rations to	Numb Hyster Surg		Hystere Surgeries Major Op	ectomy to Total	Ayush OPD	(Number)	AYUSH OP OF	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Shopian	9,364	6,131	10.0	15.7	0	0	0.0	0.0	26,923	25,505	8.9	10.7
1	Block Keller	850	652	12.6	28.3	0	0	0.0	0.0	856	549	2.0	1.5
2	Block Shopain	5,081	2,800	3.1	2.8			0.0	0.0	18,752	11,120	21.3	18.7
3	District HQ Shopian	3,433	2,679	18.1	23.1			0.0	0.0	7,315	13,836	4.3	9.7

		145		146		147		148		149		150	
Indicators		Dental OPD (Number)		% Dental OPD to Total OPD		Adolescent counselled (Number)		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female HIV Positive to Total Females Tested	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Shopian	25,372	19,731	8.4	8.3	2,033	1,847	3.6	1.8	0.0	0.0	0.0	0.0
1	Block Keller	4,144	2,787	9.5	7.9	351	76	3.1	7.0	0.0	0.0	0.0	0.0
2	Block Shopain	8,484	3,321	9.6	5.6	872	432	0.4	0.3	0.0	0.0	0.0	0.0
3	District HQ Shopian	12,744	13,623	7.6	9.5	810	1,339	7.3	0.0	0.0	0.0	0.0	0.0

Indicators		151		152		153		154		155		156	
		% Total HIV Positive to Total Tested (Male + Female)		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Shopian	0.0	0.0					2	8	0.0	0.0	0.0	12.5
1	Block Keller	0.0	0.0						2		0.0		0.0
2	Block Shopain	0.0	0.0					2	6	0.0	0.0	0.0	16.7
3	District HQ Shopian	0.0	0.0										

		157		158		159		160		161		162	
Indicators		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Shopian	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	87.5
1	Block Keller		0.0		0.0		0.0		0.0		0.0		100.0
2	Block Shopain	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	83.3
3	District HQ Shopian												