|   |                    | 1  | 2  | 3  | 4  | 5  | 6  | 7   | 8  | 9  | 10  | 11  | 12   | 13   |
|---|--------------------|--|--|--|--|--|--|---|--|--|---|---|--|--|
|   | Indicators         | Total<br>number<br>of<br>pregnant<br>women<br>Registere<br>d for ANC | Number<br>of<br>Pregnant<br>women<br>registere<br>d within<br>first<br>trimester | % 1st Trimeste r registrati on to Total ANC Registrati ons | Number<br>of<br>pregnant<br>women<br>received<br>4 or more<br>ANC<br>check ups | TT2 given<br>to<br>Pregnant<br>women<br>(numbers | TT<br>Booster<br>given to<br>Pregnant<br>women<br>(numbers | % Pregnant Woman received 4 ANC check ups to Total ANC Registrati ons | % Pregnant women received TT2+ TT Booster to Total ANC Registrati on | Number<br>of<br>Pregnant<br>women<br>given 180<br>IFA<br>tablets | % Pregnant women given 180 IFA to Total ANC Registrati on | Number<br>of<br>Pregnant<br>women<br>having Hb<br>level<11<br>(tested<br>cases) | Number<br>of<br>Pregnant<br>Women<br>having<br>severe<br>anaemia<br>(Hb<7)<br>treated<br>at<br>institutio<br>n | % Pregnant women having severe anaemia (Hb<7) treated at institutio n to women having hb level<7 |
|   |                    | 2017-18  | 2017-18  | 2017-18  | 2017-18  | 2017-18  | 2017-18  | 2017-18   | 2017-18  | 2017-18  | 2017-18   | 2017-18   | 2017-18  | 2017-18  |
|   | _South East        | 45,788   | 20,443   | 44.6   | 14,335   | 13,811   | 4,174  | 31.3  | 39.2   | 15,363   | 33.5  | 15,297  | 409  | 42.8   |
| 1 | Autonomous         | 321  | 125  | 38.9   | 33   | 7  | 6  | 10.3  | 4.0  | 31   | 9.7   | 73  | 0  | 0.0  |
| 2 | CGHS               | 129  | 80   | 62.0   | 41   | 75   | 12   | 31.8  | 67.4   | 32   | 24.8  | 13  | 3  | 100.0  |
| 3 | Delhi Govt         | 11,452   | 4,432  | 38.7   | 2,147  | 4,453  | 1,044  | 18.7  | 48.0   | 4,196  | 36.6  | 4,089   | 124  | 74.3   |
| 4 | ESI                | 3,750  | 1,603  | 42.7   | 5,226  | 721  | 36   | 139.4   | 20.2   | 2,895  | 77.2  | 680   | 97   | 77.0   |
| 5 | IPP VIII-MCD       | 6,605  | 3,245  | 49.1   | 1,468  | 2,330  | 476  | 22.2  | 42.5   | 2,001  | 30.3  | 3,366   | 40   | 10.8   |
| 6 | MCW Centres<br>MCD | 9,135  | 4,078  | 44.6   | 3,222  | 4,247  | 895  | 35.3  | 56.3   | 3,323  | 36.4  | 4,265   | 106  | 79.7   |
| 7 | Private            | 14,396   | 6,880  | 47.8   | 2,198  | 1,978  | 1,705  | 15.3  | 25.6   | 2,885  | 20.0  | 2,811   | 39   | 25.3   |

|   |                    | 14   | 15                              | 16   | 17   | 18   | 19   | 20   | 21   | 22  | 23  | 24  | 25  | 26  |
|---|--------------------|--|---------------------------------|--|--|--|--|--|--|---|---|---|---|---|
|   | Indicators         | % New cases of Pregnant Women detected at institutio n for hyperten sion to Total ANC Registrati ons | Number<br>of Home<br>deliveries | Number<br>of home<br>deliveries<br>attended<br>by SBA<br>trained<br>(Doctor/<br>Nurse/<br>ANM) | Number<br>of home<br>deliveries<br>attended<br>by Non<br>SBA<br>trained<br>(trained<br>TB/Dai) | %<br>SBA<br>attended<br>home<br>deliveries<br>to Total<br>Reported<br>Home<br>Deliveries | Deliveries<br>Conducte<br>d at<br>Public<br>Institutio<br>ns | Number<br>of<br>Women<br>Discharge<br>d under<br>48 hours<br>of<br>delivery<br>in public<br>facilities | % Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at public institutio ns | Deliveries<br>Conducte<br>d at<br>Private<br>Institutio<br>ns | Number<br>of<br>Women<br>Discharge<br>d under<br>48 hours<br>of<br>delivery<br>in private<br>institutio<br>ns | % Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at private institutio ns | Institutio<br>nal<br>deliveries<br>(Public<br>Insts.+Pvt<br>. Insts.) | %<br>Institutio<br>nal<br>Deliveries<br>to total<br>ANC<br>registrati<br>on |
|   |                    | 2017-18  | 2017-18                         | 2017-18  | 2017-18  | 2017-18  | 2017-18  | 2017-18  | 2017-18  | 2017-18   | 2017-18   | 2017-18   | 2017-18   | 2017-18   |
|   | _South East        | 1.1  | 731                             | 95   | 636  | 12.9   | 2,950  | 1,560  | 52.8   | 3,786   | 1,809   | 47.7  | 6,736   | 14.7  |
| 1 | Autonomous         | 0.0  |                                 |  |  |  |  |  |  |   |   |   |   | 0.0   |
| 2 | CGHS               | 0.0  |                                 |  |  |  |  |  |  |   |   |   |   | 0.0   |
| 3 | Delhi Govt         | 0.7  | 444                             | 33   | 411  | 7.4  | 0  | 0  |  |   |   |   | 0   | 0.0   |
| 4 | ESI                | 3.1  |                                 |  |  |  | 1,853  | 1,134  | 61.2   |   |   |   | 1,853   | 49.4  |
| 5 | IPP VIII-MCD       | 1.6  | 168                             | 38   | 130  | 22.6   | 515  | 327  | 63.5   |   |   |   | 515   | 7.8   |
| 6 | MCW Centres<br>MCD | 0.7  | 119                             | 24   | 95   | 20.2   | 582  | 99   | 17.0   |   |   |   | 582   | 6.4   |
| 7 | Private            | 1.0  |                                 |  |  |  |  |  |  | 3,786   | 1,809   | 47.8  | 3,786   | 26.3  |

|   |                    | 27                              | 28   | 29  | 30  | 31  | 32   | 33   | 34  | 35  | 36   | 37  | 38   | 39   |
|---|--------------------|---------------------------------|--|---|---|---|--|--|---|---|--|---|--|--|
|   | Indicators         | Total<br>reported<br>deliveries | % Institutio nal deliveries to Total Reported Deliveries | %<br>Safe<br>deliveries<br>to Total<br>Reported<br>Deliveries | %<br>Home<br>deliveries<br>to Total<br>Reported<br>Deliveries | Number<br>of<br>C-section<br>deliveries<br>conducte<br>d at<br>public<br>facilities | Number<br>of<br>C-section<br>deliveries<br>conducte<br>d at<br>private<br>facilities | % C-section deliveries (Public + Pvt.) to reported institutio nal (Public + Pvt.) deliveries | % C-section s conducte d at public facilities to Deliveries conducte d at public facilities | % C-section s conducte d at Private facilities to Deliveries conducte d at private facilities | % Deliveries conducte d at Public Institutio ns to Total Institutio nal Deliveries | % Deliveries conducte d at Private Institutio ns to Total Institutio nal Deliveries | Women<br>received<br>1st post<br>partum<br>check-up<br>within 48<br>hours of<br>home<br>delivery | Women<br>received<br>1st post<br>partum<br>check up<br>between<br>48 hours<br>and 14<br>days |
|   |                    | 2017-18                         | 2017-18  | 2017-18   | 2017-18   | 2017-18   | 2017-18  | 2017-18  | 2017-18   | 2017-18   | 2017-18  | 2017-18   | 2017-18  | 2017-18  |
|   | _South East        | 7,467                           | 90.2   | 91.5  | 9.8   | 473   | 2,004  | 36.7   | 16.0  | 52.9  | 43.8   | 56.2  | 459  | 3,109  |
| 1 | Autonomous         |                                 |  |   |   |   |  |  |   |   |  |   |  |  |
| 2 | CGHS               |                                 |  |   |   |   |  |  |   |   |  |   |  |  |
| 3 | Delhi Govt         | 444                             | 0.0  | 7.4   | 100.0   |   |  |  |   |   |  |   | 243  | 110  |
| 4 | ESI                | 1,853                           | 100.0  | 100.0   | 0.0   | 473   |  | 25.5   | 25.5  |   | 100.0  | 0.0   | 0  | 425  |
| 5 | IPP VIII-MCD       | 683                             | 75.4   | 81.0  | 24.6  |   |  | 0.0  | 0.0   |   | 100.0  | 0.0   | 134  | 454  |
| 6 | MCW Centres<br>MCD | 701                             | 83.0   | 86.4  | 17.0  | 0   |  | 0.0  | 0.0   |   | 100.0  | 0.0   | 80   | 781  |
| 7 | Private            | 3,786                           | 100.0  | 100.0   | 0.0   |   | 2,004  | 52.9   |   | 52.9  | 0.0  | 100.0   | 2  | 1,339  |

|   |                    | 40  | 41  | 42  | 43  | 44   | 45   | 46  | 47   | 48  | 49   | 50   | 51   | 52   |
|---|--------------------|---|---|---|---|--|--|---|--|---|--|--|--|--|
|   | Indicators         | % Women getting 1st post partum check-up within 48 hours of home delivery to Total Reported Home Deliveries | % Women getting 1st Post Partum Checkup between 48 hours and 14 days to Total Reported Deliveries | Total<br>Number<br>of<br>reported<br>live<br>births | %<br>Live<br>Births to<br>Total<br>Deliveries | Total<br>Number<br>of<br>reported<br>Still<br>Births | %<br>live birth<br>to<br>Reported<br>Birth | Number<br>of<br>Newborns<br>weighed<br>at birth | %<br>Newborns<br>weighed<br>at birth<br>to live<br>birth | Number<br>of<br>Newborns<br>having<br>weight<br>less than | % Newborns having weight less than 2.5 kg to Newborns weighed at birth | Number<br>of New<br>Borns<br>Breast<br>Fed<br>within 1<br>hour | % Newborns breast fed within 1 hour of birth to Total live | Sex Ratio<br>at<br>birth<br>( Female<br>Live<br>Births/<br>Male Live<br>Births<br>*1000) |
|   |                    | 2017-18   | 2017-18   | 2017-18   | 2017-18                                       | 2017-18  | 2017-18                                    | 2017-18   | 2017-18  | 2017-18   | 2017-18  | 2017-18  | 2017-18  | 2017-18  |
|   | _South East        | 62.8  | 41.6  | 7,643   | 102.4   | 69   | 99.1                                       | 7,266   | 95.1   | 1,038   | 14.2   | 4,372  | 57.2   | 902  |
| 1 | Autonomous         |   |   |   |   |  |  |   |  |   |  |  |  | 0  |
| 2 | CGHS               |   |   | 3   |   |  | 100.0                                      |   | 0.0  |   |  |  | 0.0  | 500  |
| 3 | Delhi Govt         | 54.7  | 24.8  | 437   | 98.4  | 2  | 99.5                                       | 325   | 74.4   | 22  | 6.8  | 354  | 81.0   | 860  |
| 4 | ESI                |   | 22.9  | 1,842   | 99.4  | 17   | 99.1                                       | 1,842   | 100.0  | 327   | 17.8   | 772  | 41.9   | 861  |
| 5 | IPP VIII-MCD       | 79.8  | 66.5  | 682   | 99.9  | 3  | 99.6                                       | 636   | 93.3   | 71  | 11.2   | 665  | 97.5   | 938  |
| 6 | MCW Centres<br>MCD | 67.2  | 111.4   | 722   | 103.0   | 1  | 99.9                                       | 662   | 91.7   | 61  | 9.2  | 665  | 92.1   | 832  |
| 7 | Private            |   | 35.4  | 3,957   | 104.5   | 46   | 98.9                                       | 3,801   | 96.1   | 557   | 14.7   | 1,916  | 48.4   | 935  |

|   |                    | 53  | 54  | 55   | 56  | 57   | 58  | 59  | 60  | 61   | 62  | 63   | 64  | 65  |
|---|--------------------|---|---|--|---|--|---|---|---|--|---|--|---|---|
|   | Indicators         | % cases of Pregnant women with Obstetric Complica tions and attended to reported deliveries | % Complica ted Pregnanci es treated with Blood Transfusi on to Total Women with Obstetric Complica tions attended | Number<br>of PW<br>given 360<br>Calcium<br>tablets | %<br>Pregnant<br>women<br>given 360<br>Calcium<br>to Total<br>ANC<br>Registrati<br>on | Number<br>of PW<br>given one<br>Albendaz<br>ole tablet<br>after 1st<br>trimester | % Pregnant women given one Albendaz ole tablet after 1st trimester to Total ANC Registrati on | Number<br>of PW<br>tested<br>for blood<br>sugar<br>using<br>OGTT<br>(Oral<br>Glucose<br>Toleranc<br>e Test) | % Pregnant women tested for blood sugar using OGTT to Total ANC Registrati on | Number<br>of PW<br>tested<br>positive<br>for GDM | % Pregnant women tested positive for GDM to Total ANC Registrati on | Number<br>of<br>pregnant<br>women<br>tested<br>for<br>Syphilis | Number<br>of<br>pregnant<br>women<br>tested<br>found<br>sero<br>positive<br>for<br>Syphilis | % Pregnant women tested for Syphilis to Total ANC Registrati on |
|   |                    | 2017-18   | 2017-18   | 2017-18  | 2017-18   | 2017-18  | 2017-18   | 2017-18   | 2017-18   | 2017-18  | 2017-18   | 2017-18  | 2017-18   | 2017-18   |
|   | _South East        | 7.0   | 24.6  | 13,659   | 29.8  | 5,184  | 11.3  | 947   | 2.1   | 50   | 0.1   | 5,915  | 29  | 12.9  |
| 1 | Autonomous         |   |   | 31   | 9.7   | 2  | 0.6   | 24  | 7.5   | 0  | 0.0   | 112  | 1   | 34.9  |
| 2 | CGHS               |   |   | 30   | 23.3  | 8  | 6.2   | 0   | 0.0   | 0  | 0.0   |  |   | 0.0   |
| 3 | Delhi Govt         | 0.0   |   | 3,141  | 27.4  | 2,729  | 23.8  | 10  | 0.1   | 0  | 0.0   | 1,796  | 2   | 15.7  |
| 4 | ESI                | 10.3  | 51.3  | 2,775  | 74.0  | 88   | 2.3   | 10  | 0.3   | 5  | 0.1   | 26   | 20  | 0.7   |
| 5 | IPP VIII-MCD       | 2.0   | 0.0   | 2,715  | 41.1  | 1,127  | 17.1  | 44  | 0.7   | 3  | 0.0   | 2,247  | 4   | 34.0  |
| 6 | MCW Centres<br>MCD | 6.1   | 0.0   | 2,765  | 30.3  | 1,179  | 12.9  | 745   | 8.2   | 37   | 0.4   | 1,468  | 2   | 16.1  |
| 7 | Private            | 7.4   | 11.4  | 2,202  | 15.3  | 51   | 0.4   | 114   | 0.8   | 5  | 0.0   | 266  | 0   | 1.8   |

|   |                    | 66   | 67   | 68                              | 69  | 70  | 71  | 72                                 | 73  | 74  | 75  | 76   | 77  | 78   |
|---|--------------------|--|--|---------------------------------|---|---|---|------------------------------------|---|---|---|--|---|--|
|   | Indicators         | % Pregnant women treatd for Syphilis to Total sero positive for Syphilis | % of babies treated for congenita I Syphilis to babies total diagnosed with Congenit al Syphilis | Total no.<br>maternal<br>deaths | Total<br>Facility<br>Based<br>Maternal<br>Death<br>Reviews<br>(FBMDR)<br>done | Total<br>Number<br>of<br>Abortions<br>(Spontan<br>eous)<br>Reported | Total<br>Number<br>of<br>MTPs<br>( Public)<br>conducte<br>d | %<br>MTPs to<br>total<br>Abortions | % MTPs up to 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns | % MTPs more than 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns | %<br>MTPs<br>Conducte<br>d at<br>Public<br>Institutio<br>ns to<br>Total<br>MTPs | % MTPs Conducte d at Private Institutio ns to Total MTPs | % Total MTPs (Public) Conducte d to Total ANC Registrati on | Number<br>of<br>Vasectom<br>ies<br>Conducte<br>d |
|   |                    | 2017-18  | 2017-18  | 2017-18                         | 2017-18   | 2017-18   | 2017-18   | 2017-18                            | 2017-18   | 2017-18   | 2017-18   | 2017-18  | 2017-18   | 2017-18  |
|   | _South East        | 0.1  |  | 0                               | 0   | 1,171   | 372   | 55.7                               | 97.0  | 3.0   | 25.3  | 74.7   | 0.8   | 6  |
| 1 | Autonomous         | 0.0  |  |                                 |   | 67  | 55  | 45.1                               | 100.0   | 0.0   | 100.0   | 0.0  | 17.1  |  |
| 2 | CGHS               |  |  |                                 |   |   |   |                                    |   |   |   |  | 0.0   |  |
| 3 | Delhi Govt         | 0.1  |  |                                 |   | 0   | 7   | 100.0                              | 100.0   | 0.0   | 100.0   | 0.0  | 0.1   | 0  |
| 4 | ESI                | 0.0  |  | 0                               | 0   | 193   | 75  | 28.0                               | 100.0   | 0.0   | 100.0   | 0.0  | 2.0   | 0  |
| 5 | IPP VIII-MCD       | 0.0  |  |                                 |   | 124   | 235   | 65.5                               | 95.3  | 4.7   | 100.0   | 0.0  | 3.6   | 2  |
| 6 | MCW Centres<br>MCD | 0.1  |  |                                 |   | 6   |   | 0.0                                |   |   |   |  | 0.0   | 0  |
| 7 | Private            | 0.0  |  | 0                               | 0   | 781   |   | 58.4                               |   |   | 0.0   | 100.0  | 0.0   | 4  |

|   |                    | 79   | 80  | 81  | 82   | 83  | 84  | 85  | 86   | 87  | 88  | 89  | 90   | 91   |
|---|--------------------|--|---|---|--|---|---|---|--|---|---|---|--|--|
|   | Indicators         | Number<br>of<br>Tubecto<br>mies<br>Conducte<br>d | Total<br>Sterilisati<br>on<br>Conducte<br>d | % Male Sterlisati on (Vasecto mies) to Total sterilisati on | % Female Serlisatio n (Tubecto mies) to Total sterilisati on | Total<br>Sterlisati<br>on<br>(Tubecto<br>mies and<br>Vasectom<br>ies)<br>conducte<br>d at PHC | Total<br>Sterlisati<br>on<br>(Tubecto<br>mies and<br>Vasectom<br>ies)<br>conducte<br>d at CHC | Total<br>Sterlisati<br>on<br>(Tubecto<br>mies and<br>Vasectom<br>ies)<br>conducte<br>d at SDH | Total<br>Sterlisati<br>on<br>(Tubecto<br>mies and<br>Vasectom<br>ies)<br>conducte<br>d at DH | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns | Total<br>Sterlisati<br>on<br>(Tubecto<br>mies and<br>Vasectom<br>ies)<br>conducte<br>d at<br>Public<br>institutio<br>ns | % Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns to Total Sterlisati on | % Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Public institutio ns to Total Sterlisati on | %<br>Laparosc<br>opic<br>sterlisati<br>ons to<br>Total<br>Female<br>Sterilisati<br>ons |
|   |                    | 2017-18  | 2017-18                                     | 2017-18   | 2017-18  | 2017-18   | 2017-18   | 2017-18   | 2017-18  | 2017-18   | 2017-18   | 2017-18   | 2017-18  | 2017-18  |
|   | _South East        | 498  | 504   | 1.1   | 98.8   |   |   |   |  | 392   | 112   | 77.8  | 22.2   | 56.4   |
| 1 | Autonomous         |  |   |   |  |   |   |   |  |   |   |   |  |  |
| 2 | CGHS               |  |   |   |  |   |   |   |  |   |   |   |  |  |
| 3 | Delhi Govt         |  | 0   |   |  |   |   |   |  |   | 0   |   |  |  |
| 4 | ESI                | 107  | 107   | 0.0   | 100.0  |   |   |   |  |   | 107   | 0.0   | 100.0  | 15.9   |
| 5 | IPP VIII-MCD       |  | 2   | 100.0   | 0.0  |   |   |   |  |   | 2   | 0.0   | 100.0  |  |
| 6 | MCW Centres<br>MCD | 3  | 3   | 0.0   | 100.0  |   |   |   |  |   | 3   | 0.0   | 100.0  | 100.0  |
| 7 | Private            | 388  | 392   | 1.0   | 99.0   |   |   |   |  | 392   |   | 100.0   | 0.0  | 67.3   |

|   |                    | 92   | 93   | 94   | 95  | 96  | 97   | 98   | 99   | 100  | 101  | 102   | 103   | 104  |
|---|--------------------|--|--|--|---|---|--|--|--|--|--|---|---|--|
|   | Indicators         | %<br>Mini Lap<br>Sterlisati<br>ons to<br>Total<br>Female<br>Sterilisati<br>ons | % Post Partum Sterlisati ons to Total Female Sterilisati ons | % Post Abortion Sterlisati ons to Total Female Sterilisati ons | % Laparosc opic sterlisati ons at Public Institutio ns to Total Laparosc opic Sterilisati ons | % Mini Lap sterlisati ons at Public Institutio ns to Total Mini Lap Sterilisati ons | % Post Partum sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on | % Post Abortion sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on | Total<br>cases of<br>deaths<br>following<br>Sterlisati<br>on<br>(Male +<br>Female) | Total<br>cases of<br>deaths<br>following<br>Male<br>Sterlisati<br>on | Total<br>cases of<br>deaths<br>following<br>Female<br>Sterlisati<br>on | Total<br>cases of<br>failure<br>following<br>Male<br>Sterlisati<br>on | Total<br>cases of<br>failure<br>following<br>Female<br>Sterlisati<br>on | Total<br>cases of<br>complicat<br>ion<br>following<br>Male<br>Sterlisati<br>on |
|   |                    | 2017-18  | 2017-18  | 2017-18  | 2017-18   | 2017-18   | 2017-18  | 2017-18  | 2017-18  | 2017-18  | 2017-18  | 2017-18   | 2017-18   | 2017-18  |
|   | _South East        | 5.6  | 22.8   | 15.0   | 7.1   | 25.0  | 52.6   | 30.7   | 0  | 0  | 0  | 0   | 0   | 0  |
| 1 | Autonomous         |  |  |  |   |   |  |  |  |  |  |   |   |  |
| 2 | CGHS               |  |  |  |   |   |  |  |  |  |  |   |   |  |
| 3 | Delhi Govt         |  |  |  |   |   |  |  |  |  |  |   |   |  |
| 4 | ESI                | 6.5  | 56.1   | 21.5   | 100.0   | 100.0   | 100.0  | 100.0  | 0  | 0  | 0  | 0   | 0   | 0  |
| 5 | IPP VIII-MCD       |  |  |  |   |   |  |  |  |  |  |   |   | 0  |
| 6 | MCW Centres<br>MCD | 0.0  | 0.0  | 0.0  | 100.0   |   |  |  |  |  |  |   |   |  |
| 7 | Private            | 5.4  | 13.9   | 13.4   | 0.0   | 0.0   | 0.0  | 0.0  | 0  | 0  | 0  | 0   | 0   | 0  |

|   |                    | 105  | 106  | 107  | 108   | 109   | 110  | 111   | 112                                    | 113                                   | 114   | 115                                    | 116                                 | 117  |
|---|--------------------|--|--|--|---|---|--|---|--|---------------------------------------|---|--|-------------------------------------|--|
|   | Indicators         | Total<br>cases of<br>complicat<br>ion<br>following<br>Female<br>Sterlisati<br>on | IUCD<br>Insertions<br>done<br>(public<br>facilities) | IUCD<br>insertions<br>done<br>(pvt.<br>facilities) | % PP IUCD Insertions (public) to Total IUCD Insertions (public) | % PP IUCD Insertions (public) to Total Institutio nal Deliveries (public) | % IUCD insertions to all family planning methods ( IUCD plus permane nt) | Total<br>Interval<br>IUCD<br>Insertions<br>done | Total PP<br>IUCD<br>Insertions<br>done | Total<br>PAIUCD<br>insertions<br>done | Combine<br>d Oral<br>Pills<br>distribute<br>d | Emergenc<br>y pills<br>distribute<br>d | Condom<br>pieces<br>distribute<br>d | Centchro<br>man<br>( weekly<br>pills)<br>distribute<br>d |
|   |                    | 2017-18  | 2017-18  | 2017-18  | 2017-18   | 2017-18   | 2017-18  | 2017-18   | 2017-18                                | 2017-18                               | 2017-18                                       | 2017-18                                | 2017-18                             | 2017-18  |
|   | _South East        | 6  | 2,307  | 306  | 16.9  | 13.2  | 83.8   | 1,926   | 476                                    | 211                                   | 16,436  | 1,075                                  | 513,459                             | 20   |
| 1 | Autonomous         |  | 79   |  | 0.0   |   | 100.0  | 67  |  | 12                                    | 64  | 9                                      | 715                                 | 8  |
| 2 | CGHS               |  | 6  |  | 0.0   |   | 100.0  | 6   |  |                                       | 113   | 4                                      | 16,320                              | 0  |
| 3 | Delhi Govt         |  | 665  |  | 0.0   |   | 100.0  | 665   | 0                                      | 0                                     | 7,285   | 784                                    | 224,098                             | 0  |
| 4 | ESI                | 0  | 407  |  | 72.7  | 16.0  | 79.2   | 52  | 296                                    | 59                                    | 508   | 0                                      | 33,165                              | 0  |
| 5 | IPP VIII-MCD       | 0  | 539  |  | 8.0   | 8.3   | 99.6   | 360   | 43                                     | 136                                   | 3,706   | 69                                     | 99,468                              | 0  |
| 6 | MCW Centres<br>MCD |  | 611  |  | 8.5   | 8.9   | 99.5   | 559   | 52                                     | 0                                     | 4,067   | 208                                    | 132,200                             | 12   |
| 7 | Private            | 6  |  | 306  |   |   | 43.8   | 217   | 85                                     | 4                                     | 693   | 1                                      | 7,493                               | 0  |

|   |                    | 118  | 119  | 120  | 121   | 122                                | 123   | 124                               | 125   | 126   | 127  | 128   | 129                                   | 130                                   |
|---|--------------------|--|--|--|---|------------------------------------|---|-----------------------------------|---|---|--|---|---------------------------------------|---------------------------------------|
|   | Indicators         | Number<br>of<br>beneficia<br>ries given<br>1st dose<br>of<br>Injectabl<br>e<br>(Antara<br>Program) | Number<br>of<br>beneficia<br>ries given<br>2nd<br>dose of<br>Injectabl<br>e<br>(Antara<br>Program) | Number<br>of<br>beneficia<br>ries given<br>3rd dose<br>of<br>Injectabl<br>e<br>(Antara<br>Program) | Number of beneficia ries given 4th or more than 4 doses of Injectabl e (Antara Program) | Pregnanc<br>y testing<br>kits used | Number<br>of Infants<br>given<br>OPV 0<br>(Birth<br>Dose) | Number<br>of Infants<br>given BCG | Number<br>of Infants<br>given<br>Hep- B0<br>(birth<br>dose) | %<br>Newborns<br>given<br>OPVO at<br>birth to<br>Reported<br>live birth | %<br>Newborns<br>given BCG<br>to<br>Reported<br>live birth | % Newborns given Hep-B0 (Birth Dose)at birth to Reported live birth | Number<br>of Infants<br>given<br>DPT1 | Number<br>of Infants<br>given<br>DPT2 |
|   |                    | 2017-18  | 2017-18  | 2017-18  | 2017-18   | 2017-18                            | 2017-18   | 2017-18                           | 2017-18   | 2017-18   | 2017-18  | 2017-18   | 2017-18                               | 2017-18                               |
|   | _South East        | 15   | 0  | 0  | 20  | 18,408                             | 5,645   | 11,060                            | 5,334   | 73.9  | 144.7  | 69.8  | 1,750                                 | 1,655                                 |
| 1 | Autonomous         |  |  |  |   | 395                                |   |                                   |   |   |  |   |                                       |                                       |
| 2 | CGHS               |  |  |  |   | 11                                 | 1   | 5                                 | 2   | 33.3  | 166.7  | 66.7  | 1                                     | 4                                     |
| 3 | Delhi Govt         |  |  |  |   | 6,918                              | 144   | 2,493                             | 58  | 33.0  | 570.5  | 13.3  | 177                                   | 112                                   |
| 4 | ESI                | 15   | 0  | 0  | 0   | 537                                | 1,726   | 1,648                             | 1,668   | 93.7  | 89.5   | 90.6  | 37                                    | 40                                    |
| 5 | IPP VIII-MCD       | 0  | 0  | 0  | 0   | 3,905                              | 623   | 1,106                             | 527   | 91.3  | 162.2  | 77.3  | 59                                    | 79                                    |
| 6 | MCW Centres<br>MCD | 0  | 0  | 0  | 20  | 5,724                              | 692   | 2,293                             | 633   | 95.8  | 317.6  | 87.7  | 110                                   | 95                                    |
| 7 | Private            | 0  | 0  | 0  | 0   | 918                                | 2,459   | 3,515                             | 2,446   | 62.1  | 88.8   | 61.8  | 1,366                                 | 1,325                                 |

|   |                    | 131                                   | 132  | 133  | 134  | 135                                      | 136                              | 137   | 138   | 139   | 140   | 141  | 142  | 143   |
|---|--------------------|---------------------------------------|--|--|--|--|----------------------------------|---|---|---|---|--|--|---|
|   | Indicators         | Number<br>of Infants<br>given<br>DPT3 | Number<br>of Infants<br>given<br>Pentavale<br>nt 1 | Number<br>of Infants<br>given<br>Pentavale<br>nt 2 | Number<br>of Infants<br>given<br>Pentavale<br>nt 3 | Number<br>of Infants<br>given<br>Measles | Number<br>of Infants<br>given MR | % Infants 0 to 11 months old who received Measles+ MR vaccine to reported live births | Number<br>of fully<br>immunize<br>d<br>children<br>(9-11<br>months) | %<br>Drop Out<br>between<br>BCG &<br>Measles/<br>MR | % Children given Vit A dose1 to Reported live birth | %<br>Children<br>given<br>Vitamin A<br>Dose 9 to<br>Children<br>given Vit<br>A dose1 | Adverse<br>Events<br>Following<br>Imunisati<br>on<br>(Abcess ) | Adverse<br>Events<br>Following<br>Imunisati<br>on<br>(Deaths) |
|   |                    | 2017-18                               | 2017-18  | 2017-18  | 2017-18  | 2017-18                                  | 2017-18                          | 2017-18   | 2017-18   | 2017-18   | 2017-18   | 2017-18  | 2017-18  | 2017-18   |
|   | _South East        | 1,263                                 | 20,714   | 20,620   | 20,124   | 23,742                                   | 828                              | 321.4   | 23,132  | -114.7  | 286.7   | 37.9   | 0  | 1   |
| 1 | Autonomous         |                                       |  |  |  |  |                                  |   |   |   |   |  |  |   |
| 2 | CGHS               | 0                                     | 95   | 119  | 137  | 186                                      | 1                                | 6233.3  | 161   | -620.0  | 6366.7  | 42.4   | 0  | 0   |
| 3 | Delhi Govt         | 98                                    | 9,282  | 9,430  | 9,250  | 11,425                                   | 2                                | 2614.9  | 11,237  | -358.3  | 2484.4  | 33.2   | 0  | 1   |
| 4 | ESI                | 96                                    | 709  | 371  | 452  | 434                                      | 18                               | 24.5  | 309   | 73.7  | 13.8  | 15.7   | 0  | 0   |
| 5 | IPP VIII-MCD       | 58                                    | 2,903  | 2,941  | 2,801  | 3,270                                    | 21                               | 482.6   | 3,202   | -195.7  | 425.4   | 14.2   | 0  | 0   |
| 6 | MCW Centres<br>MCD | 86                                    | 6,212  | 6,304  | 6,166  | 7,130                                    | 109                              | 1002.6  | 7,025   | -210.9  | 964.1   | 55.6   | 0  | 0   |
| 7 | Private            | 925                                   | 1,513  | 1,455  | 1,318  | 1,297                                    | 677                              | 49.9  | 1,198   | 63.1  | 18.8  | 40.3   | 0  | 0   |

|   |                    | 144   | 145   | 146   | 147   | 148  | 149  | 150  | 151  | 152   | 153   | 154   | 155  | 156   |
|---|--------------------|---|---|---|---|--|--|--|--|---|---|---|--|---|
|   | Indicators         | Adverse<br>Events<br>Following<br>Imunisati<br>on<br>(Others) | % immunisa tion Sessions Held to Immunisa tion Sessions Planned | % Immunisa tion Sessions where ASHAs were present to Immunisa tion Sessions Planned | Pneumoni<br>a in<br>Children<br>0-5 Years<br>of Age | Asthma in<br>Children<br>0-5 Years<br>of Age | Sepsis in<br>Children<br>0-5 Years<br>of Age | Diphtheri<br>a in<br>Children<br>0-5 Years<br>of Age | Pertussis<br>in<br>Children<br>0-5 Years<br>of Age | Tetanus<br>Neonator<br>um in<br>Children<br>0-5 Years<br>of Age | Tubercul<br>osis<br>(TB)<br>in<br>Children<br>0-5 Years<br>of Age | Acute<br>Flaccid<br>Paralysis<br>(AFP)in<br>Children<br>0-5 Years<br>of Age | Measles<br>in<br>Children<br>0-5 Years<br>of Age | Malaria in<br>Children<br>0-5 Years<br>of Age |
|   |                    | 2017-18   | 2017-18   | 2017-18   | 2017-18   | 2017-18                                      | 2017-18                                      | 2017-18  | 2017-18  | 2017-18   | 2017-18   | 2017-18   | 2017-18  | 2017-18                                       |
|   | _South East        | 1   | 95.4  | 54.4  | 1,033   | 307  | 160  | 10   | 22   | 2   | 69  | 69  | 58   | 1,033   |
| 1 | Autonomous         |   |   |   |   |  |  |  |  |   |   |   |  |   |
| 2 | CGHS               | 0   | 78.9  | 0.0   | 0   | 44   | 0  | 0  | 0  | 0   | 0   | 0   | 0  | 0   |
| 3 | Delhi Govt         | 1   | 96.2  | 74.2  | 207   | 8  | 0  | 0  | 0  | 0   | 0   | 0   | 1  | 207   |
| 4 | ESI                | 0   | 86.8  | 0.0   | 123   | 66   | 22   | 0  | 0  | 2   | 11  | 11  | 4  | 123   |
| 5 | IPP VIII-MCD       | 0   | 98.9  | 74.1  | 461   | 56   | 14   | 0  | 0  | 0   | 0   | 0   | 0  | 461   |
| 6 | MCW Centres<br>MCD | 0   | 95.8  | 48.8  | 4   | 23   | 0  | 0  | 0  | 0   | 0   | 0   | 0  | 4   |
| 7 | Private            | 0   | 95.7  | 2.4   | 238   | 110  | 124  | 10   | 22   | 0   | 58  | 58  | 53   | 238   |

| Indicators |                    | 157  | 158  | 159   | 160   | 161   | 162   | 163  | 164  | 165   | 166   | 167   | 168                             | 169             |
|------------|--------------------|--|--|---|---|---|---|--|--|---|---|---|---------------------------------|-----------------|
|            |                    | Diarrhoea<br>in<br>Children<br>0-5 Years<br>of Age | Diarrhoea<br>treated<br>in<br>Inpatient<br>s in<br>Children<br>0-5 Years<br>of Age | No. of infants given Measles Rubella vaccine 1st dose | No.<br>of infants<br>received<br>Rotavirus<br>Vaccine<br>1st dose | No.<br>of infants<br>received<br>Rotavirus<br>Vaccine<br>2nd dose | No.<br>of infants<br>received<br>Rotavirus<br>Vaccine<br>3nd dose | No of<br>children<br>16-24<br>months<br>age given<br>Measles<br>2nd dose | No of<br>children<br>16-24<br>months<br>age given<br>Measles<br>Rubella<br>Vaccine<br>2nd dose | % Adult Female Inpatient s to Total Adult Inpatient | %<br>Children<br>Inpatient<br>to Total<br>Inpatient | % Female Inpatient Deaths to Total Inpatient Deaths | % Inpatient Deaths to Total IPD | IPD<br>(Number) |
|            |                    | 2017-18  | 2017-18  | 2017-18   | 2017-18   | 2017-18   | 2017-18   | 2017-18  | 2017-18  | 2017-18   | 2017-18   | 2017-18   | 2017-18                         | 2017-18         |
|            | _South East        | 6,173  | 292  | 828   | 728   | 621   | 621   | 21,847   | 219  | 53.9  | 21.6  | 35.4  | 1.1                             | 74,315          |
| 1          | Autonomous         |  |  |   |   |   |   |  |  | 55.5  | 10.4  |   | 0.0                             | 1,441           |
| 2          | CGHS               | 76   | 2  | 1   | 0   | 0   | 0   | 140  | 20   |   |   |   |                                 |                 |
| 3          | Delhi Govt         | 1,838  | 0  | 2   | 0   | 0   | 0   | 10,453   | 76   |   |   |   |                                 |                 |
| 4          | ESI                | 1,030  | 53   | 18  | 0   | 0   | 0   | 30   | 0  | 0.6   | 30.4  | 28.4  | 2.1                             | 3,184           |
| 5          | IPP VIII-MCD       | 721  | 0  | 21  | 0   | 0   | 0   | 3,227  | 9  | 100.0   | 26.2  |   | 0.0                             | 1,269           |
| 6          | MCW Centres<br>MCD | 1,844  | 0  | 109   | 8   | 0   | 0   | 7,498  | 36   | 96.0  | 33.5  |   | 0.0                             | 1,315           |
| 7          | Private            | 664  | 237  | 677   | 720   | 621   | 621   | 499  | 78   | 54.5  | 21.1  | 36.0  | 1.2                             | 67,106          |

| Indicators |                    | 170                     | 171                      | 172                           | 173                | 174                                  | 175                                  | 176   | 177   | 178  | 179                                  | 180                       | 181                                   | 182                                      |
|------------|--------------------|-------------------------|--------------------------|-------------------------------|--------------------|--------------------------------------|--------------------------------------|---|---|--|--------------------------------------|---------------------------|---------------------------------------|--|
|            |                    | OPD<br>(Allopathi<br>c) | Ayush<br>OPD<br>(Number) | OPD<br>(Ayush+Al<br>lopathic) | %<br>IPD to<br>OPD | Number<br>of Major<br>Operatio<br>ns | Number<br>of Minor<br>Operatio<br>ns | %<br>Major<br>Operatio<br>ns to<br>Total<br>Operatio<br>n | Number<br>of<br>Hysterect<br>omy<br>Surgeries | % Hysterect omy Surgeries to Total Major Operatio ns | %<br>AYUSH<br>OPD to<br>Total<br>OPD | Dental<br>OPD<br>(Number) | %<br>Dental<br>OPD to<br>Total<br>OPD | % Hb < 7 mg to Total Hb Tests Conducte d |
|            |                    | 2017-18                 | 2017-18                  | 2017-18                       | 2017-18            | 2017-18                              | 2017-18                              | 2017-18   | 2017-18                                       | 2017-18  | 2017-18                              | 2017-18                   | 2017-18                               | 2017-18                                  |
|            | _South East        | 3,083,609               | 239,524                  | 3,323,133                     | 2.2                | 19,525                               | 16,370                               | 54.4  | 2,245   | 11.4   | 7.2                                  | 30,069                    | 0.9                                   | 1.3                                      |
| 1          | Autonomous         |                         | 133,071                  | 133,071                       | 1.1                |                                      | 105                                  | 0.0   |   |  | 100.0                                |                           | 0.0                                   | 1.9                                      |
| 2          | CGHS               | 272,745                 | 17,774                   | 290,519                       | 0.0                |                                      |                                      |   |   |  | 6.1                                  |                           | 0.0                                   | 0.0                                      |
| 3          | Delhi Govt         | 967,387                 | 55,798                   | 1,023,185                     | 0.0                |                                      |                                      |   |   |  | 5.5                                  | 583                       | 0.1                                   | 3.5                                      |
| 4          | ESI                | 713,779                 | 22,538                   | 736,317                       | 0.4                | 1,073                                | 4,710                                | 18.6  | 69  | 6.4  | 3.1                                  | 16,709                    | 2.3                                   | 2.2                                      |
| 5          | IPP VIII-MCD       | 103,153                 | 0                        | 103,153                       | 1.2                | 0                                    | 0                                    |   | 0   |  | 0.0                                  | 58                        | 0.1                                   | 6.6                                      |
| 6          | MCW Centres<br>MCD | 260,207                 | 6,801                    | 267,008                       | 0.5                |                                      |                                      |   |   |  | 2.5                                  | 3,394                     | 1.3                                   | 2.5                                      |
| 7          | Private            | 766,338                 | 3,542                    | 769,880                       | 8.7                | 18,452                               | 11,555                               | 61.5  | 2,176   | 11.8   | 0.5                                  | 9,325                     | 1.2                                   | 0.5                                      |

| Indicators |                    | 183  | 184  | 185   | 186   | 187  | 188  | 189  | 190  | 191  | 192  | 193   | 194   | 195   |
|------------|--------------------|--|--|---|---|--|--|--|--|--|--|---|---|---|
|            |                    | %<br>Male HIV<br>Positive<br>to Total<br>Males<br>Tested | % Female screened for HIV to Total ANC Registrati on | % Female HIV Positive to Total Females Tested | % Total HIV Positive to Total Tested ( Male + Female) | % Plasmodi um Vivax test positive to Total Blood Smears Examined | % Plasmodi um Falciparu m test positive to Total Blood Smears Examined | Total<br>Number<br>of Infant<br>Deaths<br>reported | % Deaths due to Sepsis to Total Reported Infant Deaths | % Deaths due to Asphyxia to Total Reported Infant Deaths | % Deaths due to Pneumoni a to Total Reported Infant Deaths | % Deaths due to Diarrhoea to Total Reported Infant Deaths | % Deaths due to Fever to Total Reported Infant Deaths | % Deaths due to Measles to Total Reported Infant Deaths |
|            |                    | 2017-18  | 2017-18  | 2017-18                                       | 2017-18   | 2017-18  | 2017-18  | 2017-18  | 2017-18  | 2017-18  | 2017-18  | 2017-18   | 2017-18   | 2017-18   |
|            | _South East        | 0.8  | 22.9   | 0.2   | 0.5   | 1.1  | 0.2  | 77   | 5.2  | 2.6  | 1.3  | 0.0   | 0.0   | 0.0   |
| 1          | Autonomous         | 0.0  | 5.0  | 0.0   | 0.0   | 2.1  | 0.0  |  |  |  |  |   |   |   |
| 2          | CGHS               |  | 0.0  |   |   | 16.3   | 4.1  |  |  |  |  |   |   |   |
| 3          | Delhi Govt         | 0.0  | 2.0  | 1.3   | 0.9   | 0.0  | 0.0  | 3  | 0.0  | 0.0  | 33.3   | 0.0   | 0.0   | 0.0   |
| 4          | ESI                | 0.7  | 84.2   | 0.2   | 0.4   | 1.7  | 0.3  | 13   | 7.7  | 7.7  | 0.0  | 0.0   | 0.0   | 0.0   |
| 5          | IPP VIII-MCD       |  | 1.3  | 0.0   | 0.0   | 1.3  | 0.1  | 0  |  |  |  |   |   |   |
| 6          | MCW Centres<br>MCD | 0.7  | 1.1  | 2.0   | 0.9   | 0.0  | 0.0  | 3  | 0.0  | 0.0  | 0.0  | 0.0   | 0.0   | 0.0   |
| 7          | Private            | 0.8  | 48.0   | 0.2   | 0.5   | 0.7  | 0.1  | 58   | 5.2  | 1.7  | 0.0  | 0.0   | 0.0   | 0.0   |

|   |                    | 196  | 197  | 198   |  |  |
|---|--------------------|--|--|---|--|--|
|   | Indicators         | Institutio<br>nal<br>Deliveries<br>at Urban<br>Heatlh<br>Facilities<br>i.e<br>SC+PHC+<br>CHC+SDH | Institutio<br>nal<br>Deliveries<br>at<br>District<br>Hospitals | Measles<br>immuniza<br>tion at<br>urban<br>Health<br>facilities<br>i.e<br>SC+PHC+<br>CHC+SDH<br>+DH |  |  |
|   |                    | 2017-18  | 2017-18  | 2017-18   |  |  |
|   | _South East        | 3,546  |  |   |  |  |
| 1 | Autonomous         |  |  |   |  |  |
| 2 | CGHS               |  |  |   |  |  |
| 3 | Delhi Govt         | 0  |  |   |  |  |
| 4 | ESI                |  |  |   |  |  |
| 5 | IPP VIII-MCD       | 515  |  |   |  |  |
| 6 | MCW Centres<br>MCD | 582  |  |   |  |  |
| 7 | Private            | 2,449  |  |   |  |  |