| | | | 1 | 1 | 2 | : | 3 | | 4 | | 5 | (| 5 |
|---|----------------------|---------|----------------------------------|---------------------------------------|-----------|----------|-----------------------|------------------------------------|----------------------|-------------------------------|-----------|---------------------------------|-----------|
| | Indicators | pregnan | imber of t women d for ANC | Number of women re within first | egistered | Number o | of Women under JSY | 1st Tri registratio ANC Regi | mester n to Total | JSY regist Total Regist | ration to | Number of women re ANC ch | eceived 3 |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Mysore | 31,290 | 30,283 | 26,535 | 26,324 | 24,101 | 24,446 | 84.8 | 86.9 | 77.0 | 80.7 | 31,544 | 30,718 |
| 1 | Heggadadevankote | 2,912 | 3,134 | 2,730 | 2,957 | 2,873 | 3,059 | 93.8 | 94.4 | 98.7 | 97.6 | 2,799 | 3,566 |
| 2 | Hunsur | 3,285 | 3,367 | 3,071 | 3,106 | 2,801 | 2,874 | 93.5 | 92.2 | 85.3 | 85.4 | 3,209 | 3,307 |
| 3 | Krishnarajanagara | 2,472 | 2,596 | 2,227 | 2,250 | 2,151 | 2,342 | 90.1 | 86.7 | 87.0 | 90.2 | 2,545 | 3,009 |
| 4 | Mysore | 13,287 | 10,737 | 9,631 | 8,371 | 7,746 | 6,758 | 72.5 | 78.0 | 58.3 | 62.9 | 13,770 | 10,661 |
| 5 | Nanjangudu | 3,848 | 4,284 | 3,729 | 4,085 | 3,607 | 4,128 | 96.9 | 95.4 | 93.7 | 96.4 | 4,070 | 4,142 |
| 6 | Periyapatna | 2,552 | 2,891 | 2,353 | 2,581 | 2,112 | 2,195 | 92.2 | 89.3 | 82.8 | 75.9 | 2,397 | 2,745 |
| 7 | Tirumakudal Narsipur | 2,934 | 3,274 | 2,794 | 2,974 | 2,811 | 3,090 | 95.2 | 90.8 | 95.8 | 94.4 | 2,754 | 3,288 |

| | | | 7 | | 8 | | 9 | 1 | 0 | 1 | 1 | 1 | 2 |
|---|----------------------|---------|----------------------------------|--|-----------------------|------------------------------------|---------|-------------------------|---------|--------------------------------------|----------------------|-----------------------------|---------|
| | Indicators | | oster given nt women bers) | Pregnant received 3 ups to To Registr | ANC check otal ANC | Pregnant received Booster to | | Number of women give | | Pregnant given 100 ll ANC Regi | women FA to Total | Number h leve (tested | l<11 |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Mysore | 31,899 | 31,101 | 100.8 | 101.4 | 101.9 | 102.7 | 28,806 | 25,543 | 92.0 | 84.3 | 39,136 | 30,554 |
| 1 | Heggadadevankote | 3,053 | 3,379 | 96.1 | 113.8 | 104.8 | 107.8 | 2,801 | 2,989 | 96.2 | 95.4 | 2,221 | 2,416 |
| 2 | Hunsur | 3,472 | 3,570 | 97.7 | 98.2 | 105.7 | 106.0 | 3,002 | 2,199 | 91.4 | 65.3 | 3,106 | 2,976 |
| 3 | Krishnarajanagara | 2,663 | 2,576 | 103.0 | 115.9 | 107.7 | 99.2 | 2,373 | 2,374 | 96.0 | 91.4 | 2,705 | 1,701 |
| 4 | Mysore | 13,372 | 10,847 | 103.6 | 99.3 | 100.6 | 101.0 | 12,930 | 10,459 | 97.3 | 97.4 | 22,064 | 15,418 |
| 5 | Nanjangudu | 3,633 | 4,588 | 105.8 | 96.7 | 94.4 | 107.1 | 3,385 | 3,478 | 88.0 | 81.2 | 4,026 | 4,898 |
| 6 | Periyapatna | 2,569 | 2,875 | 93.9 | 94.9 | 100.7 | 99.4 | 1,108 | 1,091 | 43.4 | 37.7 | 2,338 | 1,783 |
| 7 | Tirumakudal Narsipur | 3,137 | 3,266 | 93.9 | 100.4 | 106.9 | 99.8 | 3,207 | 2,953 | 109.3 | 90.2 | 2,676 | 1,362 |

| | | 1 | 3 | 1 | 4 | 1 | 5 | 1 | 6 | 1 | 7 | 1 | 8 |
|---|----------------------|---------|--|-------------------------|--|---|--------------------------------------|-----------------|---------|--|---------------------|---------|--|
| | Indicators | anae | ving severe emia i<7) institution | Pregnant having seve | ere anaemia <7) institution having hb | New cases at institu hypertensi ANC Regi | detected ution for on to Total | Number deliv | | Number deliveries a SBA tr (Doctor/No | ttended by ained | Non SBA | of home attended by a trained I TB/Dai) |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Mysore | 1,244 | 1,056 | 3.2 | 3.5 | 4.6 | 5.1 | 4 | 4 | 4 | 2 | 0 | 2 |
| 1 | Heggadadevankote | 82 | 77 | 3.7 | 3.2 | 2.6 | 2.9 | 2 | 2 | 2 | 0 | 0 | 2 |
| 2 | Hunsur | 44 | 94 | 1.4 | 3.2 | 0.3 | 0.8 | 1 | 0 | 1 | 0 | 0 | 0 |
| 3 | Krishnarajanagara | 172 | 116 | 6.4 | 6.8 | 4.1 | 4.5 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | Mysore | 811 | 571 | 3.7 | 3.7 | 8.5 | 11.1 | 0 | 2 | 0 | 2 | 0 | 0 |
| 5 | Nanjangudu | 31 | 14 | 0.8 | 0.3 | 3.1 | 1.5 | 1 | 0 | 1 | 0 | 0 | 0 |
| 6 | Periyapatna | 45 | 41 | 1.9 | 2.3 | 0.3 | 0.6 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7 | Tirumakudal Narsipur | 59 | 143 | 2.2 | 10.5 | 0.1 | 1.0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | 1 | 9 | 2 | 0 | 2 | 1 | 2 | 2 | 2 | 3 | 2 | 4 |
|---|----------------------|-----------------------------|------------|-------------------------------|---------|--|--|----------------------------|---------|---|---------------------------|--|--|
| | Indicators | SBA attendeliveries Reporte | s to Total | Mothers incentive deliv | | Mothers incentive deliveries Reporte Deliv | paid JSY for home s to Total d Home | Deliveries of at Public In | | Number of Discharged hours of d public f | l under 48 lelivery in | Women dis less than 4 delivery Reported at public in | charged in 8 hours of to Total Deliveries |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Mysore | 100.0 | 50.0 | 0 | 1 | 0.0 | 25.0 | 19,480 | 21,649 | 221 | 546 | 1.1 | 2.5 |
| 1 | Heggadadevankote | 100.0 | 0.0 | 0 | 1 | 0.0 | 50.0 | 1,538 | 2,152 | 20 | 17 | 1.3 | 0.8 |
| 2 | Hunsur | 100.0 | | 0 | 0 | 0.0 | | 1,220 | 1,461 | 8 | 41 | 0.7 | 2.8 |
| 3 | Krishnarajanagara | | | 0 | 0 | | | 965 | 1,305 | 6 | 4 | 0.6 | 0.3 |
| 4 | Mysore | | 100.0 | 0 | 0 | | 0.0 | 12,200 | 12,385 | 43 | 465 | 0.4 | 3.8 |
| 5 | Nanjangudu | 100.0 | | 0 | 0 | 0.0 | | 1,557 | 1,852 | 9 | 4 | 0.6 | 0.2 |
| 6 | Periyapatna | | | 0 | 0 | | | 742 | 932 | 135 | 14 | 18.2 | 1.5 |
| 7 | Tirumakudal Narsipur | | | 0 | 0 | | | 1,258 | 1,562 | 0 | 1 | 0.0 | 0.1 |

| | | 2 | 5 | 2 | 6 | 2 | 7 | 2 | 8 | 2 | 9 | 3 | 0 |
|---|----------------------|---------------------|---|----------------------------------|-----------------------|-------------------|------------------|-----------------------------------|--------------------|--------------------------------|----------------------|-------------------------------|--------------------|
| | Indicators | deliv (Public Ir | ntional veries nsts.+Pvt. ts.) | Institu Deliverie ANC regi | itional s to total | Total re deliv | eported eries | Institu deliveries Reported | tional to Total | Safe deli Total Re Deliv | veries to eported | Home del Total Re Deliv | iveries to eported |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Mysore | 29,860 | 28,810 | 95.4 | 95.1 | 29,864 | 28,814 | 100.0 | 100.0 | 100.0 | 100.0 | 0.0 | 0.0 |
| 1 | Heggadadevankote | 2,773 | 2,719 | 95.2 | 86.8 | 2,775 | 2,721 | 99.9 | 99.9 | 100.0 | 99.9 | 0.1 | 0.1 |
| 2 | Hunsur | 1,310 | 1,557 | 39.9 | 46.2 | 1,311 | 1,557 | 99.9 | 100.0 | 100.0 | 100.0 | 0.1 | 0.0 |
| 3 | Krishnarajanagara | 1,116 | 1,460 | 45.1 | 56.2 | 1,116 | 1,460 | 100.0 | 100.0 | 100.0 | 100.0 | 0.0 | 0.0 |
| 4 | Mysore | 20,990 | 18,600 | 158.0 | 173.2 | 20,990 | 18,602 | 100.0 | 100.0 | 100.0 | 100.0 | 0.0 | 0.0 |
| 5 | Nanjangudu | 1,640 | 1,852 | 42.6 | 43.2 | 1,641 | 1,852 | 99.9 | 100.0 | 100.0 | 100.0 | 0.1 | 0.0 |
| 6 | Periyapatna | 773 | 1,060 | 30.3 | 36.7 | 773 | 1,060 | 100.0 | 100.0 | 100.0 | 100.0 | 0.0 | 0.0 |
| 7 | Tirumakudal Narsipur | 1,258 | 1,562 | 42.9 | 47.7 | 1,258 | 1,562 | 100.0 | 100.0 | 100.0 | 100.0 | 0.0 | 0.0 |

| | | 3 | 1 | 3 | 2 | 3 | 3 | 3 | 4 | 3 | 5 | 3 | 6 |
|---|----------------------|---------|--|---------------------------------------|---------|------------------------------|------------------|--|------------------------|--|-----------------------------------|--|---|
| | Indicators | | f C-section conducted facilities | Number of deliveries at private | | to rep institu (Public | + Pvt.) orted | C-sections at public f Deliveries at public | conducted acilities to | C-sections at Private f Deliveries at private | conducted facilities to conducted | Deliveries at Public In to Total In Deliv | conducted nstitutions stitutional |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Mysore | 3,107 | 3,445 | 6,347 | 3,812 | 31.6 | 25.1 | 15.9 | 15.9 | 61.1 | 53.2 | 65.2 | 75.1 |
| 1 | Heggadadevankote | 84 | 271 | 298 | 124 | 13.8 | 14.5 | 5.5 | 12.6 | 24.1 | 21.9 | 55.5 | 79.1 |
| 2 | Hunsur | 15 | 7 | 41 | 17 | 4.3 | 1.5 | 1.2 | 0.5 | 45.6 | 17.7 | 93.1 | 93.8 |
| 3 | Krishnarajanagara | 186 | 178 | 138 | 138 | 29.0 | 21.6 | 19.3 | 13.6 | 91.4 | 89.0 | 86.5 | 89.4 |
| 4 | Mysore | 2,738 | 2,687 | 5,795 | 3,453 | 40.7 | 33.0 | 22.4 | 21.7 | 65.9 | 55.6 | 58.1 | 66.6 |
| 5 | Nanjangudu | 46 | 85 | 61 | | 6.5 | 4.6 | 3.0 | 4.6 | 73.5 | | 94.9 | 100.0 |
| 6 | Periyapatna | 4 | 101 | 14 | 80 | 2.3 | 17.1 | 0.5 | 10.8 | 45.2 | 62.5 | 96.0 | 87.9 |
| 7 | Tirumakudal Narsipur | 34 | 116 | | | 2.7 | 7.4 | 2.7 | 7.4 | | | 100.0 | 100.0 |

| | | 3 | 7 | 3 | 8 | 3 | 9 | 4 | 0 | 4 | 1 | 4 | 2 |
|---|----------------------|--|---|--|---------------------------------------|---|---|--|---------------------|---|-------------------------|--|--|
| | Indicators | Mothers Incentive fo at Public i to Total Delive | paid JSY or Delivery nstitution I Public | of cases v Incentive ASHA for D Public inst Total Public | where JSY e paid to Delivery at | Deliveries at Private I to Total In: Deliv | conducted nstitutions stitutional | Women red partum o within 48 deli | heck-up hours of | Post - Care / Wor post partur between 48 | men got a n check up | Women rec partum c within 48 delivery Reported I | eiving post heck-up hours of to Total |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Mysore | 15.0 | 22.0 | 0.0 | 0.0 | 34.8 | 24.9 | 29,468 | 25,655 | 29,849 | 29,176 | 98.7 | 89.0 |
| 1 | Heggadadevankote | 7.8 | 13.9 | 0.0 | 0.0 | 44.5 | 20.9 | 2,579 | 2,518 | 2,191 | 1,665 | 92.9 | 92.5 |
| 2 | Hunsur | 62.5 | 55.9 | 0.0 | 0.0 | 6.9 | 6.2 | 1,247 | 1,426 | 2,516 | 3,062 | 95.1 | 91.6 |
| 3 | Krishnarajanagara | 73.9 | 86.6 | 0.0 | 0.0 | 13.5 | 10.6 | 1,047 | 1,470 | 2,004 | 2,123 | 93.8 | 100.7 |
| 4 | Mysore | 7.5 | 15.2 | 0.0 | 0.0 | 41.9 | 33.4 | 21,024 | 15,652 | 15,376 | 13,356 | 100.2 | 84.1 |
| 5 | Nanjangudu | 3.0 | 3.0 | 0.0 | 0.0 | 5.1 | 0.0 | 1,598 | 1,913 | 3,322 | 3,997 | 97.4 | 103.3 |
| 6 | Periyapatna | 35.3 | 43.0 | 0.0 | 0.0 | 4.0 | 12.1 | 814 | 1,130 | 1,985 | 2,247 | 105.3 | 106.6 |
| 7 | Tirumakudal Narsipur | 7.9 | 10.8 | 0.3 | 0.0 | 0.0 | 0.0 | 1,159 | 1,546 | 2,455 | 2,726 | 92.1 | 99.0 |

| | | 4 | 3 | 4 | 4 | 4 | 5 | 4 | 6 | 4 | 7 | 4 | 8 |
|---|----------------------|---|---------|------------------------|---------|------------|---------|------------------------|---------|---------------------------|----------|----------------------|---------|
| | Indicators | Women ge Partum between 48 14 days | Checkup | Total Nu reported l | | Total Repo | | Total Nu reported S | | 9 live birth to Bir | Reported | Number of weighed | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Mysore | 99.9 | 101.3 | 29,349 | 28,459 | 98.3 | 98.8 | 507 | 424 | 98.3 | 98.5 | 29,705 | 28,435 |
| 1 | Heggadadevankote | 79.0 | 61.2 | 2,750 | 2,695 | 99.1 | 99.0 | 18 | 33 | 99.3 | 98.8 | 2,761 | 2,700 |
| 2 | Hunsur | 191.9 | 196.7 | 1,311 | 1,554 | 100.0 | 99.8 | 2 | 6 | 99.8 | 99.6 | 1,311 | 1,553 |
| 3 | Krishnarajanagara | 179.6 | 145.4 | 1,098 | 1,457 | 98.4 | 99.8 | 3 | 7 | 99.7 | 99.5 | 1,097 | 1,461 |
| 4 | Mysore | 73.3 | 71.8 | 20,531 | 18,269 | 97.8 | 98.2 | 465 | 351 | 97.8 | 98.1 | 20,865 | 18,259 |
| 5 | Nanjangudu | 202.4 | 215.8 | 1,636 | 1,844 | 99.7 | 99.6 | 8 | 10 | 99.5 | 99.5 | 1,647 | 1,867 |
| 6 | Periyapatna | 256.8 | 212.0 | 774 | 1,087 | 100.1 | 102.5 | 1 | 6 | 99.9 | 99.5 | 766 | 1,032 |
| 7 | Tirumakudal Narsipur | 195.2 | 174.5 | 1,249 | 1,553 | 99.3 | 99.4 | 10 | 11 | 99.2 | 99.3 | 1,258 | 1,563 |

| | | 4 | 9 | 5 | 0 | 5 | 1 | 5 | 2 | 5 | 3 | 5 | 4 |
|---|----------------------|----------|------------------------------|---------|----------------------------------|--|-----------------------------------|-------------------------|----------|---------------------------------------|----------------------------|-------------------------------|------------|
| | Indicators | Newborns | % weighed at ive birth | | Newborns eight less 2.5 kg | Newborr weight les kg to Ne weighed | ns having s than 2.5 wborns | Number of Breast Fed | within 1 | Newborns within 1 ho to Total l | breast fed our of birth | Number of visited wit of Home | hin 24 hrs |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Mysore | 101.2 | 99.9 | 2,199 | 2,785 | 7.4 | 9.7 | 29,225 | 27,508 | 99.5 | 96.6 | 5 | 4 |
| 1 | Heggadadevankote | 100.4 | 100.2 | 368 | 304 | 13.3 | 11.3 | 2,753 | 2,659 | 100.1 | 98.7 | 3 | 2 |
| 2 | Hunsur | 100.0 | 99.9 | 105 | 110 | 8.0 | 7.1 | 1,238 | 1,454 | 94.4 | 93.6 | 1 | 0 |
| 3 | Krishnarajanagara | 99.9 | 100.3 | 83 | 116 | 7.6 | 7.9 | 1,105 | 1,448 | 100.6 | 99.4 | 0 | 0 |
| 4 | Mysore | 101.6 | 99.9 | 1,340 | 1,895 | 6.4 | 10.4 | 20,464 | 17,472 | 99.7 | 95.6 | 0 | 2 |
| 5 | Nanjangudu | 100.7 | 101.2 | 164 | 186 | 10.0 | 10.0 | 1,631 | 1,860 | 99.7 | 100.9 | 1 | 0 |
| 6 | Periyapatna | 99.0 | 94.9 | 76 | 92 | 9.9 | 8.9 | 785 | 1,064 | 101.4 | 97.9 | 0 | 0 |
| 7 | Tirumakudal Narsipur | 100.7 | 100.6 | 63 | 82 | 5.0 | 5.2 | 1,249 | 1,551 | 100.0 | 99.9 | 0 | 0 |

| | | 5 | 5 | 5 | 6 | 5 | 7 | 5 | 8 | 5 | 9 | 6 | 0 |
|---|----------------------|--|------------------------|--|-----------|---|-----------|---|---|---|---|---|---|
| | Indicators | newborn within 24h delivery reporte | rs of home to total | Sex Ra birth (Fe Bitr Male Birtl | male Live | cases of women with Complica attended to | tions and | Compl Pregnancie with antihype Magsulph ii Total Wo Obst Compli atter | icated es treated h IV rtensive/ njection to men with etric cations | Compl Pregnancie with antihype Magsulph ir Total Ne detecte Hypert | icated es treated h IV rtensive/ njection to ew cases ed with | Compli Pregnancie with I Transfusion Womer Obste Complie atter | icated es treated Blood n to Total n with etric cations |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Mysore | 125.0 | 100.0 | 933 | 952 | 12.1 | 18.2 | 27.1 | 10.8 | 67.9 | 36.8 | 34.9 | 7.4 |
| 1 | Heggadadevankote | 150.0 | 100.0 | 894 | 951 | 8.6 | 2.6 | 7.9 | 20.8 | 24.7 | 16.5 | 2.5 | 9.7 |
| 2 | Hunsur | 100.0 | | 977 | 893 | 0.2 | 0.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 40.0 |
| 3 | Krishnarajanagara | | | 954 | 847 | 20.3 | 5.3 | 3.1 | 16.7 | 6.9 | 11.0 | 5.3 | 2.6 |
| 4 | Mysore | | 100.0 | 925 | 975 | 14.6 | 27.1 | 30.8 | 10.6 | 83.7 | 44.8 | 40.7 | 7.5 |
| 5 | Nanjangudu | 100.0 | | 1,020 | 901 | 3.9 | 3.6 | 12.5 | 0.0 | 6.7 | 0.0 | 0.0 | 0.0 |
| 6 | Periyapatna | | | 916 | 927 | 0.6 | 0.6 | 20.0 | 100.0 | 14.3 | 35.3 | 0.0 | 16.7 |
| 7 | Tirumakudal Narsipur | | | 979 | 936 | 1.9 | 0.0 | 4.2 | | 50.0 | 0.0 | 0.0 | |

| | | 6 | 1 | 6 | 2 | 6 | 3 | 6 | 4 | 6 | 5 | 6 | 6 |
|---|----------------------|--|---------|---|------------------|----------------------------|---------|---------------------------|-------------------|--|------------------------------------|--|-----------------------------------|
| | Indicators | Post - Care / PNO compli attended | cations | Total Nu Abort (Sponta Induced) | tions aneous/ | Total Nu MTPs (repo | Public) | % <i>N</i> (Public) to | ATPs Abortions | % MTPs up to of Pregn Total MTPs Institu | 12 weeks ancy to s at Public | MTPs mor weeks of F to Total Public Ins | e than 12 Pregnancy MTPs at |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Mysore | 2.3 | 1.9 | 1,953 | 1,307 | 621 | 363 | 31.8 | 27.8 | 80.2 | 68.0 | 19.8 | 32.0 |
| 1 | Heggadadevankote | 0.3 | 0.4 | 155 | 135 | 47 | 16 | 30.3 | 11.9 | 68.1 | 75.0 | 31.9 | 25.0 |
| 2 | Hunsur | 0.0 | 0.0 | 127 | 125 | 27 | 2 | 21.3 | 1.6 | 77.8 | 50.0 | 22.2 | 50.0 |
| 3 | Krishnarajanagara | 0.1 | 0.6 | 188 | 97 | 135 | 38 | 71.8 | 39.2 | 85.2 | 65.8 | 14.8 | 34.2 |
| 4 | Mysore | 3.3 | 2.8 | 1,249 | 669 | 349 | 242 | 27.9 | 36.2 | 78.2 | 65.3 | 21.8 | 34.7 |
| 5 | Nanjangudu | 0.0 | 0.0 | 82 | 74 | 42 | 22 | 51.2 | 29.7 | 95.2 | 90.9 | 4.8 | 9.1 |
| 6 | Periyapatna | 0.0 | 0.3 | 91 | 120 | 0 | 25 | 0.0 | 20.8 | | 56.0 | | 44.0 |
| 7 | Tirumakudal Narsipur | 0.2 | 0.0 | 61 | 87 | 21 | 18 | 34.4 | 20.7 | 81.0 | 94.4 | 19.0 | 5.6 |

| | | 6 | 7 | 6 | 8 | 6 | 9 | 7 | 0 | 7 | 1 | 7 | 2 |
|---|----------------------|-----------------------------------|-------------------------|---|------------|--|-------------------|---|--|------------------------------------|---------|------------------------------------|---------|
| | Indicators | MTPs Con Public Insti Total | ducted at tutions to | 9 MTPs Con Private Ins to Tota | stitutions | % Tota (Pul Conducted ANC Reg | olic) to Total | Number of Tests cond Number of STI female which tr initi | Wet Mount ducted to f new RTI/ e cases for eatment | Numb Vasect Condo (Public | comies | Numb Tubect Condu (Public | omies |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Mysore | 68.2 | 55.8 | 31.8 | 44.2 | 2.0 | 1.2 | 0.1 | 0.8 | 14 | 28 | 9,467 | 12,233 |
| 1 | Heggadadevankote | 88.7 | 47.1 | 11.3 | 52.9 | 1.6 | 0.5 | 0.0 | 1.1 | 1 | 0 | 1,242 | 1,239 |
| 2 | Hunsur | 60.0 | 6.9 | 40.0 | 93.1 | 0.8 | 0.1 | 0.4 | 0.8 | 2 | 1 | 943 | 949 |
| 3 | Krishnarajanagara | 100.0 | 100.0 | 0.0 | 0.0 | 5.5 | 1.5 | 0.0 | 0.0 | 2 | 3 | 811 | 1,080 |
| 4 | Mysore | 56.8 | 50.4 | 43.2 | 49.6 | 2.6 | 2.3 | 0.2 | 1.3 | 9 | 20 | 4,858 | 6,275 |
| 5 | Nanjangudu | 100.0 | 81.5 | 0.0 | 18.5 | 1.1 | 0.5 | 0.0 | 0.0 | 0 | 2 | 651 | 949 |
| 6 | Periyapatna | | 100.0 | | 0.0 | 0.0 | 0.9 | 0.0 | 0.0 | 0 | 1 | 453 | 577 |
| 7 | Tirumakudal Narsipur | 100.0 | 100.0 | 0.0 | 0.0 | 0.7 | 0.5 | 0.0 | 0.0 | 0 | 1 | 509 | 1,164 |

| | | 7 | '3 | 7 | ' 4 | 7 | 5 | 7 | 6 | 7 | 7 | 7 | 8 |
|---|----------------------|-------------------|---------------------|---------|--|----------------------------|---------|---|--------------------|---|--------------------|--|--------------------|
| | Indicators | Total Ste Cond | rilisation ucted | | terlisation tomies) terilisation | 7 Tubector Total ste | - | Total Ste (Tubecto Vasect conducte | mies and omies) | Total Ste (Tubecto Vasect conducte | mies and omies) | Total Ste (Tubecto Vasect conducted | mies and omies) |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Mysore | 9,481 | 12,261 | 0.1 | 0.2 | 99.9 | 99.8 | 1,322 | 1,275 | 1,325 | 1,118 | 4,099 | 6,118 |
| 1 | Heggadadevankote | 1,243 | 1,239 | 0.1 | 0.0 | 99.9 | 100.0 | 0 | 0 | 0 | 0 | 1,072 | 1,108 |
| 2 | Hunsur | 945 | 950 | 0.2 | 0.1 | 99.8 | 99.9 | 0 | 0 | | | 938 | 908 |
| 3 | Krishnarajanagara | 813 | 1,083 | 0.2 | 0.3 | 99.8 | 99.7 | 6 | 1 | 174 | 197 | 630 | 835 |
| 4 | Mysore | 4,867 | 6,295 | 0.2 | 0.3 | 99.8 | 99.7 | 1,312 | 1,268 | 624 | 647 | 377 | 898 |
| 5 | Nanjangudu | 651 | 951 | 0.0 | 0.2 | 100.0 | 99.8 | 4 | 5 | 85 | 2 | 562 | 944 |
| 6 | Periyapatna | 453 | 578 | 0.0 | 0.2 | 100.0 | 99.8 | 0 | 1 | | | 453 | 532 |
| 7 | Tirumakudal Narsipur | 509 | 1,165 | 0.0 | 0.1 | 100.0 | 99.9 | 0 | 0 | 442 | 272 | 67 | 893 |

| | | 7 | 9 | 8 | 0 | 8 | 1 | 8 | 2 | 8 | 3 | 8 | 4 |
|---|----------------------|--|----------------------------------|---------|----------------------------------|---|---------------------------------|---|---------------------------------|--|---------------------------------|---|--|
| | Indicators | Total Ste (Tubecto Vasect conducted public Ins | mies and omies) d at Other | | mies and omies) at Private | % Total Ste (Tubecto Vasect conducted Total Ste | mies and omies) at PHC to | % Total Sto (Tubecto Vasect conducted Total Sto | mies and omies) at CHC to | % Total Ste (Tubecto Vasecto conducted to Total St | mies and omies) at SDH/DH | % Total Sto (Tubecto Vasecti conducted public Instit Total Ste | mies and omies) d at Other tutions to |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Mysore | | | 8 | 2 | 13.9 | 10.4 | 14.0 | 9.1 | 43.2 | 49.9 | 0.0 | 0.0 |
| 1 | Heggadadevankote | | | 0 | 0 | 0.0 | 0.0 | 0.0 | 0.0 | 86.2 | 89.4 | 0.0 | 0.0 |
| 2 | Hunsur | | | 0 | 0 | 0.0 | 0.0 | 0.0 | 0.0 | 99.3 | 95.6 | 0.0 | 0.0 |
| 3 | Krishnarajanagara | | | 1 | 0 | 0.7 | 0.1 | 21.4 | 18.2 | 77.5 | 77.1 | 0.0 | 0.0 |
| 4 | Mysore | | | 7 | 2 | 27.0 | 20.1 | 12.8 | 10.3 | 7.7 | 14.3 | 0.0 | 0.0 |
| 5 | Nanjangudu | | | | | 0.6 | 0.5 | 13.1 | 0.2 | 86.3 | 99.3 | 0.0 | 0.0 |
| 6 | Periyapatna | | | 0 | 0 | 0.0 | 0.2 | 0.0 | 0.0 | 100.0 | 92.0 | 0.0 | 0.0 |
| 7 | Tirumakudal Narsipur | | | | | 0.0 | 0.0 | 86.8 | 23.3 | 13.2 | 76.7 | 0.0 | 0.0 |

| | | 8 | 5 | 8 | 6 | 8 | 7 | 8 | 8 | 8 | 9 | 9 | 0 |
|---|----------------------|---|--|--------------------------------------|---------|--|---------|--------------------------------------|---------------------|--|--|---|--|
| | Indicators | % Total Sto (Tubecto Vasecto conducted institution Sterlis | mies and omies) at Private s to Total | Laparo sterlisation Female Ste | scopic | % Mini Lap St to Total Sterilis | Female | Post P Sterlisation Female Ste | artum s to Total | Laparo sterlisation Institutions Laparo Sterilis | oscopic ns at Public s to Total oscopic | Mini Lap st at Public In to Total Sterilis | erlisations estitutions Mini Lap |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Mysore | 28.8 | 30.6 | 50.4 | 45.6 | 35.3 | 42.3 | 14.2 | 12.0 | 85.6 | 83.9 | 67.2 | 61.1 |
| 1 | Heggadadevankote | 13.8 | 10.6 | 66.8 | 64.9 | 24.3 | 27.8 | 8.9 | 7.3 | 96.3 | 95.1 | 78.1 | 80.8 |
| 2 | Hunsur | 0.7 | 4.4 | 77.8 | 71.8 | 21.6 | 28.2 | 0.5 | 0.0 | 100.0 | 100.0 | 99.0 | 84.3 |
| 3 | Krishnarajanagara | 0.4 | 4.6 | 56.8 | 53.9 | 35.3 | 43.4 | 7.9 | 2.7 | 100.0 | 100.0 | 99.3 | 91.3 |
| 4 | Mysore | 52.5 | 55.3 | 31.9 | 31.1 | 45.0 | 48.6 | 23.1 | 20.3 | 57.5 | 56.0 | 53.0 | 40.2 |
| 5 | Nanjangudu | 0.0 | 0.0 | 45.5 | 62.7 | 51.9 | 33.6 | 2.6 | 3.7 | 100.0 | 100.0 | 100.0 | 100.0 |
| 6 | Periyapatna | 0.0 | 7.8 | 100.0 | 69.5 | 0.0 | 22.0 | 0.0 | 8.5 | 100.0 | 100.0 | | 69.3 |
| 7 | Tirumakudal Narsipur | 0.0 | 0.0 | 88.2 | 48.8 | 5.5 | 51.2 | 6.3 | 0.0 | 100.0 | 100.0 | 100.0 | 100.0 |

| | | 9 | 1 | 9 | 2 | 9 | 3 | 9 | 4 | 9 | 5 | 9 | 6 |
|-----|----------------------|---|------------|--|--------------------|-------------------------|--------------------------|------------------------|-------------------------|--------------------------|---------|--------------------------|---------|
| | Indicators | Post P sterlisation Institution Post P | s to Total | Total cases follo Sterlisatio Fem | wing n (Male + | IUCD Inser (public f | tions done acilities) | IUCD inser (pvt. fa | tions done cilities) | Total IUCD done(publi | | PP IUCD I done (publi | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| - | _Mysore | 30.4 | 43.4 | 1 | 0 | 3,599 | 4,149 | 1,595 | 1,362 | 5,194 | 5,511 | 1,394 | 87 |
| 1 F | Heggadadevankote | 32.7 | 71.4 | 0 | 0 | 364 | 345 | 33 | 134 | 397 | 479 | 92 | 8 |
| 2 H | Hunsur | 0.0 | | 0 | 0 | 416 | 627 | 32 | 52 | 448 | 679 | 3 | 6 |
| 3 F | Krishnarajanagara | 100.0 | 69.0 | 0 | 0 | 241 | 284 | 8 | 32 | 249 | 316 | 30 | 7 |
| 4 | Mysore | 23.3 | 37.5 | 1 | 0 | 1,308 | 1,401 | 1,522 | 1,097 | 2,830 | 2,498 | 1,143 | 54 |
| 5 | Nanjangudu | 100.0 | 100.0 | 0 | 0 | 535 | 669 | | | 535 | 669 | 86 | 5 |
| 6 F | Periyapatna | | 87.8 | 0 | 0 | 255 | 301 | 0 | 47 | 255 | 348 | 10 | 3 |
| 7 1 | Tirumakudal Narsipur | 100.0 | | 0 | 0 | 480 | 522 | | | 480 | 522 | 30 | 4 |

| | | 9 | 7 | 9 | 8 | 9 | 9 | 10 | 00 | 10 | 01 | 10 |)2 |
|---|----------------------|--|------------------|-------------|---------|---|---|--------------|-------------|-------------------|---------|---------------------|---------|
| | Indicators | % PP IUCD (pul to Tota Insertion: | blic) al IUCD | to Total In | blic) | IUCD inse public plu institutic family p methods (perma | ertions in us private ons to all olanning IUCD plus | Oral Pills d | listributed | Condom distril | | Centchro distrib | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Mysore | 38.7 | 2.0 | 7.1 | 0.4 | 35.3 | 31.0 | 64,385 | 58,022 | 417,793 | 373,174 | 0 | 0 |
| 1 | Heggadadevankote | 25.3 | 2.3 | 6.0 | 0.4 | 24.2 | 27.9 | 9,592 | 8,096 | 75,183 | 74,903 | 0 | 0 |
| 2 | Hunsur | 0.7 | 1.0 | 0.2 | 0.4 | 32.2 | 41.7 | 6,761 | 7,825 | 27,304 | 32,976 | 0 | 0 |
| 3 | Krishnarajanagara | 12.4 | 2.5 | 3.1 | 0.5 | 23.4 | 22.6 | 5,157 | 5,094 | 27,791 | 19,093 | 0 | 0 |
| 4 | Mysore | 87.4 | 3.9 | 9.4 | 0.4 | 36.8 | 28.4 | 17,125 | 11,322 | 123,909 | 82,376 | 0 | 0 |
| 5 | Nanjangudu | 16.1 | 0.7 | 5.5 | 0.3 | 45.1 | 41.3 | 12,129 | 11,559 | 55,359 | 54,990 | 0 | 0 |
| 6 | Periyapatna | 3.9 | 1.0 | 1.3 | 0.3 | 36.0 | 37.6 | 5,006 | 5,078 | 35,488 | 36,303 | 0 | 0 |
| 7 | Tirumakudal Narsipur | 6.3 | 0.8 | 2.4 | 0.3 | 48.5 | 30.9 | 8,615 | 9,048 | 72,759 | 72,533 | 0 | 0 |

| | | 10 | 03 | 10 | 04 | 10 | 05 | 10 | 06 | 10 | 07 | 10 | 08 |
|---|----------------------|---------|------------------------------|----------|-------------------|---------------------------|---------|---------------------|-----------|----------|---------|----------|---------|
| | Indicators | given | of Infants OPV 0 Dose) | Number o | of Infants BCG | Newborns g at birth to | | Newborns to Repo | given BCG | Number o | | Number (| |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Mysore | 28,462 | 29,376 | 31,093 | 31,965 | 97.0 | 103.2 | 105.9 | 112.3 | 11 | 0 | 12 | 0 |
| 1 | Heggadadevankote | 2,644 | 2,494 | 2,697 | 2,792 | 96.1 | 92.5 | 98.1 | 103.6 | 10 | 0 | 9 | 0 |
| 2 | Hunsur | 1,296 | 1,572 | 1,775 | 1,835 | 98.9 | 101.2 | 135.4 | 118.1 | 0 | 0 | 0 | 0 |
| 3 | Krishnarajanagara | 1,128 | 1,462 | 1,478 | 1,801 | 102.7 | 100.3 | 134.6 | 123.6 | 1 | 0 | 3 | 0 |
| 4 | Mysore | 19,744 | 19,188 | 19,716 | 18,550 | 96.2 | 105.0 | 96.0 | 101.5 | 0 | 0 | 0 | 0 |
| 5 | Nanjangudu | 1,555 | 1,877 | 2,663 | 3,497 | 95.0 | 101.8 | 162.8 | 189.6 | 0 | 0 | 0 | 0 |
| 6 | Periyapatna | 911 | 1,195 | 1,362 | 1,736 | 117.7 | 109.9 | 176.0 | 159.7 | 0 | 0 | 0 | 0 |
| 7 | Tirumakudal Narsipur | 1,184 | 1,588 | 1,402 | 1,754 | 94.8 | 102.3 | 112.2 | 112.9 | 0 | 0 | 0 | 0 |

| | | 10 | 09 | 11 | 10 | 11 | 11 | 11 | 12 | 11 | 13 | 11 | 14 |
|---|----------------------|----------|---------|----------|---------|----------|---------|----------|---------|----------|-----------------------|---|----------------------|
| | Indicators | Number o | | Number o | | Number o | | Number o | | Number o | of Infants Aeasles | Infants months received vaccine to | old who I Measles |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Mysore | 7 | 0 | 32,566 | 32,773 | 32,243 | 32,493 | 32,376 | 32,719 | 31,460 | 31,828 | 107.1 | 111.8 |
| 1 | Heggadadevankote | 4 | 0 | 3,230 | 3,304 | 3,014 | 3,272 | 3,013 | 3,275 | 2,898 | 3,097 | 105.4 | 114.9 |
| 2 | Hunsur | 0 | 0 | 3,605 | 3,960 | 3,599 | 3,981 | 3,621 | 4,081 | 3,434 | 3,969 | 261.9 | 255.4 |
| 3 | Krishnarajanagara | 3 | 0 | 2,607 | 2,587 | 2,574 | 2,627 | 2,752 | 2,672 | 2,495 | 2,500 | 227.2 | 171.6 |
| 4 | Mysore | 0 | 0 | 13,721 | 12,100 | 13,515 | 11,808 | 13,570 | 11,879 | 13,211 | 11,856 | 64.3 | 64.9 |
| 5 | Nanjangudu | 0 | 0 | 3,691 | 4,406 | 3,671 | 4,305 | 3,672 | 4,336 | 3,716 | 4,181 | 227.1 | 226.7 |
| 6 | Periyapatna | 0 | 0 | 2,624 | 2,919 | 2,746 | 2,945 | 2,659 | 2,979 | 2,599 | 2,809 | 335.8 | 258.4 |
| 7 | Tirumakudal Narsipur | 0 | 0 | 3,088 | 3,497 | 3,124 | 3,555 | 3,089 | 3,497 | 3,107 | 3,416 | 248.8 | 220.0 |

| | | 1 | 15 | 1 | 16 | 1 | 17 | 11 | 18 | 11 | 19 | 12 | 20 |
|---|----------------------|----------|-----------------------------------|--------------------------|---------|-----------|----------|--------------------------------|------------|---|------------------------------------|------------------------|------------|
| | Indicators | immunize | of fully d children nonths) | 9 Drop Out BCG & / | | Vitamin - | A dose 1 | Children g dose1 to live | iven Vit A | Childre Vitamin A Children g dos | n given Dose 9 to iven Vit A | Adverse Following I | munisation |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Mysore | 30,493 | 34,430 | -1.2 | 0.4 | 31,026 | 29,767 | 105.7 | 104.6 | 107.7 | 2.7 | 0 | 1 |
| 1 | Heggadadevankote | 3,029 | 3,109 | -7.5 | -10.9 | 2,628 | 2,707 | 95.6 | 100.4 | 127.1 | 9.2 | 0 | 0 |
| 2 | Hunsur | 3,426 | 3,943 | -93.5 | -116.3 | 3,389 | 3,857 | 258.5 | 248.2 | 68.3 | 0.3 | 0 | 0 |
| 3 | Krishnarajanagara | 2,261 | 2,326 | -68.8 | -38.8 | 2,466 | 2,375 | 224.6 | 163.0 | 183.0 | 0.5 | 0 | 0 |
| 4 | Mysore | 12,730 | 14,683 | 33.0 | 36.1 | 12,802 | 10,929 | 62.4 | 59.8 | 84.8 | 4.2 | 0 | 1 |
| 5 | Nanjangudu | 3,671 | 4,176 | -39.5 | -19.6 | 4,295 | 3,966 | 262.5 | 215.1 | 101.8 | 1.7 | 0 | 0 |
| 6 | Periyapatna | 2,287 | 2,808 | -90.8 | -61.8 | 2,386 | 2,535 | 308.3 | 233.2 | 190.4 | 0.1 | 0 | 0 |
| 7 | Tirumakudal Narsipur | 3,089 | 3,385 | -121.6 | -94.8 | 3,060 | 3,398 | 245.0 | 218.8 | 113.3 | 0.0 | 0 | 0 |

| | | 12 | 21 | 13 | 22 | 12 | 23 | 12 | 24 | 12 | 25 | 12 | 26 |
|---|----------------------|---------------------------------------|---------------------------|---|----------------------------------|---|---|---------|-----------|---|---|---|--|
| | Indicators | immunisati Held to Imi Sessions | on Sessions munisation | Immunisation where AS present Immunisation Plan | on Sessions HAs were nt to | Diptheria i 0-5 Years Total Re Childhood | n Children of Age to eported I Diseases /ears | | of Age to | Tetanus Ne in Children of Age t Reported (Diseases (| eonatorum 1 0-5 Years 10 Total Childhood | Tetanus (Children 0- Age to Tota Childhood 0-5 \ | Others in -5 Years of I Reported I Diseases |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Mysore | 92.1 | 92.3 | 79.7 | 71.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1 | Heggadadevankote | 93.2 | 95.7 | 82.2 | 79.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 2 | Hunsur | 97.2 | 95.3 | 90.2 | 84.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3 | Krishnarajanagara | 97.4 | 96.7 | 91.0 | 84.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 4 | Mysore | 95.0 | 95.9 | 65.3 | 46.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 5 | Nanjangudu | 94.5 | 94.4 | 88.5 | 86.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 6 | Periyapatna | 98.0 | 97.7 | 88.8 | 75.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 7 | Tirumakudal Narsipur | 76.2 | 76.4 | 71.8 | 70.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

| | | 12 | 27 | 12 | 28 | 12 | 29 | 13 | 30 | 13 | 31 | 13 | 32 |
|---|----------------------|--|--|--|-----------|---|--|---|--|--|-------------------|------------------------------|---------|
| | Indicators | Polio in Ch Years of Ag Reported Diseases | ildren 0-5 ge to Total Childhood | Measles ir 0-5 Years Total Re Childhood | of Age to | Diarrho dehydr Children O Age to Tota Childhood | bea and ation in -5 Years of I Reported I Diseases | Malaria in C Years of Ag Reported Diseases | Children 0-5 ge to Total Childhood | 9 Adult F Inpatients Adult In | emale to Total | 9 Children In Total In | • |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Mysore | 0.0 | 0.0 | 1.5 | 0.5 | 98.3 | 97.8 | 0.2 | 1.7 | 54.4 | 58.4 | 18.9 | 13.6 |
| 1 | Heggadadevankote | 0.0 | 0.0 | 2.8 | 0.6 | 97.2 | 94.4 | 0.0 | 5.0 | 67.6 | 66.4 | 26.2 | 25.3 |
| 2 | Hunsur | 0.0 | 0.0 | 0.8 | 0.0 | 99.2 | 100.0 | 0.0 | 0.0 | 58.2 | 57.8 | 14.5 | 10.2 |
| 3 | Krishnarajanagara | 0.0 | 0.0 | 0.0 | 3.4 | 100.0 | 96.6 | 0.0 | 0.0 | 52.3 | 51.7 | 17.8 | 14.2 |
| 4 | Mysore | 0.0 | 0.0 | 1.6 | 0.4 | 98.1 | 98.6 | 0.3 | 1.0 | 52.1 | 55.6 | 18.7 | 13.0 |
| 5 | Nanjangudu | 0.0 | 0.0 | 1.6 | 0.0 | 98.4 | 100.0 | 0.0 | 0.0 | 62.0 | 66.8 | 14.4 | 10.5 |
| 6 | Periyapatna | 0.0 | 0.0 | 0.0 | 0.0 | 99.0 | 100.0 | 1.0 | 0.0 | 53.3 | 60.1 | 10.3 | 5.4 |
| 7 | Tirumakudal Narsipur | 0.0 | 0.0 | 7.8 | 3.2 | 92.2 | 96.8 | 0.0 | 0.0 | 57.0 | 64.0 | 10.7 | 4.9 |

| | | 13 | 33 | 13 | 34 | 13 | 35 | 13 | 36 | 13 | 37 | 13 | 38 |
|---|----------------------|----------------------------------|----------------------|-------------|-------------------------|---------|---------|-----------|-----------|---------|---------|-----------------|---------|
| | Indicators | Female I Deaths t Inpatien | npatient to Total | Inpatient [| 6 Deaths to I IPD | IPD (Nu | umber) | OPD (N | umber) | % IPD t | to OPD | Number Opera | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Mysore | 41.0 | 40.6 | 0.3 | 1.7 | 251,843 | 155,530 | 4,084,858 | 3,995,346 | 6.2 | 3.9 | 42,350 | 22,256 |
| 1 | Heggadadevankote | 30.2 | 38.2 | 0.1 | 0.2 | 29,361 | 22,113 | 328,700 | 323,730 | 8.9 | 6.8 | 747 | 652 |
| 2 | Hunsur | 33.3 | 15.2 | 0.5 | 0.4 | 7,576 | 8,421 | 332,873 | 295,205 | 2.3 | 2.9 | 168 | 153 |
| 3 | Krishnarajanagara | 42.1 | 29.7 | 0.8 | 0.7 | 9,723 | 9,876 | 316,689 | 307,556 | 3.1 | 3.2 | 418 | 345 |
| 4 | Mysore | 42.6 | 41.8 | 0.3 | 2.7 | 184,807 | 87,863 | 2,101,054 | 2,055,700 | 8.8 | 4.3 | 40,830 | 20,583 |
| 5 | Nanjangudu | 29.4 | 31.8 | 0.2 | 0.3 | 8,438 | 8,568 | 355,828 | 351,654 | 2.4 | 2.4 | 100 | 101 |
| 6 | Periyapatna | 38.1 | 33.3 | 0.4 | 0.3 | 5,047 | 5,822 | 247,341 | 241,813 | 2.0 | 2.4 | 53 | 223 |
| 7 | Tirumakudal Narsipur | 39.5 | 30.7 | 0.6 | 0.6 | 6,891 | 12,867 | 402,373 | 419,688 | 1.7 | 3.1 | 34 | 199 |

| | | 1: | 39 | 14 | 40 | 14 | 41 | 14 | 12 | 14 | 43 | 14 | 14 |
|---|----------------------|-----------------|--------------------|----------------------------|---------|--------------------------|---------|----------------------------------|--------------------|-----------|----------|---------------------|------------|
| | Indicators | Number Opera | of Minor ations | % Major Ope Total Op | | Numb Hystere Surge | ectomy | Hystere Surgeries Major Op | ectomy to Total | Ayush OPD | (Number) | 9 AYUSH OP OI | D to Total |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Mysore | 11,403 | 15,462 | 78.8 | 59.0 | 1,289 | 1,335 | 3.0 | 5.9 | 57,508 | 65,111 | 1.4 | 1.6 |
| 1 | Heggadadevankote | 550 | 794 | 57.6 | 45.1 | 101 | 101 | 13.5 | 15.5 | 8,335 | 4,513 | 2.5 | 1.4 |
| 2 | Hunsur | 364 | 369 | 31.6 | 29.3 | 11 | 6 | 6.5 | 3.9 | 1,848 | 5,352 | 0.6 | 1.8 |
| 3 | Krishnarajanagara | 219 | 211 | 65.6 | 62.1 | 20 | 48 | 4.8 | 13.9 | 15,750 | 22,157 | 5.0 | 7.2 |
| 4 | Mysore | 9,577 | 13,264 | 81.0 | 60.8 | 1,154 | 1,025 | 2.8 | 5.0 | 0 | 1,561 | 0.0 | 0.1 |
| 5 | Nanjangudu | 189 | 211 | 34.6 | 32.4 | 0 | 0 | 0.0 | 0.0 | 23,412 | 20,051 | 6.6 | 5.7 |
| 6 | Periyapatna | 82 | 109 | 39.3 | 67.2 | 2 | 126 | 3.8 | 56.5 | 0 | 0 | 0.0 | 0.0 |
| 7 | Tirumakudal Narsipur | 422 | 504 | 7.5 | 28.3 | 1 | 29 | 2.9 | 14.6 | 8,163 | 11,477 | 2.0 | 2.7 |

| Indicators | | 145 | | 146 | | 147 | | 148 | | 149 | | 150 | |
|------------|----------------------|---------------------|---------|---------------------------|---------|--------------------------------|---------|---|---------|---|---------|---|---------|
| | | Dental OPD (Number) | | % Dental OPD to Total OPD | | Adolescent counselled (Number) | | % Hb < 7 mg to Total Hb Tests Conducted | | % Male HIV Positive to Total Males Tested | | % Female HIV Positive to Total Females Tested | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Mysore | 33,311 | 30,397 | 0.8 | 0.8 | 10,244 | 6,594 | 3.4 | 5.6 | 0.7 | 0.9 | 0.5 | 0.8 |
| 1 | Heggadadevankote | 3,564 | 2,177 | 1.1 | 0.7 | 805 | 709 | 3.0 | 3.3 | 0.7 | 2.4 | 0.5 | 2.9 |
| 2 | Hunsur | 768 | 832 | 0.2 | 0.3 | 875 | 933 | 7.1 | 3.8 | 0.4 | 0.4 | 0.3 | 0.4 |
| 3 | Krishnarajanagara | 3,127 | 5,589 | 1.0 | 1.8 | 2,746 | 969 | 5.8 | 9.9 | 0.5 | 0.7 | 0.4 | 0.5 |
| 4 | Mysore | 14,848 | 6,727 | 0.7 | 0.3 | 4,753 | 3,136 | 3.2 | 6.4 | 0.7 | 0.6 | 0.5 | 0.5 |
| 5 | Nanjangudu | 2,311 | 1,243 | 0.6 | 0.4 | 117 | 205 | 3.2 | 3.0 | 0.8 | 0.9 | 0.3 | 0.3 |
| 6 | Periyapatna | 605 | 76 | 0.2 | 0.0 | 201 | 24 | 2.9 | 5.8 | 0.4 | 0.7 | 0.5 | 0.9 |
| 7 | Tirumakudal Narsipur | 8,088 | 13,753 | 2.0 | 3.3 | 747 | 618 | 1.8 | 4.5 | 0.6 | 0.9 | 0.5 | 0.3 |

| Indicators | | 151 | | 152 | | 153 | | 154 | | 155 | | 156 | |
|------------|----------------------|---|---------|---|---------|--|---------|--|---------|--|---------|--|---------|
| | | % Total HIV Positive to Total Tested (Male + Female) | | % Plasmodium Vivax test positive to Total Blood Smears Examined | | % Plasmodium Falciparum test positive to Total Blood Smears Examined | | Total Number of Infant Deaths reported | | % Deaths due to Sepsis to Total Reported Infant Deaths | | % Deaths due to Asphyxia to Total Reported Infant Deaths | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Mysore | 0.6 | 0.8 | 0.2 | 0.2 | 0.0 | 0.0 | 493 | 219 | 17.5 | 4.3 | 21.6 | 3.4 |
| 1 | Heggadadevankote | 0.6 | 2.7 | 0.0 | 0.0 | 0.0 | 0.0 | 6 | 12 | 0.0 | 20.0 | 16.7 | 30.0 |
| 2 | Hunsur | 0.4 | 0.4 | 0.0 | 0.0 | 0.0 | 0.0 | 5 | 4 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3 | Krishnarajanagara | 0.4 | 0.6 | 0.0 | 0.0 | 0.0 | 0.0 | 3 | 2 | 0.0 | 0.0 | 0.0 | 100.0 |
| 4 | Mysore | 0.6 | 0.5 | 0.2 | 0.6 | 0.0 | 0.0 | 461 | 195 | 18.2 | 3.7 | 22.3 | 1.6 |
| 5 | Nanjangudu | 0.5 | 0.5 | 0.0 | 0.6 | 0.0 | 0.0 | 14 | 3 | 8.3 | 0.0 | 8.3 | 0.0 |
| 6 | Periyapatna | 0.5 | 0.8 | 0.0 | 0.0 | 0.0 | 0.0 | 2 | 2 | 0.0 | 0.0 | 0.0 | 0.0 |
| 7 | Tirumakudal Narsipur | 0.5 | 0.5 | 0.6 | 0.0 | 0.0 | 0.0 | 2 | 1 | 50.0 | | 50.0 | |

| Indicators | | 157 | | 158 | | 159 | | 160 | | 161 | | 162 | |
|------------|----------------------|---|---------|---|---------|---|---------|---|---------|---|---------|--|---------|
| | | % Deaths due to LBW to Total Reported Infant Deaths | | % Deaths due to Pneumonia to Total Reported Infant Deaths | | % Deaths due to Diarrhoea to Total Reported Infant Deaths | | % Deaths due to Fever to Total Reported Infant Deaths | | % Deaths due to Measles to Total Reported Infant Deaths | | % Deaths due to Other Causes to Total Reported Infant Deaths | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Mysore | 5.3 | 4.3 | 10.5 | 20.8 | 0.2 | 0.0 | 0.4 | 0.5 | 0.0 | 0.0 | 44.4 | 66.7 |
| 1 | Heggadadevankote | 16.7 | 10.0 | 0.0 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 66.7 | 30.0 |
| 2 | Hunsur | 0.0 | 50.0 | 20.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 80.0 | 50.0 |
| 3 | Krishnarajanagara | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 0.0 |
| 4 | Mysore | 4.8 | 2.1 | 10.9 | 22.5 | 0.2 | 0.0 | 0.4 | 0.5 | 0.0 | 0.0 | 43.1 | 69.5 |
| 5 | Nanjangudu | 25.0 | 33.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 58.3 | 66.7 |
| 6 | Periyapatna | 0.0 | 50.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 50.0 |
| 7 | Tirumakudal Narsipur | 0.0 | | 0.0 | | 0.0 | | 0.0 | | 0.0 | | 0.0 | |