		1		2	)	3	1	4		5		(	5
	Indicator	Total Nu reported l	mber of	% Total Reported Live Births to Total Deliveries			ımber of	% live birth to Reported Birth			f Newborns	Number of Infants given OPV 0 (Birth Dose)	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Punjab	84,048		99.2	0.0	702		99.2		65,210		15,620	
1	Amritsar	9,070		99.3		68		99.3		9,070		4,139	
2	Barnala	2,264		99.7		7		99.7		2,093			
3	Bathinda	4,083		98.8		48		98.8		2,610			
4	Faridkot	2,017		99.9		26		98.7		1,745		771	
5	Fatehgarh Sahib	1,155		100.0				100.0		1,135		801	
6	Fazilka												
7	Firozpur	4,671		99.9		4		99.9		1,259		1,017	
8	Gurdaspur	8,167		100.0				100.0		7,676		667	
9	Hoshiarpur	4,166		97.1		123		97.1		3,196		354	
10	Jalandhar	6,931		99.4		39		99.4		6,407			
11	Kapurthala	2,534		99.3		18		99.3		2,534			
12	Ludhiana	8,708		99.2		70		99.2		1,406			
13	Mansa	2,783		99.5		15		99.5		1,973		307	
14	Moga	4,201		99.0		21		99.5		4,179			
15	Mohali SAS Nagar	2,442		99.6	0.0	6		99.8		2,366		152	
16	Muktsar	3,653		99.7		11		99.7		3,004			
17	Nawanshahr	1,478		98.5		40		97.4		1,460		506	
18	Pathankot												
19	Patiala	5,005		99.6		19		99.6		4,463		3,775	
20	Rupnagar	2,219		98.0		45		98.0		2,219		1,170	
21	Sangrur	4,601		99.3		33		99.3		2,850		913	
22	Tarn Taran	3,900		97.3		109		97.3		3,565		1,048	

		7	7		3		)	1	0	1	1	1	2
	Indicator	Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Punjab	111,530	118,395	18.6		132.7		100,012		99,832	124,736	101,798	123,963
1	Amritsar	11,145		45.6		122.9		9,594		9,804		9,973	
2	Barnala	2,181		0.0		96.3		2,445		2,417		2,475	
3	Bathinda	3,622		0.0		88.7		3,203		3,225		3,291	
4	Faridkot	2,822		38.2		139.9		2,627		2,518		2,665	
5	Fatehgarh Sahib	1,930		69.4		167.1		1,883		1,843		1,950	
6	Fazilka												
7	Firozpur	7,825		21.8		167.5		8,825		8,594		8,675	
8	Gurdaspur	8,167		8.2		100.0		8,185		8,140		8,329	
9	Hoshiarpur	5,774		8.5		138.6		4,877		4,722		4,804	
10	Jalandhar	9,613		0.0		138.7		7,774		7,679		8,005	
11	Kapurthala	3,496		0.0		138.0		3,552		3,695		3,703	
12	Ludhiana	16,652		0.0		191.2		13,463		13,543		13,973	
13	Mansa	2,921		11.0		105.0		2,546		2,543		2,497	
14	Moga	4,321		0.0		102.9		2,450		2,429		2,388	
15	Mohali SAS Nagar	2,652	118,395	6.2		108.6		2,991		2,936	124,736	3,065	123,963
16	Muktsar	3,661		0.0		100.2		3,885		3,827		3,637	
17	Nawanshahr	2,207		34.2		149.3		2,046		2,183		2,304	
18	Pathankot												
19	Patiala	9,261		75.4		185.0		8,727		8,621		8,508	
20	Rupnagar	2,671		52.7		120.4		2,407		2,555		2,744	
21	Sangrur	5,922		19.8		128.7		5,013		4,897		5,158	
22	Tarn Taran	4,687		26.9		120.2		3,519		3,661		3,654	

		1	3	1	4	1	5	1	6	1	7	18	Q
	Indicator	Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number o	of Infants	Number o	of Infants	% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Punjab							102,555	112,853	122.0		102,539	
1	Amritsar							7,818		86.2		7,818	
2	Barnala							2,463		108.8		2,463	
3	Bathinda							3,372		82.6		3,372	
4	Faridkot							2,340		116.0		2,340	
5	Fatehgarh Sahib							2,337		202.3		2,337	
6	Fazilka												
7	Firozpur							6,811		145.8		6,811	
8	Gurdaspur							8,930		109.3		8,914	
9	Hoshiarpur							6,025		144.6		6,025	
10	Jalandhar							8,765		126.5		8,765	
11	Kapurthala							3,343		131.9		3,343	
12	Ludhiana							15,124		173.7		15,124	
13	Mansa							2,560		92.0		2,560	
14	Moga							1,778		42.3		1,778	
15	Mohali SAS Nagar							2,767	112,853	113.3		2,767	
16	Muktsar							3,691		101.0		3,691	
17	Nawanshahr							2,371		160.4		2,371	
18	Pathankot												
19	Patiala							8,602		171.9		8,602	
20	Rupnagar							2,627		118.4		2,627	
21	Sangrur							5,654		122.9		5,654	
22	Tarn Taran							5,177		132.7		5,177	

		1	9	2	0	2	1	2	2	2	3	2	4
	Indicator	Drop Ou BCG &		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1			e Events Imunisation ners)	immunisati Held to Im Sessions	on Sessions munisation
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Punjab	8.0	4.7	9,060	2,699	10.8		26.0	0.0			96.7	
1	Amritsar	29.9		1,973		21.8		0.0					
2	Barnala	-12.9		211		9.3		0.0					
3	Bathinda	6.9		675		16.5		0.0					
4	Faridkot	17.1				0.0							
5	Fatehgarh Sahib	-21.1				0.0							
6	Fazilka												
7	Firozpur	13.0		395		8.5		595.4				93.3	
8	Gurdaspur	-9.3		2,265		27.7		0.0					
9	Hoshiarpur	-4.3				0.0							
10	Jalandhar	8.8		206		3.0		0.0					
11	Kapurthala	4.4				0.0							
12	Ludhiana	9.2		458		5.3		0.0					
13	Mansa	12.4				0.0						95.6	
14	Moga	58.9				0.0							
15	Mohali SAS Nagar	-4.3	4.7		2,699	0.0			0.0				
16	Muktsar	-0.8		868		23.8		0.0					
17	Nawanshahr	-7.4				0.0							
18	Pathankot												
19	Patiala	7.1		1,343		26.8		0.0					
20	Rupnagar	1.6		666		30.0		0.0				97.5	
21	Sangrur	4.5				0.0							
22	Tarn Taran	-10.5				0.0						100.0	

		2	5	2	6	2	7	2	8	2	9	3	0
Indicator		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Punjab	28.2		0.0		0.0		0.0		0.0		0.0	
1	Amritsar			0.0		0.0		0.0		0.0		0.0	
2	Barnala			0.0		0.0		0.0		0.0		0.0	
3	Bathinda												
4	Faridkot			0.0		1.1		0.5		0.5		0.0	
5	Fatehgarh Sahib			0.0		0.0		0.0		0.0		0.0	
6	Fazilka												
7	Firozpur	88.4											
8	Gurdaspur												
9	Hoshiarpur			0.0		0.0		0.0		0.0		0.0	
10	Jalandhar			0.0		0.0		0.0		0.0		0.0	
11	Kapurthala												
12	Ludhiana			0.0		0.0		0.0		0.0		0.0	
13	Mansa	0.0											
14	Moga			0.0		0.0		0.0		0.0		0.0	
15	Mohali SAS Nagar			0.0		0.0		0.0		0.0		0.0	
16	Muktsar			0.0		0.0		0.0		0.0		0.0	
17	Nawanshahr			0.0		0.0		0.0		0.0		0.0	
18	Pathankot												
19	Patiala			0.0		0.0		0.0		0.0		0.0	
20	Rupnagar	0.0		0.0		0.0		0.0		0.0		0.0	
21	Sangrur			0.0		0.0		0.0		0.0		0.0	
22	Tarn Taran	0.0		0.0		0.0		0.0		0.0		0.0	

Performance of Key HMIS Indicators for Punjab ( Across Districts) Financial Year: 2008-09  $\,$ 

Provisional Figures for the Period April to June

		3	1	3		3	3	3	4	3	5	3	6
	Indicator	% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Punjab	0.2		99.4		0.3		240		1.3		0.0	
1	Amritsar	0.0		100.0		0.0		54		0.0		0.0	
2	Barnala	0.0		100.0		0.0		1		0.0		0.0	
3	Bathinda												
4	Faridkot	2.7		95.1		0.0		18		0.0		0.0	
5	Fatehgarh Sahib	0.0		100.0		0.0							
6	Fazilka												
7	Firozpur												
8	Gurdaspur												
9	Hoshiarpur	0.0		100.0		0.0		56		0.0		0.0	
10	Jalandhar	0.0		99.4		0.6		21		0.0		0.0	
11	Kapurthala							3		100.0		0.0	
12	Ludhiana	0.0		100.0		0.0							
13	Mansa												
14	Moga	0.0		100.0		0.0							
15	Mohali SAS Nagar	0.0		100.0		0.0		5		0.0		0.0	
16	Muktsar	0.0		98.0		2.0		5		0.0		0.0	
17	Nawanshahr	0.0		100.0		0.0		24		0.0		0.0	
18	Pathankot												
19	Patiala	0.1		99.6		0.3							
20	Rupnagar	0.0		100.0		0.0		6		0.0		0.0	
21	Sangrur	2.8		97.2		0.0		2		0.0		0.0	
22	Tarn Taran	0.1		99.9		0.0		45		0.0		0.0	

Performance of Key HMIS Indicators for Punjab ( Across Districts) Financial Year: 2008-09  $\,$ 

Provisional Figures for the Period April to June

		3	7	3	8	3	9	4	0	4	1	4	2.
	Indicator	% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due	6 to Fever to rted Infant	% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Punjab	0.0		0.0		0.0		0.0		0.0		98.8	
1	Amritsar	0.0		0.0		0.0		0.0		0.0		100.0	
2	Barnala	0.0		0.0		0.0		0.0		0.0		100.0	
3	Bathinda												
4	Faridkot	0.0		0.0		0.0		0.0		0.0		100.0	
5	Fatehgarh Sahib												
6	Fazilka												
7	Firozpur												
8	Gurdaspur												
9	Hoshiarpur	0.0		0.0		0.0		0.0		0.0		100.0	
10	Jalandhar	0.0		0.0		0.0		0.0		0.0		100.0	
11	Kapurthala	0.0		0.0		0.0		0.0		0.0		0.0	
12	Ludhiana												
13	Mansa												
14	Moga												
15	Mohali SAS Nagar	0.0		0.0		0.0		0.0		0.0		100.0	
16	Muktsar	0.0		0.0		0.0		0.0		0.0		100.0	
17	Nawanshahr	0.0		0.0		0.0		0.0		0.0		100.0	
18	Pathankot												
19	Patiala												
20	Rupnagar	0.0		0.0		0.0		0.0		0.0		100.0	
21	Sangrur	0.0		0.0		0.0		0.0		0.0		100.0	
22	Tarn Taran	0.0		0.0		0.0		0.0		0.0		100.0	