

Performance of Key HMIS Indicators for Bihar-> Buxar (Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to June

These indicators are under compilation (83,84,85,86,197,198)

Indicators		1		2		3		4		5		6	
		Total number of pregnant women Registered for ANC		Number of Pregnant women registered within first trimester		% 1st Trimester registration to Total ANC Registrations		Number of pregnant women received 4 or more ANC check ups		TT2 given to Pregnant women (numbers)		TT Booster given to Pregnant women (numbers)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	14,220	12,316	9,058	7,732	63.6	62.7	8,533	5,478	6,381	5,808	5,252	4,872
1	Brahampur	1,473	1,477	1,085	887	73.7	60.1	915	583	712	724	660	654
2	Buxar Sadar	1,809	1,618	1,071	910	59.2	56.2	1,120	1,002	949	900	765	572
3	Buxar Urban	1,405	699	755	618	53.7	88.4	881	681	139	152	0	0
4	Chakki	623	241	153	222	24.6	92.1	127	131	114	130	104	103
5	Chaugain	386	398	344	362	89.1	91.0	249	117	154	154	200	206
6	Chausa	817	679	560	456	68.5	67.2	718	275	397	360	341	280
7	Dumraon	2,015	1,637	1,111	935	55.1	57.1	1,193	344	880	671	785	677
8	Itarhi	1,327	1,053	847	477	63.8	45.3	711	557	742	561	481	385
9	Kesath	227	223	152	161	67.0	72.2	167	172	86	93	113	107
10	Nawanagar	1,197	1,206	816	672	68.2	55.7	680	412	599	618	538	532
11	Rajpur	1,536	1,643	1,077	1,061	70.1	64.6	738	710	814	687	729	764
12	Simri	1,405	1,442	1,087	971	77.4	67.3	1,034	494	795	758	536	592

Indicators		7		8		9		10		11		12	
		% Pregnant Woman received 4 ANC check ups to Total ANC Registrations		% Pregnant women received TT2+ TT Booster to Total ANC Registration		Number of Pregnant women given 180 IFA tablets		% Pregnant women given 180 IFA to Total ANC Registration		Number of Pregnant Women having Hb level<11 (tested cases)		Number of Pregnant Women having severe anaemia (Hb<7) treated at institution	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	60.0	44.4	81.8	86.7	2,565	4,184	18.0	33.9	1,439	1,767	5	21
1	Brahampur	62.1	39.5	93.1	93.3	8	144	0.5	9.7	98	26	0	0
2	Buxar Sadar	61.9	61.9	94.7	91.0	539	988	29.8	61.1	0	0	0	0
3	Buxar Urban	62.7	97.4	9.9	21.7	1,155	622	82.2	89.0	806	1,228	5	15
4	Chakki	20.4	54.4	35.0	96.7	5	0	0.8	0.0	0	0	0	0
5	Chaugain	64.5	29.4	91.7	90.5	63	80	16.3	20.1	46	152	0	3
6	Chausa	87.9	40.5	90.3	94.3	425	549	52.0	80.9	19	18	0	0
7	Dumraon	59.2	21.0	82.6	82.3	0	536	0.0	32.7	261	216	0	0
8	Itarhi	53.6	52.9	92.2	89.8	0	73	0.0	6.9	205	7	0	0
9	Kesath	73.6	77.1	87.7	89.7	166	170	73.1	76.2	0	0	0	0
10	Nawanagar	56.8	34.2	95.0	95.4	0	284	0.0	23.5	0	0	0	0
11	Rajpur	48.0	43.2	100.5	88.3	168	710	10.9	43.2	0	102	0	0
12	Simri	73.6	34.3	94.7	93.6	36	28	2.6	1.9	4	18	0	3

Indicators		13		14		15		16		17		18	
		% Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<7		% New cases of Pregnant Women detected at institution for hypertension to Total ANC Registrations		Number of Home deliveries		Number of home deliveries attended by SBA trained (Doctor/Nurse/ANM)		Number of home deliveries attended by Non SBA trained (trained TB/Dai)		% SBA attended home deliveries to Total Reported Home Deliveries	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	6.7	21.4	0.1	0.6	563	616	195	208	368	408	34.6	33.7
1	Brahampur	0.0		0.1	1.4	47	66	0	0	47	66	0.0	0.0
2	Buxar Sadar			0.0	0.0	85	125	49	75	36	50	57.6	60.0
3	Buxar Urban	10.6	44.1	0.2	1.3								
4	Chakki			0.0	0.0	63	35	0	0	63	35	0.0	0.0
5	Chaugain		100.0	0.5	0.5	25	33	5	29	20	4	20.0	87.9
6	Chausa	0.0	0.0	0.4	1.9	54	23	11	6	43	17	20.4	26.1
7	Dumraon	0.0	0.0	0.0	0.0	154	102	130	76	24	26	84.4	74.5
8	Itarhi			0.3	0.0	84	107	0	0	84	107	0.0	0.0
9	Kesath			0.0	0.0	0	0	0	0	0	0		
10	Nawanagar			0.0	0.0	10	37	0	9	10	28	0.0	24.3
11	Rajpur	0.0	0.0	0.1	0.0	0	32	0	13	0	19		40.6
12	Simri	0.0		0.4	2.0	41	56	0	0	41	56	0.0	0.0

Indicators		19		20		21		22		23		24	
		Deliveries Conducted at Public Institutions		Number of Women Discharged under 48 hours of delivery in public facilities		% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at public institutions		Deliveries Conducted at Private Institutions		Number of Women Discharged under 48 hours of delivery in private institutions		% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at private institutions	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	3,953	4,088	2,660	3,717	67.2	90.9						
1	Brahampur	578	634	6	634	1.0	100.0						
2	Buxar Sadar	0	0	0	0								
3	Buxar Urban	762	706	720	689	94.5	97.6						
4	Chakki	39	51	39	51	100.0	100.0						
5	Chaugain	147	142	147	142	100.0	100.0						
6	Chausa	296	322	296	342	100.0	106.2						
7	Dumraon	628	675	620	675	98.7	100.0						
8	Itarhi	323	471	0	459	0.0	97.5						
9	Kesath	64	74	64	74	100.0	100.0						
10	Nawanagar	240	258	240	258	100.0	100.0						
11	Rajpur	479	329	479	329	100.0	100.0						
12	Simri	397	426	49	64	12.3	15.0						

Performance of Key HMIS Indicators for Bihar-> Buxar (Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to June

These indicators are under compilation (83,84,85,86,197,198)

Indicators		25		26		27		28		29		30	
		Institutional deliveries (Public Insts.+Pvt. Insts.)		% Institutional Deliveries to total ANC registration		Total reported deliveries		% Institutional deliveries to Total Reported Deliveries		% Safe deliveries to Total Reported Deliveries		% Home deliveries to Total Reported Deliveries	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	3,953	4,088	27.7	33.1	4,516	4,704	87.5	86.9	91.9	91.3	12.5	13.1
1	Brahampur	578	634	39.2	42.9	625	700	92.5	90.6	92.5	90.6	7.5	9.4
2	Buxar Sadar	0	0	0.0	0.0	85	125	0.0	0.0	57.6	60.0	100.0	100.0
3	Buxar Urban	762	706	54.2	101.0	762	706	100.0	100.0	100.0	100.0	0.0	0.0
4	Chakki	39	51	6.3	21.2	102	86	38.2	59.3	38.2	59.3	61.8	40.7
5	Chaugain	147	142	38.1	35.7	172	175	85.5	81.1	88.4	97.7	14.5	18.9
6	Chausa	296	322	36.2	47.4	350	345	84.6	93.3	87.7	95.1	15.4	6.7
7	Dumraon	628	675	31.2	41.2	782	777	80.3	86.9	96.9	96.7	19.7	13.1
8	Itarhi	323	471	24.3	44.7	407	578	79.4	81.5	79.4	81.5	20.6	18.5
9	Kesath	64	74	28.2	33.2	64	74	100.0	100.0	100.0	100.0	0.0	0.0
10	Nawanagar	240	258	20.1	21.4	250	295	96.0	87.5	96.0	90.5	4.0	12.5
11	Rajpur	479	329	31.2	20.0	479	361	100.0	91.1	100.0	94.7	0.0	8.9
12	Simri	397	426	28.3	29.5	438	482	90.6	88.4	90.6	88.4	9.4	11.6

Indicators		31		32		33		34		35		36	
		Number of C-section deliveries conducted at public facilities		Number of C-section deliveries conducted at private facilities		% C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries		% C-sections conducted at public facilities to Deliveries conducted at public facilities		% C-sections conducted at Private facilities to Deliveries conducted at private facilities		% Deliveries conducted at Public Institutions to Total Institutional Deliveries	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	50	17			1.2	0.4	1.3	0.4			100.0	100.0
1	Brahampur	0	0			0.0	0.0	0.0	0.0			100.0	100.0
2	Buxar Sadar	0	0										
3	Buxar Urban	42	17			5.5	2.4	5.5	2.4			100.0	100.0
4	Chakki	0	0			0.0	0.0	0.0	0.0			100.0	100.0
5	Chaugain	0	0			0.0	0.0	0.0	0.0			100.0	100.0
6	Chausa	0	0			0.0	0.0	0.0	0.0			100.0	100.0
7	Dumraon	8	0			1.3	0.0	1.3	0.0			100.0	100.0
8	Itarhi	0	0			0.0	0.0	0.0	0.0			100.0	100.0
9	Kesath	0	0			0.0	0.0	0.0	0.0			100.0	100.0
10	Nawanagar	0	0			0.0	0.0	0.0	0.0			100.0	100.0
11	Rajpur	0	0			0.0	0.0	0.0	0.0			100.0	100.0
12	Simri	0	0			0.0	0.0	0.0	0.0			100.0	100.0

Indicators		37		38		39		40		41		42	
		% Deliveries conducted at Private Institutions to Total Institutional Deliveries		Women received 1st post partum check-up within 48 hours of home delivery		Women received 1st post partum check up between 48 hours and 14 days		% Women getting 1st post partum check-up within 48 hours of home delivery to Total Reported Home Deliveries		% Women getting 1st Post Partum Checkup between 48 hours and 14 days to Total Reported Deliveries		Total Number of reported live births	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	0.0	0.0	1,187	3,394	2,150	3,508	210.8	551.0	47.6	74.6	4,488	4,620
1	Brahampur	0.0	0.0	63	704	265	344	134.0	1066.7	42.4	49.1	610	690
2	Buxar Sadar			0	0	628	560	0.0	0.0	738.8	448.0	85	125
3	Buxar Urban	0.0	0.0	720	701	42	735			5.5	104.1	762	697
4	Chakki	0.0	0.0	0	51	102	78	0.0	145.7	100.0	90.7	102	86
5	Chaugain	0.0	0.0	25	125	175	152	100.0	378.8	101.7	86.9	172	175
6	Chausa	0.0	0.0	339	341	173	238	627.8	1482.6	49.4	69.0	341	341
7	Dumraon	0.0	0.0	0	258	136	225	0.0	252.9	17.4	29.0	782	769
8	Itarhi	0.0	0.0	12	362	20	215	14.3	338.3	4.9	37.2	406	521
9	Kesath	0.0	0.0	0	74	64	74			100.0	100.0	64	74
10	Nawanagar	0.0	0.0	7	264	240	28	70.0	713.5	96.0	9.5	249	294
11	Rajpur	0.0	0.0	0	332	64	380		1037.5	13.4	105.3	479	371
12	Simri	0.0	0.0	21	182	241	479	51.2	325.0	55.0	99.4	436	477

Indicators		43		44		45		46		47		48	
		% Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		% Newborns weighed at birth to live birth		Number of Newborns having weight less than 2.5 kg	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	99.4	98.2	43	52	99.1	98.9	4,209	4,384	93.8	94.9	552	580
1	Brahampur	97.6	98.6	16	12	97.4	98.3	606	678	99.3	98.3	60	108
2	Buxar Sadar	100.0	100.0	0	0	100.0	100.0	85	125	100.0	100.0	0	0
3	Buxar Urban	100.0	98.7	5	16	99.3	97.8	761	692	99.9	99.3	116	115
4	Chakki	100.0	100.0	0	0	100.0	100.0	102	86	100.0	100.0	5	18
5	Chaugain	100.0	100.0	0	0	100.0	100.0	172	167	100.0	95.4	23	18
6	Chausa	97.4	98.8	4	1	98.8	99.7	326	334	95.6	97.9	43	51
7	Dumraon	100.0	99.0	5	7	99.4	99.1	628	669	80.3	87.0	127	73
8	Itarhi	99.8	90.1	2	0	99.5	100.0	324	461	79.8	88.5	29	57
9	Kesath	100.0	100.0	0	2	100.0	97.4	64	72	100.0	97.3	10	7
10	Nawanagar	99.6	99.7	3	4	98.8	98.7	248	294	99.6	100.0	20	36
11	Rajpur	100.0	102.8	5	5	99.0	98.7	479	356	100.0	96.0	51	22
12	Simri	99.5	99.0	3	5	99.3	99.0	414	450	95.0	94.3	68	75

Indicators		49		50		51		52		53		54	
		% Newborns having weight less than 2.5 kg to Newborns weighed at birth		Number of New Borns Breast Fed within 1 hour		% Newborns breast fed within 1 hour of birth to Total live birth		Sex Ratio at birth (Female Live Births/ Male Live Births *1000)		% cases of Pregnant women with Obstetric Complications and attended to reported deliveries		% Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	13.1	13.2	4,436	4,523	98.8	97.9	876	924	1.7	1.8	3.9	5.7
1	Brahampur	9.9	15.9	607	688	99.5	99.7	883	994	3.2	3.6	0.0	0.0
2	Buxar Sadar	0.0	0.0	85	125	100.0	100.0	848	838	0.0	0.0		
3	Buxar Urban	15.2	16.6	751	684	98.6	98.1	760	894	2.2	1.6	17.6	45.5
4	Chakki	4.9	20.9	102	86	100.0	100.0	789	830	0.0	0.0		
5	Chaugain	13.4	10.8	171	171	99.4	97.7	870	862	1.2	4.6	0.0	0.0
6	Chausa	13.2	15.3	345	339	101.2	99.4	1,030	814	0.6	3.8	0.0	0.0
7	Dumraon	20.2	10.9	774	769	99.0	100.0	975	903	1.9	2.2	0.0	0.0
8	Itarhi	9.0	12.4	394	481	97.0	92.3	854	1,004	0.7	0.0	0.0	
9	Kesath	15.6	9.7	61	72	95.3	97.3	939	1,056	0.0	0.0		
10	Nawanagar	8.1	12.2	248	294	99.6	100.0	831	1,115	0.0	0.7		0.0
11	Rajpur	10.6	6.2	476	357	99.4	96.2	1,004	922	2.1	0.0	0.0	
12	Simri	16.4	16.7	422	457	96.8	95.8	751	849	1.8	2.5	0.0	0.0

Indicators		55		56		57		58		59		60	
		Number of PW given 360 Calcium tablets		% Pregnant women given 360 Calcium to Total ANC Registration		Number of PW given one Albendazole tablet after 1st trimester		% Pregnant women given one Albendazole tablet after 1st trimester to Total ANC Registration		Number of PW tested for blood sugar using OGTT (Oral Glucose Tolerance Test)		% Pregnant women tested for blood sugar using OGTT to Total ANC Registration	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	1,487	963	10.5	7.8	2,119	1,243	14.9	10.1	615	309	4.3	2.5
1	Brahampur	0	9	0.0	0.6	450	183	30.5	12.4	0	0	0.0	0.0
2	Buxar Sadar	93	0	5.1	0.0	38	0	2.1	0.0	0	0	0.0	0.0
3	Buxar Urban	1,155	440	82.2	62.9	755	440	53.7	62.9	0	0	0.0	0.0
4	Chakki	0	0	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0
5	Chaugain	0	0	0.0	0.0	80	155	20.7	38.9	176	0	45.6	0.0
6	Chausa	200	0	24.5	0.0	77	0	9.4	0.0	0	0	0.0	0.0
7	Dumraon	0	304	0.0	18.6	0	125	0.0	7.6	439	309	21.8	18.9
8	Itarhi	32	32	2.4	3.0	691	180	52.1	17.1	0	0	0.0	0.0
9	Kesath	0	0	0.0	0.0	0	22	0.0	9.9	0	0	0.0	0.0
10	Nawanagar	0	0	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0
11	Rajpur	7	178	0.5	10.8	0	85	0.0	5.2	0	0	0.0	0.0
12	Simri	0	0	0.0	0.0	28	53	2.0	3.7	0	0	0.0	0.0

Indicators		61		62		63		64		65		66	
		Number of PW tested positive for GDM		% Pregnant women tested positive for GDM to Total ANC Registration		Number of pregnant women tested for Syphilis		Number of pregnant women tested found sero positive for Syphilis		% Pregnant women tested for Syphilis to Total ANC Registration		% Pregnant women treated for Syphilis to Total sero positive for Syphilis	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	0	0	0.0	0.0	242	388	0	1	1.7	3.2	0.0	0.3
1	Brahampur	0	0	0.0	0.0	0	0	0	0	0.0	0.0		
2	Buxar Sadar	0	0	0.0	0.0	0	0	0	0	0.0	0.0		
3	Buxar Urban	0	0	0.0	0.0	242	0	0	0	17.2	0.0	0.0	
4	Chakki	0	0	0.0	0.0	0	0	0	0	0.0	0.0		
5	Chaugain	0	0	0.0	0.0	0	190	0	1	0.0	47.7		0.5
6	Chausa	0	0	0.0	0.0	0	0	0	0	0.0	0.0		
7	Dumraon	0	0	0.0	0.0	0	198	0	0	0.0	12.1		0.0
8	Itarhi	0	0	0.0	0.0	0	0	0	0	0.0	0.0		
9	Kesath	0	0	0.0	0.0	0	0	0	0	0.0	0.0		
10	Nawanagar	0	0	0.0	0.0	0	0	0	0	0.0	0.0		
11	Rajpur	0	0	0.0	0.0	0	0	0	0	0.0	0.0		
12	Simri	0	0	0.0	0.0	0	0	0	0	0.0	0.0		

Indicators		67		68		69		70		71		72	
		% of babies treated for congenital Syphilis to babies total diagnosed with Congenital Syphilis		Total no. maternal deaths		Total Facility Based Maternal Death Reviews (FBMDR) done		Total Number of Abortions (Spontaneous) Reported		Total Number of MTPs (Public) conducted		% MTPs to total Abortions	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar			6	5	0	0	20	13	9	10	89.6	43.5
1	Brahampur			0	0			4	5	0	0	0.0	0.0
2	Buxar Sadar			0	0			0	0	0	0		
3	Buxar Urban			0	1	0	0	9	6	9	10	95.1	62.5
4	Chakki			0	0			0	0	0	0		
5	Chaugain			3	0			3	2	0	0	0.0	0.0
6	Chausa			0	0			1	0	0	0	0.0	
7	Dumraon			1	0	0	0	0	0	0	0		
8	Itarhi			0	1			3	0	0	0	0.0	
9	Kesath			0	0			0	0	0	0		
10	Nawanagar				0			0	0	0	0		
11	Rajpur			0	0			0	0	0	0		
12	Simri			2	3			0	0	0	0		

Indicators		73		74		75		76		77		78	
		% MTPs up to 12 weeks of Pregnancy to Total MTPs at Public Institutions		% MTPs more than 12 weeks of Pregnancy to Total MTPs at Public Institutions		% MTPs Conducted at Public Institutions to Total MTPs		% MTPs Conducted at Private Institutions to Total MTPs		% Total MTPs (Public) Conducted to Total ANC Registration		Number of Vasectomies Conducted	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	88.9	100.0	11.1	0.0	5.2	100.0	94.8	0.0	0.1	0.1	5	7
1	Brahampur									0.0	0.0	0	0
2	Buxar Sadar									0.0	0.0	0	0
3	Buxar Urban	88.9	100.0	11.1	0.0	5.2	100.0	94.8	0.0	0.6	1.4	2	2
4	Chakki									0.0	0.0	0	0
5	Chaugain									0.0	0.0	0	0
6	Chausa									0.0	0.0	1	0
7	Dumraon									0.0	0.0	0	0
8	Itarhi									0.0	0.0	0	0
9	Kesath									0.0	0.0	2	5
10	Nawanagar									0.0	0.0	0	0
11	Rajpur									0.0	0.0	0	0
12	Simri									0.0	0.0	0	0

Indicators		79		80		81		82		83		84	
		Number of Tubectomies Conducted		Total Sterilisation Conducted		% Male Sterilisation (Vasectomies) to Total sterilisation		% Female Serlisation (Tubectomies) to Total sterilisation		Total Sterlisation (Tubectomies and Vasectomies) conducted at PHC		Total Sterlisation (Tubectomies and Vasectomies) conducted at CHC	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	406	311	411	318	1.2	2.2	98.8	97.8				
1	Brahampur	45	67	45	67	0.0	0.0	100.0	100.0				
2	Buxar Sadar	0	0	0	0								
3	Buxar Urban	148	52	150	54	1.3	3.7	98.7	96.3				
4	Chakki	0	0	0	0								
5	Chaugain	12	9	12	9	0.0	0.0	100.0	100.0				
6	Chausa	33	27	34	27	2.9	0.0	97.1	100.0				
7	Dumraon	51	21	51	21	0.0	0.0	100.0	100.0				
8	Itarhi	31	40	31	40	0.0	0.0	100.0	100.0				
9	Kesath	6	0	8	5	25.0	100.0	75.0	0.0				
10	Nawanagar	35	58	35	58	0.0	0.0	100.0	100.0				
11	Rajpur	12	3	12	3	0.0	0.0	100.0	100.0				
12	Simri	33	34	33	34	0.0	0.0	100.0	100.0				

Indicators		85		86		87		88		89		90	
		Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH		Total Sterilisation (Tubectomies and Vasectomies) conducted at DH		Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions		Total Sterilisation (Tubectomies and Vasectomies) conducted at Public institutions		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Public institutions to Total Sterilisation	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar					105		306	318	25.5	0.0	74.5	100.0
1	Brahampur							45	67	0.0	0.0	100.0	100.0
2	Buxar Sadar							0	0				
3	Buxar Urban					105		45	54	70.0	0.0	30.0	100.0
4	Chakki							0	0				
5	Chaugain							12	9	0.0	0.0	100.0	100.0
6	Chausa							34	27	0.0	0.0	100.0	100.0
7	Dumraon							51	21	0.0	0.0	100.0	100.0
8	Itarhi							31	40	0.0	0.0	100.0	100.0
9	Kesath							8	5	0.0	0.0	100.0	100.0
10	Nawanagar							35	58	0.0	0.0	100.0	100.0
11	Rajpur							12	3	0.0	0.0	100.0	100.0
12	Simri							33	34	0.0	0.0	100.0	100.0

Indicators		91		92		93		94		95		96	
		% Laparoscopic sterilisations to Total Female Sterilisations		% Mini Lap Sterlisations to Total Female Sterilisations		% Post Partum Sterilisations to Total Female Sterilisations		% Post Abortion Sterilisations to Total Female Sterilisations		% Laparoscopic sterilisations at Public Institutions to Total Laparoscopic Sterilisations		% Mini Lap sterlisations at Public Institutions to Total Mini Lap Sterilisations	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	0.0	0.0	91.1	86.5	8.8	13.5	0.0	0.0			71.9	100.0
1	Brahampur	0.0	0.0	97.8	88.1	2.2	11.9	0.0	0.0			100.0	100.0
2	Buxar Sadar												
3	Buxar Urban	0.0	0.0	86.5	63.5	13.5	36.5	0.0	0.0			18.8	100.0
4	Chakki												
5	Chaugain	0.0	0.0	58.3	77.8	41.7	22.2	0.0	0.0			100.0	100.0
6	Chausa	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0			100.0	100.0
7	Dumraon	0.0	0.0	92.2	95.2	7.8	4.8	0.0	0.0			100.0	100.0
8	Itarhi	0.0	0.0	96.8	100.0	3.2	0.0	0.0	0.0			100.0	100.0
9	Kesath	0.0		100.0		0.0		0.0				100.0	
10	Nawanagar	0.0	0.0	97.1	87.9	2.9	12.1	0.0	0.0			100.0	100.0
11	Rajpur	0.0	0.0	100.0	0.0	0.0	100.0	0.0	0.0			100.0	
12	Simri	0.0	0.0	87.9	94.1	12.1	5.9	0.0	0.0			100.0	100.0

Indicators		97		98		99		100		101		102	
		% Post Partum sterlisations at Public Institutions to Total Post Partum Sterilisation		% Post Abortion sterlisations at Public Institutions to Total Post Partum Sterilisation		Total cases of deaths following Sterilisation (Male + Female)		Total cases of deaths following Male Sterilisation		Total cases of deaths following Female Sterilisation		Total cases of failure following Male Sterilisation	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	100.0	100.0			0	0	0	0	0	0	0	0
1	Brahampur	100.0	100.0			0	0	0	0	0	0	0	0
2	Buxar Sadar					0	0	0	0	0	0	0	0
3	Buxar Urban	100.0	100.0			0	0	0	0	0	0	0	0
4	Chakki					0	0	0	0	0	0	0	0
5	Chaugain	100.0	100.0			0	0	0	0	0	0	0	0
6	Chausa					0	0	0	0	0	0	0	0
7	Dumraon	100.0	100.0			0	0	0	0	0	0	0	0
8	Itarhi	100.0				0	0	0	0	0	0	0	0
9	Kesath					0	0	0	0	0	0	0	0
10	Nawanagar	100.0	100.0			0	0	0	0	0	0	0	0
11	Rajpur		100.0			0	0	0	0	0	0	0	0
12	Simri	100.0	100.0			0	0	0	0	0	0	0	0

Indicators		103		104		105		106		107		108	
		Total cases of failure following Female Sterilisation		Total cases of complication following Male Sterilisation		Total cases of complication following Female Sterilisation		IUCD Insertions done (public facilities)		IUCD insertions done (pvt. facilities)		% PP IUCD Insertions (public) to Total IUCD Insertions (public)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	0	0	0	0	0	183	1,169	843	81		55.0	34.9
1	Brahampur	0	0	0	0	0	0	287	213			48.1	44.6
2	Buxar Sadar	0	0	0	0	0	0	114	108			0.0	0.0
3	Buxar Urban	0	0	0	0	0	183	132	41	81		81.8	85.4
4	Chakki	0	0	0	0	0	0	0	0				
5	Chaugain	0	0	0	0	0	0	44	43			84.1	48.8
6	Chausa	0	0	0	0	0	0	51	41			68.6	39.0
7	Dumraon	0	0	0	0	0	0	113	56			71.7	51.8
8	Itarhi	0	0	0	0	0	0	65	39			52.3	79.5
9	Kesath	0	0	0	0	0	0	27	9			100.0	55.6
10	Nawanagar	0	0	0	0	0	0	56	52			53.6	23.1
11	Rajpur	0	0	0	0	0	0	42	56			100.0	23.2
12	Simri	0	0	0	0	0	0	238	185			47.1	20.5

Indicators		109		110		111		112		113		114	
		% PP IUCD Insertions (public) to Total Institutional Deliveries (public)		% IUCD insertions to all family planning methods (IUCD plus permanent)		Total Interval IUCD Insertions done		Total PP IUCD Insertions done		Total PAIUCD insertions done		Combined Oral Pills distributed	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	16.2	7.2	75.2	72.6	604	548	644	295	2	0	1,336	1,092
1	Brahampur	23.9	15.0	86.4	76.1	149	118	138	95	0	0	264	90
2	Buxar Sadar			100.0	100.0	114	108	0	0	0	0	0	0
3	Buxar Urban	14.2	5.0	58.7	43.2	103	6	108	35	2	0	177	211
4	Chakki	0.0	0.0			0	0	0	0	0	0	89	101
5	Chaugain	25.2	14.8	78.6	82.7	7	22	37	21	0	0	161	150
6	Chausa	11.8	5.0	60.0	60.3	16	25	35	16	0	0	17	150
7	Dumraon	12.9	4.3	68.9	72.7	32	27	81	29	0	0	149	55
8	Itarhi	10.5	6.6	67.7	49.4	31	8	34	31	0	0	13	0
9	Kesath	42.2	6.8	77.1	64.3	0	4	27	5	0	0	46	26
10	Nawanagar	12.5	4.7	61.5	47.3	26	40	30	12	0	0	36	26
11	Rajpur	8.8	4.0	77.8	94.9	0	43	42	13	0	0	339	283
12	Simri	28.2	8.9	87.8	84.5	126	147	112	38	0	0	45	0

Indicators		115		116		117		118		119		120	
		Emergency pills distributed		Condom pieces distributed		Centchroman (weekly pills) distributed		Number of beneficiaries given 1st dose of Injectable (Antara Program)		Number of beneficiaries given 2nd dose of Injectable (Antara Program)		Number of beneficiaries given 3rd dose of Injectable (Antara Program)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	442	426	13,528	5,571	126	0	320	0	29	0	2	0
1	Brahampur	200	6	2,471	240	13	0	74	0	4	0	0	0
2	Buxar Sadar	19	0	139	0	0	0	0	0	0	0	0	0
3	Buxar Urban	6	0	1,995	235	25	0	36	0	8	0	2	0
4	Chakki	12	185	251	325	0	0	0	0	0	0	0	0
5	Chaugain	37	52	724	580	14	0	0	0	0	0	0	0
6	Chausa	16	27	162	1,066	0	0	29	0	0	0	0	0
7	Dumraon	19	20	4,098	530	39	0	43	0	0	0	0	0
8	Itarhi	7	0	292	40	10	0	17	0	9	0	0	0
9	Kesath	40	9	652	549	9	0	0	0	0	0	0	0
10	Nawanagar	28	5	830	685	0	0	61	0	0	0	0	0
11	Rajpur	58	122	1,649	1,321	0	0	0	0	0	0	0	0
12	Simri	0	0	265	0	16	0	60	0	8	0	0	0

Performance of Key HMIS Indicators for Bihar-> Buxar (Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to June

These indicators are under compilation (83,84,85,86,197,198)

Indicators		121		122		123		124		125		126	
		Number of beneficiaries given 4th or more than 4 doses of Injectable (Antara Program)		Pregnancy testing kits used		Number of Infants given OPV 0 (Birth Dose)		Number of Infants given BCG		Number of Infants given Hep- B0 (birth dose)		% Newborns given OPV0 at birth to Reported live birth	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	0	0	1,679	949	4,835	4,688	7,603	7,236	3,683	3,567	107.7	101.5
1	Brahampur	0	0	347	111	593	664	801	886	539	614	97.2	96.2
2	Buxar Sadar	0	0	0	0	530	349	907	621			623.5	279.2
3	Buxar Urban	0	0	637	0	726	630	726	630	610	400	95.3	90.4
4	Chakki	0	0	122	4	52	73	146	137	39	47	51.0	84.9
5	Chaugain	0	0	121	196	160	145	198	192	145	142	93.0	82.9
6	Chausa	0	0	30	133	348	354	467	430	313	329	102.1	103.8
7	Dumraon	0	0	51	22	728	753	1,165	1,061	628	663	93.1	97.9
8	Itarhi	0	0	76	0	321	358	661	551	320	314	79.1	68.7
9	Kesath	0	0	44	24	77	80	116	114	67	75	120.3	108.1
10	Nawanagar	0	0	0	9	335	358	628	638	255	261	134.5	121.8
11	Rajpur	0	0	246	450	448	373	969	1,151	367	301	93.5	100.5
12	Simri	0	0	5	0	517	551	819	825	400	421	118.6	115.5

Indicators		127		128		129		130		131		132	
		% Newborns given BCG to Reported live birth		% Newborns given Hep-B0(Birth Dose)at birth to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3		Number of Infants given Pentavalent 1	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	169.4	156.6	82.1	77.2	0	0	0	0	0	0	9,041	7,870
1	Brahampur	131.3	128.4	88.4	89.0	0	0	0	0	0	0	1,045	933
2	Buxar Sadar	1067.1	496.8	0.0	0.0	0	0	0	0	0	0	1,399	1,065
3	Buxar Urban	95.3	90.4	80.1	57.4	0	0	0	0	0	0	175	185
4	Chakki	143.1	159.3	38.2	54.7	0	0	0	0	0	0	204	177
5	Chaugain	115.1	109.7	84.3	81.1	0	0	0	0	0	0	261	241
6	Chausa	137.0	126.1	91.8	96.5	0	0	0	0	0	0	500	435
7	Dumraon	149.0	138.0	80.3	86.2	0	0	0	0	0	0	1,243	955
8	Itarhi	162.8	105.8	78.8	60.3	0	0	0	0	0	0	944	780
9	Kesath	181.3	154.1	104.7	101.4	0	0	0	0	0	0	144	162
10	Nawanagar	252.2	217.0	102.4	88.8	0	0	0	0	0	0	836	761
11	Rajpur	202.3	310.2	76.6	81.1	0	0	0	0	0	0	1,247	1,244
12	Simri	187.8	173.0	91.7	88.3	0	0	0	0	0	0	1,043	932

Indicators		133		134		135		136		137		138	
		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		Number of Infants given MR		% Infants 0 to 11 months old who received Measles+ MR vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	9,974	8,927	10,500	9,598	9,821	8,046	0	0	218.8	174.1	9,813	7,994
1	Brahampur	1,174	1,076	1,294	1,168	1,176	746	0	0	192.8	108.1	1,176	746
2	Buxar Sadar	1,471	1,230	1,536	1,336	1,424	1,254	0		1675.3	1003.2	1,424	1,254
3	Buxar Urban	135	171	105	149	138	99	0	0	18.1	14.2	128	99
4	Chakki	248	195	234	183	230	200	0	0	225.5	232.6	230	200
5	Chaugain	280	323	315	341	292	282	0	0	169.8	161.1	292	282
6	Chausa	547	485	601	558	620	551	0	0	181.8	161.6	620	552
7	Dumraon	1,384	1,061	1,507	1,209	1,311	991	0	0	167.6	128.9	1,311	996
8	Itarhi	1,078	898	1,050	896	961	803	0	0	236.7	154.1	961	788
9	Kesath	192	198	204	225	213	248	0	0	332.8	335.1	223	248
10	Nawanagar	932	904	1,050	1,020	1,060	778	0	0	425.7	264.6	1,060	778
11	Rajpur	1,295	1,222	1,335	1,287	1,127	1,213	0	0	235.3	327.0	1,127	1,210
12	Simri	1,238	1,164	1,269	1,226	1,269	881	0	0	291.1	184.7	1,261	841

Indicators		139		140		141		142		143		144	
		% Drop Out between BCG & Measles/ MR		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Abscess)		Adverse Events Following Immunisation (Deaths)		Adverse Events Following Immunisation (Others)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	-29.2	-11.2	4.9	24.2	0.0	2.3	0	0	0	0	0	0
1	Brahampur	-46.8	15.8	0.0	27.1		0.0	0	0	0	0	0	0
2	Buxar Sadar	-57.0	-101.9	234.1	467.2	0.0	0.0	0	0	0	0	0	0
3	Buxar Urban	81.0	84.3	0.0	0.0			0	0	0	0	0	0
4	Chakki	-57.5	-46.0	0.0	0.0			0	0	0	0	0	0
5	Chaugain	-47.5	-46.9	0.0	0.0			0	0	0	0	0	0
6	Chausa	-32.8	-28.1	0.0	15.5		37.7	0	0	0	0	0	0
7	Dumraon	-12.5	6.6	0.0	0.0			0	0	0	0	0	0
8	Itarhi	-45.4	-45.7	4.7	1.2	0.0	100.0	0	0	0	0	0	0
9	Kesath	-83.6	-117.5	0.0	0.0			0	0	0	0	0	0
10	Nawanagar	-68.8	-21.9	0.0	0.0			0	0	0	0	0	0
11	Rajpur	-16.3	-5.4	0.0	77.9		0.0	0	0	0	0	0	0
12	Simri	-54.9	-6.8	0.0	0.0			0	0	0	0	0	0

Indicators		145		146		147		148		149		150	
		% immunisation Sessions Held to Immunisation Sessions Planned		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		Pneumonia in Children 0-5 Years of Age		Asthma in Children 0-5 Years of Age		Sepsis in Children 0-5 Years of Age		Diphtheria in Children 0-5 Years of Age	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	99.1	98.9	90.0	87.8	5	3	0	0	3	0	0	0
1	Brahampur	100.0	99.7	98.6	97.2	0	0	0	0	0	0	0	0
2	Buxar Sadar	97.7	97.4	60.8	61.8	0	0	0	0	0	0	0	0
3	Buxar Urban					5	0	0	0	3	0	0	0
4	Chakki	100.0	100.0	100.0	98.5	0	0	0	0	0	0	0	0
5	Chaugain	100.0	100.0	95.9	97.1	0	0	0	0	0	0	0	0
6	Chausa	100.0	100.0	95.0	93.4	0	3	0	0	0	0	0	0
7	Dumraon	100.0	100.0	76.3	76.7	0	0	0	0	0	0	0	0
8	Itarhi	99.1	99.1	92.7	93.4	0	0	0	0	0	0	0	0
9	Kesath	99.2	99.2	97.7	94.3	0	0	0	0	0	0	0	0
10	Nawanagar	97.1	98.7	98.7	98.0	0	0	0	0	0	0	0	0
11	Rajpur	98.6	96.9	100.0	87.2	0	0	0	0	0	0	0	0
12	Simri	100.0	100.0	99.3	97.8	0	0	0	0	0	0	0	0

Indicators		151		152		153		154		155		156	
		Pertussis in Children 0-5 Years of Age		Tetanus Neonatorum in Children 0-5 Years of Age		Tuberculosis (TB) in Children 0-5 Years of Age		Acute Flaccid Paralysis(AFP)in Children 0-5 Years of Age		Measles in Children 0-5 Years of Age		Malaria in Children 0-5 Years of Age	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	0	0	1	0	0	0	0	0	9	0	5	3
1	Brahampur	0	0	0	0	0	0	0	0	0	0	0	0
2	Buxar Sadar	0	0	0	0	0	0	0	0	3	0	0	0
3	Buxar Urban	0	0	1	0	0	0	0	0	0	0	5	0
4	Chakki	0	0	0	0	0	0	0	0	4	0	0	0
5	Chaugain	0	0	0	0	0	0	0	0	0	0	0	0
6	Chausa	0	0	0	0	0	0	0	0	0	0	0	3
7	Dumraon	0	0	0	0	0	0	0	0	0	0	0	0
8	Itarhi	0	0	0	0	0	0	0	0	2	0	0	0
9	Kesath	0	0	0	0	0	0	0	0	0	0	0	0
10	Nawanagar	0	0	0	0	0	0	0	0	0	0	0	0
11	Rajpur	0	0	0	0	0	0	0	0	0	0	0	0
12	Simri	0	0	0	0	0	0	0	0	0	0	0	0

Indicators		157		158		159		160		161		162	
		Diarrhoea in Children 0-5 Years of Age		Diarrhoea treated in Inpatients in Children 0-5 Years of Age		No. of infants given Measles Rubella vaccine 1st dose		No. of infants received Rotavirus Vaccine 1st dose		No. of infants received Rotavirus Vaccine 2nd dose		No. of infants received Rotavirus Vaccine 3rd dose	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	24	22	8	10	0	0	0	0	0	0	0	0
1	Brahampur	0	2	0	0	0	0	0	0	0	0	0	0
2	Buxar Sadar	0	0	0	0	0		0		0		0	
3	Buxar Urban	1	0	1	0	0	0	0	0	0	0	0	0
4	Chakki	0	0	0	0	0	0	0	0	0	0	0	0
5	Chaugain	7	16	7	10	0	0	0	0	0	0	0	0
6	Chausa	5	4	0	0	0	0	0	0	0	0	0	0
7	Dumraon	0	0	0	0	0	0	0	0	0	0	0	0
8	Itarhi	11	0	0	0	0	0	0	0	0	0	0	0
9	Kesath	0	0	0	0	0	0	0	0	0	0	0	0
10	Nawanagar	0	0	0	0	0	0	0	0	0	0	0	0
11	Rajpur	0	0	0	0	0	0	0	0	0	0	0	0
12	Simri	0	0	0	0	0	0	0	0	0	0	0	0

Performance of Key HMIS Indicators for Bihar-> Buxar (Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to June

These indicators are under compilation (83,84,85,86,197,198)

Indicators		163		164		165		166		167		168	
		No of children 16-24 months age given Measles 2nd dose		No of children 16-24 months age given Measles Rubella Vaccine 2nd dose		% Adult Female Inpatients to Total Adult Inpatient		% Children Inpatient to Total Inpatient		% Female Inpatient Deaths to Total Inpatient Deaths		% Inpatient Deaths to Total IPD	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	10,508	8,289	12	0	90.6	86.9	18.2	17.0	45.8	50.0	0.4	0.2
1	Brahampur	1,206	748	12	0	99.5	89.9	0.5	0.8			0.0	0.0
2	Buxar Sadar	1,568	1,231										
3	Buxar Urban	121	0	0	0	91.6	81.1	2.3	14.2	43.5	50.0	2.4	2.7
4	Chakki	171	195	0	0	88.9	100.0	0.0	0.0			0.0	0.0
5	Chaugain	314	303	0	0	83.6	79.4	10.2	13.4			0.0	0.0
6	Chausa	600	549	0	0	97.5	95.3	0.0	0.0			0.0	0.0
7	Dumraon	1,390	1,124	0	0	93.3	92.1	4.2	3.9			0.0	0.0
8	Itarhi	1,140	887	0	0		93.7		3.3				0.0
9	Kesath	234	264	0	0	58.8	49.2	36.0	23.9			0.0	0.0
10	Nawanagar	1,116	726	0	0	87.8	85.1	16.3	17.3			0.0	0.0
11	Rajpur	1,294	1,269	0	0	84.8	74.6	46.1	41.8			0.0	0.0
12	Simri	1,354	993	0	0	95.4	100.0	48.6	48.0	100.0		0.1	0.0

Performance of Key HMIS Indicators for Bihar-> Buxar (Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to June

These indicators are under compilation (83,84,85,86,197,198)

Indicators		169		170		171		172		173		174	
		IPD (Number)		OPD (Allopathic)		Ayush OPD (Number)		OPD (Ayush+Allopathic)		% IPD to OPD		Number of Major Operations	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	5,916	6,735	144,518	172,817	42,539	49,929	187,057	222,746	3.2	3.0	276	391
1	Brahampur	192	718	22,664	21,418	5,310	3,652	27,974	25,070	0.7	2.9	0	0
2	Buxar Sadar	0	0	0	0	1,410	2,307	1,410	2,307	0.0	0.0	0	0
3	Buxar Urban	967	597	28,862	32,348	1,366	1,285	30,228	33,633	3.2	1.8	90	236
4	Chakki	45	53	5,307	4,611	0	0	5,307	4,611	0.8	1.1	0	0
5	Chaugain	761	723	6,703	9,507	2,315	2,284	9,018	11,791	8.4	6.1	12	9
6	Chausa	835	835	9,211	9,890	3,633	3,916	12,844	13,806	6.5	6.0	34	27
7	Dumraon	760	787	23,672	22,150	5,602	5,950	29,274	28,100	2.6	2.8	60	21
8	Itarhi	0	523	11,475	15,660	5,147	9,052	16,622	24,712	0.0	2.1	0	0
9	Kesath	178	310	2,718	4,569	0	0	2,718	4,569	6.5	6.8	6	2
10	Nawanagar	478	550	13,617	30,479	5,929	7,907	19,546	38,386	2.4	1.4	35	58
11	Rajpur	888	764	13,536	13,799	1,053	380	14,589	14,179	6.1	5.4	6	0
12	Simri	812	875	6,753	8,386	10,774	13,196	17,527	21,582	4.6	4.1	33	38

Performance of Key HMIS Indicators for Bihar-> Buxar (Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to June

These indicators are under compilation (83,84,85,86,197,198)

Indicators		175		176		177		178		179		180	
		Number of Minor Operations		% Major Operations to Total Operation		Number of Hysterectomy Surgeries		% Hysterectomy Surgeries to Total Major Operations		% AYUSH OPD to Total OPD		Dental OPD (Number)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	1,884	3,111	12.8	11.2	3	2	1.0	0.5	22.7	22.4	1,331	981
1	Brahampur	0	0			0	0			19.0	14.6	0	0
2	Buxar Sadar	0	0			0	0			100.0	100.0	0	0
3	Buxar Urban	388	1,130	18.8	17.3	3	2	3.3	0.8	4.5	3.8	1,025	945
4	Chakki	0	0			0	0			0.0	0.0	0	0
5	Chaugain	193	184	5.9	4.7	0	0	0.0	0.0	25.7	19.4	0	0
6	Chausa	249	225	12.0	10.7	0	0	0.0	0.0	28.3	28.4	62	19
7	Dumraon	256	360	19.0	5.5	0	0	0.0	0.0	19.1	21.2	116	0
8	Itarhi	0	91		0.0	0	0			31.0	36.6	128	3
9	Kesath	53	38	10.2	5.0	0	0	0.0	0.0	0.0	0.0	0	0
10	Nawanagar	369	647	8.7	8.2	0	0	0.0	0.0	30.3	20.6	0	14
11	Rajpur	57	149	9.5	0.0	0	0	0.0		7.2	2.7	0	0
12	Simri	319	287	9.4	11.7	0	0	0.0	0.0	61.5	61.1	0	0

Indicators		181		182		183		184		185		186	
		% Dental OPD to Total OPD		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female screened for HIV to Total ANC Registration		% Female HIV Positive to Total Females Tested		% Total HIV Positive to Total Tested (Male + Female)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	0.7	0.4	3.6	1.3	1.6	1.9	9.0	13.3	0.8	0.7	1.2	1.1
1	Brahampur	0.0	0.0	29.2	0.0			0.0	0.0				
2	Buxar Sadar	0.0	0.0					0.0	0.0				
3	Buxar Urban	3.4	2.8	2.5	1.9	2.4	2.4	45.8	110.9	1.6	1.4	2.0	1.8
4	Chakki	0.0	0.0	0.0	0.1			0.0	0.0				
5	Chaugain	0.0	0.0	3.4	2.5	0.0	0.0	18.7	5.0	0.0	0.0	0.0	0.0
6	Chausa	0.5	0.1	2.0	1.9	0.0	2.6	2.2	11.8	0.0	0.0	0.0	0.8
7	Dumraon	0.4	0.0	2.5	0.0	0.0	8.7	6.6	1.2	0.0	0.0	0.0	4.8
8	Itarhi	0.8	0.0	15.8	3.0	0.0	0.0	12.8	46.7	0.0	0.0	0.0	0.0
9	Kesath	0.0	0.0					0.0	0.0				
10	Nawanagar	0.0	0.0	1.5	0.4	0.0	0.0	20.6	21.1	0.0	0.0	0.0	0.0
11	Rajpur	0.0	0.0					0.0	0.0				
12	Simri	0.0	0.0	0.0	0.0			0.0	0.0				

Indicators		187		188		189		190		191		192	
		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar		0.0		0.0	48	34	2.1	5.9	2.1	5.9	2.1	2.9
1	Brahampur					0	0						
2	Buxar Sadar					1	0	0.0		0.0		0.0	
3	Buxar Urban					13	14	7.7	7.1	7.7	7.1	0.0	0.0
4	Chakki					0	0						
5	Chaugain					5	4	0.0	0.0	0.0	0.0	0.0	0.0
6	Chausa					4	0	0.0		0.0		0.0	
7	Dumraon		0.0		0.0	0	0						
8	Itarhi					7	1	0.0	0.0	0.0	100.0	0.0	0.0
9	Kesath					0	0						
10	Nawanagar		0.0		0.0	8	8	0.0	12.5	0.0	0.0	0.0	0.0
11	Rajpur					0	0						
12	Simri					10	7	0.0	0.0	0.0	0.0	10.0	14.3

Performance of Key HMIS Indicators for Bihar-> Buxar (Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to June

These indicators are under compilation (83,84,85,86,197,198)

Indicators		193		194		195		196		197		198	
		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		Institutional Deliveries at Urban Health Facilities i.e SC+PHC+CHC+SDH		Institutional Deliveries at District Hospitals		Measles immunization at urban Health facilities i.e SC+PHC+CHC+SDH+DH	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Buxar	2.1	2.9	6.3	0.0	0.0	0.0	628	675				
1	Brahampur												
2	Buxar Sadar	0.0		0.0		0.0		0	0				
3	Buxar Urban	0.0	0.0	0.0	0.0	0.0	0.0						
4	Chakki												
5	Chaugain	0.0	0.0	20.0	0.0	0.0	0.0						
6	Chausa	0.0		0.0		0.0							
7	Dumraon							628	675				
8	Itarhi	0.0	0.0	0.0	0.0	0.0	0.0						
9	Kesath												
10	Nawanagar	0.0	0.0	12.5	0.0	0.0	0.0						
11	Rajpur												
12	Simri	10.0	14.3	10.0	0.0	0.0	0.0						