| | | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | į | 5 | | 6 |
|----|------------|------------------------------------|---------|---------------------------------------|---------|----------|-----------------------|-------------------------------------|------------|-------------------------------|------------|---------------------------------|---------|
| In | dicators | Total nu pregnant Registered | women | Number of women re within first | | Number o | of Women under JSY | 1st Trii registratio ANC Regi | n to Total | JSY regist Total Regist | tration to | Number of women re ANC ch | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Washim | 15,019 | 15,566 | 12,631 | 13,217 | 7,244 | 7,931 | 84.1 | 84.9 | 48.2 | 51.0 | 14,224 | 14,950 |
| 1 | Karanja | 2,505 | 2,469 | 2,187 | 2,207 | 1,378 | 1,432 | 87.3 | 89.4 | 55.0 | 58.0 | 2,117 | 2,004 |
| 2 | Malegaon | 2,398 | 2,506 | 1,894 | 2,032 | 1,421 | 1,500 | 79.0 | 81.1 | 59.3 | 59.9 | 2,361 | 2,493 |
| 3 | Mangrulpir | 2,194 | 2,329 | 1,818 | 1,911 | 912 | 1,080 | 82.9 | 82.1 | 41.6 | 46.4 | 2,088 | 2,335 |
| 4 | Manora | 2,095 | 2,294 | 1,788 | 1,879 | 1,068 | 1,150 | 85.3 | 81.9 | 51.0 | 50.1 | 2,214 | 2,298 |
| 5 | Risod | 2,552 | 2,707 | 2,108 | 2,338 | 1,265 | 1,285 | 82.6 | 86.4 | 49.6 | 47.5 | 2,389 | 2,643 |
| 6 | Washim | 3,275 | 3,261 | 2,836 | 2,850 | 1,200 | 1,484 | 86.6 | 87.4 | 36.6 | 45.5 | 3,055 | 3,177 |

| | | 7 | 7 | | 3 | (|) | 1 | 0 | 1 | 1 | 1 | 2 |
|----|------------|--------|----------------------------------|----------|-----------------------|--|----------------------------------|-------------------------------|---------|--------------------------------------|----------------------|-----------------------------|---------|
| In | dicators | | oster given nt women bers) | Pregnant | ANC check otal ANC | Pregnant received Booster to Regist | t women I TT2 or Total ANC | Number of women giv tab | | Pregnant given 100 li ANC Regi | women FA to Total | Number h leve (tested | l<11 |
| | 2016-17 | | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Washim | 13,539 | 14,378 | 94.7 | 96.0 | 90.1 | 92.3 | 6,913 | 8,732 | 46.0 | 56.0 | 12,736 | 13,203 |
| 1 | Karanja | 2,149 | 2,364 | 84.5 | 81.2 | 85.8 | 95.7 | 860 | 1,106 | 34.3 | 44.8 | 2,094 | 2,082 |
| 2 | Malegaon | 2,151 | 2,427 | 98.5 | 99.5 | 89.7 | 96.8 | 1,213 | 1,107 | 50.6 | 44.2 | 2,277 | 2,338 |
| 3 | Mangrulpir | 2,060 | 2,265 | 95.2 | 100.3 | 93.9 | 97.3 | 929 | 1,264 | 42.3 | 54.3 | 1,948 | 2,185 |
| 4 | Manora | 2,079 | 2,149 | 105.7 | 100.2 | 99.2 | 93.7 | 1,333 | 1,711 | 63.6 | 74.6 | 1,401 | 1,379 |
| 5 | Risod | 2,254 | 2,465 | 93.6 | 97.6 | 88.3 | 91.1 | 1,248 | 1,709 | 48.9 | 63.1 | 1,615 | 1,583 |
| 6 | Washim | 2,846 | 2,708 | 93.3 | 97.4 | 86.9 | 83.0 | 1,330 | 1,835 | 40.6 | 56.3 | 3,401 | 3,636 |

| | | 1 | 3 | 1 | 4 | 1 | 5 | 1 | 6 | 1 | 7 | 1 | 8 |
|----|------------|---------|---|-------------------------------|--|---|--------------------------|-----------------|------------------|---|-------------|---|------------|
| In | dicators | anae | ving severe emia <7) institution | (Hb treated at to women | t women ere anaemia <7) institution | New cases at institu hypertension | ition for on to Total | Number deliv | of Home eries | Number deliveries a SBA tr (Doctor/N | ittended by | Number deliveries a Non SBA (trained | ttended by |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Washim | 76 | 7 | 0.6 | 0.1 | 0.2 | 0.9 | 45 | 97 | 26 | 70 | 19 | 27 |
| 1 | Karanja | 7 | 3 | 0.3 | 0.1 | 0.0 | 0.4 | 4 | 10 | 3 | 7 | 1 | 3 |
| 2 | Malegaon | 0 | 0 | 0.0 | 0.0 | 0.3 | 0.4 | 3 | 7 | 3 | 5 | 0 | 2 |
| 3 | Mangrulpir | 0 | 0 | 0.0 | 0.0 | 0.0 | 0.1 | 16 | 30 | 10 | 26 | 6 | 4 |
| 4 | Manora | 0 | 0 | 0.0 | 0.0 | 0.0 | 0.0 | 16 | 35 | 7 | 17 | 9 | 18 |
| 5 | Risod | 4 | 4 | 0.2 | 0.3 | 0.5 | 0.3 | 6 | 5 | 3 | 5 | 3 | 0 |
| 6 | Washim | 65 | 0 | 1.9 | 0.0 | 0.1 | 3.6 | 0 | 10 | 0 | 10 | 0 | 0 |

| | | 1 | 9 | 2 | 0 | 2 | .1 | 2 | 2 | 2 | 3 | 2 | 4 |
|----|------------|---|----------------------------------|-------------------------------|---------|---|------------|-------------------------|---------|---------|---------|--|--|
| In | dicators | SBA attendeliveries Reporte Deliv | ded home s to Total d Home | Mothers incentive deliv | | Mothers incentive deliveries Reporte | s to Total | Deliveries at Public II | | | | Women dis less than 4 delivery Reported I at public in | charged in 8 hours of to Total Deliveries |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Washim | 57.7 | 72.1 | 32 | 41 | 71.1 | 42.3 | 7,165 | 7,855 | 3,021 | 2,632 | 42.1 | 33.5 |
| 1 | Karanja | 75.0 | 70.0 | 8 | 8 | 200.0 | 80.0 | 558 | 573 | 189 | 201 | 33.9 | 35.1 |
| 2 | Malegaon | 100.0 | 71.4 | 6 | 5 | 200.0 | 71.4 | 911 | 1,000 | 648 | 690 | 71.1 | 69.0 |
| 3 | Mangrulpir | 62.5 | 86.7 | 2 | 1 | 12.5 | 3.3 | 889 | 990 | 339 | 274 | 38.1 | 27.7 |
| 4 | Manora | 43.8 | 48.6 | 5 | 2 | 31.3 | 5.7 | 724 | 757 | 337 | 400 | 46.5 | 52.8 |
| 5 | Risod | 50.0 | 100.0 | 1 | 2 | 16.7 | 40.0 | 1,008 | 930 | 395 | 346 | 39.2 | 37.2 |
| 6 | Washim | | 100.0 | 10 | 23 | | 230.0 | 3,075 | 3,605 | 1,113 | 721 | 36.2 | 20.0 |

| | | 2 | 5 | 2 | 6 | 2 | 7 | 2 | 8 | 2 | 9 | 3 | 0 |
|----|------------|--|--------------------|----------------------------------|-----------------------|-------------------|------------------|-----------------------------------|-----------------------|--------------------------------|----------------------|-------------------------------|--------------------|
| In | dicators | Institu deliv (Public In Inst | eries sts.+Pvt. | Institu Deliverie ANC regi | itional s to total | Total re deliv | eported eries | Institu deliveries Reported | itional s to Total | Safe deli Total Re Deliv | veries to eported | Home del Total Re Deliv | iveries to eported |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Washim | 12,952 | 15,212 | 86.2 | 97.7 | 12,997 | 15,309 | 99.7 | 99.4 | 99.9 | 99.8 | 0.3 | 0.6 |
| 1 | Karanja | 558 | 573 | 22.3 | 23.2 | 562 | 583 | 99.3 | 98.3 | 99.8 | 99.5 | 0.7 | 1.7 |
| 2 | Malegaon | 911 | 1,000 | 38.0 | 39.9 | 914 | 1,007 | 99.7 | 99.3 | 100.0 | 99.8 | 0.3 | 0.7 |
| 3 | Mangrulpir | 889 | 990 | 40.5 | 42.5 | 905 | 1,020 | 98.2 | 97.1 | 99.3 | 99.6 | 1.8 | 2.9 |
| 4 | Manora | 724 | 757 | 34.6 | 33.0 | 740 | 792 | 97.8 | 95.6 | 98.8 | 97.7 | 2.2 | 4.4 |
| 5 | Risod | 1,008 | 930 | 39.5 | 34.4 | 1,014 | 935 | 99.4 | 99.5 | 99.7 | 100.0 | 0.6 | 0.5 |
| 6 | Washim | 8,862 | 10,962 | 270.6 | 336.2 | 8,862 | 10,972 | 100.0 | 99.9 | 100.0 | 100.0 | 0.0 | 0.1 |

| | | 3 | 1 | 3 | 2 | 3 | 3 | 3 | 4 | 3 | 5 | 3 | 6 |
|----|------------|----|--------------------------------------|------------|--------------------------------------|------------------------------|---------|---|--------------|--|--|---|--------------------------|
| In | dicators | | C-section conducted facilities | deliveries | C-section conducted facilities | to rep institu (Public | + Pvt.) | C-sections at public f Deliveries | acilities to | C-sections at Private 1 Deliveries at private | conducted acilities to conducted | Deliveries at Public In to Total In | conducted nstitutions |
| | 2010 | | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Washim | 99 | 59 | 940 | 709 | 8.0 | 5.0 | 1.4 | 0.8 | 16.2 | 9.6 | 55.3 | 51.6 |
| 1 | Karanja | 0 | 1 | | | 0.0 | 0.2 | 0.0 | 0.2 | | | 100.0 | 100.0 |
| 2 | Malegaon | 0 | 0 | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 3 | Mangrulpir | 3 | 0 | | | 0.3 | 0.0 | 0.3 | 0.0 | | | 100.0 | 100.0 |
| 4 | Manora | 0 | 0 | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 5 | Risod | 0 | 0 | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 6 | Washim | 96 | 58 | 940 | 709 | 11.7 | 7.0 | 3.1 | 1.6 | 16.2 | 9.6 | 34.7 | 32.9 |

| | | 3 | 7 | 3 | 8 | 3 | 9 | 4 | 0 | 4 | 1 | 4 | 2 |
|----|------------|--|---|--|-----------|---|---|--|----------|---|-------------------------|--|--|
| In | dicators | Mothers Incentive fo at Public i to Tota Deliv | paid JSY or Delivery nstitution I Public | of cases v Incentive ASHA for E Public inst | e paid to | Deliveries at Private I to Total In: Deliv | conducted nstitutions stitutional | Women red partum o within 48 deli | :heck-up | Post - Care / Wor post partur between 48 | men got a n check up | Women rec partum o within 48 delivery Reported | eiving post heck-up hours of to Total |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Washim | 36.4 | 49.8 | 25.2 | 43.6 | 44.7 | 48.4 | 9,879 | 8,693 | 9,251 | 6,239 | 76.0 | 56.8 |
| 1 | Karanja | 55.0 | 85.9 | 46.1 | 85.3 | 0.0 | 0.0 | 402 | 410 | 261 | 222 | 71.5 | 70.3 |
| 2 | Malegaon | 86.3 | 87.7 | 65.3 | 57.3 | 0.0 | 0.0 | 816 | 822 | 169 | 207 | 89.3 | 81.6 |
| 3 | Mangrulpir | 22.9 | 38.4 | 32.7 | 11.8 | 0.0 | 0.0 | 883 | 1,032 | 603 | 238 | 97.6 | 101.2 |
| 4 | Manora | 33.8 | 66.7 | 45.7 | 75.2 | 0.0 | 0.0 | 460 | 478 | 457 | 373 | 62.2 | 60.4 |
| 5 | Risod | 40.0 | 64.0 | 13.3 | 96.7 | 0.0 | 0.0 | 640 | 753 | 473 | 532 | 63.1 | 80.5 |
| 6 | Washim | 21.6 | 29.4 | 6.4 | 21.6 | 65.3 | 67.1 | 6,678 | 5,198 | 7,288 | 4,667 | 75.4 | 47.4 |

| | | 4 | 3 | 4 | 4 | 4 | 5 | 4 | 6 | 4 | 7 | 4 | 8 |
|----|------------|------|---|----------------------|---------|--------------------------------------|---------|------------------------|---------|---------------------------|----------|----------------------|---------|
| In | dicators | | otting Post Checkup I hours and to Total | Total Nu reported | | 7 Total Repo Births t Deliv | o Total | Total Nu reported S | | 9 live birth to Bir | Reported | Number of weighed | |
| | 201 | | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Washim | 71.2 | 40.8 | 13,039 | 15,248 | 100.3 | 99.6 | 114 | 165 | 99.1 | 98.9 | 12,929 | 15,026 |
| 1 | Karanja | 46.4 | 38.1 | 566 | 575 | 100.7 | 98.6 | 3 | 6 | 99.5 | 99.0 | 559 | 556 |
| 2 | Malegaon | 18.5 | 20.6 | 914 | 1,007 | 100.0 | 100.0 | 7 | 2 | 99.2 | 99.8 | 913 | 1,004 |
| 3 | Mangrulpir | 66.6 | 23.3 | 897 | 1,008 | 99.1 | 98.8 | 13 | 16 | 98.6 | 98.4 | 901 | 961 |
| 4 | Manora | 61.8 | 47.1 | 729 | 788 | 98.5 | 99.5 | 15 | 5 | 98.0 | 99.4 | 706 | 785 |
| 5 | Risod | 46.6 | 56.9 | 1,021 | 928 | 100.7 | 99.3 | 5 | 10 | 99.5 | 98.9 | 1,013 | 903 |
| 6 | Washim | 82.2 | 42.5 | 8,912 | 10,942 | 100.6 | 99.7 | 71 | 126 | 99.2 | 98.9 | 8,837 | 10,817 |

| | | 4 | 9 | 5 | 0 | 5 | 1 | 5 | 2 | 5 | 3 | 5 | 4 |
|----|------------|---------------------|------------|----------------------------------|------------|--|-----------------------------------|-------------------------|----------|---------------------------------------|----------------------------|-------------------------------|------------|
| In | dicators | Newborns birth to I | weighed at | Number of having we than 2 | eight less | Newborr weight les kg to Ne weighed | ns having s than 2.5 wborns | Number of Breast Fed | within 1 | Newborns within 1 ho to Total l | breast fed our of birth | Number of visited wit of Home | hin 24 hrs |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Washim | 99.2 | 98.5 | 1,286 | 1,481 | 9.9 | 9.8 | 12,675 | 15,050 | 97.2 | 98.7 | 37 | 88 |
| 1 | Karanja | 98.8 | 96.7 | 90 | 98 | 16.1 | 17.6 | 565 | 580 | 99.8 | 100.9 | 2 | 9 |
| 2 | Malegaon | 99.9 | 99.7 | 24 | 130 | 2.6 | 12.9 | 912 | 984 | 99.8 | 97.7 | 3 | 7 |
| 3 | Mangrulpir | 100.4 | 95.3 | 57 | 90 | 6.3 | 9.4 | 829 | 963 | 92.4 | 95.5 | 15 | 29 |
| 4 | Manora | 96.8 | 99.6 | 70 | 98 | 9.9 | 12.5 | 716 | 744 | 98.2 | 94.4 | 12 | 34 |
| 5 | Risod | 99.2 | 97.3 | 79 | 66 | 7.8 | 7.3 | 1,012 | 924 | 99.1 | 99.6 | 5 | 5 |
| 6 | Washim | 99.2 | 98.9 | 966 | 999 | 10.9 | 9.2 | 8,641 | 10,855 | 97.0 | 99.2 | 0 | 4 |

| Indicators Washim 1 Karanja 2 Malegaon | | 5 | 5 | 5 | 6 | 5 | 7 | 5 | 8 | 5 | 9 | 6 | 0 |
|--|------------|--|------------------------|---------|---------|-------------|--------------------------------------|--|--|---|---|---|---|
| | | newborn within 24h delivery reporte | rs of home to total | | | attended to | Pregnant h Obstetric tions and | Compl Pregnanci witl antihype Magsulph i Total Wo Obst | es treated h IV rtensive/ njection to men with etric cations | Compl Pregnancie witl antihype Magsulph ir Total Ne detecte Hypert | icated es treated h IV rtensive/ njection to ew cases ed with | Compl Pregnancie with Transfusio Wome Obst Compli | icated es treated Blood n to Total n with etric cations |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Washim | 82.2 | 90.7 | 914 | 902 | 5.2 | 2.4 | 9.1 | 3.5 | 238.5 | 8.9 | 20.6 | 12.7 |
| 1 | Karanja | 50.0 | 90.0 | 1,000 | 891 | 1.4 | 3.8 | 25.0 | 9.1 | 200.0 | 20.0 | 0.0 | 0.0 |
| 2 | Malegaon | 100.0 | 100.0 | 957 | 1,034 | 3.4 | 2.3 | 19.4 | 26.1 | 85.7 | 60.0 | 0.0 | 0.0 |
| 3 | Mangrulpir | 93.8 | 96.7 | 1,029 | 965 | 1.8 | 4.9 | 0.0 | 2.0 | 0.0 | 50.0 | 0.0 | 0.0 |
| 4 | Manora | 75.0 | 97.1 | 992 | 1,041 | 1.5 | 0.5 | 9.1 | 50.0 | 100.0 | | 0.0 | 0.0 |
| 5 | Risod | 83.3 | 100.0 | 843 | 886 | 2.2 | 1.2 | 0.0 | 18.2 | 0.0 | 28.6 | 0.0 | 0.0 |
| 6 | Washim | | 40.0 | 896 | 878 | 6.7 | 2.4 | 8.9 | 0.0 | 2650.0 | 0.0 | 23.7 | 18.1 |

| | | 6 | 1 | 6 | 2 | 6 | 3 | 6 | 4 | 6 | 5 | 6 | 6 |
|----|------------|---|--|---|------------------|----------------------------|---------|---------------------------|-------------------|---|------------------------------------|---|-----------------------------------|
| In | dicators | Post - Care / PNC compli attended Deliv | Natal C maternal cations to Total | Total Nu Abort (Sponta Induced) | tions aneous/ | Total Nu MTPs (repo | Public) | % <i>N</i> (Public) to | ATPs Abortions | MTPs up to of Pregn Total MTPs Institu | 12 weeks ancy to s at Public | MTPs more weeks of P to Total Public Ins | e than 12 Pregnancy MTPs at |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Washim | 0.2 | 0.1 | 731 | 109 | 5 | 0 | 0.7 | 0.0 | 100.0 | | 0.0 | |
| 1 | Karanja | 0.0 | 0.3 | 6 | 18 | 0 | 0 | 0.0 | 0.0 | | | | |
| 2 | Malegaon | 0.7 | 0.0 | 16 | 19 | 0 | 0 | 0.0 | 0.0 | | | | |
| 3 | Mangrulpir | 0.0 | 0.0 | 11 | 15 | 0 | 0 | 0.0 | 0.0 | | | | |
| 4 | Manora | 0.4 | 0.0 | 9 | 9 | 0 | 0 | 0.0 | 0.0 | | | | |
| 5 | Risod | 0.3 | 0.5 | 5 | 7 | 3 | 0 | 60.0 | 0.0 | 100.0 | | 0.0 | |
| 6 | Washim | 0.1 | 0.1 | 684 | 41 | 2 | 0 | 0.3 | 0.0 | 100.0 | | 0.0 | |

| | Indicators | 6 | 7 | 6 | 8 | 6 | 9 | 7 | 0 | 7 | 1 | 7 | 2 |
|----|------------|---|-------------------------|------------------------------------|------------|---|-------------------|--|-----------|------------------------------------|---------|------------------------------------|-----------------|
| In | dicators | % MTPs Cond Public Insti Total | ducted at tutions to | MTPs Con Private Ins to Tota | stitutions | % Tota (Pul Conducted ANC Regi | olic) to Total | Number of Tests cond Number of STI female which tr | ducted to | Numb Vasect Condo (Public | comies | Numb Tubect Condu (Public | comies icted |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Washim | 0.7 | | 99.3 | | 0.0 | 0.0 | 0.0 | 0.0 | 15 | 2 | 3,106 | 2,573 |
| 1 | Karanja | | | | | 0.0 | 0.0 | 0.0 | 0.0 | 9 | 0 | 360 | 362 |
| 2 | Malegaon | | | | | 0.0 | 0.0 | 0.0 | 0.0 | 0 | 0 | 408 | 391 |
| 3 | Mangrulpir | | | | | 0.0 | 0.0 | 0.0 | 0.0 | 0 | 0 | 417 | 463 |
| 4 | Manora | | | | | 0.0 | 0.0 | 0.0 | 0.0 | 0 | 0 | 244 | 204 |
| 5 | Risod | 100.0 | | 0.0 | | 0.1 | 0.0 | 0.0 | 0.0 | 0 | 1 | 608 | 420 |
| 6 | Washim | 0.3 | | 99.7 | | 0.1 | 0.0 | 0.0 | 0.0 | 6 | 1 | 1,069 | 733 |

| | | 7 | 3 | 7 | 4 | 7 | ' 5 | 7 | 6 | 7 | 7 | 7 | 8 |
|----|------------|--------------------|---------|-------------------------------------|---------|----------|----------------------------|---|--------------------|--|--------------------|--|--------------------|
| In | dicators | Total Ste Condi | | % Male St (Vasect to Total st | comies) | Tubector | % mies to rilisation | Total Ste (Tubecto Vasect conducte | mies and omies) | Total Ste (Tubecto Vasecto conducte | mies and omies) | Total Ste (Tubecto Vasect conducted | mies and omies) |
| | 2016-1 | | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Washim | 3,121 | 2,575 | 0.4 | 0.0 | 99.5 | 99.9 | 1,994 | 2,036 | 383 | 157 | 447 | 184 |
| 1 | Karanja | 369 | 362 | 2.4 | 0.0 | 97.6 | 100.0 | 295 | 271 | 74 | 91 | | |
| 2 | Malegaon | 408 | 391 | 0.0 | 0.0 | 100.0 | 100.0 | 251 | 389 | 157 | 2 | | |
| 3 | Mangrulpir | 417 | 463 | 0.0 | 0.0 | 100.0 | 100.0 | 348 | 399 | 69 | 64 | | |
| 4 | Manora | 244 | 204 | 0.0 | 0.0 | 100.0 | 100.0 | 244 | 204 | 0 | 0 | | |
| 5 | Risod | 608 | 421 | 0.0 | 0.2 | 100.0 | 99.8 | 545 | 421 | 63 | 0 | | |
| 6 | Washim | 1,075 | 734 | 0.6 | 0.1 | 99.4 | 99.9 | 311 | 352 | 20 | 0 | 447 | 184 |

| | | 7 | 9 | 8 | 0 | 8 | 1 | 8 | 2 | 8 | 3 | 8 | 4 |
|----|------------|--|----------------------------------|--|----------------------------------|---|---------------------------------|---|---------------------------------|--|---------------------------------|---|--|
| In | dicators | Total Ste (Tubecto Vasect conducted public Ins | mies and omies) d at Other | Total Ste (Tubecto Vasecto conducted institu | mies and omies) at Private | % Total Sto (Tubecto Vasect conducted Total Ste | mies and omies) at PHC to | % Total Sto (Tubecto Vasect conducted Total Ste | mies and omies) at CHC to | % Total Sto (Tubecto Vasecto conducted to Total St | mies and omies) at SDH/DH | % Total Sto (Tubecto Vasecto conducted public Instit Total Ste | mies and omies) I at Other tutions to |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Washim | | | 0 | 0 | 63.9 | 79.1 | 12.3 | 6.1 | 14.3 | 7.1 | 0.0 | 0.0 |
| 1 | Karanja | | | | | 79.9 | 74.9 | 20.1 | 25.1 | 0.0 | 0.0 | 0.0 | 0.0 |
| 2 | Malegaon | | | | | 61.5 | 99.5 | 38.5 | 0.5 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3 | Mangrulpir | | | | | 83.5 | 86.2 | 16.5 | 13.8 | 0.0 | 0.0 | 0.0 | 0.0 |
| 4 | Manora | | | | | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 5 | Risod | | | | | 89.6 | 100.0 | 10.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 6 | Washim | | | 0 | 0 | 28.9 | 48.0 | 1.9 | 0.0 | 41.6 | 25.1 | 0.0 | 0.0 |

| | | 8 | 5 | 8 | 6 | 8 | 7 | 8 | 8 | 8 | 9 | 9 | 0 |
|----|------------|--|--|------------------------|---|-------------|----------|------------------------|---|--|---|---|--|
| In | dicators | % Total Sto (Tubecto Vasect conducted institution Sterlis | mies and omies) at Private s to Total | Laparo sterlisation | % oscopic ns to Total erilisations | Mini Lap St | l Female | Post P Sterlisation | % Partum es to Total Parilisations | Laparo sterlisation Institutions Laparo Sterilis | scopic s at Public s to Total scopic | Mini Lap st at Public Ir to Total Sterilis | erlisations estitutions Mini Lap |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Washim | 9.5 | 7.7 | 0.0 | 0.8 | 97.6 | 99.2 | 2.3 | 0.0 | | 100.0 | 92.6 | 92.2 |
| 1 | Karanja | 0.0 | 0.0 | 0.0 | 3.6 | 100.0 | 96.4 | 0.0 | 0.0 | | 100.0 | 100.0 | 100.0 |
| 2 | Malegaon | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 3 | Mangrulpir | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 4 | Manora | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 5 | Risod | 0.0 | 0.0 | 0.0 | 1.9 | 100.0 | 98.1 | 0.0 | 0.0 | | 100.0 | 100.0 | 100.0 |
| 6 | Washim | 27.6 | 27.0 | 0.0 | 0.0 | 93.2 | 100.0 | 6.8 | 0.0 | | | 77.5 | 73.0 |

| | | 9 | 1 | 9 | 2 | 9 | 3 | 9 | 4 | 9 | 5 | 9 | 6 |
|----|------------|--|--|-------------|---------|-------------------------|--------------------------|------------------------|-------------------------|--------------------------|---------|--------------------------|----------------------------|
| In | dicators | Post P sterlisation Institution: Post P Sterili: | artum as at Public s to Total artum | Sterlisatio | wing | IUCD Inser (public f | tions done acilities) | IUCD inser (pvt. fa | tions done cilities) | Total IUCD done(publi | | PP IUCD I done (publi | nsertions c facilities) |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Washim | 0.0 | | 0 | 0 | 2,758 | 2,611 | 344 | 402 | 3,102 | 3,013 | 447 | 9 |
| 1 | Karanja | | | 0 | 0 | 438 | 411 | | | 438 | 411 | 69 | 0 |
| 2 | Malegaon | | | 0 | 0 | 389 | 393 | | | 389 | 393 | 23 | 0 |
| 3 | Mangrulpir | | | 0 | 0 | 390 | 331 | | | 390 | 331 | 38 | 0 |
| 4 | Manora | | | 0 | 0 | 367 | 435 | | | 367 | 435 | 13 | 3 |
| 5 | Risod | | | 0 | 0 | 469 | 483 | | | 469 | 483 | 20 | 0 |
| 6 | Washim | 0.0 | | 0 | 0 | 705 | 558 | 344 | 402 | 1,049 | 960 | 284 | 6 |

| | | 9 | 7 | 9 | 8 | 9 | 9 | 10 | 00 | 10 | 01 | 10 |)2 |
|----|------------|--|------------------|-------------|---------|---|---|--------------|-------------|-------------------|---------|---------------------|---------|
| In | dicators | % PP IUCD (pul to Tota Insertions | olic) al IUCD | to Total In | olic) | IUCD inse public plu institutic family p methods (perma | ertions in us private ons to all planning IUCD plus | Oral Pills c | distributed | Condom distril | | Centchro distrib | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Washim | 16.2 | 0.3 | 6.2 | 0.1 | 49.8 | 53.9 | 32,387 | 30,772 | 131,207 | 126,970 | 0 | 5 |
| 1 | Karanja | 15.8 | 0.0 | 12.4 | 0.0 | 54.3 | 53.2 | 6,009 | 5,215 | 41,174 | 42,533 | 0 | 0 |
| 2 | Malegaon | 5.9 | 0.0 | 2.5 | 0.0 | 48.8 | 50.1 | 5,314 | 5,571 | 9,590 | 11,745 | | 0 |
| 3 | Mangrulpir | 9.7 | 0.0 | 4.3 | 0.0 | 48.3 | 41.7 | 4,617 | 4,069 | 27,313 | 27,830 | | 0 |
| 4 | Manora | 3.5 | 0.7 | 1.8 | 0.4 | 60.1 | 68.1 | 6,041 | 5,745 | 5,851 | 6,026 | | 0 |
| 5 | Risod | 4.3 | 0.0 | 2.0 | 0.0 | 43.5 | 53.4 | 5,280 | 4,687 | 5,775 | 6,777 | | 1 |
| 6 | Washim | 40.3 | 1.1 | 9.2 | 0.2 | 49.4 | 56.7 | 5,126 | 5,485 | 41,504 | 32,059 | 0 | 4 |

| | | 10 |)3 | 10 | 04 | 10 |)5 | 10 | 06 | 10 |)7 | 10 | 08 |
|----|------------|-----------------------------|---------|----------|---------|-----------------------------------|------------|---------------------|-----------|----------|---------|----------|--------------------|
| In | dicators | Number o given (Birth | | Number o | | Newborns g at birth to live | given OPV0 | Newborns to Repo | rted live | Number o | | Number o | of Infants DPT2 |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Washim | 12,605 | 15,404 | 13,087 | 16,302 | 96.7 | 101.0 | 100.4 | 106.9 | 0 | 14,990 | 0 | 15,874 |
| 1 | Karanja | 1,372 | 1,739 | 1,649 | 1,920 | 242.4 | 302.4 | 291.3 | 333.9 | 0 | 2,676 | 0 | 2,662 |
| 2 | Malegaon | 2,097 | 2,319 | 1,955 | 2,285 | 229.4 | 230.3 | 213.9 | 226.9 | 0 | 2,208 | 0 | 2,424 |
| 3 | Mangrulpir | 1,579 | 2,091 | 1,616 | 2,598 | 176.0 | 207.4 | 180.2 | 257.7 | 0 | 2,224 | 0 | 2,405 |
| 4 | Manora | 1,404 | 2,118 | 1,538 | 2,188 | 192.6 | 268.8 | 211.0 | 277.7 | 0 | 2,024 | 0 | 2,222 |
| 5 | Risod | 1,991 | 1,941 | 2,202 | 1,971 | 195.0 | 209.2 | 215.7 | 212.4 | 0 | 2,574 | 0 | 2,755 |
| 6 | Washim | 4,162 | 5,196 | 4,127 | 5,340 | 46.7 | 47.5 | 46.3 | 48.8 | 0 | 3,284 | 0 | 3,406 |

| | | 10 | 09 | 11 | 10 | 11 | 11 | 11 | 12 | 11 | 13 | 11 | 14 |
|----|------------|----------|---------|----------|---------|----------|--------------------------|----------|---------|----------|-----------------------|---|---|
| ln | ndicators | Number o | | Number o | | Number o | of Infants tavalent 2 | Number o | | Number o | of Infants Measles | Infants months received vaccine to live b | 0 to 11 old who Measles reported |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Washim | 0 | 15,657 | 14,737 | 1,825 | 14,376 | 131 | 14,111 | 18 | 12,545 | 15,632 | 96.2 | 102.5 |
| 1 | Karanja | 0 | 2,550 | 2,107 | 288 | 2,075 | 21 | 2,029 | 8 | 1,813 | 2,525 | 320.3 | 439.1 |
| 2 | Malegaon | 0 | 2,540 | 2,167 | 284 | 2,213 | 4 | 2,235 | 0 | 2,383 | 2,519 | 260.7 | 250.1 |
| 3 | Mangrulpir | 0 | 2,385 | 2,131 | 227 | 2,138 | 7 | 2,122 | 0 | 1,572 | 2,396 | 175.3 | 237.7 |
| 4 | Manora | 0 | 2,144 | 2,058 | 250 | 2,030 | 17 | 1,992 | 0 | 1,370 | 2,210 | 187.9 | 280.5 |
| 5 | Risod | 0 | 2,693 | 2,762 | 299 | 2,569 | 26 | 2,456 | 0 | 2,098 | 2,673 | 205.5 | 288.0 |
| 6 | Washim | 0 | 3,345 | 3,512 | 477 | 3,351 | 56 | 3,277 | 10 | 3,309 | 3,309 | 37.1 | 30.2 |

| | | 11 | 15 | 11 | 16 | 11 | 17 | 11 | 18 | 11 | 19 | 12 | 20 |
|----|------------|-------------------------------|---------|--------------------------|---------|-----------|----------|------------------------|---------------------------------------|---|------------------------------------|------------------------|------------|
| In | dicators | Number immunize (9-11 n | | 9 Drop Out BCG & / | - | Vitamin - | A dose 1 | Children g dose1 to | % given Vit A Reported birth | Childre Vitamin A Children g dos | n given Dose 9 to iven Vit A | Adverse Following I | munisation |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Washim | 12,487 | 15,463 | 4.1 | 4.1 | 14,459 | 16,016 | 110.9 | 105.0 | 87.9 | 93.5 | 3 | 0 |
| 1 | Karanja | 1,765 | 2,526 | -9.9 | -31.5 | 1,860 | 2,773 | 328.6 | 482.3 | 93.3 | 85.0 | 0 | 0 |
| 2 | Malegaon | 2,369 | 2,490 | -21.9 | -10.2 | 2,413 | 2,430 | 264.0 | 241.3 | 97.4 | 88.6 | 1 | 0 |
| 3 | Mangrulpir | 1,647 | 2,318 | 2.7 | 7.8 | 2,176 | 2,275 | 242.6 | 225.7 | 96.6 | 87.0 | 0 | 0 |
| 4 | Manora | 1,359 | 2,206 | 10.9 | -1.0 | 2,071 | 2,236 | 284.1 | 283.8 | 81.9 | 78.9 | 0 | 0 |
| 5 | Risod | 2,102 | 2,625 | 4.7 | -35.6 | 2,613 | 2,795 | 255.9 | 301.2 | 74.2 | 102.2 | 2 | 0 |
| 6 | Washim | 3,245 | 3,298 | 19.8 | 38.0 | 3,326 | 3,507 | 37.3 | 32.1 | 86.9 | 110.0 | 0 | 0 |

| | Indicators | 12 | 21 | 12 | 22 | 12 | 23 | 12 | 24 | 12 | 25 | 12 | 26 |
|----|------------|---------------------------------------|-------------|--|-------------------|---------|-----------------------|---------|-----------|---|--|---|--|
| In | dicators | immunisati Held to Imi Sessions | on Sessions | Immunisation where AS present Immunisation | HAs were nt to | | eported I Diseases | | of Age to | Tetanus Ne in Childrer of Age t Reported (Diseases (| eonatorum n 0-5 Years n Total Childhood | Tetanus (Children 0- Age to Tota Childhood 0-5 Y | Others in Others of I Reported I Diseases |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Washim | 99.2 | 99.9 | 85.0 | 85.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1 | Karanja | 98.7 | 99.1 | 83.8 | 82.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 2 | Malegaon | 99.1 | 101.2 | 92.0 | 91.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3 | Mangrulpir | 99.7 | 101.0 | 83.3 | 84.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 4 | Manora | 98.7 | 99.8 | 92.9 | 94.9 | 0.0 | | 0.0 | | 0.0 | | 0.0 | |
| 5 | Risod | 99.7 | 98.6 | 84.8 | 89.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 6 | Washim | 99.5 | 99.4 | 75.0 | 73.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

| | | 12 | 27 | 12 | 28 | 12 | 29 | 13 | 30 | 13 | 31 | 13 | 32 |
|----|------------|--|--|-----------------------|-------------------|---|--|---|---------|--|-------------------|-------------------------------|------------|
| In | dicators | Polio in Ch Years of Ag Reported (Diseases (| ildren 0-5 ge to Total Childhood | Total Re Childhood | of Age to eported | Diarrho dehydra Children 0- Age to Tota Childhood | bea and ation in -5 Years of I Reported I Diseases | Malaria in C Years of Ag Reported | | 9 Adult F Inpatients Adult In | emale to Total | % Children Inp Total In | patient to |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Washim | 0.0 | 0.0 | 18.8 | 4.1 | 81.2 | 95.9 | 0.0 | 0.0 | 65.3 | 63.2 | 18.8 | 21.3 |
| 1 | Karanja | 0.0 | 0.0 | 4.8 | 0.0 | 95.2 | 100.0 | 0.0 | 0.0 | 60.2 | 62.9 | 13.3 | 12.2 |
| 2 | Malegaon | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 63.3 | 64.0 | 14.8 | 18.9 |
| 3 | Mangrulpir | 0.0 | 0.0 | 33.3 | 4.2 | 66.7 | 95.8 | 0.0 | 0.0 | 66.3 | 64.7 | 16.0 | 21.9 |
| 4 | Manora | 0.0 | | 100.0 | | 0.0 | | 0.0 | | 67.1 | 60.5 | 17.7 | 7.9 |
| 5 | Risod | 0.0 | 0.0 | 0.0 | 21.4 | 100.0 | 78.6 | 0.0 | 0.0 | 67.8 | 67.8 | 12.8 | 8.9 |
| 6 | Washim | 0.0 | 0.0 | 40.0 | 0.0 | 60.0 | 100.0 | 0.0 | 0.0 | 66.4 | 62.5 | 24.4 | 29.6 |

| | | 13 | 33 | 13 | 34 | 13 | 35 | 13 | 36 | 13 | 37 | 13 | 38 |
|----|------------|----------------------------------|----------------------|--------------------------|-----------|---------|---------|---------|---------|---------|---------|-----------------|--------------------|
| In | dicators | Female I Deaths t Inpatien | npatient to Total | 9 Inpatient I Tota | Deaths to | IPD (Nu | ımber) | OPD (N | umber) | % IPD t | to OPD | Number Opera | of Major ations |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Washim | 38.7 | 35.8 | 0.3 | 0.3 | 59,653 | 56,697 | 950,656 | 941,603 | 6.3 | 6.0 | 859 | 1,607 |
| 1 | Karanja | 23.1 | 0.0 | 0.1 | 0.0 | 8,916 | 8,717 | 214,542 | 211,624 | 4.2 | 4.1 | 48 | 68 |
| 2 | Malegaon | 100.0 | | 0.0 | 0.0 | 5,590 | 5,117 | 139,164 | 129,120 | 4.0 | 4.0 | 157 | 2 |
| 3 | Mangrulpir | 0.0 | 33.3 | 0.0 | 0.1 | 10,390 | 8,067 | 149,881 | 138,155 | 6.9 | 5.8 | 65 | 60 |
| 4 | Manora | 0.0 | 0.0 | 0.1 | 0.1 | 4,099 | 5,932 | 70,318 | 83,183 | 5.8 | 7.1 | 0 | 46 |
| 5 | Risod | 0.0 | 0.0 | 0.0 | 0.0 | 5,917 | 3,634 | 100,098 | 97,289 | 5.9 | 3.7 | 54 | 0 |
| 6 | Washim | 41.5 | 37.7 | 0.6 | 0.6 | 24,741 | 25,230 | 276,653 | 282,232 | 8.9 | 8.9 | 535 | 1,431 |

| | | 13 | 39 | 14 | 40 | 14 | 41 | 14 | 42 | 14 | 13 | 14 | 14 |
|----|------------|-----------------|---------|----------------------------|------------|--------------------------|-----------|----------------------|--|-----------|----------|---------------------|---------|
| In | dicators | Number Opera | | % Major Ope Total Op | rations to | Numb Hystere Surge | ectomy | Hystere Surgeries | 6 ectomy 6 to Total perations | Ayush OPD | (Number) | 9 AYUSH OP OI | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Washim | 1,312 | 948 | 39.6 | 62.9 | 96 | 71 | 11.1 | 4.4 | 60,489 | 70,979 | 6.3 | 7.5 |
| 1 | Karanja | 254 | 211 | 15.9 | 24.4 | 0 | 0 | 0.0 | 0.0 | 10,585 | 9,188 | 4.9 | 4.3 |
| 2 | Malegaon | 50 | 34 | 75.8 | 5.6 | 0 | 2 | 0.0 | 100.0 | 0 | 0 | 0.0 | 0.0 |
| 3 | Mangrulpir | 64 | 77 | 50.4 | 43.8 | 0 | 0 | 0.0 | 0.0 | 12,570 | 12,427 | 8.4 | 9.0 |
| 4 | Manora | 48 | 138 | 0.0 | 25.0 | 0 | 0 | | 0.0 | 0 | 0 | 0.0 | 0.0 |
| 5 | Risod | 58 | 33 | 48.2 | 0.0 | 0 | 0 | 0.0 | | 2,081 | 2,527 | 2.1 | 2.6 |
| 6 | Washim | 838 | 455 | 39.0 | 75.9 | 96 | 69 | 17.9 | 4.8 | 35,253 | 46,837 | 12.7 | 16.6 |

| Indicators | | 145 | | 146 | | 147 | | 148 | | 149 | | 150 | |
|------------|------------|---------------------|---------|---------------------------------|---------|--------------------------------|---------|---|---------|---|---------|---|---------|
| | | Dental OPD (Number) | | % Dental OPD to Total OPD | | Adolescent counselled (Number) | | % Hb < 7 mg to Total Hb Tests Conducted | | % Male HIV Positive to Total Males Tested | | % Female HIV Positive to Total Females Tested | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Washim | 290 | 983 | 0.0 | 0.1 | 5,155 | 5,542 | 7.1 | 7.2 | 0.7 | 1.0 | 0.2 | 0.4 |
| 1 | Karanja | 288 | 450 | 0.1 | 0.2 | 309 | 432 | 2.5 | 7.1 | 0.4 | 0.5 | 0.0 | 0.1 |
| 2 | Malegaon | 0 | 0 | 0.0 | 0.0 | 0 | 27 | 20.4 | 1.4 | 0.0 | 25.0 | 0.0 | 0.0 |
| 3 | Mangrulpir | 2 | 67 | 0.0 | 0.0 | 720 | 885 | 8.8 | 0.5 | 0.6 | 0.8 | 0.1 | 0.5 |
| 4 | Manora | 0 | 0 | 0.0 | 0.0 | 0 | 16 | 2.6 | 3.6 | 0.8 | 0.8 | 0.3 | 0.6 |
| 5 | Risod | 0 | 196 | 0.0 | 0.2 | 0 | 0 | 6.6 | 9.3 | 0.2 | 0.9 | 0.2 | 0.5 |
| 6 | Washim | 0 | 270 | 0.0 | 0.1 | 4,126 | 4,182 | 5.7 | 9.7 | 1.0 | 1.3 | 0.3 | 0.4 |

| | | 151 | | 152 | | 153 | | 154 | | 155 | | 156 | |
|------------|------------|---|---------|---|---------|--|---------|--|---------|--|---------|--|---------|
| Indicators | | % Total HIV Positive to Total Tested (Male + Female) | | % Plasmodium Vivax test positive to Total Blood Smears Examined | | % Plasmodium Falciparum test positive to Total Blood Smears Examined | | Total Number of Infant Deaths reported | | % Deaths due to Sepsis to Total Reported Infant Deaths | | % Deaths due to Asphyxia to Total Reported Infant Deaths | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Washim | 0.4 | 0.6 | 0.0 | 0.0 | 0.0 | 0.0 | 95 | 132 | 8.5 | 10.5 | 18.3 | 14.7 |
| 1 | Karanja | 0.1 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 6 | 8 | 0.0 | 0.0 | 0.0 | 25.0 |
| 2 | Malegaon | 0.0 | 9.8 | 0.0 | 0.0 | 0.0 | 0.0 | 3 | 11 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3 | Mangrulpir | 0.2 | 0.6 | 0.0 | 0.0 | 0.0 | 0.0 | 8 | 15 | 0.0 | 0.0 | 25.0 | 0.0 |
| 4 | Manora | 0.4 | 0.6 | 0.1 | 0.1 | 0.0 | 0.0 | 7 | 13 | 0.0 | 8.3 | 14.3 | 16.7 |
| 5 | Risod | 0.2 | 0.6 | 0.0 | 0.0 | 0.0 | 0.0 | 3 | 8 | 0.0 | 0.0 | 0.0 | 16.7 |
| 6 | Washim | 0.5 | 0.6 | 0.0 | 0.0 | 0.0 | 0.0 | 68 | 77 | 13.3 | 18.4 | 22.2 | 18.4 |

| Indicators | | 157 | | 158 | | 159 | | 160 | | 161 | | 162 | |
|------------|------------|---|---------|---|---------|---|---------|---|---------|---|---------|--|---------|
| | | % Deaths due to LBW to Total Reported Infant Deaths | | % Deaths due to Pneumonia to Total Reported Infant Deaths | | % Deaths due to Diarrhoea to Total Reported Infant Deaths | | % Deaths due to Fever to Total Reported Infant Deaths | | % Deaths due to Measles to Total Reported Infant Deaths | | % Deaths due to Other Causes to Total Reported Infant Deaths | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Washim | 39.4 | 29.5 | 2.8 | 2.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 43.2 |
| 1 | Karanja | 16.7 | 12.5 | 16.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 66.7 | 62.5 |
| 2 | Malegaon | 0.0 | 11.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 88.9 |
| 3 | Mangrulpir | 12.5 | 18.2 | 12.5 | 9.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 50.0 | 72.7 |
| 4 | Manora | 0.0 | 16.7 | 0.0 | 8.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 85.7 | 50.0 |
| 5 | Risod | 0.0 | 16.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 66.7 |
| 6 | Washim | 57.8 | 42.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.7 | 20.4 |