

Performance of Key HMIS Indicators for Meghalaya ( Across Districts)  
Financial Year: 2012-13  
Provisional Figures for the Period April to June

Indicator		1		2		3		4		5		6	
		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	Meghalaya	18,372	17,907	97.9	99.0	456	465	97.6	97.5	15,215	13,837	8,629	8,388
1	East Garo Hills	1,703	1,544	97.9	98.9	25	60	98.6	96.3	1,237	840	943	790
2	East Jaintia Hills												
3	East Khasi Hills	6,072	5,761	97.4	100.3	182	189	97.1	96.8	5,406	4,769	4,260	3,989
4	North Garo Hills												
5	Ri Bhoi	1,368	1,332	99.3	99.4	15	11	98.9	99.2	789	678	430	362
6	South Garo Hills	496	483	99.0	100.4	15	7	97.1	98.6	428	323	212	222
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	4,012	3,698	97.9	98.1	97	78	97.6	97.9	3,959	3,568	1,110	1,228
10	West Jaintia Hills	2,612	2,957	97.8	97.6	77	94	97.1	96.9	2,048	2,362	873	1,034
11	West Khasi Hills	2,109	2,132	98.2	99.0	45	26	97.9	98.8	1,348	1,297	801	763

Performance of Key HMIS Indicators for Meghalaya ( Across Districts)  
Financial Year: 2012-13  
Provisional Figures for the Period April to June

Indicator		7		8		9		10		11		12	
		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	Meghalaya	20,735	20,586	47.0	46.8	112.9	115.0	21,208	20,617	20,429	19,629	18,499	17,653
1	East Garo Hills	2,117	2,144	55.4	51.2	124.3	138.9	2,419	2,131	1,962	2,174	1,774	1,628
2	East Jaintia Hills												
3	East Khasi Hills	5,989	5,657	70.2	69.2	98.6	98.2	4,881	4,727	4,737	4,380	4,383	4,137
4	North Garo Hills												
5	Ri Bhoi	1,587	1,512	31.4	27.2	116.0	113.5	1,924	1,811	1,793	1,617	1,668	1,491
6	South Garo Hills	740	944	42.7	46.0	149.2	195.4	921	1,057	989	1,037	767	753
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	4,127	4,336	27.7	33.2	102.9	117.3	4,275	4,427	4,191	4,195	4,003	3,929
10	West Jaintia Hills	3,197	3,339	33.4	35.0	122.4	112.9	3,371	3,234	3,376	3,198	2,903	2,973
11	West Khasi Hills	2,978	2,654	38.0	35.8	141.2	124.5	3,417	3,230	3,381	3,028	3,001	2,742

Performance of Key HMIS Indicators for Meghalaya ( Across Districts)  
Financial Year: 2012-13  
Provisional Figures for the Period April to June

Indicator		13		14		15		16		17		18	
		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Meghalaya							15,480	15,541	84.3	86.8	14,374	14,536
1	East Garo Hills							1,618	1,479	95.0	95.8	1,458	1,435
2	East Jaintia Hills												
3	East Khasi Hills							3,584	3,505	59.0	60.8	3,418	3,318
4	North Garo Hills												
5	Ri Bhoi							1,485	1,339	108.6	100.5	1,346	1,216
6	South Garo Hills							627	805	126.4	166.7	490	631
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills							3,190	3,514	79.5	95.0	3,016	3,368
10	West Jaintia Hills							2,485	2,392	95.1	80.9	2,309	2,238
11	West Khasi Hills							2,491	2,507	118.1	117.6	2,337	2,330

Performance of Key HMIS Indicators for Meghalaya ( Across Districts)  
Financial Year: 2012-13  
Provisional Figures for the Period April to June

Indicator		19		20		21		22		23		24	
		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Meghalaya	25.3	24.5	14,180	10,896	77.2	60.8	31.3	36.7	140	2	81.1	82.7
1	East Garo Hills	23.6	31.0	1,303	815	76.5	52.8	64.6	69.1	0	0	76.1	81.8
2	East Jaintia Hills												
3	East Khasi Hills	40.2	38.0	3,525	2,692	58.1	46.7	12.3	14.9	1	2	94.5	94.6
4	North Garo Hills												
5	Ri Bhoi	6.4	11.4	1,511	1,231	110.5	92.4	14.0	12.7	0	0	79.9	84.3
6	South Garo Hills	15.3	14.7	618	443	124.6	91.7	44.7	43.3	0	0	77.5	77.1
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	22.7	19.0	2,386	2,403	59.5	65.0	63.2	50.4	0	0	80.5	81.6
10	West Jaintia Hills	22.3	28.4	2,775	2,229	106.2	75.4	27.7	54.3	1	0	89.2	93.5
11	West Khasi Hills	16.4	5.5	2,062	1,083	97.8	50.8	19.2	24.0	138	0	65.6	61.9

Performance of Key HMIS Indicators for Meghalaya ( Across Districts)  
Financial Year: 2012-13  
Provisional Figures for the Period April to June

Indicator		25		26		27		28		29		30	
		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Meghalaya	61.5	61.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	East Garo Hills	68.6	75.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	East Jaintia Hills												
3	East Khasi Hills	63.8	59.2	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
4	North Garo Hills												
5	Ri Bhoi	58.7	56.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	South Garo Hills	70.2	65.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	74.6	73.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	West Jaintia Hills	43.9	51.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	West Khasi Hills	46.8	43.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Performance of Key HMIS Indicators for Meghalaya ( Across Districts)  
Financial Year: 2012-13  
Provisional Figures for the Period April to June

Indicator		31		32		33		34		35		36	
		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Meghalaya	0.5	1.3	95.2	92.7	4.3	6.0	380	395	3.4	3.5	10.1	8.3
1	East Garo Hills	3.6	6.9	69.6	58.1	26.9	35.0	24	6	4.3		13.0	
2	East Jaintia Hills												
3	East Khasi Hills	0.1	0.3	99.4	99.1	0.5	0.5	134	183	1.0	6.1	12.5	7.5
4	North Garo Hills												
5	Ri Bhoi	0.8	0.6	97.6	98.3	1.6	1.1	18	20	6.3	0.0	0.0	0.0
6	South Garo Hills	1.6	2.3	75.4	72.0	23.0	25.7	16	10	0.0	0.0	0.0	0.0
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	0.5	3.6	89.4	80.1	10.1	16.2	89	81	1.3	1.4	5.3	20.3
10	West Jaintia Hills	0.1	0.6	99.5	96.7	0.4	2.7	59	50	13.6	2.6	25.0	2.6
11	West Khasi Hills	0.1	0.2	96.5	99.1	3.5	0.7	40	45	0.0	0.0	0.0	0.0

Performance of Key HMIS Indicators for Meghalaya ( Across Districts)  
Financial Year: 2012-13  
Provisional Figures for the Period April to June

Indicator		37		38		39		40		41		42	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Meghalaya	5.7	6.4	15.8	11.8	3.0	2.9	12.1	11.5	0.0	0.0	50.0	55.7
1	East Garo Hills	0.0		17.4		0.0		17.4		0.0		47.8	
2	East Jaintia Hills												
3	East Khasi Hills	3.1	3.4	11.5	6.8	0.0	4.1	9.4	4.8	0.0	0.0	62.5	67.3
4	North Garo Hills												
5	Ri Bhoi	12.5	14.3	12.5	0.0	18.8	7.1	12.5	21.4	0.0	0.0	37.5	57.1
6	South Garo Hills	0.0	10.0	16.7	0.0	0.0	0.0	8.3	20.0	0.0	0.0	75.0	70.0
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	4.0	14.5	30.7	15.9	1.3	1.4	22.7	17.4	0.0	0.0	34.7	29.0
10	West Jaintia Hills	13.6	2.6	9.1	28.2	2.3	0.0	0.0	17.9	0.0	0.0	36.4	46.2
11	West Khasi Hills	9.4	2.9	3.1	14.3	12.5	2.9	9.4	14.3	0.0	0.0	65.6	65.7