| | | 1 | | 1 2 | | 3 | 3 | 4 | | 5 | | 6 | |
|---|-------------|--------------------------------------|---------|-----------------------------------------------------------|---------|---------------------------------------|---------|--------------------------------------|---------|----------------------------------------|---------|--------------------------------------------------|---------|
|] | Indicator | Total Number of reported live births | | % Total Reported Live Births to Total Deliveries | | Total Number of reported Still Births | | % live birth to Reported Birth | | Number of Newborns weighed at birth | | Number of Infants given OPV 0 (Birth Dose) | |
| | | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 |
| | _Chandigarh | 5,092 | 4,563 | 98.7 | 99.2 | 183 | 140 | 96.5 | 97.0 | 5,032 | 4,445 | 5,080 | 4,424 |
| 1 | Chandigarh | 5,092 | 4,563 | 98.7 | 99.2 | 183 | 140 | 96.5 | 97.0 | 5,032 | 4,445 | 5,080 | 4,424 |

| | | 7 | | 8 | | 9 |) | 1 | 0 | 11 | | 12 | |
|---|-------------|--------------------------------|---------|-------------------------------------------------------|---------|---------------------------------------------|---------|---------------------------------|---------|---------------------------------|---------|---------------------------------|---------|
| 1 | Indicator | Number of Infants given BCG | | % Newborns given OPV0 at birth to Reported live birth | | % Newborns given BCG to Reported live birth | | Number of Infants given DPT1 | | Number of Infants given DPT2 | | Number of Infants given DPT3 | |
| | | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 |
| | _Chandigarh | 5,385 | 4,807 | 99.8 | 97.0 | 105.8 | 105.3 | 4,278 | 3,875 | 4,201 | 3,867 | 4,294 | 3,802 |
| 1 | Chandigarh | 5,385 | 4,807 | 99.8 | 97.0 | 105.8 | 105.3 | 4,278 | 3,875 | 4,201 | 3,867 | 4,294 | 3,802 |

| | | 13 | | 14 | | 1 | 15 | | 6 | 1 | 7 | 18 | |
|---|-------------|------------------------------------------|---------|------------------------------------------|---------|------------------------------------------|---------|------------------------------------|---------|-----------------------------------------------------------------------------------|---------|--------------------------------------------------------|---------|
| 1 | Indicator | Number of Infants given Pentavalent 1 | | Number of Infants given Pentavalent 2 | | Number of Infants given Pentavalent 3 | | Number of Infants given Measles | | % Infants 0 to 11 months old who received Measles vaccine to reported live births | | Number of fully immunized children (9-11 months) | |
| | | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 |
| | _Chandigarh | | | | | | | 4,265 | 3,785 | 83.8 | 82.9 | 4,181 | 3,674 |
| 1 | Chandigarh | | | | | | | 4,265 | 3,785 | 83.8 | 82.9 | 4,181 | 3,674 |

| | | 19 | | 20 | | 2 | 21 | | 22 | | 3 | 24 | |
|---|-------------|----------------------------------|---------|--------------------|---------|-----------------------------------------------------|---------|-----------------------------------------------------------------|---------|-----------------------------------------------|---------|------------------------------------------------------------------------|---------|
| 1 | Indicator | % Drop Out between BCG & Measles | | Vitamin - A dose 1 | | % Children given Vit A dose1 to Reported live birth | | % Children given Vitamin A Dose 9 to Children given Vit A dose1 | | Adverse Events Following Imunisation (Others) | | % immunisation Sessions Held to Immunisation Sessions Planned | |
| | | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 |
| | _Chandigarh | 20.8 | 21.3 | 4,168 | 3,861 | 81.9 | 84.6 | 58.5 | 46.4 | 0 | 5 | 96.3 | 95.4 |
| 1 | Chandigarh | 20.8 | 21.3 | 4,168 | 3,861 | 81.9 | 84.6 | 58.5 | 46.4 | 0 | 5 | 96.3 | 95.4 |

| | | 25 | | 26 | | 2 | 27 | | 28 | | 9 | 30 | |
|-------------|------------|-----------------------------------------------------------------------------------|---------|-----------------------------------------------------------------------------------------|---------|----------------------------------------------------------------------------------------|---------|--------------------------------------------------------------------------------------------------|---------|-----------------------|---------|-------------------------------------------------------------------------------------|---------|
| 1 | Indicator | % Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned | | % Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | Children 0-5 Years of | | % Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | |
| | | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 |
| _Chandigarh | | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1 | Chandigarh | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

| | | 31 | | 3 | 32 | | 3 | 3 | 4 | 35 | | 36 | |
|---|--------------------------------------------------------------|---------------------------------------------------------------------------------------|---------|---------------------------------------------------------------------------------------------------------|---------|---------------------------------------------------------------------------------------------------|---------|-------------------------------------------|---------|---------|---------|-----------------------------------------------------------|---------|
| 1 | Indicator | % Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | Total Number of Infant Deaths reported | | | | % Deaths due to Asphys to Total Reported Infant Deaths | |
| | | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 |
| | _Chandigarh | 0.3 1.0 | | 99.5 | 98.5 | 0.2 | 0.4 | 387 | 366 | 19.1 | 25.9 | 6.2 | 4.7 |
| 1 | Chandigarh 0.3 1.0 99.5 98.5 | | 0.2 | 0.4 | 387 | 366 | 19.1 | 25.9 | 6.2 | 4.7 | | | |

| | | 37 | | 38 | | 39 | | 40 | | 41 | | 42 | |
|-------------|------------|-----------------------------------------------------|---------|-----------------------------------------------------------|---------|-----------------------------------------------------------|---------|-------------------------------------------------------|---------|---------------------------------------------------------|---------|--------------------------------------------------------------|---------|
| 1 | Indicator | % Deaths due to LBW to Total Reported Infant Deaths | | % Deaths due to Pneumonia to Total Reported Infant Deaths | | % Deaths due to Diarrhoea to Total Reported Infant Deaths | | % Deaths due to Fever to Total Reported Infant Deaths | | % Deaths due to Measles to Total Reported Infant Deaths | | % Deaths due to Other Causes to Total Reported Infant Deaths | |
| | | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 |
| _Chandigarh | | 6.8 | 4.4 | 6.2 | 4.4 | 0.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 61.4 | 60.4 |
| 1 | Chandigarh | 6.8 | 4.4 | 6.2 | 4.4 | 0.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 61.4 | 60.4 |