

Performance of Key HMIS Indicators for Punjab (Across Districts)

Financial Year: 2008-09

Provisional Figures for the Period April to December

Indicator		1		2		3		4		5		6	
		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	Punjab	291,472		98.6	0.0	2,800		99.0		223,904		92,173	
1	Amritsar	29,548		99.1		275		99.1		29,548		15,827	
2	Barnala	7,638		99.5		48		99.4		6,981		2,060	
3	Bathinda	12,408		98.5		175		98.6		10,098		2,733	
4	Faridkot	6,871		99.3		100		98.6		5,881		2,230	
5	Fatehgarh Sahib	6,063		99.4		37		99.4		5,677		2,640	
6	Fazilka												
7	Firozpur	17,235		99.8		28		99.8		6,671		7,787	
8	Gurdaspur	26,056		102.2		85		99.7		23,646		2,787	
9	Hoshiarpur	17,477		98.5		498		97.2		14,164		8,067	
10	Jalandhar	24,225		100.9		199		99.2		20,615		971	
11	Kapurthala	8,939		99.2		81		99.1		9,044		1,018	
12	Ludhiana	29,711		100.4		250		99.2		10,842		12,268	
13	Mansa	9,182		99.5		49		99.5		6,536		1,499	
14	Moga	14,466		99.2		117		99.2		13,698		1,197	
15	Mohali SAS Nagar	8,294		99.5	0.0	41		99.5		7,769		3,046	
16	Muktsar	11,038		99.4		62		99.4		9,318		595	
17	Nawanshahr	5,473		98.3		88		98.4		4,550		2,156	
18	Pathankot												
19	Patiala	16,191		88.6		58		99.6		9,957		10,422	
20	Rupnagar	8,294		98.5		135		98.4		8,294		4,323	
21	Sangrur	17,102		92.3		88		99.5		8,289		5,321	
22	Tarn Taran	15,261		98.7		386		97.5		12,326		5,226	

Performance of Key HMIS Indicators for Punjab (Across Districts)
Financial Year: 2008-09
Provisional Figures for the Period April to December

Indicator		7		8		9		10		11		12	
		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	Punjab	329,636	380,073	31.6		113.1		296,522		274,889	450,539	273,795	368,922
1	Amritsar	32,020		53.6		108.4		26,395		24,742		23,051	
2	Barnala	6,472		27.0		84.7		7,250		6,900		6,925	
3	Bathinda	12,831		22.0		103.4		14,013		12,440		12,478	
4	Faridkot	8,673		32.5		126.2		8,349		7,846		7,695	
5	Fatehgarh Sahib	6,869		43.5		113.3		7,190		6,441		6,225	
6	Fazilka												
7	Firozpur	23,867		45.2		138.5		23,802		21,285		20,053	
8	Gurdaspur	24,552		10.7		94.2		24,760		22,957		24,479	
9	Hoshiarpur	17,990		46.2		102.9		13,477		11,397		11,490	
10	Jalandhar	26,341		4.0		108.7		19,952		20,611		20,665	
11	Kapurthala	10,183		11.4		113.9		10,734		10,491		10,169	
12	Ludhiana	41,725		41.3		140.4		31,622		28,311		32,845	
13	Mansa	8,610		16.3		93.8		8,927		7,978		7,643	
14	Moga	11,846		8.3		81.9		10,972		9,328		8,338	
15	Mohali SAS Nagar	9,523	380,073	36.7		114.8		9,991		9,611	450,539	9,105	368,922
16	Muktsar	10,885		5.4		98.6		10,591		9,834		9,315	
17	Nawanshahr	8,671		39.4		158.4		7,756		7,286		7,024	
18	Pathankot												
19	Patiala	27,018		64.4		166.9		23,997		22,251		21,673	
20	Rupnagar	8,199		52.1		98.9		8,512		8,410		8,431	
21	Sangrur	19,880		31.1		116.2		17,321		16,088		16,562	
22	Tarn Taran	13,481		34.2		88.3		10,911		10,682		9,629	

Performance of Key HMIS Indicators for Punjab (Across Districts)
Financial Year: 2008-09
Provisional Figures for the Period April to December

Indicator		13		14		15		16		17		18	
		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Punjab							321,938	341,967	110.5		313,675	
1	Amritsar							26,887		91.0		26,887	
2	Barnala							7,452		97.6		7,452	
3	Bathinda							13,660		110.1		11,823	
4	Faridkot							7,512		109.3		7,512	
5	Fatehgarh Sahib							7,150		117.9		7,132	
6	Fazilka												
7	Firozpur							21,163		122.8		21,163	
8	Gurdaspur							27,440		105.3		27,324	
9	Hoshiarpur							18,740		107.2		18,740	
10	Jalandhar							26,067		107.6		23,398	
11	Kapurthala							9,753		109.1		9,753	
12	Ludhiana							42,508		143.1		42,508	
13	Mansa							8,385		91.3		8,385	
14	Moga							9,989		69.1		9,824	
15	Mohali SAS Nagar							9,242	341,967	111.4		9,142	
16	Muktsar							10,674		96.7		10,674	
17	Nawanshahr							7,960		145.4		7,960	
18	Pathankot												
19	Patiala							26,409		163.1		23,561	
20	Rupnagar							8,970		108.2		8,970	
21	Sangrur							19,131		111.9		19,131	
22	Tarn Taran							12,846		84.2		12,336	

Performance of Key HMIS Indicators for Punjab (Across Districts)
Financial Year: 2008-09
Provisional Figures for the Period April to December

Indicator		19		20		21		22		23		24	
		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	Punjab	2.3	10.0	178,446	4,785	61.2		2.4	0.0	494		94.9	
1	Amritsar	16.0		20,645		69.9		0.5				87.8	
2	Barnala	-15.1		4,984		65.3		0.0				93.1	
3	Bathinda	-6.5		9,415		75.9		0.0				96.4	
4	Faridkot	13.4		3,978		57.9		0.0		34		92.6	
5	Fatehgarh Sahib	-4.1		3,758		62.0		2.0				87.9	
6	Fazilka												
7	Firozpur	11.3		9,727		56.4		24.2				90.6	
8	Gurdaspur	-11.8		16,817		64.5		1.3				98.7	
9	Hoshiarpur	-4.2		9,725		55.6		0.9				99.5	
10	Jalandhar	1.0		7,666		31.6		1.3				97.0	
11	Kapurthala	4.2		2,029		22.7		0.0				98.3	
12	Ludhiana	-1.9		13,833		46.6		1.8		458		92.6	
13	Mansa	2.6		4,972		54.1		0.1		2		94.4	
14	Moga	15.7		5,866		40.6		0.0				94.4	
15	Mohali SAS Nagar	3.0	10.0	8,565	4,785	103.3		0.0	0.0			100.0	
16	Muktsar	1.9		7,723		70.0		0.0				96.5	
17	Nawanshahr	8.2		4,825		88.2		0.0				99.4	
18	Pathankot												
19	Patiala	2.3		20,218		124.9		0.0					
20	Rupnagar	-9.4		5,532		66.7		0.0				97.5	
21	Sangrur	3.8		12,161		71.1		8.3				97.7	
22	Tarn Taran	4.7		6,007		39.4		0.0				98.9	

Performance of Key HMIS Indicators for Punjab (Across Districts)

Financial Year: 2008-09

Provisional Figures for the Period April to December

Indicator		25		26		27		28		29		30	
		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Punjab	41.4		0.1		0.0		0.0		0.0		0.0	
1	Amritsar	0.0		0.0		0.0		0.0		0.0		0.0	
2	Barnala	87.5		0.0		0.0		0.0		0.0		0.0	
3	Bathinda	45.0		0.0		0.0		0.0		0.0		0.0	
4	Faridkot	45.4		0.0		0.8		0.4		0.4		0.0	
5	Fatehgarh Sahib	80.3		0.0		0.0		0.0		0.0		0.0	
6	Fazilka												
7	Firozpur	71.4		0.0		0.0		0.0		0.0		0.0	
8	Gurdaspur	79.2		4.3		0.0		0.0		0.0		0.0	
9	Hoshiarpur	37.1		0.0		0.0		0.0		0.0		0.0	
10	Jalandhar	67.9		0.0		0.0		0.0		0.0		0.0	
11	Kapurthala	88.0		0.0		0.0		0.0		0.0		0.0	
12	Ludhiana	61.2		0.1		0.0		0.1		0.0		0.0	
13	Mansa	10.2		0.0		0.0		0.0		0.0		0.0	
14	Moga	13.2		0.0		0.0		0.0		0.0		0.0	
15	Mohali SAS Nagar	0.0		0.0		0.0		0.0		0.0		0.0	
16	Muktsar	12.5		0.0		0.0		0.0		0.0		0.0	
17	Nawanshahr	93.3		0.0		0.0		0.0		0.0		0.0	
18	Pathankot												
19	Patiala			0.0		0.0		0.0		0.0		0.0	
20	Rupnagar	19.2		0.0		0.0		0.0		0.0		0.0	
21	Sangrur	45.1		0.0		0.0		0.0		0.0		0.0	
22	Tarn Taran	13.0		0.0		0.0		0.0		0.0		0.0	

Performance of Key HMIS Indicators for Punjab (Across Districts)

Financial Year: 2008-09

Provisional Figures for the Period April to December

Indicator		31		32		33		34		35		36	
		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Punjab	2.0		95.8		2.1		869		0.9		1.5	
1	Amritsar	0.0		100.0		0.0		183		0.0		1.1	
2	Barnala	0.0		100.0		0.0		12		0.0		0.0	
3	Bathinda	0.0		100.0		0.0		4		0.0		0.0	
4	Faridkot	4.2		92.4		1.7		35		0.0		0.0	
5	Fatehgarh Sahib	0.0		100.0		0.0		8		0.0		0.0	
6	Fazilka												
7	Firozpur	0.0		100.0		0.0		1		0.0		0.0	
8	Gurdaspur	0.0		80.5		15.2		44		2.3		15.9	
9	Hoshiarpur	0.0		100.0		0.0		196		0.0		0.0	
10	Jalandhar	19.8		79.2		1.0		87		0.0		4.6	
11	Kapurthala	0.0		100.0		0.0		32		18.8		0.0	
12	Ludhiana	1.6		98.1		0.0		26		0.0		0.0	
13	Mansa	0.0		100.0		0.0		3		0.0		0.0	
14	Moga	0.0		100.0		0.0		11		0.0		0.0	
15	Mohali SAS Nagar	0.0		100.0		0.0		12		0.0		0.0	
16	Muktsar	0.0		90.0		10.0		53		0.0		0.0	
17	Nawanshahr	0.0		100.0		0.0		49		0.0		0.0	
18	Pathankot												
19	Patiala	0.0		99.0		1.0							
20	Rupnagar	0.0		100.0		0.0		12		0.0		0.0	
21	Sangrur	1.6		98.4		0.0		2		0.0		0.0	
22	Tarn Taran	0.1		96.0		3.9		99		1.0		0.0	

Performance of Key HMIS Indicators for Punjab (Across Districts)
Financial Year: 2008-09
Provisional Figures for the Period April to December

Indicator		37		38		39		40		41		42	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Punjab	3.7		1.3		0.7		1.7		0.1		90.1	
1	Amritsar	1.6		2.7		1.6		1.1		0.0		91.8	
2	Barnala	0.0		0.0		0.0		0.0		0.0		100.0	
3	Bathinda	0.0		0.0		0.0		0.0		0.0		100.0	
4	Faridkot	2.9		0.0		0.0		11.4		0.0		85.7	
5	Fatehgarh Sahib	0.0		0.0		0.0		0.0		0.0		100.0	
6	Fazilka												
7	Firozpur	0.0		0.0		0.0		0.0		0.0		100.0	
8	Gurdaspur	20.5		2.3		0.0		2.3		0.0		56.8	
9	Hoshiarpur	2.6		1.0		0.5		1.5		0.0		94.4	
10	Jalandhar	2.3		1.1		1.1		0.0		1.1		89.7	
11	Kapurthala	15.6		0.0		0.0		3.1		0.0		62.5	
12	Ludhiana	19.2		0.0		3.8		7.7		0.0		69.2	
13	Mansa	0.0		0.0		0.0		0.0		0.0		100.0	
14	Moga	0.0		0.0		0.0		0.0		0.0		100.0	
15	Mohali SAS Nagar	0.0		0.0		0.0		0.0		0.0		100.0	
16	Muktsar	0.0		0.0		0.0		0.0		0.0		100.0	
17	Nawanshahr	0.0		0.0		0.0		0.0		0.0		100.0	
18	Pathankot												
19	Patiala												
20	Rupnagar	0.0		0.0		0.0		0.0		0.0		100.0	
21	Sangrur	0.0		0.0		0.0		0.0		0.0		100.0	
22	Tarn Taran	2.0		2.0		0.0		2.0		0.0		92.9	