			1	1	2	1	3	4	4		5	(5
	Indicators	Total nu pregnant Registered	women	Number of women re within first	egistered	Number o		1st Trii registratio ANC Regi	mester n to Total	JSY regist Total Regist	tration to	Number of women re ANC che	eceived 3
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Nalbari	15,573	15,878	11,825	10,560	15,542	15,829	75.9	66.5	99.8	99.7	12,154	12,032
1	Chamata BPHC	3,052	3,022	2,384	2,402	3,052	3,022	78.1	79.5	100.0	100.0	2,610	2,541
2	Ghograpar BPHC	2,216	2,112	1,845	1,720	2,216	2,106	83.3	81.4	100.0	99.7	1,879	1,882
3	Kamarkuchi BPHC	2,594	2,646	2,214	2,059	2,594	2,646	85.4	77.8	100.0	100.0	2,094	1,992
4	Mukalmua BPHC	6,120	6,443	4,131	3,207	6,120	6,428	67.5	49.8	100.0	99.8	4,369	4,330
5	Nalbari Urban	293	320	182	96	264	296	62.1	30.0	90.1	92.5	168	199
6	Tihu FRU (Reporting Unit)	1,298	1,335	1,069	1,076	1,296	1,331	82.4	80.6	99.8	99.7	1,034	1,088

		7	7	8	3	9	9	1	0	1	1	1	2
	Indicators	TT2 or Boo to Pregnai (num		Pregnant received 3 ups to To Registr	Woman ANC check otal ANC	Pregnant received Booster to	d TT2 or	Number of women give tab		Pregnant given 100 ll ANC Regi	women FA to Total	Number h leve (tested	l<11
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Nalbari	13,169	13,248	78.0	75.7	84.5	83.4	11,286	11,999	72.4	75.5	5,885	6,453
1	Chamata BPHC	2,717	2,657	85.5	84.1	89.0	87.9	2,085	2,495	68.3	82.6	1,201	1,975
2	Ghograpar BPHC	1,797	1,820	84.8	89.1	81.1	86.2	1,657	1,807	74.8	85.6	562	998
3	Kamarkuchi BPHC	2,170	2,331	80.7	75.3	83.7	88.1	1,926	1,878	74.2	71.0	385	130
4	Mukalmua BPHC	5,112	4,991	71.4	67.2	83.5	77.5	4,417	4,545	72.2	70.5	2,842	2,853
5	Nalbari Urban	197	291	57.3	62.2	67.2	90.9	175	227	59.7	70.9	15	63
6	Tihu FRU (Reporting Unit)	1,176	1,158	79.7	81.5	90.6	86.7	1,026	1,047	79.0	78.4	880	434

		1	3	1	4	1	5	1	6	1	7	1	8
	Indicators	anae	ving severe emia o<7) institution	having seve (Hb treated at to women	t women ere anaemia e<7) institution		on to Total	Number deliv	of Home eries	SBA tr	of home attended by rained urse/ANM)	Non SBA	ttended by
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Nalbari	99	20	1.7	0.3	2.6	3.5	1,892	1,712	259	31	1,633	1,681
1	Chamata BPHC	1	2	0.1	0.1	0.5	2.6	47	58	0	0	47	58
2	Ghograpar BPHC			0.0	0.0	0.7	0.4	168	178	60	5	108	173
3	Kamarkuchi BPHC	0	0	0.0	0.0	0.7	1.4	55	41	0	0	55	41
4	Mukalmua BPHC	82	8	2.9	0.3	3.7	3.2	1,616	1,420	197	25	1,419	1,395
5	Nalbari Urban	14	10	93.3	15.9	34.1	58.1	0		0		0	
6	Tihu FRU (Reporting Unit)	2	0	0.2	0.0	2.6	3.4	6	15	2	1	4	14

		1	9	2	0	2	1	2	2	2	3	2	4
	Indicators	SBA attended deliveries Reporte Deliv	ded home s to Total		paid JSY for home eries	Mothers incentive deliveries Reporte	s to Total	Deliveries at Public II		Number of Discharged hours of of public f	d under 48 delivery in	Women dis less than 4 delivery Reported at public in	charged in 8 hours of to Total Deliveries
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Nalbari	13.6	1.8	0	0	0.0	0.0	8,771	8,948	2,585	3,860	29.4	43.1
1	Chamata BPHC	0.0	0.0	0	0	0.0	0.0	360	329	129	130	35.8	39.5
2	Ghograpar BPHC	35.7	2.8	0	0	0.0	0.0	300	317	283	290	94.3	91.5
3	Kamarkuchi BPHC	0.0	0.0	0	0	0.0	0.0	197	206	23	187	11.7	90.8
4	Mukalmua BPHC	12.2	1.8	0	0	0.0	0.0	2,293	2,030	1,540	1,983	67.2	97.7
5	Nalbari Urban							5,189	5,460	587	1,268	11.3	23.2
6	Tihu FRU (Reporting Unit)	33.3	6.7	0	0	0.0	0.0	432	606	23	2	5.3	0.3

		2	5	2	6	2	7	2	8	2	9	3	0
	Indicators	Institu deliv (Public In Inst	eries sts.+Pvt.	Institu Deliverie ANC regi	itional s to total	Total re deliv	eported eries	Institu deliveries Reported	itional s to Total	Safe deli Total Re Deliv	veries to eported	9 Home del Total Re Deliv	iveries to eported
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Nalbari	12,454	12,114	79.9	76.2	14,346	13,826	86.8	87.6	88.6	87.8	13.2	12.4
1	Chamata BPHC	360	329	11.8	10.9	407	387	88.5	85.0	88.5	85.0	11.5	15.0
2	Ghograpar BPHC	300	317	13.5	15.0	468	495	64.1	64.0	76.9	65.1	35.9	36.0
3	Kamarkuchi BPHC	197	206	7.6	7.8	252	247	78.2	83.4	78.2	83.4	21.8	16.6
4	Mukalmua BPHC	2,293	2,030	37.5	31.5	3,909	3,450	58.7	58.8	63.7	59.6	41.3	41.2
5	Nalbari Urban	8,872	8,626	3028.0	2695.6	8,872	8,626	100.0	100.0	100.0	100.0	0.0	0.0
6	Tihu FRU (Reporting Unit)	432	606	33.3	45.4	438	621	98.6	97.6	99.1	97.7	1.4	2.4

		3	1	3	2	3	3	3	4	3	5	3	6
	Indicators	Number of deliveries at public			C-section conducted facilities	to rep institu (Public	+ Pvt.)	C-sections at public for Deliveries at public	conducted acilities to	C-sections at Private f	conducted facilities to conducted	Deliveries at Public Ir to Total In	conducted estitutions stitutional
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Nalbari	861	738	2,444	1,900	26.5	21.7	9.8	8.2	66.4	60.0	70.4	73.9
1	Chamata BPHC		0			0.0	0.0	0.0	0.0			100.0	100.0
2	Ghograpar BPHC		0			0.0	0.0	0.0	0.0			100.0	100.0
3	Kamarkuchi BPHC					0.0	0.0	0.0	0.0			100.0	100.0
4	Mukalmua BPHC	7	3			0.3	0.1	0.3	0.1			100.0	100.0
5	Nalbari Urban	829	735	2,444	1,900	36.9	30.5	16.0	13.5	66.4	60.0	58.5	63.3
6	Tihu FRU (Reporting Unit)	25	0			5.8	0.0	5.8	0.0			100.0	100.0

		3	7	3	8	3	9	4	0	4	1	4	2
	Indicators	Mothers Incentive fo at Public i to Tota Deliv	paid JSY or Delivery nstitution	Public inst	where JSY e paid to Delivery at	Deliveries at Private I to Total In:	nstitutions	Women rec partum o within 48 deliv	heck-up hours of	between 48	men got a n check up	Women rec partum o within 48 delivery Reported	eiving post heck-up hours of to Total
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Nalbari	99.4	99.7	97.3	98.6	29.6	26.1	11,092	10,572	8,384	6,549	77.3	76.5
1	Chamata BPHC	100.6	103.0	740.0	659.3	0.0	0.0	304	376	835	1,222	74.7	97.2
2	Ghograpar BPHC	100.0	100.0	354.3	400.3	0.0	0.0	465	416	830	821	99.4	84.0
3	Kamarkuchi BPHC	100.0	100.0	952.8	868.9	0.0	0.0	280	270	722	485	111.1	109.3
4	Mukalmua BPHC	100.0	100.5	96.6	134.6	0.0	0.0	3,418	3,274	2,861	2,173	87.4	94.9
5	Nalbari Urban	99.0	99.2	0.0	0.0	41.5	36.7	6,155	5,639	2,617	1,243	69.4	65.4
6	Tihu FRU (Reporting Unit)	100.0	100.0	164.6	142.2	0.0	0.0	470	597	519	605	107.3	96.1

		4	3	4	4	4	5	4	6	4	7	4	8
	Indicators	between 48 14 days	etting Post Checkup 3 hours and	Total Nu reported I		Total Repo	% orted Live o Total eries	Total Nu reported S		live birth to	% o Reported rth	Number of weighed	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Nalbari	58.4	47.4	14,265	13,805	99.4	99.8	178	138	98.8	99.0	14,192	13,630
1	Chamata BPHC	205.2	315.8	405	385	99.5	99.5	2	3	99.5	99.2	366	313
2	Ghograpar BPHC	177.4	165.9	464	495	99.1	100.0	5	6	98.9	98.8	456	414
3	Kamarkuchi BPHC	286.5	196.4	252	246	100.0	99.6	2	2	99.2	99.2	252	246
4	Mukalmua BPHC	73.2	63.0	3,883	3,435	99.3	99.6	45	30	98.9	99.1	3,858	3,417
5	Nalbari Urban	29.5	14.4	8,827	8,631	99.5	100.1	120	88	98.7	99.0	8,827	8,634
6	Tihu FRU (Reporting Unit)	118.5	97.4	434	613	99.1	98.7	4	9	99.1	98.6	433	606

		4	9	5	0	5	1	5	2	5	3	5	4
	Indicators	Newborns	% weighed at live birth		Newborns eight less 2.5 kg	Newborr weight les kg to Ne	% as having as than 2.5 ewborns I at birth	Number of Breast Fed		Newborns within 1 ho to Total l	our of birth	Number of visited wit of Home	hin 24 hrs
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Nalbari	99.5	98.7	3,041	2,986	21.4	21.9	13,287	13,288	93.1	96.2	1,024	1,533
1	Chamata BPHC	90.4	81.3	26	27	7.1	8.6	367	340	90.6	88.3	45	23
2	Ghograpar BPHC	98.3	83.6	83	192	18.2	46.4	462	455	99.6	91.9	136	86
3	Kamarkuchi BPHC	100.0	100.0	26	39	10.3	15.9	251	246	99.6	100.0	50	41
4	Mukalmua BPHC	99.4	99.5	654	988	17.0	28.9	3,842	3,429	98.9	99.8	787	1,372
5	Nalbari Urban	100.0	100.0	2,169	1,615	24.6	18.7	7,934	8,216	89.9	95.2		
6	Tihu FRU (Reporting Unit)	99.8	98.9	83	125	19.2	20.6	431	602	99.3	98.2	6	11

		5	5	5	6	5	7	5	8	5	9	6	0
	Indicators	reporte	ns visited ors of home or to total			cases of women wit Complica attended t	tions and	Pregnanci with antihype Magsulph in Total Wo Obst	icated es treated h IV rtensive/ njection to men with etric cations	Compl Pregnancie with antihype Magsulph ii Total Ne detecte Hypert	icated es treated h IV rtensive/ njection to ew cases	Compl Pregnancie with Transfusion Wome Obst Compli	icated es treated Blood n to Total n with etric cations
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Nalbari	54.1	89.5	965	906	9.8	10.8	22.2	21.2	66.2	49.6	12.6	4.9
1	Chamata BPHC	95.7	39.7	976	897	7.5	1.8	0.0	116.7	0.0	9.0	0.0	0.0
2	Ghograpar BPHC	81.0	48.3	1,044	919	7.3	0.0	0.0		0.0	0.0	0.0	
3	Kamarkuchi BPHC	90.9	100.0	969	907	16.8	36.9	33.3	21.1	57.9	42.1	0.0	0.0
4	Mukalmua BPHC	48.7	96.6	933	893	14.4	41.5	4.5	10.5	6.6	42.5	1.2	0.4
5	Nalbari Urban			965	918	9.1	4.6	30.6	42.5	246.0	90.3	18.6	15.7
6	Tihu FRU (Reporting Unit)	100.0	73.3	1,181	819	2.1	0.0	0.0		0.0	0.0	0.0	

		6	1	6	2	6	3	6	4	6	5	6	6
	Indicators	compli attended	Natal C maternal cations	Total Nu Abort (Sponta Induced)	tions aneous/	Total Nu MTPs (repo	Public)	% <i>N</i> (Public) to		MTPs up to of Pregn Total MTPs Institu	12 weeks ancy to s at Public	MTPs mor weeks of F to Total Public Ins	e than 12 Pregnancy MTPs at
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Nalbari	0.0	0.3	4,425	4,605	2,683	2,911	60.6	63.2	99.9	99.9	0.1	0.1
1	Chamata BPHC	0.0	2.3	20	32	0	0	0.0	0.0				
2	Ghograpar BPHC	0.4	4.4	21	11	0	0	0.0	0.0				
3	Kamarkuchi BPHC	0.0	0.0	45	55	0	26	0.0	47.3		100.0		0.0
4	Mukalmua BPHC	0.0	0.4	2,426	2,197	2,233	2,148	92.0	97.8	100.0	100.0	0.0	0.0
5	Nalbari Urban	0.0	0.0	1,871	1,546	0	8	0.0	0.5		50.0		50.0
6	Tihu FRU (Reporting Unit)	0.2	0.3	42	764	450	729	1071.4	95.4	99.6	100.0	0.4	0.0

		6	7	6	8	6	9	7	0	7	1	7	2
	Indicators	% MTPs Cond Public Insti Total	ducted at tutions to	9 MTPs Con Private Ins to Tota	ducted at stitutions	% Tota (Pul Conducted ANC Regi	blic) I to Total	Number of Tests cond Number of STI female which tre initia	Wet Mount ducted to f new RTI/ e cases for eatment	Numb Vasect Condo (Public	comies ucted	Numb Tubect Condu (Public	omies icted
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Nalbari	59.5	66.0	40.5	34.0	17.2	18.3	0.0	0.0	57	77	872	857
1	Chamata BPHC					0.0	0.0	0.0	0.0	3	0	119	155
2	Ghograpar BPHC					0.0	0.0		0.0	0	0	92	117
3	Kamarkuchi BPHC		100.0		0.0	0.0	1.0			48	66	97	147
4	Mukalmua BPHC	100.0	100.0	0.0	0.0	36.5	33.3	0.0	0.0	2	10	245	95
5	Nalbari Urban	0.0	0.5	100.0	99.5	0.0	2.5	0.0	0.0	4	1	241	296
6	Tihu FRU (Reporting Unit)	100.0	100.0	0.0	0.0	34.7	54.6	0.0	0.0	0	0	78	47

		7	3	7	4	7	75	7	6	7	7	7	8
	Indicators	Total Ste Condi		% Male St (Vasect to Total st	comies)	Tubector	% mies to rilisation	Total Ste (Tubector Vasector conducte	mies and omies)	Total Ste (Tubecto Vasect conducte	mies and omies)	Total Ste (Tubecto Vasect conducted	mies and omies)
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Nalbari	929	934	6.1	8.2	93.9	91.8	272	330	412	307	78	58
1	Chamata BPHC	122	155	2.5	0.0	97.5	100.0	0	0	122	155		
2	Ghograpar BPHC	92	117	0.0	0.0	100.0	100.0	92	117				
3	Kamarkuchi BPHC	145	213	33.1	31.0	66.9	69.0	145	213	0			
4	Mukalmua BPHC	247	105	0.8	9.5	99.2	90.5	35	0	212	105		
5	Nalbari Urban	245	297	1.6	0.3	98.4	99.7					78	58
6	Tihu FRU (Reporting Unit)	78	47	0.0	0.0	100.0	100.0	0	0	78	47		

		7	9	8	0	8	1	8	2	8	3	8	4
	Indicators	Total Ste (Tubecto Vasect conducted public Ins	mies and omies) d at Other	Total Ste (Tubecto Vasect conducted institu	mies and omies) at Private	% Total Sto (Tubecto Vasect conducted Total Sto	mies and omies)	% Total Sto (Tubecto Vasect conducted Total Ste	mies and omies) at CHC to	% Total Ste (Tubecto Vasecto conducted to Total St	mies and omies) at SDH/DH	% Total Sto (Tubecto Vasecto conducted public Instit Total Ste	mies and omies) I at Other tutions to
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Nalbari			0	0	29.3	35.3	44.3	32.9	8.4	6.2	0.0	0.0
1	Chamata BPHC					0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
2	Ghograpar BPHC					100.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0
3	Kamarkuchi BPHC					100.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0
4	Mukalmua BPHC					14.2	0.0	85.8	100.0	0.0	0.0	0.0	0.0
5	Nalbari Urban			0	0	0.0	0.0	0.0	0.0	31.8	19.5	0.0	0.0
6	Tihu FRU (Reporting Unit)					0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0

		8	5	8	6	8	7	8	8	8	9	9	0
Indicators		% Total Sto (Tubecto Vasect conducted institution Sterlis	mies and omies) at Private s to Total	Laparo sterlisation Female Ste	scopic s to Total	Mini Lap St	Female	Post P Sterlisation Female Ste	artum s to Total	Laparo sterlisation Institutions Laparo Sterilis	scopic s at Public to Total scopic	Mini Lap st at Public Ir to Total Sterilis	erlisations stitutions Mini Lap
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Nalbari	18.0	25.6	72.8	65.9	6.8	9.8	20.4	24.2	100.0	100.0	10.2	0.0
1	Chamata BPHC	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0	100.0	100.0		
2	Ghograpar BPHC	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0	100.0	100.0		
3	Kamarkuchi BPHC	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0	100.0	100.0		
4	Mukalmua BPHC	0.0	0.0	100.0	98.9	0.0	0.0	0.0	1.1	100.0	100.0		
5	Nalbari Urban	68.2	80.5	1.7	1.7	24.5	28.4	73.9	69.9	100.0	100.0	10.2	0.0
6	Tihu FRU (Reporting Unit)	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0	100.0	100.0		

		9	1	9	2	9	3	9	4	9	5	9	6
	Indicators	Post P sterlisation Institution Post P		Sterlisatio	wing	IUCD Inseri (public f		IUCD inser (pvt. fa	tions done cilities)	Total IUCD done(publi	Insertions ic+private)	PP IUCD I done (publi	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Nalbari	36.0	25.5	0	0	1,310	1,056	218	208	1,528	1,264	43	
1	Chamata BPHC			0	0	61	53			61	53		
2	Ghograpar BPHC			0	0	186	83			186	83		
3	Kamarkuchi BPHC			0	0	151	60			151	60		
4	Mukalmua BPHC		100.0	0	0	726	565			726	565	8	
5	Nalbari Urban	36.0	25.1	0	0	69	203	218	208	287	411	33	
6	Tihu FRU (Reporting Unit)			0	0	117	92			117	92	2	

		9	7	9	8	9	9	10	00	10	01	10)2
	Indicators	% PP IUCD (pul to Tota Insertion:	blic) al IUCD	to Total In	olic)	IUCD inse public plu institutic family p methods (perma	ertions in us private ons to all olanning IUCD plus	Oral Pills o	listributed	Condom distril		Centchro distrit	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Nalbari	3.2	0.0	0.4	0.0	62.1	57.5	37,385	45,781	182,253	200,186	127	645
1	Chamata BPHC	0.0	0.0	0.0	0.0	33.3	25.5	5,694	6,976	22,468	33,057	63	2
2	Ghograpar BPHC	0.0	0.0	0.0	0.0	66.9	41.5	7,159	6,459	50,899	45,933	62	640
3	Kamarkuchi BPHC	0.0	0.0	0.0	0.0	51.0	22.0	7,515	14,994	34,233	44,769	0	0
4	Mukalmua BPHC	1.1	0.0	0.3	0.0	74.6	84.3	11,653	12,038	50,573	49,605	0	0
5	Nalbari Urban	47.8	0.0	0.6	0.0	53.9	58.1	590	311	1,305	670	0	0
6	Tihu FRU (Reporting Unit)	1.7	0.0	0.5	0.0	60.0	66.2	4,774	5,003	22,775	26,152	2	3

		10	03	10	04	10	05	10	06	10	07	10	08
	Indicators	Number o given (Birth	OPV 0		of Infants n BCG	Newborns g at birth to		Newborns to Repo		Number o		Number o	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Nalbari	10,769	9,693	14,977	16,181	75.5	70.2	105.0	117.2	15,461	16,275	15,154	15,515
1	Chamata BPHC	229	124	658	786	56.5	32.2	162.5	204.2	2,601	2,614	2,590	2,634
2	Ghograpar BPHC	305	180	679	756	65.7	36.4	146.3	152.7	1,779	1,936	1,816	1,837
3	Kamarkuchi BPHC	160	142	437	543	63.5	57.7	173.4	220.7	2,115	2,078	2,190	2,107
4	Mukalmua BPHC	1,589	1,206	4,600	5,059	40.9	35.1	118.5	147.3	4,933	5,421	4,900	5,107
5	Nalbari Urban	8,083	7,444	7,956	7,779	91.6	86.2	90.1	90.1	2,808	3,008	2,471	2,632
6	Tihu FRU (Reporting Unit)	403	597	647	1,258	92.9	97.4	149.1	205.2	1,225	1,218	1,187	1,198

		10	09	11	10	11	11	11	12	11	13	11	14
	Indicators	Number o	of Infants DPT3	Number o		Number o	of Infants tavalent 2	Number o		Number o	of Infants Neasles	Infants months received vaccine to live b	0 to 11 old who Measles reported
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Nalbari	14,539	14,594	0		0		0		14,144	13,755	99.1	99.6
1	Chamata BPHC	2,564	2,560	0		0		0		2,606	2,403	643.5	624.2
2	Ghograpar BPHC	1,782	1,810							1,803	1,803	388.6	364.2
3	Kamarkuchi BPHC	2,246	2,035							2,125	1,983	843.3	806.1
4	Mukalmua BPHC	4,625	4,822	0		0		0		4,821	4,900	124.2	142.6
5	Nalbari Urban	2,138	2,224							1,561	1,519	17.7	17.6
6	Tihu FRU (Reporting Unit)	1,184	1,143							1,228	1,147	282.9	187.1

		11	15	11	16	11	17	11	18	11	19	12	20
	Indicators	Number immunize (9-11 n		9 Drop Out BCG & <i>I</i>	-	Vitamin -	A dose 1	Children g dose1 to live	iven Vit A Reported	Childre Vitamin A Children g dos	n given Dose 9 to iven Vit A	Adverse Following It	munisation
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Nalbari	14,142	13,637	5.6	15.0	11,092	12,891	77.8	93.4	59.5	46.7	52	232
1	Chamata BPHC	2,606	2,403	-296.0	-205.7	1,995	2,406	492.6	624.9	63.3	51.6	0	9
2	Ghograpar BPHC	1,803	1,791	-165.5	-138.5	1,204	1,725	259.5	348.5	65.5	47.0	25	159
3	Kamarkuchi BPHC	2,125	1,980	-386.3	-265.2	1,763	1,918	699.6	779.7	43.7	31.9	12	25
4	Mukalmua BPHC	4,821	4,838	-4.8	3.1	4,761	4,903	122.6	142.7	63.3	47.1	15	39
5	Nalbari Urban	1,561	1,493	80.4	80.5	262	760	3.0	8.8	9.9	43.0	0	0
6	Tihu FRU (Reporting Unit)	1,226	1,132	-89.8	8.8	1,107	1,179	255.1	192.3	66.4	61.4	0	0

		12	21	12	22	13	23	12	24	12	25	12	26
	Indicators	immunisatio Held to Imr Sessions	on Sessions munisation	Immunisatio where AS preser Immunisatio Plan	on Sessions HAs were nt to	Diptheria i 0-5 Years Total Re	of Age to eported I Diseases	Pertusis in 0-5 Years Total Re Childhood 0-5 Y	of Age to eported I Diseases	Tetanus Ne in Childrer of Age t Reported (Diseases (eonatorum n 0-5 Years no Total Childhood	Tetanus (Children 0- Age to Tota Childhood	Others in Others in I Years of I Reported I Diseases
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Nalbari	98.0	95.3	91.5	86.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Chamata BPHC	99.1	99.4	97.7	98.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	Ghograpar BPHC	99.8	99.4	98.9	100.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	Kamarkuchi BPHC	99.6	98.9	98.3	96.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	Mukalmua BPHC	95.5	87.6	94.6	77.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	Nalbari Urban	98.6	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	Tihu FRU (Reporting Unit)	96.2	95.1	95.8	93.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

		12	27	12	28	12	29	13	30	13	31	13	32
	Indicators	Polio in Ch Years of Ag Reported Diseases	nildren 0-5 ge to Total	-	of Age to	Age to Tota Childhood	eea and ation in -5 Years of	Malaria in C Years of Ag Reported (Diseases (Children 0-5 ge to Total Childhood	Adult F Inpatients Adult In	emale to Total	% Children Inp Total In	patient to
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Nalbari	0.0	0.0	2.7	3.8	97.3	95.9	0.0	0.3	67.1	67.5	23.7	23.5
1	Chamata BPHC	0.0	0.0	7.5	12.0	92.5	87.7	0.0	0.3	61.0	54.1	14.6	19.2
2	Ghograpar BPHC	0.0	0.0	2.6	5.0	97.4	95.0	0.0	0.0	99.6	100.0	0.0	0.0
3	Kamarkuchi BPHC	0.0	0.0	0.9	3.8	99.1	95.8	0.0	0.4	100.0	100.0	0.0	0.0
4	Mukalmua BPHC	0.0	0.0	4.1	5.2	95.9	94.8	0.0	0.0	72.3	67.9	17.1	22.0
5	Nalbari Urban	0.0	0.0	0.0	0.0	99.9	99.5	0.0	0.5	66.4	68.4	28.0	26.1
6	Tihu FRU (Reporting Unit)	0.0	0.0	6.6	5.0	93.4	94.8	0.0	0.1	58.4	56.3	14.6	8.4

		13	33	13	34	13	35	13	36	13	37	13	18
	Indicators	Female I Deaths t Inpatien	to Total	9 Inpatient I Tota		IPD (Nu	umber)	OPD (N	umber)	% IPD	to OPD	Number Opera	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Nalbari	34.8	38.5	0.8	0.8	27,743	26,005	899,598	759,433	3.1	3.4	897	793
1	Chamata BPHC			0.0	0.0	2,561	1,321	151,120	151,271	1.7	0.9		0
2	Ghograpar BPHC			0.0	0.0	264	312	134,519	120,482	0.2	0.3		
3	Kamarkuchi BPHC			0.0	0.0	170	158	139,650	131,192	0.1	0.1		
4	Mukalmua BPHC		100.0	0.0	0.0	4,615	4,404	239,861	196,983	1.9	2.2	0	0
5	Nalbari Urban	34.8	38.4	1.1	1.2	18,485	18,243	135,630	74,033	13.6	24.6	896	793
6	Tihu FRU (Reporting Unit)		0.0	0.0	0.1	1,648	1,567	98,818	85,472	1.7	1.8	1	0

		13	39	14	10	14	41	14	12	14	43	14	14
	Indicators	Number Opera		% Major Ope Total Op		Hystere	per of ectomy eries	Hystere Surgeries Major Op	ectomy to Total	Ayush OPD	(Number)	AYUSH OP OI	D to Total
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Nalbari	428	1,916	67.7	29.3	0		0.0	0.0	198,521	187,175	22.0	24.6
1	Chamata BPHC	0	0							33,797	50,101	22.4	33.1
2	Ghograpar BPHC	0								46,495	39,679	34.6	32.9
3	Kamarkuchi BPHC	0								27,760	24,183	19.9	18.4
4	Mukalmua BPHC	0	0							67,903	56,959	28.3	28.9
5	Nalbari Urban	334	1,908	72.8	29.4	0		0.0	0.0	3,588	3,586	2.6	4.8
6	Tihu FRU (Reporting Unit)	94	8	1.1	0.0	0		0.0		18,978	12,667	19.2	14.8

Indicators		145		146		147		148		149		150	
		Dental OPD (Number)		% Dental OPD to Total OPD		Adolescent counselled (Number)		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female HIV Positive to Total Females Tested	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Nalbari	14,932	16,262	1.7	2.1	0	0	0.7	0.6	0.1	0.1	0.0	0.0
1	Chamata BPHC	1,193	1,448	0.8	1.0	0	0	0.2	0.4				
2	Ghograpar BPHC	0	0	0.0	0.0	0	0	0.2	1.0				
3	Kamarkuchi BPHC		0	0.0	0.0	0	0	0.1	0.1				
4	Mukalmua BPHC	7,105	7,460	3.0	3.8	0	0	0.9	0.5	0.0	0.0	0.0	0.0
5	Nalbari Urban	2,626	3,068	1.9	4.1	0		1.2	0.8	0.2	0.1	0.0	0.0
6	Tihu FRU (Reporting Unit)	4,008	4,286	4.1	5.0	0	0	0.7	0.9				

Indicators		151		152		153		154		155		156	
		% Total HIV Positive to Total Tested (Male + Female)		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Nalbari	0.0	0.0	0.0	0.0	0.0	0.1	104	146	11.5	5.8	41.7	27.3
1	Chamata BPHC			0.0	0.0	0.0	0.1	5	4	0.0	0.0	0.0	0.0
2	Ghograpar BPHC			0.1	0.0	0.1	0.2	6	15	0.0	0.0	16.7	0.0
3	Kamarkuchi BPHC			0.0	0.0	0.0	0.0	3	16	0.0	0.0	0.0	87.5
4	Mukalmua BPHC	0.0	0.0	0.0	0.0	0.0	0.1	1	30	0.0	0.0	0.0	0.0
5	Nalbari Urban	0.1	0.0	0.1	0.2	0.0	0.2	81	77	14.7	11.1	49.3	31.9
6	Tihu FRU (Reporting Unit)			0.0	0.0	0.0	0.0	8	4	0.0	0.0	33.3	25.0

Indicators		157		158		159		160		161		162	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Nalbari	9.4	10.1	5.2	6.5	2.1	0.7	1.0	2.2	0.0	0.0	29.2	47.5
1	Chamata BPHC	0.0	0.0	0.0	0.0	40.0	0.0	0.0	33.3	0.0	0.0	60.0	66.7
2	Ghograpar BPHC	0.0	0.0	16.7	0.0	0.0	0.0	0.0	6.7	0.0	0.0	66.7	93.3
3	Kamarkuchi BPHC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	12.5
4	Mukalmua BPHC	0.0	10.3	0.0	10.3	0.0	0.0	0.0	0.0	0.0	0.0	100.0	79.3
5	Nalbari Urban	10.7	15.3	4.0	8.3	0.0	1.4	0.0	1.4	0.0	0.0	21.3	30.6
6	Tihu FRU (Reporting Unit)	16.7	0.0	16.7	0.0	0.0	0.0	16.7	0.0	0.0	0.0	16.7	75.0