| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|-----------------------|--|--|--|--|--|---|---|--|--|---|---|--|--|
| | Indicators | Total number of pregnant women Registere d for ANC | Number of Pregnant women registere d within first trimester | % 1st Trimeste r registrati on to Total ANC Registrati ons | Number of pregnant women received 4 or more ANC check ups | TT2 given to Pregnant women (numbers | TT Booster given to Pregnant women (numbers) | % Pregnant Woman received 4 ANC check ups to Total ANC Registrati ons | % Pregnant women received TT2+ TT Booster to Total ANC Registrati on | Number of Pregnant women given 180 IFA tablets | % Pregnant women given 180 IFA to Total ANC Registrati on | Number of Pregnant Women having Hb level<11 (tested cases) | Number of Pregnant Women having severe anaemia (Hb<7) treated at institutio n | % Pregnant women having severe anaemia (Hb<7) treated at institutio n to women having hb level<7 |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Morena | 40,759 | 23,886 | 58.6 | 28,367 | 29,189 | 6,980 | 69.5 | 88.7 | 34,970 | 85.7 | 52,945 | 852 | 41.7 |
| 1 | Ambah (Khadiyahar) | 4,281 | 2,250 | 52.6 | 3,532 | 4,062 | 153 | 82.5 | 98.5 | 3,947 | 92.2 | 7,094 | 2 | 1.0 |
| 2 | Joura | 4,839 | 2,720 | 56.2 | 3,894 | 3,219 | 1,344 | 80.5 | 94.3 | 4,358 | 90.1 | 6,248 | 24 | 15.0 |
| 3 | Kailaras | 4,068 | 2,750 | 67.6 | 2,736 | 3,067 | 463 | 67.3 | 86.8 | 3,430 | 84.3 | 2,137 | 42 | 52.5 |
| 4 | Morena (Noorabad) | 16,549 | 10,101 | 61.0 | 10,026 | 9,928 | 3,231 | 60.6 | 79.5 | 9,918 | 59.9 | 24,875 | 656 | 55.4 |
| 5 | Pahadgarh | 2,853 | 1,607 | 56.3 | 2,158 | 2,158 | 618 | 75.6 | 97.3 | 3,033 | 106.3 | 5,015 | 0 | 0.0 |
| 6 | Porsa | 3,893 | 1,853 | 47.6 | 2,703 | 3,669 | 161 | 69.4 | 98.4 | 6,129 | 157.4 | 3,704 | 34 | 59.6 |
| 7 | Sabalgarh | 4,276 | 2,605 | 60.9 | 3,318 | 3,086 | 1,010 | 77.6 | 95.8 | 4,155 | 97.2 | 3,872 | 94 | 43.1 |

| | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 |
|---|-----------------------|--|---------------------------------|--|--|--|--|--|--|---|---|---|--|---|
| | Indicators | % New cases of Pregnant Women detected at institutio n for hyperten sion to Total ANC Registrati ons | Number of Home deliveries | Number of home deliveries attended by SBA trained (Doctor/ Nurse/ ANM) | Number of home deliveries attended by Non SBA trained (trained TB/Dai) | % SBA attended home deliveries to Total Reported Home Deliveries | Deliveries Conducte d at Public Institutio ns | Number of Women Discharge d under 48 hours of delivery in public facilities | % Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at public institutio ns | Deliveries Conducte d at Private Institutio ns | Number of Women Discharge d under 48 hours of delivery in private institutio ns | % Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at private institutio ns | Institutio nal deliveries (Public Insts, +Pvt , Insts,) | % Institutio nal Deliveries to total ANC registrati on |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Morena | 2.8 | 694 | 11 | 683 | 1.5 | 29,075 | 12,456 | 42.8 | 3,653 | | 0.0 | 32,728 | 80.2 |
| 1 | Ambah (Khadiyahar) | 0.2 | 106 | | 106 | 0.0 | 4,093 | 2,146 | 52.4 | | | | 4,093 | 95.6 |
| 2 | Joura | 2.5 | 18 | 0 | 18 | 0.0 | 3,930 | 983 | 25.0 | | | | 3,930 | 81.2 |
| 3 | Kailaras | 0.5 | 16 | 2 | 14 | 12.5 | 3,661 | 1,709 | 46.7 | | | | 3,661 | 90.0 |
| 4 | Morena (Noorabad) | 5.4 | 242 | 0 | 242 | 0.0 | 10,201 | 6,949 | 68.1 | 3,653 | | 0.0 | 13,854 | 83.7 |
| 5 | Pahadgarh | 0.7 | 94 | 2 | 92 | 2.1 | 365 | 238 | 65.2 | | | | 365 | 12.8 |
| 6 | Porsa | 0.4 | 152 | 6 | 146 | 3.9 | 2,744 | 379 | 13.8 | | | | 2,744 | 70.5 |
| 7 | Sabalgarh | 1.1 | 66 | 1 | 65 | 1.5 | 4,081 | 52 | 1.3 | | | | 4,081 | 95.4 |

| | | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 |
|---|-----------------------|---------------------------------|--|---|---|---|--|--|---|---|--|---|--|--|
| | Indicators | Total reported deliveries | % Institutio nal deliveries to Total Reported Deliveries | % Safe deliveries to Total Reported Deliveries | % Home deliveries to Total Reported Deliveries | Number of C-section deleveries conducte d at public facilities | Number of C-section deliveries conducte d at private facilities | % C-section deliveries (Public + Pvt.) to reported institutio nal (Public + Pvt.) deliveries | % C-section S conducte d at public facilities to Deliveries conducte d at public facilities | % C-section s conducte d at Private facilities to Deliveries conducte d at private facilities | % Deliveries conducte d at Public Institutio ns to Total Institutio nal Deliveries | % Deliveries conducte d at Private Institutio ns to Total Institutio nal Deliveries | Women received 1st post partum check-up within 48 hours of home delivery | Women received 1st post partum check up between 48 hours and 14 days |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Morena | 33,422 | 97.9 | 98.0 | 2.1 | 343 | 1,246 | 4.8 | 1.2 | 34.1 | 88.8 | 11.2 | 2,883 | 4,686 |
| 1 | Ambah (Khadiyahar) | 4,199 | 97.5 | 97.5 | 2.5 | 0 | | 0.0 | 0.0 | | 100.0 | 0.0 | 580 | 668 |
| 2 | Joura | 3,948 | 99.5 | 99.5 | 0.5 | 0 | | 0.0 | 0.0 | | 100.0 | 0.0 | 442 | 81 |
| 3 | Kailaras | 3,677 | 99.6 | 99.6 | 0.4 | 0 | | 0.0 | 0.0 | | 100.0 | 0.0 | 30 | 189 |
| 4 | Morena (Noorabad) | 14,096 | 98.3 | 98.3 | 1.7 | 343 | 1,246 | 11.5 | 3.4 | 34.1 | 73.6 | 26.4 | 1,294 | 979 |
| 5 | Pahadgarh | 459 | 79.5 | 80.0 | 20.5 | 0 | | 0.0 | 0.0 | | 100.0 | 0.0 | 219 | 1,486 |
| 6 | Porsa | 2,896 | 94.8 | 95.0 | 5.2 | 0 | | 0.0 | 0.0 | | 100.0 | 0.0 | 289 | 1,109 |
| 7 | Sabalgarh | 4,147 | 98.4 | 98.4 | 1.6 | 0 | | 0.0 | 0.0 | | 100.0 | 0.0 | 29 | 174 |

| | | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 |
|---|-----------------------|---|---|---|---|--|--|---|--|---|--|--|--|--|
| | Indicators | % Women getting 1st post partum check-up within 48 hours of home delivery to Total Reported Home Deliveries | % Women getting 1st Post Partum Checkup between 48 hours and 14 days to Total Reported Deliveries | Total Number of reported live births | % Live Births to Total Deliveries | Total Number of reported Still Births | % live birth to Reported Birth | Number of Newborns weighed at birth | % Newborns weighed at birth to live birth | Number of Newborns having weight less than 2.5 kg | % Newborns having weight less than 2.5 kg to Newborns weighed at birth | Number of New Borns Breast Fed within 1 hour | % Newborns breast fed within 1 hour of birth to Total live birth | Sex Ratio at birth (Female Live Births/ Male Live Births *1000) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Morena | 415.4 | 14.0 | 32,983 | 98.7 | 568 | 98.3 | 30,879 | 93.6 | 4,601 | 14.9 | 28,973 | 87.8 | 899 |
| 1 | Ambah (Khadiyahar) | 547.2 | 15.9 | 4,175 | 99.4 | 48 | 98.9 | 3,991 | 95.6 | 332 | 8.3 | 4,015 | 96.2 | 916 |
| 2 | Joura | 2455.6 | 2.1 | 3,906 | 98.9 | 58 | 98.5 | 3,905 | 100.0 | 414 | 10.6 | 3,905 | 100.0 | 872 |
| 3 | Kailaras | 187.5 | 5.1 | 3,627 | 98.6 | 42 | 98.9 | 2,101 | 57.9 | 351 | 16.7 | 2,077 | 57.3 | 924 |
| 4 | Morena (Noorabad) | 534.7 | 6.9 | 13,881 | 98.5 | 316 | 97.8 | 13,673 | 98.5 | 2,823 | 20.6 | 11,744 | 84.6 | 886 |
| 5 | Pahadgarh | 233.0 | 323.7 | 430 | 93.7 | 9 | 97.9 | 407 | 94.7 | 93 | 22.9 | 421 | 97.9 | 963 |
| 6 | Porsa | 190.1 | 38.3 | 2,853 | 98.5 | 24 | 99.2 | 2,834 | 99.3 | 94 | 3.3 | 2,830 | 99.2 | 863 |
| 7 | Sabalgarh | 43.9 | 4.2 | 4,111 | 99.1 | 71 | 98.3 | 3,968 | 96.5 | 494 | 12.4 | 3,981 | 96.8 | 952 |

| | | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 |
|---|-----------------------|---|---|--|---|--|---|---|---|--|---|--|---|---|
| | Indicators | % cases of Pregnant women with Obstetric Complica tions and attended to reported deliveries | % Complica ted Pregnanci es treated with Blood Transfusi on to Total Women with Obstetric Complica tions attended | Number of PW given 360 Calcium tablets | % Pregnant women given 360 Calcium to Total ANC Registrati on | Number of PW given one Albendaz ole tablet after 1st trimester | % Pregnant women given one Albendaz ole tablet after 1st trimester to Total ANC Registrati on | Number of PW tested for blood sugar using OGTT (Oral Glucose Toleranc e Test) | % Pregnant women tested for blood sugar using OGTT to Total ANC Registrati on | Number of PW tested positive for GDM | % Pregnant women tested positive for GDM to Total ANC Registrati on | Number of pregnant women tested for Syphilis | Number of pregnant women tested found sero positive for Syphilis | % Pregnant women tested for Syphilis to Total ANC Registrati on |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Morena | 7.9 | 15.7 | 28,866 | 70.8 | 21,502 | 52.8 | 0 | 0.0 | 1,058 | 2.6 | 7,622 | 6 | 18.7 |
| 1 | Ambah (Khadiyahar) | 3.7 | 14.1 | 3,637 | 85.0 | 2,588 | 60.5 | 0 | 0.0 | 135 | 3.2 | 223 | 0 | 5.2 |
| 2 | Joura | 1.4 | 0.0 | 4,188 | 86.5 | 3,284 | 67.9 | 0 | 0.0 | 0 | 0.0 | 2,230 | 0 | 46.1 |
| 3 | Kailaras | 0.0 | | 3,164 | 77.8 | 2,087 | 51.3 | 0 | 0.0 | 173 | 4.3 | 998 | 0 | 24.5 |
| 4 | Morena (Noorabad) | 11.9 | 23.2 | 6,782 | 41.0 | 5,867 | 35.5 | 0 | 0.0 | 0 | 0.0 | 3,647 | 6 | 22.0 |
| 5 | Pahadgarh | 9.2 | 0.0 | 2,609 | 91.4 | 2,176 | 76.3 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 |
| 6 | Porsa | 0.0 | | 5,116 | 131.4 | 3,455 | 88.7 | 0 | 0.0 | 303 | 7.8 | 483 | 0 | 12.4 |
| 7 | Sabalgarh | 17.8 | 1.2 | 3,370 | 78.8 | 2,045 | 47.8 | 0 | 0.0 | 447 | 10.5 | 41 | 0 | 1.0 |

| | | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 | 76 | 77 | 78 |
|---|-----------------------|--|--|---------------------------------|---|---|---|------------------------------------|---|---|---|--|---|--|
| | Indicators | % Pregnant women treatd for Syphilis to Total sero positive for Syphilis | % of babies treated for congenita I Syphilis to babies total diagnosed with Congenit al Syphilis | Total no. maternal deaths | Total Facility Based Maternal Death Reviews (FBMDR) done | Total Number of Abortions (Spontan eous) Reported | Total Number of MTPs (Public) conducte d | % MTPs to total Abortions | % MTPs up to 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns | % MTPs more than 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns | % MTPs Conducte d at Public Institutio ns to Total MTPs | % MTPs Conducte d at Private Institutio ns to Total MTPs | % Total MTPs (Public) Conducte d to Total ANC Registrati on | Number of Vasectom ies Conducte d |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Morena | 0.0 | | 31 | 0 | 505 | 253 | 46.3 | 99.6 | 0.4 | 58.2 | 41.8 | 0.6 | 2 |
| 1 | Ambah (Khadiyahar) | 0.0 | | 8 | 0 | 25 | 46 | 64.8 | 100.0 | 0.0 | 100.0 | 0.0 | 1.1 | 0 |
| 2 | Joura | 0.0 | | 5 | 0 | 37 | 43 | 53.8 | 100.0 | 0.0 | 100.0 | 0.0 | 0.9 | 0 |
| 3 | Kailaras | 0.0 | | 0 | | 30 | 41 | 57.7 | 100.0 | 0.0 | 100.0 | 0.0 | 1.0 | 0 |
| 4 | Morena (Noorabad) | 0.0 | | 11 | 0 | 322 | 123 | 48.6 | 99.2 | 0.8 | 40.3 | 59.7 | 0.7 | 2 |
| 5 | Pahadgarh | | | 2 | 0 | 25 | 0 | 0.0 | | | | | 0.0 | 0 |
| 6 | Porsa | 0.0 | | 4 | | 32 | 0 | 0.0 | | | | | 0.0 | 0 |
| 7 | Sabalgarh | 0.0 | | 1 | 0 | 34 | 0 | 0.0 | | | | | 0.0 | 0 |

| | | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 |
|---|-----------------------|--|---|---|--|---|---|---|--|---|--|---|--|--|
| | Indicators | Number of Tubecto mies Conducte d | Total Sterilisati on Conducte d | % Male Sterlisati on (Vasecto mies) to Total sterilisati on | % Female Serlisatio n (Tubecto mies) to Total sterilisati on | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at PHC | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at CHC | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at SDH | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at DH | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at Public institutio ns | % Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns to Total Sterlisati on | % Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Public institutio ns to Total Sterlisati on | % Laparosc opic sterlisati ons to Total Female Sterilisati ons |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Morena | 3,743 | 3,745 | 0.0 | 99.9 | | | | | 33 | 3,712 | 0.9 | 99.1 | 85.0 |
| 1 | Ambah (Khadiyahar) | 114 | 114 | 0.0 | 100.0 | | | | | | 114 | 0.0 | 100.0 | 100.0 |
| 2 | Joura | 542 | 542 | 0.0 | 100.0 | | | | | | 542 | 0.0 | 100.0 | 100.0 |
| 3 | Kailaras | 721 | 721 | 0.0 | 100.0 | | | | | | 721 | 0.0 | 100.0 | 45.1 |
| 4 | Morena (Noorabad) | 1,462 | 1,464 | 0.1 | 99.9 | | | | | 33 | 1,431 | 2.3 | 97.7 | 93.0 |
| 5 | Pahadgarh | 71 | 71 | 0.0 | 100.0 | | | | | | 71 | 0.0 | 100.0 | 97.2 |
| 6 | Porsa | 54 | 54 | 0.0 | 100.0 | | | | | | 54 | 0.0 | 100.0 | 0.0 |
| 7 | Sabalgarh | 779 | 779 | 0.0 | 100.0 | | | | | | 779 | 0.0 | 100.0 | 99.2 |

| | | 92 | 93 | 94 | 95 | 96 | 97 | 98 | 99 | 100 | 101 | 102 | 103 | 104 |
|---|-----------------------|--|--|--|---|---|--|--|---|--|--|---|---|--|
| | Indicators | % Mini Lap Sterlisati ons to Total Female Sterilisati ons | % Post Partum Sterlisati ons to Total Female Sterilisati ons | % Post Abortion Sterlisati ons to Total Female Sterilisati ons | % Laparosc opic sterlisati ons at Public Institutio ns to Total Laparosc opic Sterilisati ons | % Mini Lap sterlisati ons at Public Institutio ns to Total Mini Lap Sterilisati ons | % Post Partum sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on | % Post Abortion sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on | Total cases of deaths following Sterlisati on (Male + Female) | Total cases of deaths following Male Sterlisati on | Total cases of deaths following Female Sterlisati on | Total cases of failure following Male Sterlisati on | Total cases of failure following Female Sterlisati on | Total cases of complicat ion following Male Sterlisati on |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Morena | 10.8 | 3.8 | 0.3 | 100.0 | 100.0 | 77.6 | 100.0 | 0 | 0 | 0 | 0 | 3 | 0 |
| 1 | Ambah (Khadiyahar) | 0.0 | 0.0 | 0.0 | 100.0 | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | Joura | 0.0 | 0.0 | 0.0 | 100.0 | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | Kailaras | 54.2 | 0.7 | 0.0 | 100.0 | 100.0 | 100.0 | | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | Morena (Noorabad) | 0.1 | 6.1 | 0.8 | 99.9 | 100.0 | 64.0 | 100.0 | 0 | 0 | 0 | 0 | 3 | 0 |
| 5 | Pahadgarh | 0.0 | 0.0 | 2.8 | 100.0 | | | 100.0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6 | Porsa | 13.0 | 87.0 | 0.0 | | 100.0 | 100.0 | | 0 | 0 | 0 | 0 | 0 | 0 |
| 7 | Sabalgarh | 0.5 | 0.3 | 0.0 | 100.0 | 100.0 | 100.0 | | 0 | 0 | 0 | 0 | 0 | 0 |

| | | 105 | 106 | 107 | 108 | 109 | 110 | 111 | 112 | 113 | 114 | 115 | 116 | 117 |
|---|-----------------------|--|--|--|---|---|--|---|--|---------------------------------------|---|--|-------------------------------------|--|
| | Indicators | Total cases of complicat ion following Female Sterlisati on | IUCD Insertions done (public facilities) | IUCD insertions done (pvt. facilities) | % PP IUCD Insertions (public) to Total IUCD Insertions (public) | % PP IUCD Insertions (public) to Total Institutio nal Deliveries (public) | % IUCD insertions to all family planning methods (IUCD plus permane nt) | Total Interval IUCD Insertions done | Total PP IUCD Insertions done | Total PAIUCD insertions done | Combine d Oral Pills distribute d | Emergenc y pills distribute d | Condom pieces distribute d | Centchro man (weekly pills) distribute d |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Morena | 14 | 3,952 | 25 | 40.5 | 5.5 | 51.5 | 2,336 | 1,604 | 37 | 61,058 | 1,521 | 228,611 | 598 |
| 1 | Ambah (Khadiyahar) | 0 | 491 | | 35.6 | 4.3 | 81.2 | 316 | 175 | 0 | 10,870 | 197 | 36,914 | 0 |
| 2 | Joura | 0 | 1,025 | | 23.2 | 6.1 | 65.4 | 770 | 238 | 17 | 11,482 | 50 | 91,100 | 0 |
| 3 | Kailaras | 6 | 284 | | 74.6 | 5.8 | 28.3 | 66 | 212 | 6 | 5,365 | 85 | 10,558 | 100 |
| 4 | Morena (Noorabad) | 2 | 707 | 25 | 73.6 | 5.1 | 33.3 | 201 | 520 | 11 | 16,850 | 696 | 50,229 | 498 |
| 5 | Pahadgarh | 0 | 318 | | 3.1 | 2.7 | 81.7 | 308 | 10 | 0 | 4,668 | 166 | 15,181 | 0 |
| 6 | Porsa | 6 | 782 | | 37.3 | 10.6 | 93.5 | 490 | 292 | 0 | 7,774 | 132 | 15,834 | 0 |
| 7 | Sabalgarh | 0 | 345 | | 45.5 | 3.8 | 30.7 | 185 | 157 | 3 | 4,049 | 195 | 8,795 | 0 |

| | | 118 | 119 | 120 | 121 | 122 | 123 | 124 | 125 | 126 | 127 | 128 | 129 | 130 |
|---|-----------------------|--|--|--|---|------------------------------------|---|-----------------------------------|---|---|--|---|---------------------------------------|---------------------------------------|
| | Indicators | Number of beneficia ries given 1st dose of Injectabl e (Antara Program) | Number of beneficia ries given 2nd dose of Injectabl e (Antara Program) | Number of beneficia ries given 3rd dose of Injectabl e (Antara Program) | Number of beneficia ries given 4th or more than 4 doses of Injectabl e (Antara Program) | Pregnanc y testing kits used | Number of Infants given OPV 0 (Birth Dose) | Number of Infants given BCG | Number of Infants given Hep- B0 (birth dose) | % Newborns given OPVO at birth to Reported live birth | % Newborns given BCG to Reported live birth | % Newborns given Hep-B0 (Birth Dose)at birth to Reported live birth | Number of Infants given DPT1 | Number of Infants given DPT2 |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Morena | 62 | 1 | 0 | 0 | 14,789 | 30,675 | 31,313 | 29,456 | 93.0 | 94.9 | 89.3 | 0 | 0 |
| 1 | Ambah (Khadiyahar) | 0 | 0 | 0 | 0 | 2,012 | 3,652 | 3,714 | 3,527 | 87.5 | 89.0 | 84.5 | 0 | 0 |
| 2 | Joura | 0 | 0 | 0 | 0 | 2,303 | 3,699 | 3,859 | 3,564 | 94.7 | 98.8 | 91.2 | 0 | 0 |
| 3 | Kailaras | 0 | 0 | 0 | 0 | 1,886 | 2,882 | 2,868 | 2,859 | 79.5 | 79.1 | 78.8 | 0 | 0 |
| 4 | Morena (Noorabad) | 62 | 1 | 0 | 0 | 2,367 | 13,359 | 13,544 | 12,547 | 96.2 | 97.6 | 90.4 | 0 | 0 |
| 5 | Pahadgarh | 0 | 0 | 0 | 0 | 1,335 | 431 | 539 | 309 | 100.2 | 125.3 | 71.9 | 0 | 0 |
| 6 | Porsa | 0 | 0 | 0 | 0 | 2,341 | 2,696 | 2,756 | 2,691 | 94.5 | 96.6 | 94.3 | 0 | 0 |
| 7 | Sabalgarh | 0 | 0 | 0 | 0 | 2,545 | 3,956 | 4,033 | 3,959 | 96.2 | 98.1 | 96.3 | 0 | 0 |

| | | 131 | 132 | 133 | 134 | 135 | 136 | 137 | 138 | 139 | 140 | 141 | 142 | 143 |
|---|-----------------------|---------------------------------------|--|--|--|--|----------------------------------|---|---|---|---|---|---|---|
| | Indicators | Number of Infants given DPT3 | Number of Infants given Pentavale nt 1 | Number of Infants given Pentavale nt 2 | Number of Infants given Pentavale nt 3 | Number of Infants given Measles | Number of Infants given MR | % Infants 0 to 11 months old who received Measles+ MR vaccine to reported live births | Number of fully immunize d children (9-11 months) | % Drop Out between BCG & Measles/ MR | % Children given Vit A dose1 to Reported live birth | % Children given Vitamin A Dose 9 to Children given Vit A dose1 | Adverse Events Following Imunisati on (Abcess) | Adverse Events Following Imunisati on (Deaths) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Morena | 0 | 30,859 | 28,150 | 26,924 | 29,927 | 0 | 90.7 | 30,001 | 4.4 | 91.3 | 38.6 | 56 | 0 |
| 1 | Ambah (Khadiyahar) | 0 | 3,734 | 3,517 | 3,314 | 3,672 | 0 | 88.0 | 3,629 | 1.1 | 88.9 | 45.2 | 0 | 0 |
| 2 | Joura | 0 | 4,220 | 3,947 | 3,824 | 4,216 | 0 | 107.9 | 4,216 | -9.3 | 106.5 | 73.5 | 0 | 0 |
| 3 | Kailaras | 0 | 3,251 | 2,937 | 2,761 | 2,831 | 0 | 78.1 | 2,893 | 1.3 | 77.6 | 27.9 | 27 | 0 |
| 4 | Morena (Noorabad) | 0 | 9,704 | 8,632 | 8,135 | 9,655 | 0 | 69.6 | 9,633 | 28.7 | 70.0 | 20.3 | 7 | 0 |
| 5 | Pahadgarh | 0 | 2,634 | 2,478 | 2,397 | 2,439 | 0 | 567.2 | 2,309 | -352.5 | 574.2 | 76.7 | 22 | 0 |
| 6 | Porsa | 0 | 3,500 | 3,187 | 3,096 | 3,543 | 0 | 124.2 | 3,750 | -28.6 | 126.9 | 34.7 | 0 | 0 |
| 7 | Sabalgarh | 0 | 3,816 | 3,452 | 3,397 | 3,571 | 0 | 86.9 | 3,571 | 11.5 | 88.4 | 26.9 | 0 | 0 |

| | | 144 | 145 | 146 | 147 | 148 | 149 | 150 | 151 | 152 | 153 | 154 | 155 | 156 |
|---|-----------------------|---|---|---|---|--|--|--|--|---|---|---|--|---|
| | Indicators | Adverse Events Following Imunisati on (Others) | % immunisa tion Sessions Held to Immunisa tion Sessions Planned | % Immunisa tion Sessions where ASHAs were present to Immunisa tion Sessions Planned | Pneumoni a in Children 0-5 Years of Age | Asthma in Children 0-5 Years of Age | Sepsis in Children 0-5 Years of Age | Diphtheri a in Children 0-5 Years of Age | Pertussis in Children 0-5 Years of Age | Tetanus Neonator um in Children 0-5 Years of Age | Tubercul osis (TB) in Children 0-5 Years of Age | Acute Flaccid Paralysis (AFP)in Children 0-5 Years of Age | Measles in Children 0-5 Years of Age | Malaria in Children 0-5 Years of Age |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Morena | 0 | 99.0 | 82.4 | 594 | 32 | 0 | 0 | 0 | 0 | 4 | 4 | 5 | 594 |
| 1 | Ambah (Khadiyahar) | 0 | 98.8 | 88.5 | 110 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 110 |
| 2 | Joura | 0 | 99.2 | 83.4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | Kailaras | 0 | 98.8 | 91.7 | 19 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 19 |
| 4 | Morena (Noorabad) | 0 | 99.4 | 61.4 | 456 | 32 | 0 | 0 | 0 | 0 | 4 | 4 | 1 | 456 |
| 5 | Pahadgarh | 0 | 96.6 | 98.4 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 6 | Porsa | 0 | 99.9 | 98.0 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| 7 | Sabalgarh | 0 | 99.0 | 84.0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |

| Indicators | | 157 | 158 | 159 | 160 | 161 | 162 | 163 | 164 | 165 | 166 | 167 | 168 | 169 |
|------------|-----------------------|--|--|---|---|---|---|--|--|---|---|---|---|-----------------|
| | | Diarrhoea in Children 0-5 Years of Age | Diarrhoea treated in Inpatient s in Children 0-5 Years of Age | No. of infants given Measles Rubella vaccine 1st dose | No. of infants received Rotavirus Vaccine 1st dose | No. of infants received Rotavirus Vaccine 2nd dose | No. of infants received Rotavirus Vaccine 3nd dose | No of children 16-24 months age given Measles 2nd dose | No of children 16-24 months age given Measles Rubella Vaccine 2nd dose | % Adult Female Inpatient s to Total Adult Inpatient | % Children Inpatient to Total Inpatient | % Female Inpatient Deaths to Total Inpatient Deaths | % Inpatient Deaths to Total IPD | IPD (Number) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Morena | 2,588 | 404 | 0 | 29,425 | 23,185 | 23,185 | 25,305 | 0 | 71.0 | 34.3 | 39.9 | 0.3 | 79,167 |
| 1 | Ambah (Khadiyahar) | 160 | 12 | 0 | 3,545 | 2,846 | 2,846 | 3,162 | 0 | 80.4 | 9.1 | | 0.0 | 5,662 |
| 2 | Joura | 832 | 1 | 0 | 4,020 | 3,309 | 3,309 | 3,632 | 0 | 90.1 | 6.9 | | 0.0 | 4,392 |
| 3 | Kailaras | 122 | 0 | 0 | 3,047 | 2,286 | 2,286 | 2,223 | 0 | 79.9 | 11.0 | 0.0 | 0.0 | 4,962 |
| 4 | Morena (Noorabad) | 987 | 384 | 0 | 9,400 | 7,205 | 7,205 | 8,070 | 0 | 60.4 | 45.4 | 40.1 | 0.5 | 55,670 |
| 5 | Pahadgarh | 370 | 0 | 0 | 2,389 | 1,976 | 1,976 | 2,272 | 0 | 79.3 | 6.3 | | 0.0 | 489 |
| 6 | Porsa | 21 | 0 | 0 | 3,336 | 2,539 | 2,539 | 2,839 | 0 | 87.1 | 12.1 | | 0.0 | 2,531 |
| 7 | Sabalgarh | 96 | 7 | 0 | 3,688 | 3,024 | 3,024 | 3,107 | 0 | 93.0 | 3.2 | | 0.0 | 5,461 |

| Indicators | | 170 | 171 | 172 | 173 | 174 | 175 | 176 | 177 | 178 | 179 | 180 | 181 | 182 |
|------------|-----------------------|-------------------------|--------------------------|-------------------------------|--------------------|--------------------------------------|--------------------------------------|---|---|--|--------------------------------------|---------------------------|---------------------------------------|--|
| | | OPD (Allopathi c) | Ayush OPD (Number) | OPD (Ayush+Al lopathic) | % IPD to OPD | Number of Major Operatio ns | Number of Minor Operatio ns | % Major Operatio ns to Total Operatio n | Number of Hysterect omy Surgeries | % Hysterect omy Surgeries to Total Major Operatio ns | % AYUSH OPD to Total OPD | Dental OPD (Number) | % Dental OPD to Total OPD | % Hb < 7 mg to Total Hb Tests Conducte d |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Morena | 942,118 | 44,600 | 986,718 | 8.0 | 236 | 2,839 | 7.7 | 1 | 0.4 | 4.5 | 5,328 | 0.5 | 3.2 |
| 1 | Ambah (Khadiyahar) | 153,614 | 9,629 | 163,243 | 3.5 | 0 | 230 | 0.0 | 0 | | 5.9 | 211 | 0.1 | 3.0 |
| 2 | Joura | 128,395 | 12,267 | 140,662 | 3.1 | 0 | 590 | 0.0 | 0 | | 8.7 | 65 | 0.0 | 0.5 |
| 3 | Kailaras | 48,607 | 162 | 48,769 | 10.2 | 0 | 0 | | 0 | | 0.3 | 34 | 0.1 | 0.9 |
| 4 | Morena (Noorabad) | 384,917 | 21,613 | 406,530 | 13.7 | 224 | 1,568 | 12.5 | 1 | 0.4 | 5.3 | 4,680 | 1.2 | 4.5 |
| 5 | Pahadgarh | 18,850 | 0 | 18,850 | 2.6 | 0 | 0 | | 0 | | 0.0 | 42 | 0.2 | 1.9 |
| 6 | Porsa | 86,795 | 4 | 86,799 | 2.9 | 12 | 10 | 54.5 | 0 | 0.0 | 0.0 | 259 | 0.3 | 3.0 |
| 7 | Sabalgarh | 120,940 | 925 | 121,865 | 4.5 | 0 | 441 | 0.0 | 0 | | 0.8 | 37 | 0.0 | 4.2 |

| Indicators | | 183 | 184 | 185 | 186 | 187 | 188 | 189 | 190 | 191 | 192 | 193 | 194 | 195 |
|------------|-----------------------|--|--|---|---|--|--|--|--|--|--|---|---|---|
| | | % Male HIV Positive to Total Males Tested | % Female screened for HIV to Total ANC Registrati on | % Female HIV Positive to Total Females Tested | % Total HIV Positive to Total Tested (Male + Female) | % Plasmodi um Vivax test positive to Total Blood Smears Examined | % Plasmodi um Falciparu m test positive to Total Blood Smears Examined | Total Number of Infant Deaths reported | % Deaths due to Sepsis to Total Reported Infant Deaths | % Deaths due to Asphyxia to Total Reported Infant Deaths | % Deaths due to Pneumoni a to Total Reported Infant Deaths | % Deaths due to Diarrhoea to Total Reported Infant Deaths | % Deaths due to Fever to Total Reported Infant Deaths | % Deaths due to Measles to Total Reported Infant Deaths |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Morena | 1.7 | 9.9 | 0.1 | 0.5 | 0.4 | 0.0 | 455 | 3.1 | 0.0 | 2.4 | 0.0 | 2.4 | 0.0 |
| 1 | Ambah (Khadiyahar) | | 6.3 | 0.0 | 0.0 | 0.3 | 0.0 | 84 | 2.4 | 0.0 | 1.2 | 0.0 | 3.6 | 0.0 |
| 2 | Joura | 0.0 | 16.1 | 0.0 | 0.0 | 0.3 | 0.0 | 88 | 0.0 | 0.0 | 2.3 | 0.0 | 3.4 | 0.0 |
| 3 | Kailaras | 3.2 | 15.7 | 0.0 | 0.7 | 0.2 | 0.1 | 7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 4 | Morena (Noorabad) | 1.8 | 7.0 | 0.4 | 1.0 | 1.0 | 0.0 | 146 | 4.8 | 0.0 | 2.1 | 0.0 | 2.7 | 0.0 |
| 5 | Pahadgarh | 0.0 | 8.1 | 0.0 | 0.0 | 0.4 | 0.1 | 62 | 3.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 6 | Porsa | 0.0 | 12.8 | 0.0 | 0.0 | 0.1 | 0.0 | 37 | 5.4 | 0.0 | 5.4 | 0.0 | 2.7 | 0.0 |
| 7 | Sabalgarh | 0.0 | 10.9 | 0.0 | 0.0 | 0.5 | 0.0 | 31 | 3.2 | 0.0 | 9.7 | 0.0 | 0.0 | 0.0 |

| | | 196 | 197 | 198 |
|---|-----------------------|--|--|---|
| | Indicators | Institutio nal Deliveries at Urban Heatlh Facilities i.e SC+PHC+ CHC+SDH | Institutio nal Deliveries at District Hospitals | Measles immuniza tion at urban Health facilities i.e SC+PHC+ CHC+SDH +DH |
| | | 2017-18 | 2017-18 | 2017-18 |
| | _Morena | 12,112 | | |
| 1 | Ambah (Khadiyahar) | 2,580 | | |
| 2 | Joura | | | |
| 3 | Kailaras | | | |
| 4 | Morena (Noorabad) | 3,653 | | |
| 5 | Pahadgarh | | | |
| 6 | Porsa | 2,712 | | |
| 7 | Sabalgarh | 3,167 | | |