

Performance of Key HMIS Indicators for Madhya Pradesh-> Barwani (Across Sub Districts)

Financial Year: 2016-17

Provisional Figures for the Period April to December

| Indicators | | 1 | | 2 | | 3 | | 4 | | 5 | | 6 | |
|------------|-------------------|---|---------|--|---------|--------------------------------------|---------|---|---------|--|---------|---|---------|
| | | Total number of pregnant women Registered for ANC | | Number of Pregnant women registered within first trimester | | Number of Women registered under JSY | | % 1st Trimester registration to Total ANC Registrations | | % JSY registration to Total ANC Registration | | Number of pregnant women received 3 ANC check ups | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Barwani | 33,778 | 32,107 | 21,817 | 21,909 | 31,284 | 30,211 | 64.5 | 68.2 | 92.6 | 94.1 | 30,094 | 28,452 |
| 1 | Barwani (Silawad) | 7,372 | 6,310 | 4,286 | 3,940 | 4,893 | 4,416 | 58.1 | 62.4 | 66.4 | 70.0 | 6,549 | 5,235 |
| 2 | Niwali | 2,945 | 2,993 | 1,875 | 1,932 | 2,945 | 2,993 | 63.7 | 64.6 | 100.0 | 100.0 | 2,642 | 2,635 |
| 3 | Pansemal | 3,360 | 3,515 | 1,965 | 2,210 | 3,360 | 3,514 | 58.5 | 62.9 | 100.0 | 100.0 | 2,955 | 3,124 |
| 4 | Pati | 3,969 | 4,109 | 2,546 | 3,052 | 3,959 | 4,108 | 64.1 | 74.3 | 99.7 | 100.0 | 3,268 | 3,048 |
| 5 | Rajpur | 4,841 | 4,469 | 3,229 | 3,530 | 4,841 | 4,469 | 66.7 | 79.0 | 100.0 | 100.0 | 4,609 | 4,463 |
| 6 | Sendhwa | 7,939 | 7,533 | 5,370 | 4,787 | 7,934 | 7,533 | 67.6 | 63.5 | 99.9 | 100.0 | 7,182 | 6,927 |
| 7 | Thikri | 3,352 | 3,178 | 2,546 | 2,458 | 3,352 | 3,178 | 76.0 | 77.3 | 100.0 | 100.0 | 2,889 | 3,020 |

| Indicators | | 7 | | 8 | | 9 | | 10 | | 11 | | 12 | |
|------------|-------------------|--|---------|--|---------|--|---------|--|---------|--|---------|--|---------|
| | | TT2 or Booster given to Pregnant women (numbers) | | % Pregnant Woman received 3 ANC check ups to Total ANC Registrations | | % Pregnant women received TT2 or Booster to Total ANC Registration | | Number of Pregnant women given 100 IFA tablets | | % Pregnant women given 100 IFA to Total ANC Registration | | Number having Hb level<11 (tested cases) | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Barwani | 28,416 | 26,910 | 89.0 | 88.6 | 84.1 | 83.8 | 33,931 | 32,107 | 100.4 | 100.0 | 28,173 | 31,569 |
| 1 | Barwani (Silawad) | 3,478 | 3,718 | 88.8 | 83.0 | 47.2 | 58.9 | 7,521 | 6,310 | 102.0 | 100.0 | 3,072 | 4,842 |
| 2 | Niwali | 2,735 | 2,640 | 89.7 | 88.0 | 92.9 | 88.2 | 2,941 | 2,993 | 99.9 | 100.0 | 3,250 | 4,141 |
| 3 | Pansemal | 3,059 | 3,026 | 87.9 | 88.9 | 91.0 | 86.1 | 3,348 | 3,515 | 99.6 | 100.0 | 2,830 | 2,433 |
| 4 | Pati | 3,515 | 2,945 | 82.3 | 74.2 | 88.6 | 71.7 | 3,967 | 4,109 | 99.9 | 100.0 | 3,621 | 3,901 |
| 5 | Rajpur | 4,505 | 4,370 | 95.2 | 99.9 | 93.1 | 97.8 | 4,871 | 4,469 | 100.6 | 100.0 | 4,524 | 3,460 |
| 6 | Sendhwa | 7,409 | 6,957 | 90.5 | 92.0 | 93.3 | 92.4 | 7,931 | 7,533 | 99.9 | 100.0 | 8,615 | 11,076 |
| 7 | Thikri | 3,715 | 3,254 | 86.2 | 95.0 | 110.8 | 102.4 | 3,352 | 3,178 | 100.0 | 100.0 | 2,261 | 1,716 |

| Indicators | | 13 | | 14 | | 15 | | 16 | | 17 | | 18 | |
|------------|-------------------|--|---------|--|---------|---|---------|---------------------------|---------|--|---------|--|---------|
| | | Number having severe anaemia (Hb<7) treated at institution | | % Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<11 | | % New cases detected at institution for hypertension to Total ANC Registrations | | Number of Home deliveries | | Number of home deliveries attended by SBA trained (Doctor/Nurse/ANM) | | Number of home deliveries attended by Non SBA trained (trained TB/Dai) | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Barwani | 1,482 | 3,564 | 5.3 | 11.3 | 2.1 | 5.3 | 10,070 | 9,773 | 313 | 2,628 | 9,757 | 7,145 |
| 1 | Barwani (Silawad) | 369 | 813 | 12.0 | 16.8 | 4.4 | 6.2 | 1,309 | 1,189 | 1 | 182 | 1,308 | 1,007 |
| 2 | Niwali | 8 | 1,699 | 0.2 | 41.0 | 1.1 | 4.8 | 1,019 | 988 | 0 | 21 | 1,019 | 967 |
| 3 | Pansemal | 9 | 106 | 0.3 | 4.4 | 4.0 | 17.6 | 1,324 | 1,460 | 0 | 346 | 1,324 | 1,114 |
| 4 | Pati | 159 | 376 | 4.4 | 9.6 | 0.5 | 0.2 | 2,263 | 2,018 | 12 | 689 | 2,251 | 1,329 |
| 5 | Rajpur | 0 | 1 | 0.0 | 0.0 | 2.0 | 3.4 | 1,271 | 1,266 | 0 | 186 | 1,271 | 1,080 |
| 6 | Sendhwa | 799 | 461 | 9.3 | 4.2 | 1.4 | 5.1 | 2,865 | 2,832 | 299 | 1,193 | 2,566 | 1,639 |
| 7 | Thikri | 138 | 108 | 6.1 | 6.3 | 0.0 | 0.0 | 19 | 20 | 1 | 11 | 18 | 9 |

| Indicators | | 19 | | 20 | | 21 | | 22 | | 23 | | 24 | |
|------------|-------------------|--|---------|--|---------|--|---------|---|---------|--|---------|--|---------|
| | | % SBA attended home deliveries to Total Reported Home Deliveries | | Mothers paid JSY incentive for home deliveries | | % Mothers paid JSY incentive for home deliveries to Total Reported Home Deliveries | | Deliveries Conducted at Public Institutions | | Number of Women Discharged under 48 hours of delivery in public facilities | | % Women discharged in less than 48 hours of delivery to Total Reported Deliveries at public institutions | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Barwani | 3.1 | 26.8 | 169 | 1,172 | 1.7 | 12.0 | 17,179 | 18,391 | 1,570 | 1,973 | 9.1 | 10.7 |
| 1 | Barwani (Silawad) | 0.1 | 15.3 | 10 | 193 | 0.8 | 16.2 | 5,475 | 5,925 | 52 | 202 | 0.9 | 3.4 |
| 2 | Niwali | 0.0 | 2.1 | 13 | 85 | 1.3 | 8.6 | 1,372 | 1,322 | 92 | 135 | 6.7 | 10.2 |
| 3 | Pansema | 0.0 | 23.7 | 0 | 70 | 0.0 | 4.8 | 1,656 | 1,741 | 414 | 498 | 25.0 | 28.6 |
| 4 | Pati | 0.5 | 34.1 | 138 | 377 | 6.1 | 18.7 | 1,032 | 1,054 | 24 | 0 | 2.3 | 0.0 |
| 5 | Rajpur | 0.0 | 14.7 | 1 | 93 | 0.1 | 7.3 | 2,320 | 2,558 | 284 | 179 | 12.2 | 7.0 |
| 6 | Sendhwa | 10.4 | 42.1 | 1 | 346 | 0.0 | 12.2 | 2,955 | 3,256 | 561 | 687 | 19.0 | 21.1 |
| 7 | Thikri | 5.3 | 55.0 | 6 | 8 | 31.6 | 40.0 | 2,369 | 2,535 | 143 | 272 | 6.0 | 10.7 |

| Indicators | | 25 | | 26 | | 27 | | 28 | | 29 | | 30 | |
|------------|-------------------|---|---------|--|---------|---------------------------|---------|---|---------|--|---------|--|---------|
| | | Institutional deliveries (Public Insts.+Pvt. Insts.) | | % Institutional Deliveries to total ANC registration | | Total reported deliveries | | % Institutional deliveries to Total Reported Deliveries | | % Safe deliveries to Total Reported Deliveries | | % Home deliveries to Total Reported Deliveries | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Barwani | 17,691 | 18,850 | 52.3 | 58.7 | 27,761 | 28,623 | 63.7 | 65.9 | 64.9 | 75.0 | 36.3 | 34.1 |
| 1 | Barwani (Silawad) | 5,987 | 6,384 | 81.2 | 101.2 | 7,296 | 7,573 | 82.1 | 84.3 | 82.1 | 86.7 | 17.9 | 15.7 |
| 2 | Niwali | 1,372 | 1,322 | 46.6 | 44.2 | 2,391 | 2,310 | 57.4 | 57.2 | 57.4 | 58.1 | 42.6 | 42.8 |
| 3 | Pansemal | 1,656 | 1,741 | 49.3 | 49.5 | 2,980 | 3,201 | 55.6 | 54.4 | 55.6 | 65.2 | 44.4 | 45.6 |
| 4 | Pati | 1,032 | 1,054 | 26.0 | 25.7 | 3,295 | 3,072 | 31.3 | 34.3 | 31.7 | 56.7 | 68.7 | 65.7 |
| 5 | Rajpur | 2,320 | 2,558 | 47.9 | 57.2 | 3,591 | 3,824 | 64.6 | 66.9 | 64.6 | 71.8 | 35.4 | 33.1 |
| 6 | Sendhwa | 2,955 | 3,256 | 37.2 | 43.2 | 5,820 | 6,088 | 50.8 | 53.5 | 55.9 | 73.1 | 49.2 | 46.5 |
| 7 | Thikri | 2,369 | 2,535 | 70.7 | 79.8 | 2,388 | 2,555 | 99.2 | 99.2 | 99.2 | 99.6 | 0.8 | 0.8 |

| Indicators | | 31 | | 32 | | 33 | | 34 | | 35 | | 36 | |
|------------|-------------------|---|---------|--|---------|---|---------|--|---------|--|---------|---|---------|
| | | Number of C-section deliveries conducted at public facilities | | Number of C-section deliveries conducted at private facilities | | % C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries | | % C-sections conducted at public facilities to Deliveries conducted at public facilities | | % C-sections conducted at Private facilities to Deliveries conducted at private facilities | | % Deliveries conducted at Public Institutions to Total Institutional Deliveries | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Barwani | 601 | 1,235 | 377 | 254 | 5.5 | 7.8 | 3.5 | 6.7 | 73.6 | 55.3 | 97.1 | 97.6 |
| 1 | Barwani (Silawad) | 546 | 1,172 | 377 | 254 | 15.4 | 22.3 | 10.0 | 19.8 | 73.6 | 55.3 | 91.4 | 92.8 |
| 2 | Niwali | 0 | 0 | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 3 | Pansema | 0 | 0 | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 4 | Pati | 0 | 0 | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 5 | Rajpur | 0 | 0 | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 6 | Sendhwa | 55 | 63 | | | 1.9 | 1.9 | 1.9 | 1.9 | | | 100.0 | 100.0 |
| 7 | Thikri | 0 | 0 | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |

| Indicators | | 37 | | 38 | | 39 | | 40 | | 41 | | 42 | |
|------------|-------------------|--|---------|---|---------|--|---------|---|---------|---|---------|---|---------|
| | | % Mothers paid JSY Incentive for Delivery at Public institution to Total Public Deliveries | | % of cases where JSY Incentive paid to ASHA for Delivery at Public institution to Total Public Deliveries | | % Deliveries conducted at Private Institutions to Total Institutional Deliveries | | Women received post partum check-up within 48 hours of delivery | | Post - Natal Care / Women got a post partum check up between 48 hours and 14 days | | % Women receiving post partum check-up within 48 hours of delivery to Total Reported Deliveries | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Barwani | 83.2 | 70.6 | 41.7 | 68.7 | 2.9 | 2.4 | 26,440 | 26,505 | 19,647 | 22,707 | 95.2 | 92.6 |
| 1 | Barwani (Silawad) | 96.0 | 69.8 | 35.8 | 64.3 | 8.6 | 7.2 | 6,831 | 6,556 | 3,125 | 5,713 | 93.6 | 86.6 |
| 2 | Niwali | 94.4 | 70.5 | 87.1 | 41.6 | 0.0 | 0.0 | 2,350 | 2,302 | 2,199 | 2,214 | 98.3 | 99.7 |
| 3 | Pansema | 66.0 | 43.6 | 63.2 | 42.1 | 0.0 | 0.0 | 2,831 | 2,898 | 2,798 | 2,504 | 95.0 | 90.5 |
| 4 | Pati | 52.5 | 46.2 | 0.0 | 25.1 | 0.0 | 0.0 | 3,296 | 2,917 | 3,296 | 3,049 | 100.0 | 95.0 |
| 5 | Rajpur | 66.0 | 99.6 | 65.6 | 99.6 | 0.0 | 0.0 | 3,585 | 3,818 | 3,537 | 3,786 | 99.8 | 99.8 |
| 6 | Sendhwa | 61.3 | 62.3 | 15.8 | 57.9 | 0.0 | 0.0 | 5,174 | 5,461 | 3,127 | 4,313 | 88.9 | 89.7 |
| 7 | Thikri | 116.3 | 82.6 | 40.8 | 112.0 | 0.0 | 0.0 | 2,373 | 2,553 | 1,565 | 1,128 | 99.4 | 99.9 |

| Indicators | | 43 | | 44 | | 45 | | 46 | | 47 | | 48 | |
|------------|-------------------|--|---------|--------------------------------------|---------|--|---------|---------------------------------------|---------|--------------------------------|---------|-------------------------------------|---------|
| | | % Women getting Post Partum Checkup between 48 hours and 14 days to Total Deliveries | | Total Number of reported live births | | % Total Reported Live Births to Total Deliveries | | Total Number of reported Still Births | | % live birth to Reported Birth | | Number of Newborns weighed at birth | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Barwani | 70.8 | 79.3 | 27,623 | 28,050 | 99.5 | 98.0 | 302 | 687 | 98.9 | 97.6 | 27,463 | 28,039 |
| 1 | Barwani (Silawad) | 42.8 | 75.4 | 7,339 | 7,325 | 100.6 | 96.7 | 50 | 307 | 99.3 | 96.0 | 7,236 | 7,320 |
| 2 | Niwali | 92.0 | 95.8 | 2,357 | 2,273 | 98.6 | 98.4 | 41 | 39 | 98.3 | 98.3 | 2,352 | 2,273 |
| 3 | Pansemal | 93.9 | 78.2 | 2,947 | 3,135 | 98.9 | 97.9 | 51 | 68 | 98.3 | 97.9 | 2,924 | 3,135 |
| 4 | Pati | 100.0 | 99.3 | 3,288 | 3,028 | 99.8 | 98.6 | 7 | 52 | 99.8 | 98.3 | 3,275 | 3,023 |
| 5 | Rajpur | 98.5 | 99.0 | 3,580 | 3,778 | 99.7 | 98.8 | 32 | 47 | 99.1 | 98.8 | 3,572 | 3,778 |
| 6 | Sendhwa | 53.7 | 70.8 | 5,737 | 5,969 | 98.6 | 98.0 | 103 | 137 | 98.2 | 97.8 | 5,730 | 5,968 |
| 7 | Thikri | 65.5 | 44.1 | 2,375 | 2,542 | 99.5 | 99.5 | 18 | 37 | 99.2 | 98.6 | 2,374 | 2,542 |

| Indicators | | 49 | | 50 | | 51 | | 52 | | 53 | | 54 | |
|------------|-------------------|---|---------|---|---------|--|---------|--|---------|--|---------|--|---------|
| | | % Newborns weighed at birth to live birth | | Number of Newborns having weight less than 2.5 kg | | % Newborns having weight less than 2.5 kg to Newborns weighed at birth | | Number of New Borns Breast Fed within 1 hour | | % Newborns breast fed within 1 hour of birth to Total live birth | | Number of New Borns visited within 24 hrs of Home Delivery | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Barwani | 99.4 | 100.0 | 3,322 | 3,750 | 12.0 | 13.3 | 27,253 | 28,004 | 98.6 | 99.8 | 8,359 | 8,173 |
| 1 | Barwani (Silawad) | 98.6 | 99.9 | 1,147 | 1,581 | 15.9 | 21.6 | 7,073 | 7,293 | 96.4 | 99.6 | 1,227 | 1,150 |
| 2 | Niwali | 99.8 | 100.0 | 251 | 213 | 10.7 | 9.4 | 2,355 | 2,273 | 99.9 | 100.0 | 835 | 815 |
| 3 | Pansemal | 99.2 | 100.0 | 311 | 255 | 10.6 | 8.1 | 2,900 | 3,135 | 98.4 | 100.0 | 1,269 | 1,416 |
| 4 | Pati | 99.6 | 99.8 | 276 | 278 | 8.4 | 9.2 | 3,275 | 3,023 | 99.6 | 99.8 | 1,424 | 1,642 |
| 5 | Rajpur | 99.8 | 100.0 | 140 | 131 | 3.9 | 3.5 | 3,571 | 3,778 | 99.7 | 100.0 | 962 | 927 |
| 6 | Sendhwa | 99.9 | 100.0 | 819 | 760 | 14.3 | 12.7 | 5,722 | 5,968 | 99.7 | 100.0 | 2,624 | 2,204 |
| 7 | Thikri | 100.0 | 100.0 | 378 | 532 | 15.9 | 20.9 | 2,357 | 2,534 | 99.2 | 99.7 | 18 | 19 |

| Indicators | | 55 | | 56 | | 57 | | 58 | | 59 | | 60 | |
|------------|-------------------|--|---------|---|---------|--|---------|---|---------|--|---------|---|---------|
| | | % newborns visited within 24hrs of home delivery to total reported home deliveries | | Sex Ratio at birth (Female Live Births/ Male Births *1000) | | % cases of Pregnant women with Obstetric Complications and attended to reported deliveries | | % Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total Women with Obstetric Complications attended | | % Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total New cases detected with Hypertension | | % Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Barwani | 83.0 | 83.6 | 950 | 927 | 24.0 | 30.9 | 4.5 | 3.7 | 26.4 | 12.6 | 59.9 | 57.6 |
| 1 | Barwani (Silawad) | 93.7 | 96.7 | 978 | 926 | 46.6 | 50.6 | 3.6 | 3.9 | 31.4 | 31.9 | 87.6 | 93.7 |
| 2 | Niwali | 81.9 | 82.5 | 967 | 857 | 4.7 | 7.1 | 35.4 | 2.1 | 69.7 | 1.4 | 0.0 | 0.0 |
| 3 | Pansemal | 95.8 | 97.0 | 975 | 926 | 5.3 | 5.7 | 0.0 | 3.0 | 0.0 | 0.5 | 0.0 | 0.0 |
| 4 | Pati | 62.9 | 81.4 | 927 | 965 | 1.3 | 47.3 | 38.5 | 0.4 | 27.8 | 22.2 | 0.0 | 0.0 |
| 5 | Rajpur | 75.7 | 73.2 | 914 | 921 | 14.2 | 11.8 | 0.6 | 1.7 | 2.0 | 3.3 | 0.0 | 0.0 |
| 6 | Sendhwa | 91.6 | 77.8 | 928 | 913 | 29.7 | 44.4 | 6.7 | 5.3 | 51.3 | 19.9 | 12.3 | 23.2 |
| 7 | Thikri | 94.7 | 95.0 | 958 | 997 | 4.1 | 6.4 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 |

| Indicators | | 61 | | 62 | | 63 | | 64 | | 65 | | 66 | |
|------------|-------------------|--|---------|---|---------|---|---------|---------------------------------|---------|---|---------|---|---------|
| | | % Post - Natal Care / PNC maternal complications attended to Total Deliveries | | Total Number of Abortions (Spontaneous/ Induced) Reported | | Total Number of MTPs (Public) reported | | % MTPs (Public) to Abortions | | % MTPs up to 12 weeks of Pregnancy to Total MTPs at Public Institutions | | % MTPs more than 12 weeks of Pregnancy to Total MTPs at Public Institutions | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Barwani | 2.9 | 3.8 | 1,037 | 1,579 | 595 | 1,021 | 57.4 | 64.7 | 93.1 | 90.5 | 6.9 | 9.5 |
| 1 | Barwani (Silawad) | 4.4 | 12.1 | 306 | 543 | 104 | 320 | 34.0 | 58.9 | 61.5 | 69.7 | 38.5 | 30.3 |
| 2 | Niwali | 2.4 | 0.4 | 247 | 326 | 167 | 196 | 67.6 | 60.1 | 100.0 | 100.0 | 0.0 | 0.0 |
| 3 | Pansemal | 2.4 | 2.1 | 45 | 50 | 43 | 40 | 95.6 | 80.0 | 100.0 | 100.0 | 0.0 | 0.0 |
| 4 | Pati | 0.0 | 0.0 | 0 | 0 | 0 | 0 | | | | | | |
| 5 | Rajpur | 0.0 | 0.0 | 46 | 113 | 25 | 86 | 54.3 | 76.1 | 100.0 | 100.0 | 0.0 | 0.0 |
| 6 | Sendhwa | 5.9 | 1.4 | 341 | 413 | 204 | 247 | 59.8 | 59.8 | 99.5 | 100.0 | 0.5 | 0.0 |
| 7 | Thikri | 0.4 | 0.5 | 52 | 134 | 52 | 132 | 100.0 | 98.5 | 100.0 | 100.0 | 0.0 | 0.0 |

| Indicators | | 67 | | 68 | | 69 | | 70 | | 71 | | 72 | |
|------------|-------------------|--|---------|---|---------|--|---------|--|---------|--|---------|--|---------|
| | | % MTPs Conducted at Public Institutions to Total MTPs | | % MTPs Conducted at Private Institutions to Total MTPs | | % Total MTPs (Public) Conducted to Total ANC Registration | | % Number of Wet Mount Tests conducted to Number of new RTI/ STI female cases for which treatment initiated | | Number of Vasectomies Conducted (Public + Pvt.) | | Number of Tubectomies Conducted (Public + Pvt.) | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Barwani | 97.9 | 99.6 | 2.1 | 0.4 | 1.8 | 3.2 | 3.3 | 2.0 | 38 | 38 | 6,899 | 6,396 |
| 1 | Barwani (Silawad) | 88.9 | 98.8 | 11.1 | 1.2 | 1.4 | 5.1 | 0.2 | 0.0 | 32 | 33 | 2,115 | 2,071 |
| 2 | Niwali | 100.0 | 100.0 | 0.0 | 0.0 | 5.7 | 6.5 | | 0.0 | 0 | 0 | 750 | 737 |
| 3 | Pansemal | 100.0 | 100.0 | 0.0 | 0.0 | 1.3 | 1.1 | | 0.0 | 0 | 0 | 854 | 567 |
| 4 | Pati | | | | | 0.0 | 0.0 | | 0.0 | 0 | 0 | 203 | 251 |
| 5 | Rajpur | 100.0 | 100.0 | 0.0 | 0.0 | 0.5 | 1.9 | 0.0 | 0.0 | 0 | 0 | 807 | 746 |
| 6 | Sendhwa | 100.0 | 100.0 | 0.0 | 0.0 | 2.6 | 3.3 | 63.1 | 31.3 | 6 | 5 | 1,806 | 1,602 |
| 7 | Thikri | 100.0 | 100.0 | 0.0 | 0.0 | 1.6 | 4.2 | 0.0 | 0.0 | 0 | 0 | 364 | 422 |

| Indicators | | 73 | | 74 | | 75 | | 76 | | 77 | | 78 | |
|------------|-------------------|-------------------------------|---------|---|---------|--------------------------------------|---------|--|---------|--|---------|---|---------|
| | | Total Sterilisation Conducted | | % Male Sterilisation (Vasectomies) to Total sterilisation | | % Tubectomies to Total sterilisation | | Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC | | Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC | | Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Barwani | 6,937 | 6,434 | 0.5 | 0.5 | 99.5 | 99.4 | 225 | 428 | 2,754 | 2,343 | 3,934 | 3,626 |
| 1 | Barwani (Silawad) | 2,147 | 2,104 | 1.5 | 1.6 | 98.5 | 98.4 | 0 | 0 | 1 | 0 | 2,122 | 2,067 |
| 2 | Niwali | 750 | 737 | 0.0 | 0.0 | 100.0 | 100.0 | 0 | 0 | 750 | 737 | | |
| 3 | Pansemal | 854 | 567 | 0.0 | 0.0 | 100.0 | 100.0 | 18 | 6 | 836 | 561 | | |
| 4 | Pati | 203 | 251 | 0.0 | 0.0 | 100.0 | 100.0 | 0 | 0 | 203 | 251 | | |
| 5 | Rajpur | 807 | 746 | 0.0 | 0.0 | 100.0 | 100.0 | 0 | 0 | 807 | 746 | | |
| 6 | Sendhwa | 1,812 | 1,607 | 0.3 | 0.3 | 99.7 | 99.7 | 0 | 0 | 0 | 48 | 1,812 | 1,559 |
| 7 | Thikri | 364 | 422 | 0.0 | 0.0 | 100.0 | 100.0 | 207 | 422 | 157 | 0 | | |

| Indicators | | 79 | | 80 | | 81 | | 82 | | 83 | | 84 | |
|------------|-------------------|--|---------|---|---------|---|---------|---|---------|--|---------|---|---------|
| | | Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions | | Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions | | % Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC to Total Sterilisation | | % Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC to Total Sterilisation | | % Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH to Total Sterilisation | | % Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions to Total Sterilisation | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Barwani | | | 1 | 3 | 3.2 | 6.7 | 39.7 | 36.4 | 56.7 | 56.4 | 0.0 | 0.0 |
| 1 | Barwani (Silawad) | | | 1 | 3 | 0.0 | 0.0 | 0.0 | 0.0 | 98.8 | 98.2 | 0.0 | 0.0 |
| 2 | Niwali | | | | | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3 | Pansemal | | | | | 2.1 | 1.1 | 97.9 | 98.9 | 0.0 | 0.0 | 0.0 | 0.0 |
| 4 | Pati | | | | | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 5 | Rajpur | | | | | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 6 | Sendhwa | | | | | 0.0 | 0.0 | 0.0 | 3.0 | 100.0 | 97.0 | 0.0 | 0.0 |
| 7 | Thikri | | | | | 56.9 | 100.0 | 43.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

| Indicators | | 85 | | 86 | | 87 | | 88 | | 89 | | 90 | |
|------------|-------------------|--|---------|--|---------|--|---------|---|---------|---|---------|---|---------|
| | | % Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions to Total Sterilisation | | % Laparoscopic sterilisations to Total Female Sterilisations | | % Mini Lap Sterilisations to Total Female Sterilisations | | % Post Partum Sterilisations to Total Female Sterilisations | | % Laparoscopic sterilisations at Public Institutions to Total Laparoscopic Sterilisations | | % Mini Lap sterilisations at Public Institutions to Total Mini Lap Sterilisations | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Barwani | 0.3 | 0.6 | 95.7 | 94.7 | 0.0 | 0.7 | 4.2 | 4.5 | 100.0 | 99.8 | 100.0 | 74.5 |
| 1 | Barwani (Silawad) | 1.1 | 1.8 | 86.5 | 84.0 | 0.0 | 2.2 | 13.5 | 13.8 | 99.9 | 99.4 | | 73.9 |
| 2 | Niwali | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 | | |
| 3 | Pansemal | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 | | |
| 4 | Pati | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 | | |
| 5 | Rajpur | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 | | |
| 6 | Sendhwa | 0.0 | 0.0 | 99.3 | 99.5 | 0.1 | 0.1 | 0.6 | 0.4 | 100.0 | 100.0 | 100.0 | 100.0 |
| 7 | Thikri | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 | | |

| Indicators | | 91 | | 92 | | 93 | | 94 | | 95 | | 96 | |
|------------|-------------------|--|---------|--|---------|--|---------|--|---------|--|---------|---|---------|
| | | % Post Partum sterilisations at Public Institutions to Total Post Partum Sterilisation | | Total cases of deaths following Sterilisation (Male + Female) | | IUCD Insertions done (public facilities) | | IUCD insertions done (pvt. facilities) | | Total IUCD Insertions done(public+private) | | PP IUCD Insertions done (public facilities) | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Barwani | 92.6 | 95.9 | 0 | 0 | 6,384 | 5,883 | | 0 | 6,384 | 5,883 | 2,744 | 3,629 |
| 1 | Barwani (Silawad) | 92.3 | 95.8 | 0 | 0 | 1,602 | 1,443 | | 0 | 1,602 | 1,443 | 556 | 1,197 |
| 2 | Niwali | | | 0 | 0 | 998 | 752 | | | 998 | 752 | 461 | 237 |
| 3 | Pansemal | | | 0 | 0 | 545 | 425 | | | 545 | 425 | 186 | 199 |
| 4 | Pati | | | 0 | 0 | 255 | 195 | | | 255 | 195 | 54 | 79 |
| 5 | Rajpur | | | 0 | 0 | 540 | 517 | | | 540 | 517 | 267 | 236 |
| 6 | Sendhwa | 100.0 | 100.0 | 0 | 0 | 1,325 | 1,122 | | | 1,325 | 1,122 | 543 | 774 |
| 7 | Thikri | | | 0 | 0 | 1,119 | 1,429 | | | 1,119 | 1,429 | 677 | 907 |

| Indicators | | 97 | | 98 | | 99 | | 100 | | 101 | | 102 | |
|------------|-------------------|---|---------|--|---------|---|---------|------------------------|---------|---------------------------|---------|-------------------------------|---------|
| | | % PP IUCD Insertions (public) to Total IUCD Insertions (public) | | % PP IUCD Insertions (public) to Total Institutional Deliveries (public) | | % IUCD insertions in public plus private institutions to all family planning methods (IUCD plus permanent) | | Oral Pills distributed | | Condom pieces distributed | | Centchroman Pills distributed | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Barwani | 42.9 | 61.6 | 15.9 | 19.7 | 47.9 | 47.7 | 71,375 | 65,202 | 319,507 | 329,436 | 0 | 0 |
| 1 | Barwani (Silawad) | 34.7 | 83.0 | 10.2 | 20.2 | 42.7 | 40.7 | 21,044 | 17,817 | 85,809 | 84,777 | 0 | 0 |
| 2 | Niwali | 46.2 | 31.5 | 33.6 | 17.9 | 57.1 | 50.5 | 4,407 | 7,824 | 5,358 | 9,729 | 0 | 0 |
| 3 | Pansemal | 34.1 | 46.8 | 11.2 | 11.4 | 39.0 | 42.8 | 11,754 | 10,880 | 46,871 | 46,153 | 0 | 0 |
| 4 | Pati | 21.2 | 40.5 | 5.2 | 7.5 | 55.7 | 43.7 | 7,250 | 5,600 | 21,115 | 48,730 | 0 | 0 |
| 5 | Rajpur | 49.4 | 45.6 | 11.5 | 9.2 | 40.1 | 40.9 | 10,512 | 8,406 | 112,844 | 99,016 | 0 | 0 |
| 6 | Sendhwa | 41.0 | 69.0 | 18.4 | 23.8 | 42.2 | 41.1 | 6,642 | 5,581 | 33,566 | 27,045 | 0 | 0 |
| 7 | Thikri | 60.5 | 63.5 | 28.6 | 35.8 | 75.5 | 77.2 | 9,766 | 9,094 | 13,944 | 13,986 | 0 | 0 |

Performance of Key HMIS Indicators for Madhya Pradesh-> Barwani (Across Sub Districts)
Financial Year: 2016-17
Provisional Figures for the Period April to December

| Indicators | | 103 | | 104 | | 105 | | 106 | | 107 | | 108 | |
|------------|-------------------|--|---------|-----------------------------|---------|---|---------|---|---------|------------------------------|---------|------------------------------|---------|
| | | Number of Infants given OPV 0 (Birth Dose) | | Number of Infants given BCG | | % Newborns given OPV0 at birth to Reported live birth | | % Newborns given BCG to Reported live birth | | Number of Infants given DPT1 | | Number of Infants given DPT2 | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Barwani | 16,837 | 19,558 | 26,327 | 29,103 | 61.0 | 69.7 | 95.3 | 103.8 | 5 | 219 | 2 | 114 |
| 1 | Barwani (Silawad) | 5,347 | 6,424 | 6,452 | 7,695 | 72.9 | 87.7 | 87.9 | 105.1 | 5 | 128 | 2 | 62 |
| 2 | Niwali | 1,459 | 1,368 | 2,311 | 2,183 | 61.9 | 60.2 | 98.0 | 96.0 | 0 | 0 | 0 | 0 |
| 3 | Pansemal | 1,449 | 1,482 | 2,851 | 3,183 | 49.2 | 47.3 | 96.7 | 101.5 | 0 | 0 | 0 | 0 |
| 4 | Pati | 1,018 | 1,025 | 3,276 | 3,248 | 31.0 | 33.9 | 99.6 | 107.3 | 0 | 81 | 0 | 35 |
| 5 | Rajpur | 2,293 | 3,455 | 3,548 | 3,837 | 64.1 | 91.5 | 99.1 | 101.6 | 0 | 0 | 0 | 3 |
| 6 | Sendhwa | 2,920 | 3,322 | 5,534 | 6,475 | 50.9 | 55.7 | 96.5 | 108.5 | 0 | 10 | 0 | 14 |
| 7 | Thikri | 2,351 | 2,482 | 2,355 | 2,482 | 99.0 | 97.6 | 99.2 | 97.6 | 0 | 0 | 0 | 0 |

| Indicators | | 109 | | 110 | | 111 | | 112 | | 113 | | 114 | |
|------------|-------------------|------------------------------|---------|---------------------------------------|---------|---------------------------------------|---------|---------------------------------------|---------|---------------------------------|---------|---|---------|
| | | Number of Infants given DPT3 | | Number of Infants given Pentavalent 1 | | Number of Infants given Pentavalent 2 | | Number of Infants given Pentavalent 3 | | Number of Infants given Measles | | % Infants 0 to 11 months old who received Measles vaccine to reported live births | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Barwani | 31 | 110 | 29,153 | 29,054 | 28,024 | 27,292 | 27,128 | 25,720 | 28,841 | 26,133 | 104.4 | 93.1 |
| 1 | Barwani (Silawad) | 0 | 64 | 4,486 | 4,316 | 4,156 | 4,082 | 3,923 | 3,904 | 4,066 | 4,089 | 55.4 | 55.8 |
| 2 | Niwali | 0 | 0 | 2,720 | 2,545 | 2,654 | 2,339 | 2,538 | 2,225 | 2,738 | 2,422 | 116.2 | 106.6 |
| 3 | Pansema | 23 | 0 | 3,251 | 3,238 | 3,139 | 3,176 | 3,040 | 3,108 | 3,376 | 3,069 | 114.6 | 97.9 |
| 4 | Pati | 0 | 23 | 3,604 | 3,870 | 3,263 | 3,381 | 3,040 | 2,860 | 3,761 | 3,330 | 114.4 | 110.0 |
| 5 | Rajpur | 8 | 3 | 4,184 | 3,841 | 4,066 | 3,519 | 4,095 | 3,467 | 4,096 | 3,378 | 114.4 | 89.4 |
| 6 | Sendhwa | 0 | 20 | 7,890 | 8,497 | 7,789 | 8,145 | 7,576 | 7,604 | 7,501 | 6,953 | 130.7 | 116.5 |
| 7 | Thikri | 0 | 0 | 3,018 | 2,747 | 2,957 | 2,650 | 2,916 | 2,552 | 3,303 | 2,892 | 139.1 | 113.8 |

| Indicators | | 115 | | 116 | | 117 | | 118 | | 119 | | 120 | |
|------------|-------------------|--|---------|----------------------------------|---------|--------------------|---------|---|---------|---|---------|--|---------|
| | | Number of fully immunized children (9-11 months) | | % Drop Out between BCG & Measles | | Vitamin - A dose 1 | | % Children given Vit A dose1 to Reported live birth | | % Children given Vitamin A Dose 9 to Children given Vit A dose1 | | Adverse Events Following Immunisation (Others) | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Barwani | 28,901 | 26,298 | -9.5 | 10.2 | 30,508 | 27,102 | 110.4 | 96.6 | 59.6 | 94.7 | 5 | 0 |
| 1 | Barwani (Silawad) | 4,141 | 4,111 | 37.0 | 46.9 | 4,274 | 4,099 | 58.2 | 56.0 | 89.1 | 119.2 | 0 | 0 |
| 2 | Niwali | 2,739 | 2,422 | -18.5 | -10.9 | 2,749 | 2,423 | 116.6 | 106.6 | 73.3 | 79.0 | 0 | 0 |
| 3 | Pansemal | 3,394 | 3,062 | -18.4 | 3.6 | 3,286 | 3,851 | 111.5 | 122.8 | 44.7 | 173.3 | 0 | 0 |
| 4 | Pati | 3,752 | 3,330 | -14.8 | -2.5 | 3,746 | 3,354 | 113.9 | 110.8 | 33.3 | 56.4 | 0 | 0 |
| 5 | Rajpur | 4,098 | 3,528 | -15.4 | 12.0 | 4,053 | 3,465 | 113.2 | 91.7 | 85.2 | 82.8 | 5 | 0 |
| 6 | Sendhwa | 7,474 | 6,953 | -35.5 | -7.4 | 9,102 | 7,026 | 158.7 | 117.7 | 54.9 | 75.4 | 0 | 0 |
| 7 | Thikri | 3,303 | 2,892 | -40.3 | -16.5 | 3,298 | 2,884 | 138.9 | 113.5 | 36.1 | 73.5 | 0 | 0 |

| Indicators | | 121 | | 122 | | 123 | | 124 | | 125 | | 126 | |
|------------|-------------------|---|---------|---|---------|---|---------|--|---------|--|---------|--|---------|
| | | % immunisation Sessions Held to Immunisation Sessions Planned | | % Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned | | % Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Barwani | 98.0 | 98.3 | 95.3 | 93.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1 | Barwani (Silawad) | 99.8 | 99.4 | 91.6 | 84.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 2 | Niwali | 100.0 | 99.9 | 97.9 | 94.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3 | Pansema | 99.9 | 99.9 | 99.9 | 99.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 4 | Pati | 95.5 | 98.9 | 92.2 | 97.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 5 | Rajpur | 100.0 | 100.0 | 99.7 | 99.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 6 | Sendhwa | 93.9 | 94.4 | 90.1 | 89.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 7 | Thikri | 100.0 | 99.7 | 100.0 | 99.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

| Indicators | | 127 | | 128 | | 129 | | 130 | | 131 | | 132 | |
|------------|-------------------|---|---------|---|---------|---|---------|---|---------|--|---------|---|---------|
| | | % Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Adult Female Inpatients to Total Adult Inpatient | | % Children Inpatient to Total Inpatient | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Barwani | 0.0 | 0.0 | 0.3 | 0.0 | 95.4 | 96.1 | 4.3 | 3.9 | 70.0 | 71.3 | 33.1 | 37.0 |
| 1 | Barwani (Silawad) | 0.0 | 0.0 | 0.9 | 0.0 | 86.8 | 85.6 | 12.3 | 14.3 | 51.3 | 58.4 | 60.1 | 59.7 |
| 2 | Niwali | 0.0 | 0.0 | 0.2 | 0.0 | 99.2 | 99.0 | 0.6 | 1.0 | 86.8 | 83.7 | 10.5 | 12.3 |
| 3 | Pansemal | 0.0 | 0.0 | 0.1 | 0.0 | 99.9 | 99.6 | 0.0 | 0.4 | 51.4 | 54.5 | 24.7 | 21.9 |
| 4 | Pati | 0.0 | 0.0 | 0.0 | 0.0 | 97.3 | 99.5 | 2.7 | 0.5 | 93.8 | 90.7 | 15.4 | 16.3 |
| 5 | Rajpur | 0.0 | 0.0 | 0.8 | 0.0 | 89.7 | 95.1 | 9.5 | 4.9 | 67.1 | 71.7 | 11.6 | 32.5 |
| 6 | Sendhwa | 0.0 | 0.0 | 0.0 | 0.0 | 99.9 | 98.8 | 0.1 | 1.2 | 87.9 | 85.0 | 8.6 | 8.0 |
| 7 | Thikri | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 99.9 | 0.0 | 0.1 | 74.4 | 71.5 | 6.5 | 22.3 |

| Indicators | | 133 | | 134 | | 135 | | 136 | | 137 | | 138 | |
|------------|-------------------|---|---------|---------------------------------|---------|--------------|---------|--------------|---------|--------------|---------|----------------------------|---------|
| | | % Female Inpatient Deaths to Total Inpatient Deaths | | % Inpatient Deaths to Total IPD | | IPD (Number) | | OPD (Number) | | % IPD to OPD | | Number of Major Operations | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Barwani | 37.7 | 44.8 | 0.8 | 0.7 | 90,824 | 93,644 | 856,899 | 869,761 | 10.6 | 10.8 | 2,821 | 3,364 |
| 1 | Barwani (Silawad) | 37.0 | 43.0 | 1.8 | 1.4 | 40,507 | 42,266 | 272,315 | 283,851 | 14.9 | 14.9 | 1,659 | 2,913 |
| 2 | Niwali | 100.0 | | 0.0 | 0.0 | 9,115 | 9,924 | 66,435 | 65,528 | 13.7 | 15.1 | 0 | 0 |
| 3 | Pansemal | 53.3 | 25.0 | 0.3 | 0.1 | 5,818 | 6,900 | 80,998 | 78,952 | 7.2 | 8.7 | 0 | 0 |
| 4 | Pati | | | 0.0 | 0.0 | 1,785 | 1,854 | 55,331 | 63,897 | 3.2 | 2.9 | 45 | 0 |
| 5 | Rajpur | 44.4 | 27.3 | 0.1 | 0.1 | 11,523 | 9,396 | 117,040 | 99,621 | 9.8 | 9.4 | 0 | 0 |
| 6 | Sendhwa | 55.6 | 54.5 | 0.1 | 0.1 | 12,225 | 13,257 | 156,751 | 164,550 | 7.8 | 8.1 | 1,113 | 451 |
| 7 | Thikri | | 72.7 | 0.0 | 0.4 | 9,851 | 10,047 | 108,029 | 113,362 | 9.1 | 8.9 | 4 | 0 |

| Indicators | | 139 | | 140 | | 141 | | 142 | | 143 | | 144 | |
|------------|-------------------|----------------------------|---------|---------------------------------------|---------|----------------------------------|---------|--|---------|--------------------|---------|--------------------------|---------|
| | | Number of Minor Operations | | % Major Operations to Total Operation | | Number of Hysterectomy Surgeries | | % Hysterectomy Surgeries to Total Major Operations | | Ayush OPD (Number) | | % AYUSH OPD to Total OPD | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Barwani | 11,037 | 21,488 | 20.4 | 13.5 | 197 | 34 | 6.9 | 1.0 | 24,902 | 22,292 | 2.9 | 2.5 |
| 1 | Barwani (Silawad) | 3,798 | 7,181 | 30.4 | 28.9 | 197 | 34 | 11.9 | 1.2 | 0 | 0 | 0.0 | 0.0 |
| 2 | Niwali | 1,310 | 1,693 | 0.0 | 0.0 | 0 | 0 | | | 0 | 0 | 0.0 | 0.0 |
| 3 | Pansemal | 1,425 | 1,492 | 0.0 | 0.0 | 0 | 0 | | | 13,808 | 12,492 | 17.0 | 15.8 |
| 4 | Pati | 343 | 1,246 | 11.6 | 0.0 | 0 | 0 | 0.0 | | 1,192 | 319 | 2.2 | 0.5 |
| 5 | Rajpur | 1,351 | 1,232 | 0.0 | 0.0 | 0 | 0 | | | 2,036 | 2,641 | 1.7 | 2.7 |
| 6 | Sendhwa | 1,470 | 2,504 | 43.1 | 15.3 | 0 | 0 | 0.0 | 0.0 | 7,866 | 6,374 | 5.0 | 3.9 |
| 7 | Thikri | 1,340 | 6,140 | 0.3 | 0.0 | 0 | 0 | 0.0 | | 0 | 466 | 0.0 | 0.4 |

Performance of Key HMIS Indicators for Madhya Pradesh-> Barwani (Across Sub Districts)
Financial Year: 2016-17
Provisional Figures for the Period April to December

| Indicators | | 145 | | 146 | | 147 | | 148 | | 149 | | 150 | |
|------------|-------------------|---------------------|---------|---------------------------|---------|--------------------------------|---------|---|---------|---|---------|---|---------|
| | | Dental OPD (Number) | | % Dental OPD to Total OPD | | Adolescent counselled (Number) | | % Hb < 7 mg to Total Hb Tests Conducted | | % Male HIV Positive to Total Males Tested | | % Female HIV Positive to Total Females Tested | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Barwani | 50 | 140 | 0.0 | 0.0 | 7,784 | 23,050 | 6.1 | 6.2 | 0.5 | 2.3 | 0.6 | 0.3 |
| 1 | Barwani (Silawad) | 0 | 0 | 0.0 | 0.0 | 2,567 | 13,935 | 9.2 | 7.4 | 0.4 | 3.5 | 0.8 | 0.8 |
| 2 | Niwali | 0 | 0 | 0.0 | 0.0 | 1,752 | 1,237 | 5.4 | 9.2 | 0.0 | | 0.0 | 0.0 |
| 3 | Pansemal | 0 | 0 | 0.0 | 0.0 | 672 | 370 | 3.7 | 3.5 | 0.0 | 0.0 | 0.0 | 0.0 |
| 4 | Pati | 0 | 0 | 0.0 | 0.0 | 975 | 2,366 | 6.4 | 10.8 | 0.0 | 0.0 | 0.0 | 0.0 |
| 5 | Rajpur | 0 | 140 | 0.0 | 0.1 | 850 | 2,519 | 1.6 | 3.4 | 0.0 | 0.0 | 0.0 | 0.0 |
| 6 | Sendhwa | 50 | 0 | 0.0 | 0.0 | 786 | 1,658 | 4.5 | 5.1 | 1.1 | 1.4 | 1.2 | 0.1 |
| 7 | Thikri | 0 | 0 | 0.0 | 0.0 | 182 | 965 | 3.0 | 2.1 | 0.0 | 0.0 | 0.0 | 0.0 |

| Indicators | | 151 | | 152 | | 153 | | 154 | | 155 | | 156 | |
|------------|-------------------|---|---------|---|---------|--|---------|--|---------|--|---------|--|---------|
| | | % Total HIV Positive to Total Tested (Male + Female) | | % Plasmodium Vivax test positive to Total Blood Smears Examined | | % Plasmodium Falciparum test positive to Total Blood Smears Examined | | Total Number of Infant Deaths reported | | % Deaths due to Sepsis to Total Reported Infant Deaths | | % Deaths due to Asphyxia to Total Reported Infant Deaths | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Barwani | 0.6 | 0.7 | 0.4 | 0.6 | 0.3 | 0.5 | 812 | 968 | 3.2 | 5.7 | 5.4 | 7.0 |
| 1 | Barwani (Silawad) | 0.7 | 1.5 | 1.3 | 1.4 | 0.9 | 1.6 | 383 | 493 | 6.7 | 10.8 | 10.2 | 12.2 |
| 2 | Niwali | 0.0 | 0.0 | 0.2 | 0.5 | 0.1 | 0.3 | 91 | 78 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3 | Pansemal | 0.0 | 0.0 | 0.1 | 0.2 | 0.0 | 0.2 | 48 | 62 | 0.0 | 0.0 | 0.0 | 0.0 |
| 4 | Pati | 0.0 | 0.0 | 0.2 | 0.6 | 0.0 | 0.4 | 69 | 60 | 0.0 | 0.0 | 0.0 | 0.0 |
| 5 | Rajpur | 0.0 | 0.0 | 0.2 | 0.5 | 0.2 | 0.2 | 116 | 79 | 0.0 | 0.0 | 0.0 | 0.0 |
| 6 | Sendhwa | 1.2 | 0.2 | 0.3 | 0.5 | 0.1 | 0.2 | 68 | 140 | 0.0 | 0.0 | 6.8 | 4.6 |
| 7 | Thikri | 0.0 | 0.0 | 0.1 | 0.5 | 0.0 | 0.2 | 37 | 56 | 0.0 | 0.0 | 0.0 | 0.0 |

| Indicators | | 157 | | 158 | | 159 | | 160 | | 161 | | 162 | |
|------------|-------------------|---|---------|---|---------|---|---------|---|---------|---|---------|--|---------|
| | | % Deaths due to LBW to Total Reported Infant Deaths | | % Deaths due to Pneumonia to Total Reported Infant Deaths | | % Deaths due to Diarrhoea to Total Reported Infant Deaths | | % Deaths due to Fever to Total Reported Infant Deaths | | % Deaths due to Measles to Total Reported Infant Deaths | | % Deaths due to Other Causes to Total Reported Infant Deaths | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Barwani | 26.3 | 29.7 | 7.0 | 5.4 | 0.8 | 0.2 | 2.9 | 1.8 | 0.0 | 0.0 | 54.3 | 50.2 |
| 1 | Barwani (Silawad) | 36.4 | 42.4 | 2.1 | 1.8 | 0.0 | 0.0 | 0.0 | 0.4 | 0.0 | 0.0 | 44.7 | 32.2 |
| 2 | Niwali | 6.7 | 1.3 | 0.0 | 0.0 | 1.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 92.2 | 98.7 |
| 3 | Pansemal | 38.3 | 1.6 | 0.0 | 0.0 | 0.0 | 1.6 | 6.4 | 0.0 | 0.0 | 0.0 | 55.3 | 96.8 |
| 4 | Pati | 2.9 | 30.0 | 39.7 | 28.3 | 1.5 | 0.0 | 4.4 | 1.7 | 0.0 | 0.0 | 51.5 | 40.0 |
| 5 | Rajpur | 6.5 | 0.0 | 6.5 | 14.1 | 2.8 | 0.0 | 1.9 | 0.0 | 0.0 | 0.0 | 82.4 | 85.9 |
| 6 | Sendhwa | 44.1 | 28.7 | 11.9 | 9.3 | 0.0 | 0.9 | 23.7 | 12.0 | 0.0 | 0.0 | 13.6 | 44.4 |
| 7 | Thikri | 30.6 | 32.1 | 16.7 | 5.4 | 2.8 | 0.0 | 2.8 | 1.8 | 0.0 | 0.0 | 47.2 | 60.7 |