		1		2	2	Č,	3	4	1	5	5	6	
Indicator		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Sikkim	7,915	7,505	99.2	100.9	112	97	98.6	98.7	7,799	7,105	7,380	6,647
1	East	4,665	3,834	99.9	101.2	51	24	98.9	99.4	4,595	3,673	4,546	4,225
2	North	324	349	94.5	100.0	6	7	98.2	98.0	309	299	305	284
3	South	1,705	1,899	98.3	100.2	29	36	98.3	98.1	1,700	1,826	1,463	1,133
4	West	1,221	1,423	99.4	101.2	26	30	97.9	97.9	1,195	1,307	1,066	1,005

		7	7	8		9	9	10		11		12	
Indicator		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Sikkim	8,066	8,179	93.2	88.6	101.9	109.0	7,974	8,056	7,967	8,184	8,159	8,326
1	East	4,649	4,415	97.4	110.2	99.7	115.2	3,631	3,533	3,603	3,554	3,685	3,701
2	North	344	360	94.1	81.4	106.2	103.2	557	583	578	596	585	623
3	South	1,732	1,642	85.8	59.7	101.6	86.5	1,931	1,974	1,936	2,035	1,980	2,043
4	West	1,341	1,762	87.3	70.6	109.8	123.8	1,855	1,966	1,850	1,999	1,909	1,959

		13		1	4	1	5	16		17		18	
Indicator		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Sikkim	148		145		132		8,425	8,543	106.4	113.8	8,323	8,400
1	East	148		145		132		3,994	3,853	85.6	100.5	3,945	3,905
2	North	0		0		0		557	634	171.9	181.7	554	547
3	South	0		0		0		1,971	2,033	115.6	107.1	1,956	1,965
4	West	0		0		0		1,903	2,023	155.9	142.2	1,868	1,983

		19		20		2	21		22		3	24	
Indicator		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Imunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Sikkim	-4.5	-4.5	8,271	8,703	104.5	116.0	82.4	81.1	1	68	99.4	97.9
1	East	14.1	12.7	3,899	3,927	83.6	102.4	59.5	70.8	1	1	99.5	97.6
2	North	-61.9	-76.1	550	625	169.8	179.1	58.9	67.8	0	0	98.2	93.9
3	South	-13.8	-23.8	1,942	2,066	113.9	108.8	104.7	97.1	0	67	99.7	98.7
4	West	-41.9	-14.8	1,880	2,085	154.0	146.5	113.7	88.8	0	0	99.5	99.5

Indicator		25  // Section 1996  // Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Sikkim	85.3	87.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	East	75.8	79.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	North	91.8	87.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	South	100.1	96.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	West	87.9	94.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Performance of Key HMIS Indicators for Sikkim ( Across Districts) Financial Year: 2013-14  $\,$ 

Provisional Figures for the Period April to March

Indicator		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		34  Total Number of Infant Deaths reported		35  % Deaths due to Sepsis to Total Reported Infant Deaths		36  % Deaths due to Asphyxia to Total Reported Infant Deaths	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Sikkim	0.4	0.6	99.5	99.4	0.2	0.0	57	7	5.7	0.0	13.2	0.0
1	East	0.3	0.5	99.5	99.4	0.3	0.1	27		8.3		4.2	
2	North	0.6	2.2	99.4	97.8	0.0	0.0	4	2	0.0	0.0	25.0	0.0
3	South	0.0	0.3	99.8	99.7	0.2	0.0	14		7.1		35.7	
4	West	0.8	0.4	99.2	99.6	0.0	0.0	12	5	0.0	0.0	0.0	0.0

Indicator		% Deaths due to LBW to Total Reported Infant Deaths		38  % Deaths due to Pneumonia to Total Reported Infant Deaths		39  % Deaths due to Diarrhoea to Total Reported Infant Deaths		40 % Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Sikkim	34.0	40.0	11.3	0.0	0.0	0.0	3.8	40.0	0.0	0.0	32.1	20.0
1	East	37.5		12.5		0.0		4.2		0.0		33.3	
2	North	25.0	50.0	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25.0	50.0
3	South	21.4		7.1		0.0		0.0		0.0		28.6	
4	West	45.5	33.3	9.1	0.0	0.0	0.0	9.1	66.7	0.0	0.0	36.4	0.0