

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		1		2		3		4		5		6	
		Total number of pregnant women Registered for ANC		Number of Pregnant women registered within first trimester		% 1st Trimester registration to Total ANC Registrations		Number of pregnant women received 4 or more ANC check ups		TT2 given to Pregnant women (numbers)		TT Booster given to Pregnant women (numbers)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Mysore	10,004	9,671	8,648	8,135	86.4	84.1	10,306	9,068	10,089	9,174	1,210	1,338
1	Heggadadevankote	1,012	915	959	824	94.8	90.1	914	676	1,044	777	124	78
2	Hunsur	1,053	988	993	916	94.3	92.7	880	821	876	787	315	366
3	Krishnarajanagara	806	757	674	675	83.6	89.2	718	626	743	694	277	234
4	Mysore	4,115	4,132	3,167	3,033	77.0	73.4	4,765	3,895	4,492	4,230	225	423
5	Nanjangudu	1,266	1,258	1,208	1,173	95.4	93.2	1,657	1,332	1,205	1,147	118	62
6	Periyapatna	858	754	795	694	92.7	92.0	614	799	697	618	131	154
7	Tirumakudal Narsipur	894	867	852	820	95.3	94.6	758	919	1,032	921	20	21

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		7		8		9		10		11		12	
		% Pregnant Woman received 4 ANC check ups to Total ANC Registrations		% Pregnant women received TT2+ TT Booster to Total ANC Registration		Number of Pregnant women given 180 IFA tablets		% Pregnant women given 180 IFA to Total ANC Registration		Number of Pregnant Women having Hb level<11 (tested cases)		Number of Pregnant Women having severe anaemia (Hb<7) treated at institution	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Mysore	103.0	93.7	112.9	108.6	10,762	7,771	107.5	80.3	7,864	5,831	129	124
1	Heggadadevankote	90.3	73.9	115.4	93.4	1,023	384	101.1	42.0	529	662	12	14
2	Hunsur	83.6	83.1	113.1	116.7	1,040	852	98.8	86.2	1,038	535	4	3
3	Krishnarajanagara	89.1	82.7	126.6	122.6	756	757	93.8	100.0	566	315	26	27
4	Mysore	115.8	94.3	114.6	112.6	4,735	3,343	115.1	80.9	3,932	2,192	29	61
5	Nanjangudu	130.9	105.9	104.5	96.1	1,530	1,065	120.9	84.7	888	729	58	14
6	Periyapatna	71.6	106.0	96.5	102.4	470	516	54.8	68.4	661	477	0	5
7	Tirumakudal Narsipur	84.8	106.0	117.7	108.7	1,208	854	135.1	98.5	250	921	0	0

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		13		14		15		16		17		18	
		% Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<7		% New cases of Pregnant Women detected at institution for hypertension to Total ANC Registrations		Number of Home deliveries		Number of home deliveries attended by SBA trained (Doctor/Nurse/ANM)		Number of home deliveries attended by Non SBA trained (trained TB/Dai)		% SBA attended home deliveries to Total Reported Home Deliveries	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Mysore	46.4	36.4	6.0	6.9	2	1	2	1	0	0	100.0	100.0
1	Heggadadevankote	20.7	73.7	7.8	3.6	0	0	0	0	0	0		
2	Hunsur	23.5	10.7	8.9	2.2	0	1	0	1	0	0		100.0
3	Krishnarajanagara	41.9	45.0	7.2	0.9	0	0	0	0	0	0		
4	Mysore	43.3	40.4	8.0	11.2	0	0	0	0	0	0		
5	Nanjangudu	98.3	26.4	2.1	3.3	0	0	0	0	0	0		
6	Periyapatna	0.0	31.3	0.6	13.7	2	0	2	0	0	0	100.0	
7	Tirumakudal Narsipur	0.0	0.0	1.5	0.2	0	0	0	0	0	0		

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		19		20		21		22		23		24	
		Deliveries Conducted at Public Institutions		Number of Women Discharged under 48 hours of delivery in public facilities		% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at public institutions		Deliveries Conducted at Private Institutions		Number of Women Discharged under 48 hours of delivery in private institutions		% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at private institutions	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Mysore	6,409	6,775	94	27	1.4	0.3	4,527	4,348	0	0	0.0	0.0
1	Heggadadevankote	451	483	13	0	2.9	0.0	496	435	0	0	0.0	0.0
2	Hunsur	313	313	1	3	0.3	1.0	7	34	0	0	0.0	0.0
3	Krishnarajanagara	637	302	0	1	0.0	0.3	38	24	0	0	0.0	0.0
4	Mysore	4,110	4,650	78	16	1.9	0.3	3,949	3,823			0.0	0.0
5	Nanjangudu	395	461	2	0	0.5	0.0	33	32		0	0.0	0.0
6	Periyapatna	188	258	0	7	0.0	2.7	4		0		0.0	
7	Tirumakudal Narsipur	315	308	0	0	0.0	0.0						

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		25		26		27		28		29		30	
		Institutional deliveries (Public Insts.+Pvt. Insts.)		% Institutional Deliveries to total ANC registration		Total reported deliveries		% Institutional deliveries to Total Reported Deliveries		% Safe deliveries to Total Reported Deliveries		% Home deliveries to Total Reported Deliveries	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Mysore	10,936	11,123	109.3	115.0	10,938	11,124	100.0	100.0	100.0	100.0	0.0	0.0
1	Heggadadevankote	947	918	93.6	100.3	947	918	100.0	100.0	100.0	100.0	0.0	0.0
2	Hunsur	320	347	30.4	35.1	320	348	100.0	99.7	100.0	100.0	0.0	0.3
3	Krishnarajanagara	675	326	83.7	43.1	675	326	100.0	100.0	100.0	100.0	0.0	0.0
4	Mysore	8,059	8,473	195.8	205.1	8,059	8,473	100.0	100.0	100.0	100.0	0.0	0.0
5	Nanjangudu	428	493	33.8	39.2	428	493	100.0	100.0	100.0	100.0	0.0	0.0
6	Periyapatna	192	258	22.4	34.2	194	258	99.0	100.0	100.0	100.0	1.0	0.0
7	Tirumakudal Narsipur	315	308	35.2	35.5	315	308	100.0	100.0	100.0	100.0	0.0	0.0

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		31		32		33		34		35		36	
		Number of C-section deliveries conducted at public facilities		Number of C-section deliveries conducted at private facilities		% C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries		% C-sections conducted at public facilities to Deliveries conducted at public facilities		% C-sections conducted at Private facilities to Deliveries conducted at private facilities		% Deliveries conducted at Public Institutions to Total Institutional Deliveries	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Mysore	1,457	1,091	2,435	2,787	35.5	34.8	22.7	16.1	53.8	64.1	58.6	60.9
1	Heggadadevankote	25	27	153	123	18.8	16.3	5.5	5.6	30.8	28.3	47.6	52.6
2	Hunsur	1	0	5	20	1.9	5.8	0.3	0.0	71.4	58.8	97.8	90.2
3	Krishnarajanagara	199	17	14	21	31.6	11.7	31.2	5.6	36.8	87.5	94.4	92.6
4	Mysore	1,164	996	2,236	2,599	42.2	42.4	28.3	21.4	56.6	68.0	51.0	54.9
5	Nanjangudu	0	24	27	24	6.3	9.7	0.0	5.2	81.8	75.0	92.3	93.5
6	Periyapatna	8	0	0		4.2	0.0	4.3	0.0	0.0		97.9	100.0
7	Tirumakudal Narsipur	60	27			19.0	8.8	19.0	8.8			100.0	100.0

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		37		38		39		40		41		42	
		% Deliveries conducted at Private Institutions to Total Institutional Deliveries		Women received 1st post partum check-up within 48 hours of home delivery		Women received 1st post partum check up between 48 hours and 14 days		% Women getting 1st post partum check-up within 48 hours of home delivery to Total Reported Home Deliveries		% Women getting 1st Post Partum Checkup between 48 hours and 14 days to Total Reported Deliveries		Total Number of reported live births	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Mysore	41.4	39.1	10	17	14,990	16,387	500.0	1700.0	137.0	147.3	10,685	10,985
1	Heggadadevankote	52.4	47.4	0	0	1,008	1,319			106.4	143.7	949	908
2	Hunsur	2.2	9.8	0	1	839	1,127		100.0	262.2	323.9	320	348
3	Krishnarajanagara	5.6	7.4	5	0	942	755			139.6	231.6	678	329
4	Mysore	49.0	45.1	3	15	9,907	10,373			122.9	122.4	7,801	8,342
5	Nanjangudu	7.7	6.5	0	0	1,007	1,083			235.3	219.7	426	491
6	Periyapatna	2.1	0.0	2	1	576	771	100.0		296.9	298.8	198	258
7	Tirumakudal Narsipur	0.0	0.0	0	0	711	959			225.7	311.4	313	309

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		43		44		45		46		47		48	
		% Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		% Newborns weighed at birth to live birth		Number of Newborns having weight less than 2.5 kg	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Mysore	97.7	98.8	37	202	99.7	98.2	10,667	11,117	99.8	101.2	1,323	931
1	Heggadadevankote	100.2	98.9	9	14	99.1	98.5	990	917	104.3	101.0	174	142
2	Hunsur	100.0	100.0	1	3	99.7	99.1	263	346	82.2	99.4	25	29
3	Krishnarajanagara	100.4	100.9	0	6	100.0	98.2	656	334	96.8	101.5	66	32
4	Mysore	96.8	98.5	21	175	99.7	97.9	7,818	8,468	100.2	101.5	942	620
5	Nanjangudu	99.5	99.6	4	3	99.1	99.4	429	491	100.7	100.0	51	63
6	Periyapatna	102.1	100.0	0	0	100.0	100.0	198	251	100.0	97.3	27	25
7	Tirumakudal Narsipur	99.4	100.3	2	1	99.4	99.7	313	310	100.0	100.3	38	20

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		49		50		51		52		53		54	
		% Newborns having weight less than 2.5 kg to Newborns weighed at birth		Number of New Borns Breast Fed within 1 hour		% Newborns breast fed within 1 hour of birth to Total live birth		Sex Ratio at birth (Female Live Births/ Male Live Births *1000)		% cases of Pregnant women with Obstetric Complications and attended to reported deliveries		% Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Mysore	12.4	8.3	10,269	10,926	96.1	99.4	919	967	14.5	5.2	71.5	7.8
1	Heggadadevankote	17.6	15.5	913	903	96.2	99.4	981	924	7.5	0.8	4.2	71.4
2	Hunsur	9.5	8.4	280	344	87.5	98.9	1,013	989	0.0	0.0		
3	Krishnarajanagara	10.1	9.6	662	329	97.6	100.0	1,006	958	6.1	0.0	58.5	
4	Mysore	12.0	7.3	7,476	8,302	95.8	99.5	908	968	17.9	6.5	76.6	6.2
5	Nanjangudu	11.9	12.8	431	482	101.2	98.2	885	896	8.6	4.9	0.0	0.0
6	Periyapatna	13.6	10.0	194	257	98.0	99.6	1,000	1,098	0.5	0.0	0.0	
7	Tirumakudal Narsipur	12.1	6.5	313	309	100.0	100.0	758	1,060	1.0	0.0	333.3	

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		55		56		57		58		59		60	
		Number of PW given 360 Calcium tablets		% Pregnant women given 360 Calcium to Total ANC Registration		Number of PW given one Albendazole tablet after 1st trimester		% Pregnant women given one Albendazole tablet after 1st trimester to Total ANC Registration		Number of PW tested for blood sugar using OGTT (Oral Glucose Tolerance Test)		% Pregnant women tested for blood sugar using OGTT to Total ANC Registration	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Mysore	9,314	5,326	93.1	55.1	6,396	4,819	63.9	49.8	967	1,992	9.7	20.6
1	Heggadadevankote	769	412	76.0	45.0	550	306	54.3	33.4	204	496	20.2	54.2
2	Hunsur	999	345	94.9	34.9	717	346	68.1	35.0	6	91	0.6	9.2
3	Krishnarajanagara	463	333	57.4	44.0	360	197	44.7	26.0	0	362	0.0	47.8
4	Mysore	4,296	2,176	104.4	52.7	2,514	2,134	61.1	51.6	578	954	14.0	23.1
5	Nanjangudu	1,497	814	118.2	64.7	1,195	807	94.4	64.1	15	0	1.2	0.0
6	Periyapatna	322	202	37.5	26.8	252	171	29.4	22.7	31	69	3.6	9.2
7	Tirumakudal Narsipur	968	1,044	108.3	120.4	808	858	90.4	99.0	133	20	14.9	2.3

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		61		62		63		64		65		66	
		Number of PW tested positive for GDM		% Pregnant women tested positive for GDM to Total ANC Registration		Number of pregnant women tested for Syphilis		Number of pregnant women tested found sero positive for Syphilis		% Pregnant women tested for Syphilis to Total ANC Registration		% Pregnant women treated for Syphilis to Total sero positive for Syphilis	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Mysore	60	66	0.6	0.7	6,503	3,611	58	46	65.0	37.3	0.1	0.1
1	Heggadadevankote	9	8	0.9	0.9	677	63	1	0	66.9	6.9	0.1	0.0
2	Hunsur	1	4	0.1	0.4	653	403	5	0	62.0	40.8	0.0	0.0
3	Krishnarajanagara	0	0	0.0	0.0	609	137	2	22	75.6	18.1	0.2	0.0
4	Mysore	42	54	1.0	1.3	2,371	1,946	49	22	57.6	47.1	0.1	0.1
5	Nanjangudu	0	0	0.0	0.0	993	618	0	1	78.4	49.1	0.0	0.0
6	Periyapatna	0	0	0.0	0.0	498	363	0	1	58.0	48.1	0.0	0.3
7	Tirumakudal Narsipur	8	0	0.9	0.0	702	81	1	0	78.5	9.3	0.0	0.0

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		67		68		69		70		71		72	
		% of babies treated for congenital Syphilis to babies total diagnosed with Congenital Syphilis		Total no. maternal deaths		Total Facility Based Maternal Death Reviews (FBMDR) done		Total Number of Abortions (Spontaneous) Reported		Total Number of MTPs (Public) conducted		% MTPs to total Abortions	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Mysore			8	5	5	3	392	301	147	182	47.2	46.2
1	Heggadadevankote			0	1	0	0	39	32	12	22	36.1	42.9
2	Hunsur			0	0	0	0	27	17	2	0	6.9	0.0
3	Krishnarajanagara			0	0	0	0	58	42	28	39	32.6	48.1
4	Mysore			6	4	5	3	209	152	59	99	54.7	53.2
5	Nanjangudu			2	0	0	0	27	38	10	11	27.0	22.4
6	Periyapatna			0	0	0	0	16	15	8	0	33.3	0.0
7	Tirumakudal Narsipur			0	0	0	0	16	5	28	11	63.6	68.8

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to June

These indicators are under compilation (83,84,85,86,197,198)

Indicators		73		74		75		76		77		78	
		% MTPs up to 12 weeks of Pregnancy to Total MTPs at Public Institutions		% MTPs more than 12 weeks of Pregnancy to Total MTPs at Public Institutions		% MTPs Conducted at Public Institutions to Total MTPs		% MTPs Conducted at Private Institutions to Total MTPs		% Total MTPs (Public) Conducted to Total ANC Registration		Number of Vasectomies Conducted	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Mysore	87.1	89.6	12.9	10.4	42.0	70.5	58.0	29.5	1.5	1.9	2	9
1	Heggadadevankote	50.0	90.9	50.0	9.1	54.5	91.7	45.5	8.3	1.2	2.4	0	0
2	Hunsur	0.0		100.0		100.0		0.0		0.2	0.0	0	0
3	Krishnarajanagara	96.4	97.4	3.6	2.6	100.0	100.0	0.0	0.0	3.5	5.2	0	0
4	Mysore	89.8	90.9	10.2	9.1	23.4	57.2	76.6	42.8	1.4	2.4	2	9
5	Nanjangudu	100.0	81.8	0.0	18.2	100.0	100.0	0.0	0.0	0.8	0.9	0	0
6	Periyapatna	62.5		37.5		100.0		0.0		0.9	0.0	0	0
7	Tirumakudal Narsipur	96.4	54.5	3.6	45.5	100.0	100.0	0.0	0.0	3.1	1.3	0	0

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		79		80		81		82		83		84	
		Number of Tubectomies Conducted		Total Sterilisation Conducted		% Male Sterilisation (Vasectomies) to Total sterilisation		% Female Serlisation (Tubectomies) to Total sterilisation		Total Sterlisation (Tubectomies and Vasectomies) conducted at PHC		Total Sterlisation (Tubectomies and Vasectomies) conducted at CHC	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Mysore	2,839	4,176	2,841	4,185	0.0	0.2	99.9	99.8				
1	Heggadadevankote	336	531	336	531	0.0	0.0	100.0	100.0				
2	Hunsur	207	431	207	431	0.0	0.0	100.0	100.0				
3	Krishnarajanagara	267	150	267	150	0.0	0.0	100.0	100.0				
4	Mysore	1,394	2,347	1,396	2,356	0.1	0.4	99.9	99.6				
5	Nanjangudu	224	255	224	255	0.0	0.0	100.0	100.0				
6	Periyapatna	100	87	100	87	0.0	0.0	100.0	100.0				
7	Tirumakudal Narsipur	311	375	311	375	0.0	0.0	100.0	100.0				

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		85		86		87		88		89		90	
		Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH		Total Sterilisation (Tubectomies and Vasectomies) conducted at DH		Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions		Total Sterilisation (Tubectomies and Vasectomies) conducted at Public institutions		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Public institutions to Total Sterilisation	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Mysore					653	1,973	2,188	2,212	23.0	47.1	77.0	52.9
1	Heggadadevankote					35	223	301	308	10.4	42.0	89.6	58.0
2	Hunsur					0	0	207	431	0.0	0.0	100.0	100.0
3	Krishnarajanagara					1	70	266	80	0.4	46.7	99.6	53.3
4	Mysore					612	1,675	784	681	43.8	71.1	56.2	28.9
5	Nanjangudu					5	5	219	250	2.2	2.0	97.8	98.0
6	Periyapatna					0		100	87	0.0	0.0	100.0	100.0
7	Tirumakudal Narsipur							311	375	0.0	0.0	100.0	100.0

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		91		92		93		94		95		96	
		% Laparoscopic sterilisations to Total Female Sterilisations		% Mini Lap Sterilisations to Total Female Sterilisations		% Post Partum Sterilisations to Total Female Sterilisations		% Post Abortion Sterilisations to Total Female Sterilisations		% Laparoscopic sterilisations at Public Institutions to Total Laparoscopic Sterilisations		% Mini Lap sterilisations at Public Institutions to Total Mini Lap Sterilisations	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Mysore	54.9	43.1	23.7	32.0	20.5	21.5	0.7	3.3	84.0	72.9	87.2	53.1
1	Heggadadevankote	88.1	61.6	7.4	22.2	4.5	14.1	0.0	2.1	92.9	79.5	68.0	32.2
2	Hunsur	76.3	77.0	22.2	23.0	0.0	0.0	1.4	0.0	100.0	100.0	100.0	100.0
3	Krishnarajanagara	65.5	63.3	9.0	26.0	25.5	10.7	0.0	0.0	100.0	80.0	100.0	0.0
4	Mysore	38.2	28.0	26.3	32.7	34.2	33.9	1.4	5.4	57.0	38.8	78.7	33.7
5	Nanjangudu	67.9	48.2	29.9	46.3	2.2	5.5	0.0	0.0	100.0	100.0	100.0	100.0
6	Periyapatna	94.0	85.1	5.0	14.9	1.0	0.0	0.0	0.0	100.0	100.0	100.0	100.0
7	Tirumakudal Narsipur	49.2	51.2	45.0	48.8	5.8	0.0	0.0	0.0	100.0	100.0	100.0	100.0

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		97		98		99		100		101		102	
		% Post Partum sterilisations at Public Institutions to Total Post Partum Sterilisation		% Post Abortion sterilisations at Public Institutions to Total Post Partum Sterilisation		Total cases of deaths following Sterilisation (Male + Female)		Total cases of deaths following Male Sterilisation		Total cases of deaths following Female Sterilisation		Total cases of failure following Male Sterilisation	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Mysore	48.1	21.1	36.4	0.0	0	0	0	0	0	0	0	0
1	Heggadadevankote	60.0	13.3		0.0	0	0	0	0	0	0	0	0
2	Hunsur			100.0		0	0	0	0	0	0	0	0
3	Krishnarajanagara	98.5	25.0			0	0	0	0	0	0	0	0
4	Mysore	39.0	21.0	26.3	0.0	0	0	0	0	0	0	0	0
5	Nanjangudu	0.0	64.3			0	0	0	0	0	0	0	0
6	Periyapatna	100.0				0	0	0	0	0	0	0	0
7	Tirumakudal Narsipur	100.0				0	0	0	0	0	0	0	0

Indicators		103		104		105		106		107		108	
		Total cases of failure following Female Sterilisation		Total cases of complication following Male Sterilisation		Total cases of complication following Female Sterilisation		IUCD Insertions done (public facilities)		IUCD insertions done (pvt. facilities)		% PP IUCD Insertions (public) to Total IUCD Insertions (public)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Mysore	0	1	0	0	1	0	1,137	1,166	605	880	14.0	35.3
1	Heggadadevankote	0	0	0	0	1	0	110	138		84	19.1	29.7
2	Hunsur	0	0	0	0	0	0	170	116	0	2	1.8	3.4
3	Krishnarajanagara	0	0	0	0	0	0	92	302	0	41	10.9	78.1
4	Mysore	0	1	0	0	0	0	464	390	604	753	18.3	17.9
5	Nanjangudu	0	0	0	0	0	0	130	132	1		26.2	37.1
6	Periyapatna	0	0	0	0	0	0	79	31	0		1.3	35.5
7	Tirumakudal Narsipur	0	0	0	0	0	0	92	57			6.5	1.8

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
 Financial Year: 2018-19
 Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		109		110		111		112		113		114	
		% PP IUCD Insertions (public) to Total Institutional Deliveries (public)		% IUCD insertions to all family planning methods (IUCD plus permanent)		Total Interval IUCD Insertions done		Total PP IUCD Insertions done		Total PAIUCD insertions done		Combined Oral Pills distributed	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Mysore	2.4	6.0	38.0	32.8	1,326	1,194	401	833	15	19	24,898	22,504
1	Heggadadevankote	4.7	8.5	24.7	29.5	89	181	21	41	0	0	3,218	3,549
2	Hunsur	1.0	1.3	45.1	21.5	167	114	3	4	0	0	2,581	1,882
3	Krishnarajanagara	1.6	78.1	25.6	69.6	82	107	10	236	0	0	2,522	1,470
4	Mysore	2.1	1.5	43.3	32.7	733	636	326	491	9	16	7,925	7,696
5	Nanjangudu	8.6	10.6	36.9	34.1	91	80	34	49	6	3	4,235	3,963
6	Periyapatna	0.5	4.3	44.1	26.3	78	20	1	11	0	0	1,898	1,328
7	Tirumakudal Narsipur	1.9	0.3	22.8	13.2	86	56	6	1	0	0	2,519	2,616

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		115		116		117		118		119		120	
		Emergency pills distributed		Condom pieces distributed		Centchroman (weekly pills) distributed		Number of beneficiaries given 1st dose of Injectable (Antara Program)		Number of beneficiaries given 2nd dose of Injectable (Antara Program)		Number of beneficiaries given 3rd dose of Injectable (Antara Program)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Mysore	238	54	182,176	137,695	502	322	101	0	64	0	33	0
1	Heggadadevankote	35	1	31,742	22,885	0	0	0	0	1	0	0	0
2	Hunsur	0	0	24,627	12,056	0	0	0	0	0	0	0	0
3	Krishnarajanagara	180	0	18,163	9,149	187	222	0	0	0	0	0	0
4	Mysore	23	34	45,042	45,034	269	0	101	0	63	0	33	0
5	Nanjangudu	0	13	21,554	17,805	35	0	0	0	0	0	0	0
6	Periyapatna	0	6	17,007	9,312	11	100	0	0	0	0	0	0
7	Tirumakudal Narsipur	0	0	24,041	21,454	0	0	0	0	0	0	0	0

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		121		122		123		124		125		126	
		Number of beneficiaries given 4th or more than 4 doses of Injectable (Antara Program)		Pregnancy testing kits used		Number of Infants given OPV 0 (Birth Dose)		Number of Infants given BCG		Number of Infants given Hep- B0 (birth dose)		% Newborns given OPV0 at birth to Reported live birth	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Mysore	16	0	9,134	5,661	11,142	11,284	10,976	10,945	10,433	10,554	104.3	102.7
1	Heggadadevankote	0	0	1,472	596	931	731	1,063	727	888	700	98.1	80.5
2	Hunsur	0	0	601	574	318	384	448	423	257	364	99.4	110.3
3	Krishnarajanagara	0	0	898	302	675	355	750	520	623	326	99.6	107.9
4	Mysore	16	0	3,631	2,626	8,248	8,746	7,271	7,631	7,696	8,105	105.7	104.8
5	Nanjangudu	0	0	1,625	980	427	491	661	851	427	493	100.2	100.0
6	Periyapatna	0	0	224	172	230	267	392	390	229	256	116.2	103.5
7	Tirumakudal Narsipur	0	0	683	411	313	310	391	403	313	310	100.0	100.3

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to June

These indicators are under compilation (83,84,85,86,197,198)

Indicators		127		128		129		130		131		132	
		% Newborns given BCG to Reported live birth		% Newborns given Hep-B0(Birth Dose)at birth to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3		Number of Infants given Pentavalent 1	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Mysore	102.7	99.6	97.6	96.1	4	2	8	1	0	2	10,838	11,020
1	Heggadadevankote	112.0	80.1	93.6	77.1	0	2	0	1	0	0	992	1,033
2	Hunsur	140.0	121.6	80.3	104.6	0	0	0	0	0	0	1,173	1,078
3	Krishnarajanagara	110.6	158.1	91.9	99.1	0	0	0	0	0	2	875	834
4	Mysore	93.2	91.5	98.7	97.2	4	0	8	0	0	0	4,643	4,916
5	Nanjangudu	155.2	173.3	100.2	100.4	0	0	0	0	0	0	1,242	1,214
6	Periyapatna	198.0	151.2	115.7	99.2	0	0	0	0	0	0	956	956
7	Tirumakudal Narsipur	124.9	130.4	100.0	100.3	0	0	0	0	0	0	957	989

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		133		134		135		136		137		138	
		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		Number of Infants given MR		% Infants 0 to 11 months old who received Measles+ MR vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Mysore	10,546	10,535	10,473	10,361	64	230	10,550	10,419	99.3	96.9	10,414	10,352
1	Heggadadevankote	965	959	912	913	29	148	899	936	97.8	119.4	899	1,047
2	Hunsur	1,164	1,153	1,150	1,119	3	20	1,092	1,146	342.2	335.1	1,122	1,148
3	Krishnarajanagara	856	840	847	741	9	0	868	717	129.4	217.9	731	655
4	Mysore	4,491	4,539	4,511	4,487	23	43	4,708	4,464	60.6	54.0	4,683	4,433
5	Nanjangudu	1,179	1,159	1,218	1,334	0	0	1,232	1,281	289.2	260.9	1,231	1,218
6	Periyapatna	926	900	872	851	0	19	784	809	396.0	320.9	781	791
7	Tirumakudal Narsipur	965	985	963	916	0	0	967	1,066	308.9	345.0	967	1,060

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		139		140		141		142		143		144	
		% Drop Out between BCG & Measles/ MR		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Abscess)		Adverse Events Following Immunisation (Deaths)		Adverse Events Following Immunisation (Others)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Mysore	99.4	97.9	95.4	99.0	7.5	246.8	0	0	0	0	0	0
1	Heggadadevankote	97.3	79.6	86.5	129.5	0.0	199.7	0	0	0	0	0	0
2	Hunsur	99.3	95.3	316.9	335.9	0.1	396.9	0	0	0	0	0	0
3	Krishnarajanagara	98.8	100.0	117.6	271.1	0.0	335.3	0	0	0	0	0	0
4	Mysore	99.7	99.4	61.1	55.2	15.9	135.9	0	0	0	0	0	0
5	Nanjangudu	100.0	100.0	277.5	252.3	0.0	140.8	0	0	0	0	0	0
6	Periyapatna	100.0	95.1	346.0	321.7	0.0	578.1	0	0	0	0	0	0
7	Tirumakudal Narsipur	100.0	100.0	295.5	312.0	0.3	420.9	0	0	0	0	0	0

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		145		146		147		148		149		150	
		% immunisation Sessions Held to Immunisation Sessions Planned		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		Pneumonia in Children 0-5 Years of Age		Asthma in Children 0-5 Years of Age		Sepsis in Children 0-5 Years of Age		Diphtheria in Children 0-5 Years of Age	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Mysore	93.6	92.9	92.4	89.8	413	223	520	218	92	119	0	0
1	Heggadadevankote	95.2	94.2	93.2	90.9	88	29	60	27	20	17	0	0
2	Hunsur	98.8	99.2	100.4	95.9	0	0	0	0	0	0	0	0
3	Krishnarajanagara	98.1	99.0	103.2	94.8	163	65	77	38	17	15	0	0
4	Mysore	92.5	93.0	79.9	75.0	143	79	206	111	38	81	0	0
5	Nanjangudu	96.2	98.0	96.3	99.3	12	46	114	38	5	4	0	0
6	Periyapatna	98.0	98.3	94.2	93.0	0	2	0	2	0	0	0	0
7	Tirumakudal Narsipur	82.4	77.1	94.5	91.6	7	2	63	2	12	2	0	0

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		151		152		153		154		155		156	
		Pertussis in Children 0-5 Years of Age		Tetanus Neonatorum in Children 0-5 Years of Age		Tuberculosis (TB) in Children 0-5 Years of Age		Acute Flaccid Paralysis(AFP)in Children 0-5 Years of Age		Measles in Children 0-5 Years of Age		Malaria in Children 0-5 Years of Age	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Mysore	0	0	0	0	15	15	15	15	0	3	413	223
1	Heggadadevankote	0	0	0	0	13	13	13	13	0	0	88	29
2	Hunsur	0	0	0	0	0	0	0	0	0	2	0	0
3	Krishnarajanagara	0	0	0	0	0	1	0	1	0	0	163	65
4	Mysore	0	0	0	0	2	1	2	1	0	1	143	79
5	Nanjangudu	0	0	0	0	0	0	0	0	0	0	12	46
6	Periyapatna	0	0	0	0	0	0	0	0	0	0	0	2
7	Tirumakudal Narsipur	0	0	0	0	0	0	0	0	0	0	7	2

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		157		158		159		160		161		162	
		Diarrhoea in Children 0-5 Years of Age		Diarrhoea treated in Inpatients in Children 0-5 Years of Age		No. of infants given Measles Rubella vaccine 1st dose		No. of infants received Rotavirus Vaccine 1st dose		No. of infants received Rotavirus Vaccine 2nd dose		No. of infants received Rotavirus Vaccine 3rd dose	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Mysore	2,195	1,458	492	306	10,550	10,419	1	0	1	0	1	0
1	Heggadadevankote	262	245	73	67	899	936	0	0	0	0	0	0
2	Hunsur	246	163	29	10	1,092	1,146	0	0	0	0	0	0
3	Krishnarajanagara	190	157	75	78	868	717	1	0	1	0	1	0
4	Mysore	614	584	299	129	4,708	4,464	0	0	0	0	0	0
5	Nanjangudu	479	136	12	10	1,232	1,281	0	0	0	0	0	0
6	Periyapatna	209	94	4	12	784	809	0	0	0	0	0	0
7	Tirumakudal Narsipur	195	79	0	0	967	1,066	0	0	0	0	0	0

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		163		164		165		166		167		168	
		No of children 16-24 months age given Measles 2nd dose		No of children 16-24 months age given Measles Rubella Vaccine 2nd dose		% Adult Female Inpatients to Total Adult Inpatient		% Children Inpatient to Total Inpatient		% Female Inpatient Deaths to Total Inpatient Deaths		% Inpatient Deaths to Total IPD	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Mysore	143	304	10,277	9,812	55.9	55.5	20.5	21.5	40.4	38.4	1.0	0.3
1	Heggadadevankote	24	148	836	683	70.2	60.8	31.7	32.1	30.8	60.0	0.2	0.1
2	Hunsur	28	27	1,054	1,082	54.8	57.5	10.5	14.5	25.0	33.3	0.2	0.2
3	Krishnarajanagara	35	18	805	724	47.8	49.5	18.4	14.6	37.5	40.0	0.3	0.1
4	Mysore	50	92	4,707	4,363	55.1	55.1	20.6	22.6	40.6	40.6	1.3	0.3
5	Nanjangudu	2	1	1,220	1,259	62.2	60.6	18.6	9.9	100.0	60.0	0.0	0.1
6	Periyapatna	4	18	729	755	54.1	54.9	5.8	6.3	25.0	25.0	0.2	0.2
7	Tirumakudal Narsipur	0	0	926	946	52.3	53.0	6.5	25.1	41.2	12.0	0.9	1.0

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		169		170		171		172		173		174	
		IPD (Number)		OPD (Allopathic)		Ayush OPD (Number)		OPD (Ayush+Allopathic)		% IPD to OPD		Number of Major Operations	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Mysore	86,988	96,068	1,704,932	1,547,847	30,993	18,484	1,735,925	1,566,331	5.0	6.1	19,038	18,265
1	Heggadadevankote	7,914	5,496	120,499	125,953	455	1,903	120,954	127,856	6.5	4.3	150	277
2	Hunsur	2,123	3,413	98,582	102,230	1,759	314	100,341	102,544	2.1	3.3	6	23
3	Krishnarajanagara	5,982	3,492	97,198	102,494	12,714	6,600	109,912	109,094	5.4	3.2	148	50
4	Mysore	64,760	73,408	931,521	848,893	0	210	931,521	849,103	7.0	8.6	18,503	17,750
5	Nanjangudu	2,607	5,731	165,966	135,530	10,588	7,962	176,554	143,492	1.5	4.0	47	98
6	Periyapatna	1,666	2,095	97,801	89,969	0	0	97,801	89,969	1.7	2.3	26	12
7	Tirumakudal Narsipur	1,936	2,433	193,365	142,778	5,477	1,495	198,842	144,273	1.0	1.7	158	55

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		175		176		177		178		179		180	
		Number of Minor Operations		% Major Operations to Total Operation		Number of Hysterectomy Surgeries		% Hysterectomy Surgeries to Total Major Operations		% AYUSH OPD to Total OPD		Dental OPD (Number)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Mysore	7,205	5,553	72.5	76.7	790	1,113	4.1	6.0	1.7	1.1	37,523	19,154
1	Heggadadevankote	290	243	34.1	53.3	54	27	36.0	9.7	0.4	1.5	2,120	1,865
2	Hunsur	163	193	3.6	10.6	1	0	16.7	0.0	1.8	0.3	1,265	1,499
3	Krishnarajanagara	159	40	48.2	55.6	24	20	16.2	40.0	11.6	6.0	15,659	4,996
4	Mysore	4,612	4,658	80.0	79.2	663	1,028	3.6	5.8	0.0	0.0	7,985	3,337
5	Nanjangudu	1,321	283	3.4	25.7	0	11	0.0	11.2	6.0	5.5	4,119	3,006
6	Periyapatna	99	40	20.8	23.1	8	0	30.8	0.0	0.0	0.0	1,591	1,038
7	Tirumakudal Narsipur	561	96	22.0	36.4	40	27	25.3	49.1	2.8	1.0	4,784	3,413

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		181		182		183		184		185		186	
		% Dental OPD to Total OPD		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female screened for HIV to Total ANC Registration		% Female HIV Positive to Total Females Tested		% Total HIV Positive to Total Tested (Male + Female)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Mysore	2.2	1.2	1.9	3.3	0.7	1.2	147.6	109.9	1.0	1.3	0.8	1.2
1	Heggadadevankote	1.8	1.5	2.4	3.2	0.9	1.8	48.4	67.2	0.6	1.1	0.8	1.5
2	Hunsur	1.3	1.5	1.8	2.8	0.5	0.3	38.7	39.7	0.7	0.8	0.5	0.5
3	Krishnarajanagara	14.2	4.6	5.1	7.0	1.1	0.6	99.6	59.8	0.7	1.1	1.0	0.8
4	Mysore	0.9	0.4	1.8	3.3	0.6	1.4	248.2	167.3	1.3	1.5	0.9	1.4
5	Nanjangudu	2.3	2.1	2.2	3.5	0.6	0.5	73.2	60.5	0.2	0.9	0.5	0.7
6	Periyapatna	1.6	1.2	1.4	1.8	0.4	2.2	50.9	48.1	0.2	0.6	0.4	1.7
7	Tirumakudal Narsipur	2.4	2.4	2.9	1.1	0.7	0.5	166.1	130.1	0.4	0.4	0.6	0.5

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		187		188		189		190		191		192	
		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Mysore	0.0	0.1	0.0	0.0	222	204	23.0	19.6	12.6	13.2	9.0	10.3
1	Heggadadevankote	0.0	0.0	0.0	0.0	6	9	16.7	22.2	0.0	0.0	0.0	0.0
2	Hunsur	0.0	0.0	0.0	0.0	0	1		0.0		0.0		0.0
3	Krishnarajanagara	0.0	1.3	0.0	0.0	0	5		0.0		40.0		0.0
4	Mysore	0.0	0.0	0.0	0.0	211	181	23.2	20.4	13.3	13.8	8.5	9.9
5	Nanjangudu	0.0	0.0	0.0	0.0	5	3	20.0	0.0	0.0	0.0	40.0	0.0
6	Periyapatna	0.0	0.0	0.0	0.0	0	1		0.0		0.0		0.0
7	Tirumakudal Narsipur	0.0	0.0	0.0	0.0	0	4		25.0		0.0		75.0

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		193		194		195		196		197		198	
		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		Institutional Deliveries at Urban Health Facilities i.e SC+PHC+CHC+SDH		Institutional Deliveries at District Hospitals		Measles immunization at urban Health facilities i.e SC+PHC+CHC+SDH+DH	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Mysore	0.0	1.0	0.9	0.5	0.0	0.0	5,983	5,524				
1	Heggadadevankote	0.0	0.0	0.0	0.0	0.0	0.0	496	435				
2	Hunsur		0.0		0.0		0.0	163	154				
3	Krishnaranjanagara		0.0		0.0		0.0	38	24				
4	Mysore	0.0	0.6	0.9	0.6	0.0	0.0	4,976	4,573				
5	Nanjangudu	0.0	33.3	0.0	0.0	0.0	0.0	306	338				
6	Periyapatna		0.0		0.0		0.0	4					
7	Tirumakudal Narsipur		0.0		0.0		0.0						