| | Indicators _Rajgarh | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|------------------------|--|--|--|--|--|---|---|--|--|---|---|--|--|
| | Indicators | Total number of pregnant women Registere d for ANC | Number of Pregnant women registere d within first trimester | % 1st Trimeste r registrati on to Total ANC Registrati ons | Number of pregnant women received 4 or more ANC check ups | TT2 given to Pregnant women (numbers | TT Booster given to Pregnant women (numbers) | % Pregnant Woman received 4 ANC check ups to Total ANC Registrati ons | % Pregnant women received TT2+ TT Booster to Total ANC Registrati on | Number of Pregnant women given 180 IFA tablets | % Pregnant women given 180 IFA to Total ANC Registrati on | Number of Pregnant Women having Hb level<11 (tested cases) | Number of Pregnant Women having severe anaemia (Hb<7) treated at institutio n | % Pregnant women having severe anaemia (Hb<7) treated at institutio n to women having hb level<7 |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Rajgarh | 27,999 | 17,619 | 62.9 | 22,435 | 17,860 | 7,961 | 80.1 | 92.2 | 27,088 | 96.7 | 22,386 | 423 | 42.1 |
| 1 | Biaora | 4,805 | 2,985 | 62.1 | 3,645 | 2,783 | 1,668 | 75.9 | 92.6 | 4,372 | 91.0 | 3,505 | 93 | 34.1 |
| 2 | Jirapur | 3,491 | 2,429 | 69.6 | 2,652 | 2,594 | 850 | 76.0 | 98.7 | 3,236 | 92.7 | 2,091 | 4 | 3.4 |
| 3 | Khilchipur | 4,041 | 2,373 | 58.7 | 3,612 | 1,718 | 1,379 | 89.4 | 76.6 | 3,978 | 98.4 | 2,418 | 2 | 1.7 |
| 4 | Narsinghgarh | 5,824 | 3,424 | 58.8 | 5,017 | 3,717 | 1,754 | 86.1 | 93.9 | 5,964 | 102.4 | 4,717 | 49 | 59.0 |
| 5 | Rajgarh | 5,186 | 3,363 | 64.8 | 3,634 | 3,569 | 1,122 | 70.1 | 90.5 | 5,127 | 98.9 | 4,020 | 263 | 87.7 |
| 6 | Rajgarh1 | | | | | | | | | | | | | |
| 7 | Sarangpur | 4,652 | 3,045 | 65.5 | 3,875 | 3,479 | 1,188 | 83.3 | 100.3 | 4,411 | 94.8 | 5,635 | 12 | 10.5 |

| | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 |
|---|--------------|--|---------------------------------|--|--|--|--|--|--|---|---|---|---|---|
| 1 | Indicators | % New cases of Pregnant Women detected at institutio n for hyperten sion to Total ANC Registrati ons | Number of Home deliveries | Number of home deliveries attended by SBA trained (Doctor/ Nurse/ ANM) | Number of home deliveries attended by Non SBA trained (trained TB/Dai) | % SBA attended home deliveries to Total Reported Home Deliveries | Deliveries Conducte d at Public Institutio ns | Number of Women Discharge d under 48 hours of delivery in public facilities | % Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at public institutio ns | Deliveries Conducte d at Private Institutio ns | Number of Women Discharge d under 48 hours of delivery in private institutio ns | % Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at private institutio ns | Institutio nal deliveries (Public Insts.+Pvt . Insts.) | % Institutio nal Deliveries to total ANC registrati on |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Rajgarh | 3.2 | 792 | 459 | 333 | 57.9 | 17,526 | 1,332 | 7.6 | 369 | 0 | 0.0 | 17,895 | 63.9 |
| 1 | Biaora | 2.6 | 119 | 68 | 51 | 57.1 | 2,964 | 468 | 15.8 | 113 | 0 | 0.0 | 3,077 | 64.0 |
| 2 | Jirapur | 0.4 | 13 | 7 | 6 | 53.8 | 2,011 | 68 | 3.4 | | | | 2,011 | 57.6 |
| 3 | Khilchipur | 4.9 | 172 | 117 | 55 | 68.0 | 1,578 | 347 | 22.0 | | | | 1,578 | 39.0 |
| 4 | Narsinghgarh | 2.1 | 163 | 49 | 114 | 30.1 | 3,146 | 155 | 4.9 | | | | 3,146 | 54.0 |
| 5 | Rajgarh | 3.9 | 304 | 206 | 98 | 67.8 | 4,646 | 234 | 5.0 | 256 | 0 | 0.0 | 4,902 | 94.5 |
| 6 | Rajgarh1 | | | | | | | | | | | | | |
| 7 | Sarangpur | 4.7 | 21 | 12 | 9 | 57.1 | 3,181 | 60 | 1.9 | | | | 3,181 | 68.4 |

| | | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 |
|---|--------------|---------------------------------|--|---|---|---|--|--|---|---|--|---|--|--|
| 1 | ndicators | Total reported deliveries | % Institutio nal deliveries to Total Reported Deliveries | % Safe deliveries to Total Reported Deliveries | % Home deliveries to Total Reported Deliveries | Number of C-section deliveries conducte d at public facilities | Number of C-section deliveries conducte d at private facilities | % C-section deliveries (Public + Pvt.) to reported institutio nal (Public + Pvt.) deliveries | % C-section s conducte d at public facilities to Deliveries conducte d at public facilities | % C-section s conducte d at Private facilities to Deliveries conducte d at private facilities | % Deliveries conducte d at Public Institutio ns to Total Institutio nal Deliveries | % Deliveries conducte d at Private Institutio ns to Total Institutio nal Deliveries | Women received 1st post partum check-up within 48 hours of home delivery | Women received 1st post partum check up between 48 hours and 14 days |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Rajgarh | 18,687 | 95.8 | 98.2 | 4.2 | 259 | 68 | 1.8 | 1.5 | 18.4 | 97.9 | 2.1 | 714 | 2,205 |
| 1 | Biaora | 3,196 | 96.3 | 98.4 | 3.7 | 10 | 31 | 1.3 | 0.3 | 27.4 | 96.3 | 3.7 | 116 | 961 |
| 2 | Jirapur | 2,024 | 99.4 | 99.7 | 0.6 | 0 | | 0.0 | 0.0 | | 100.0 | 0.0 | 12 | 2 |
| 3 | Khilchipur | 1,750 | 90.2 | 96.9 | 9.8 | 0 | | 0.0 | 0.0 | | 100.0 | 0.0 | 118 | 46 |
| 4 | Narsinghgarh | 3,309 | 95.1 | 96.6 | 4.9 | 4 | | 0.1 | 0.1 | | 100.0 | 0.0 | 142 | 24 |
| 5 | Rajgarh | 5,206 | 94.2 | 98.1 | 5.8 | 197 | 37 | 4.8 | 4.2 | 14.5 | 94.8 | 5.2 | 182 | 114 |
| 6 | Rajgarh1 | | | | | | | | | | | | | |
| 7 | Sarangpur | 3,202 | 99.3 | 99.7 | 0.7 | 48 | | 1.5 | 1.5 | | 100.0 | 0.0 | 144 | 1,058 |

| | Indicators _Rajgarh | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 |
|---|------------------------|---|---|---|---|--|--|---|--|---|--|--|--|--|
| | Indicators | % Women getting 1st post partum check-up within 48 hours of home delivery to Total Reported Home Deliveries | % Women getting 1st Post Partum Checkup between 48 hours and 14 days to Total Reported Deliveries | Total Number of reported live births | % Live Births to Total Deliveries | Total Number of reported Still Births | % live birth to Reported Birth | Number of Newborns weighed at birth | % Newborns weighed at birth to live birth | Number of Newborns having weight less than 2.5 kg | % Newborns having weight less than 2.5 kg to Newborns weighed at birth | Number of New Borns Breast Fed within 1 hour | % Newborns breast fed within 1 hour of birth to Total live birth | Sex Ratio at birth (Female Live Births/ Male Live Births *1000) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Rajgarh | 90.2 | 11.8 | 18,396 | 98.4 | 337 | 98.2 | 17,903 | 97.3 | 3,264 | 18.2 | 17,205 | 93.5 | 937 |
| 1 | Biaora | 97.5 | 30.1 | 3,175 | 99.3 | 26 | 99.2 | 3,134 | 98.7 | 417 | 13.3 | 3,034 | 95.6 | 959 |
| 2 | Jirapur | 92.3 | 0.1 | 1,992 | 98.4 | 41 | 98.0 | 1,992 | 100.0 | 498 | 25.0 | 1,992 | 100.0 | 943 |
| 3 | Khilchipur | 68.6 | 2.6 | 1,718 | 98.2 | 33 | 98.1 | 1,714 | 99.8 | 145 | 8.5 | 1,714 | 99.8 | 943 |
| 4 | Narsinghgarh | 87.1 | 0.7 | 3,273 | 98.9 | 64 | 98.1 | 3,214 | 98.2 | 398 | 12.4 | 3,218 | 98.3 | 866 |
| 5 | Rajgarh | 59.9 | 2.2 | 5,068 | 97.3 | 145 | 97.2 | 4,673 | 92.2 | 1,381 | 29.6 | 4,211 | 83.1 | 921 |
| 6 | Rajgarh1 | | | | | | | | | | | | | 0 |
| 7 | Sarangpur | 685.7 | 33.0 | 3,170 | 99.0 | 28 | 99.1 | 3,176 | 100.2 | 425 | 13.4 | 3,036 | 95.8 | 1,015 |

| | | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 |
|---|--------------|---|---|--|---|--|---|---|---|--|---|--|---|--|
| | ndicators | % cases of Pregnant women with Obstetric Complica tions and attended to reported deliveries | % Complica ted Pregnanci es treated with Blood Transfusi on to Total Women with Obstetric Complica tions attended | Number of PW given 360 Calcium tablets | % Pregnant women given 360 Calcium to Total ANC Registrati on | Number of PW given one Albendaz ole tablet after 1st trimester | % Pregnant women given one Albendaz ole tablet after 1st trimester to Total ANC Registrati on | Number of PW tested for blood sugar using OGTT (Oral Glucose Toleranc e Test) | % Pregnant women tested for blood sugar using OGTT to Total ANC Registrati on | Number of PW tested positive for GDM | % Pregnant women tested positive for GDM to Total ANC Registrati on | Number of pregnant women tested for Syphilis | Number of pregnant women tested found sero positive for Syphilis | % Pregnant women tested for Syphilis to Total ANC Registrati on |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Rajgarh | 14.6 | 35.7 | 21,820 | 77.9 | 20,836 | 74.4 | 0 | 0.0 | 0 | 0.0 | 8,391 | 1 | 30.0 |
| 1 | Biaora | 4.2 | 48.5 | 3,845 | 80.0 | 3,105 | 64.6 | 0 | 0.0 | 0 | 0.0 | 2,085 | 0 | 43.4 |
| 2 | Jirapur | 0.8 | 0.0 | 1,588 | 45.5 | 2,463 | 70.6 | 0 | 0.0 | 0 | 0.0 | 145 | 0 | 4.2 |
| 3 | Khilchipur | 0.9 | 0.0 | 3,920 | 97.0 | 3,587 | 88.8 | 0 | 0.0 | 0 | 0.0 | 311 | 0 | 7.7 |
| 4 | Narsinghgarh | 6.2 | 5.3 | 3,774 | 64.8 | 4,764 | 81.8 | 0 | 0.0 | 0 | 0.0 | 2,241 | 0 | 38.5 |
| 5 | Rajgarh | 42.6 | 40.7 | 5,198 | 100.2 | 3,384 | 65.3 | 0 | 0.0 | 0 | 0.0 | 3,017 | 1 | 58.2 |
| 6 | Rajgarh1 | | | | | _ | | | | | | | | |
| 7 | Sarangpur | 4.8 | 0.0 | 3,495 | 75.1 | 3,533 | 75.9 | 0 | 0.0 | 0 | 0.0 | 592 | 0 | 12.7 |

| | Indicators _Rajgarh Biaora liranur | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 | 76 | 77 | 78 |
|---|---------------------------------------|--|--|---------------------------------|---|--|---|------------------------------------|---|---|---|--|---|--|
| 1 | ndicators | % Pregnant women treatd for Syphilis to Total sero positive for Syphilis | % of babies treated for congenita I Syphilis to babies total diagnosed with Congenit al Syphilis | Total no. maternal deaths | Total Facility Based Maternal Death Reviews (FBMDR) done | Total Number of Abortions (Spontan eous) Reported | Total Number of MTPs (Public) conducte d | % MTPs to total Abortions | % MTPs up to 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns | % MTPs more than 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns | % MTPs Conducte d at Public Institutio ns to Total MTPs | % MTPs Conducte d at Private Institutio ns to Total MTPs | % Total MTPs (Public) Conducte d to Total ANC Registrati on | Number of Vasectom ies Conducte d |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Rajgarh | 0.0 | | 19 | 1 | 352 | 238 | 40.7 | 92.4 | 7.6 | 98.3 | 1.7 | 0.9 | 12 |
| 1 | Biaora | 0.0 | | 1 | 0 | 82 | 20 | 19.6 | 60.0 | 40.0 | 100.0 | 0.0 | 0.4 | 0 |
| 2 | Jirapur | 0.0 | | 3 | 0 | 27 | 7 | 20.6 | 100.0 | 0.0 | 100.0 | 0.0 | 0.2 | 6 |
| 3 | Khilchipur | 0.0 | | 6 | 1 | 17 | 0 | 0.0 | | | | | 0.0 | 0 |
| 4 | Narsinghgarh | 0.0 | | 5 | 0 | 116 | 16 | 12.1 | 93.8 | 6.3 | 100.0 | 0.0 | 0.3 | 5 |
| 5 | Rajgarh | 0.0 | | 4 | 0 | 85 | 183 | 68.8 | 95.1 | 4.9 | 97.9 | 2.1 | 3.5 | 1 |
| 6 | Rajgarh1 | | | | | | | | | | | | | |
| 7 | Sarangpur | 0.0 | | 0 | | 25 | 12 | 32.4 | 100.0 | 0.0 | 100.0 | 0.0 | 0.3 | 0 |

| | | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 |
|---|--------------|--|---|---|--|---|---|---|--|--|---|---|--|--|
| | Indicators | Number of Tubecto mies Conducte d | Total Sterilisati on Conducte d | % Male Sterlisati on (Vasecto mies) to Total sterilisati on | % Female Serlisatio n (Tubecto mies) to Total sterilisati on | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at PHC | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at CHC | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at SDH | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at DH | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at Public institutio ns | % Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns to Total Sterlisati on | % Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Public institutio ns to Total Sterlisati on | % Laparosc opic sterlisati ons to Total Female Sterilisati ons |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Rajgarh | 3,399 | 3,411 | 0.3 | 99.6 | | | | | | 3,411 | 0.0 | 100.0 | 88.1 |
| 1 | Biaora | 779 | 779 | 0.0 | 100.0 | | | | | | 779 | 0.0 | 100.0 | 99.9 |
| 2 | Jirapur | 510 | 516 | 1.2 | 98.8 | | | | | | 516 | 0.0 | 100.0 | 100.0 |
| 3 | Khilchipur | 228 | 228 | 0.0 | 100.0 | | | | | | 228 | 0.0 | 100.0 | 98.7 |
| 4 | Narsinghgarh | 603 | 608 | 0.8 | 99.2 | | | | | | 608 | 0.0 | 100.0 | 100.0 |
| 5 | Rajgarh | 823 | 824 | 0.1 | 99.9 | | | | | | 824 | 0.0 | 100.0 | 89.7 |
| 6 | Rajgarh1 | | | | | | | | | | | | | |
| 7 | Sarangpur | 456 | 456 | 0.0 | 100.0 | | | | | | 456 | 0.0 | 100.0 | 30.7 |

| | Indicators _Rajgarh Biaora | 92 | 93 | 94 | 95 | 96 | 97 | 98 | 99 | 100 | 101 | 102 | 103 | 104 |
|---|-----------------------------|--|--|--|---|---|--|--|---|--|--|---|---|--|
| 1 | Indicators | % Mini Lap Sterlisati ons to Total Female Sterilisati ons | % Post Partum Sterlisati ons to Total Female Sterilisati ons | % Post Abortion Sterlisati ons to Total Female Sterilisati ons | % Laparosc opic sterlisati ons at Public Institutio ns to Total Laparosc opic Sterilisati ons | % Mini Lap sterlisati ons at Public Institutio ns to Total Mini Lap Sterilisati ons | % Post Partum sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on | % Post Abortion sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on | Total cases of deaths following Sterlisati on (Male + Female) | Total cases of deaths following Male Sterlisati on | Total cases of deaths following Female Sterlisati on | Total cases of failure following Male Sterlisati on | Total cases of failure following Female Sterlisati on | Total cases of complicat ion following Male Sterlisati on |
| | - 12 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Rajgarh | 6.7 | 5.0 | 0.1 | 100.0 | 100.0 | 100.0 | 100.0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | Biaora | 0.0 | 0.1 | 0.0 | 100.0 | | 100.0 | | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | Jirapur | 0.0 | 0.0 | 0.0 | 100.0 | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | Khilchipur | 0.0 | 1.3 | 0.0 | 100.0 | | 100.0 | | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | Narsinghgarh | 0.0 | 0.0 | 0.0 | 100.0 | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 5 | Rajgarh | 1.5 | 8.7 | 0.1 | 100.0 | 100.0 | 100.0 | 100.0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6 | Rajgarh1 | | | | | | | | | | | | | |
| 7 | Sarangpur | 47.4 | 21.1 | 0.9 | 100.0 | 100.0 | 100.0 | 100.0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | Indicators | 105 | 106 | 107 | 108 | 109 | 110 | 111 | 112 | 113 | 114 | 115 | 116 | 117 |
|---|--------------|--|--|--|---|---|---|---|--|---------------------------------------|---|--|-------------------------------------|--|
| 1 | Indicators | Total cases of complicat ion following Female Sterlisati on | IUCD Insertions done (public facilities) | IUCD insertions done (pvt. facilities) | % PP IUCD Insertions (public) to Total IUCD Insertions (public) | % PP IUCD Insertions (public) to Total Institutio nal Deliveries (public) | % IUCD insertions to all family planning methods (IUCD plus permane nt) | Total Interval IUCD Insertions done | Total PP IUCD Insertions done | Total PAIUCD insertions done | Combine d Oral Pills distribute d | Emergenc y pills distribute d | Condom pieces distribute d | Centchro man (weekly pills) distribute d |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Rajgarh | 39 | 5,618 | | 62.4 | 20.0 | 62.2 | 2,083 | 3,507 | 28 | 94,469 | 1,069 | 615,028 | 5 |
| 1 | Biaora | 1 | 1,217 | | 41.7 | 17.1 | 61.0 | 710 | 507 | 0 | 19,598 | 26 | 74,405 | 0 |
| 2 | Jirapur | 0 | 384 | | 54.7 | 10.4 | 42.7 | 174 | 210 | 0 | 14,342 | 267 | 114,023 | 0 |
| 3 | Khilchipur | 0 | 551 | | 75.5 | 26.4 | 70.7 | 135 | 416 | 0 | 11,201 | 16 | 13,814 | 0 |
| 4 | Narsinghgarh | 0 | 1,235 | | 87.0 | 34.2 | 67.0 | 151 | 1,075 | 9 | 24,481 | 311 | 173,821 | 0 |
| 5 | Rajgarh | 0 | 1,509 | | 54.5 | 17.7 | 64.7 | 668 | 822 | 19 | 12,146 | 300 | 179,249 | 5 |
| 6 | Rajgarh1 | | | | | | | | | | | | | |
| 7 | Sarangpur | 38 | 722 | | 66.1 | 15.0 | 61.3 | 245 | 477 | 0 | 12,701 | 149 | 59,716 | 0 |

| | | 118 | 119 | 120 | 121 | 122 | 123 | 124 | 125 | 126 | 127 | 128 | 129 | 130 |
|---|--------------|--|--|--|---|------------------------------------|---|-----------------------------------|---|---|--|---|---------------------------------------|---------------------------------------|
| 1 | ndicators | Number of beneficia ries given 1st dose of Injectabl e (Antara Program) | Number of beneficia ries given 2nd dose of Injectabl e (Antara Program) | Number of beneficia ries given 3rd dose of Injectabl e (Antara Program) | Number of beneficia ries given 4th or more than 4 doses of Injectabl e (Antara Program) | Pregnanc y testing kits used | Number of Infants given OPV 0 (Birth Dose) | Number of Infants given BCG | Number of Infants given Hep- B0 (birth dose) | % Newborns given OPV0 at birth to Reported live birth | % Newborns given BCG to Reported live birth | % Newborns given Hep-B0 (Birth Dose)at birth to Reported live birth | Number of Infants given DPT1 | Number of Infants given DPT2 |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Rajgarh | 42 | 5 | 0 | 0 | 18,778 | 16,644 | 17,970 | 16,320 | 90.5 | 97.7 | 88.7 | 0 | 0 |
| 1 | Biaora | 0 | 0 | 0 | 0 | 1,287 | 2,872 | 3,232 | 2,849 | 90.5 | 101.8 | 89.7 | 0 | 0 |
| 2 | Jirapur | 3 | 0 | 0 | 0 | 2,196 | 1,959 | 1,962 | 1,958 | 98.3 | 98.5 | 98.3 | 0 | 0 |
| 3 | Khilchipur | 1 | 2 | 0 | 0 | 1,889 | 1,420 | 1,635 | 1,304 | 82.7 | 95.2 | 75.9 | 0 | 0 |
| 4 | Narsinghgarh | 6 | 0 | 0 | 0 | 5,495 | 2,857 | 3,153 | 2,817 | 87.3 | 96.3 | 86.1 | 0 | 0 |
| 5 | Rajgarh | 32 | 3 | 0 | 0 | 4,501 | 4,427 | 4,804 | 4,426 | 87.4 | 94.8 | 87.3 | 0 | 0 |
| 6 | Rajgarh1 | | | | | | | | | | | | | |
| 7 | Sarangpur | 0 | 0 | 0 | 0 | 3,410 | 3,109 | 3,184 | 2,966 | 98.1 | 100.4 | 93.6 | 0 | 0 |

| | Indicators Rajgarh | 131 | 132 | 133 | 134 | 135 | 136 | 137 | 138 | 139 | 140 | 141 | 142 | 143 |
|---|-----------------------|---------------------------------------|--|--|--|--|----------------------------------|---|---|---|---|--|---|---|
| ı | ndicators | Number of Infants given DPT3 | Number of Infants given Pentavale nt 1 | Number of Infants given Pentavale nt 2 | Number of Infants given Pentavale nt 3 | Number of Infants given Measles | Number of Infants given MR | % Infants 0 to 11 months old who received Measles+ MR vaccine to reported live births | Number of fully immunize d children (9-11 months) | % Drop Out between BCG & Measles/ MR | % Children given Vit A dose1 to Reported live birth | % Children given Vitamin A Dose 9 to Children given Vit A dose1 | Adverse Events Following Imunisati on (Abcess) | Adverse Events Following Imunisati on (Deaths) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Rajgarh | 0 | 23,323 | 22,797 | 22,630 | 23,816 | 13 | 129.5 | 24,199 | -32.5 | 133.7 | 109.4 | 12 | 0 |
| 1 | Biaora | 0 | 4,133 | 4,041 | 4,161 | 4,567 | 0 | 143.8 | 4,567 | -41.3 | 152.6 | 62.0 | 0 | 0 |
| 2 | Jirapur | 0 | 2,728 | 2,707 | 2,720 | 3,097 | 0 | 155.5 | 3,106 | -57.8 | 164.0 | 112.5 | 0 | 0 |
| 3 | Khilchipur | 0 | 3,177 | 3,079 | 3,111 | 3,097 | 13 | 181.0 | 3,203 | -89.4 | 191.0 | 73.2 | 0 | 0 |
| 4 | Narsinghgarh | 0 | 4,976 | 4,780 | 4,672 | 4,993 | 0 | 152.6 | 4,993 | -58.4 | 152.6 | 101.4 | 1 | 0 |
| 5 | Rajgarh | 0 | 3,791 | 3,811 | 3,635 | 3,918 | 0 | 77.3 | 3,922 | 18.4 | 79.4 | 208.9 | 0 | 0 |
| 6 | Rajgarh1 | | | | | | | | | | | | | |
| 7 | Sarangpur | 0 | 4,518 | 4,379 | 4,331 | 4,144 | 0 | 130.7 | 4,408 | -30.2 | 131.9 | 103.8 | 11 | 0 |

| | Indicators Rajgarh | 144 | 145 | 146 | 147 | 148 | 149 | 150 | 151 | 152 | 153 | 154 | 155 | 156 |
|---|-----------------------|---|---|---|---|--|--|--|--|---|---|---|--|---|
| 1 | ndicators | Adverse Events Following Imunisati on (Others) | % immunisa tion Sessions Held to Immunisa tion Sessions Planned | % Immunisa tion Sessions where ASHAs were present to Immunisa tion Sessions Planned | Pneumoni a in Children 0-5 Years of Age | Asthma in Children 0-5 Years of Age | Sepsis in Children 0-5 Years of Age | Diphtheri a in Children 0-5 Years of Age | Pertussis in Children 0-5 Years of Age | Tetanus Neonator um in Children 0-5 Years of Age | Tubercul osis (TB) in Children 0-5 Years of Age | Acute Flaccid Paralysis (AFP)in Children 0-5 Years of Age | Measles in Children 0-5 Years of Age | Malaria in Children 0-5 Years of Age |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Rajgarh | 0 | 97.5 | 77.7 | 863 | 84 | 26 | 0 | 0 | 0 | 22 | 22 | 36 | 863 |
| 1 | Biaora | 0 | 95.0 | 64.8 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 2 |
| 2 | Jirapur | 0 | 98.1 | 82.8 | 28 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 28 |
| 3 | Khilchipur | 0 | 97.2 | 82.8 | 61 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 61 |
| 4 | Narsinghgarh | 0 | 98.1 | 76.9 | 163 | 67 | 0 | 0 | 0 | 0 | 9 | 9 | 0 | 163 |
| 5 | Rajgarh | 0 | 97.7 | 80.7 | 591 | 12 | 26 | 0 | 0 | 0 | 11 | 11 | 15 | 591 |
| 6 | Rajgarh1 | | | | | | | | | | | | | |
| 7 | Sarangpur | 0 | 100.0 | 84.4 | 18 | 5 | 0 | 0 | 0 | 0 | 2 | 2 | 15 | 18 |

| Indicators | | 157 | 158 | 159 | 160 | 161 | 162 | 163 | 164 | 165 | 166 | 167 | 168 | 169 |
|------------|--------------|--|--|---|---|---|---|--|--|---|---|---|---|-----------------|
| | | Diarrhoea in Children 0-5 Years of Age | Diarrhoea treated in Inpatient s in Children 0-5 Years of Age | No. of infants given Measles Rubella vaccine 1st dose | No. of infants received Rotavirus Vaccine 1st dose | No. of infants received Rotavirus Vaccine 2nd dose | No. of infants received Rotavirus Vaccine 3nd dose | No of children 16-24 months age given Measles 2nd dose | No of children 16-24 months age given Measles Rubella Vaccine 2nd dose | % Adult Female Inpatient s to Total Adult Inpatient | % Children Inpatient to Total Inpatient | % Female Inpatient Deaths to Total Inpatient Deaths | % Inpatient Deaths to Total IPD | IPD (Number) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Rajgarh | 3,829 | 534 | 13 | 22,459 | 19,670 | 19,670 | 19,998 | 0 | 61.5 | 17.0 | 32.7 | 0.2 | 77,770 |
| 1 | Biaora | 324 | 2 | 0 | 3,882 | 3,285 | 3,285 | 4,113 | 0 | 69.3 | 4.2 | 22.7 | 0.3 | 6,971 |
| 2 | Jirapur | 292 | 75 | 0 | 2,709 | 2,404 | 2,404 | 2,289 | 0 | 36.6 | 25.5 | 33.3 | 0.0 | 20,423 |
| 3 | Khilchipur | 258 | 0 | 13 | 2,800 | 2,452 | 2,452 | 2,606 | 0 | 65.7 | 7.3 | 0.0 | 0.0 | 4,844 |
| 4 | Narsinghgarh | 1,376 | 91 | 0 | 4,844 | 4,120 | 4,120 | 4,159 | 0 | 84.4 | 4.1 | 30.8 | 0.1 | 9,990 |
| 5 | Rajgarh | 726 | 255 | 0 | 3,761 | 3,438 | 3,438 | 3,543 | 0 | 67.2 | 15.7 | 35.4 | 0.4 | 27,263 |
| 6 | Rajgarh1 | | | | | | | | | | | | | |
| 7 | Sarangpur | 853 | 111 | 0 | 4,463 | 3,971 | 3,971 | 3,288 | 0 | 53.4 | 31.9 | 33.3 | 0.1 | 8,279 |

| Indicators | | 170 | 171 | 172 | 173 | 174 | 175 | 176 | 177 | 178 | 179 | 180 | 181 | 182 |
|------------|--------------|-------------------------|--------------------------|-------------------------------|--------------------|--------------------------------------|--------------------------------------|---|---|--|--------------------------------------|---------------------------|---------------------------------------|--|
| | | OPD (Allopathi c) | Ayush OPD (Number) | OPD (Ayush+Al lopathic) | % IPD to OPD | Number of Major Operatio ns | Number of Minor Operatio ns | % Major Operatio ns to Total Operatio n | Number of Hysterect omy Surgeries | % Hysterect omy Surgeries to Total Major Operatio ns | % AYUSH OPD to Total OPD | Dental OPD (Number) | % Dental OPD to Total OPD | % Hb < 7 mg to Total Hb Tests Conducte d |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Rajgarh | 877,381 | 61,587 | 938,968 | 8.3 | 74 | 4,578 | 1.6 | 9 | 12.1 | 6.5 | 5,568 | 0.6 | 1.2 |
| 1 | Biaora | 141,564 | 14,074 | 155,638 | 4.5 | 3 | 143 | 2.1 | 3 | 100.0 | 9.0 | 284 | 0.2 | 1.6 |
| 2 | Jirapur | 78,512 | 3,381 | 81,893 | 24.9 | 0 | 79 | 0.0 | 0 | | 4.1 | 381 | 0.5 | 0.5 |
| 3 | Khilchipur | 55,295 | 2,640 | 57,935 | 8.4 | 0 | 65 | 0.0 | 0 | | 4.6 | 424 | 0.7 | 0.7 |
| 4 | Narsinghgarh | 231,401 | 11,011 | 242,412 | 4.1 | 9 | 2,805 | 0.3 | 3 | 33.3 | 4.5 | 830 | 0.3 | 0.3 |
| 5 | Rajgarh | 214,103 | 20,334 | 234,437 | 11.6 | 59 | 777 | 7.1 | 1 | 1.7 | 8.7 | 3,114 | 1.3 | 2.4 |
| 6 | Rajgarh1 | | | | | | | | | | | | | |
| 7 | Sarangpur | 156,506 | 10,147 | 166,653 | 5.0 | 3 | 709 | 0.4 | 2 | 66.7 | 6.1 | 535 | 0.3 | 0.5 |

| Indicators | | 183 | 184 | 185 | 186 | 187 | 188 | 189 | 190 | 191 | 192 | 193 | 194 | 195 |
|------------|--------------|--|--|---|---|--|--|--|--|--|--|---|---|---|
| | | % Male HIV Positive to Total Males Tested | % Female screened for HIV to Total ANC Registrati on | % Female HIV Positive to Total Females Tested | % Total HIV Positive to Total Tested (Male + Female) | % Plasmodi um Vivax test positive to Total Blood Smears Examined | % Plasmodi um Falciparu m test positive to Total Blood Smears Examined | Total Number of Infant Deaths reported | % Deaths due to Sepsis to Total Reported Infant Deaths | % Deaths due to Asphyxia to Total Reported Infant Deaths | % Deaths due to Pneumoni a to Total Reported Infant Deaths | % Deaths due to Diarrhoea to Total Reported Infant Deaths | % Deaths due to Fever to Total Reported Infant Deaths | % Deaths due to Measles to Total Reported Infant Deaths |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Rajgarh | 0.9 | 23.4 | 0.2 | 0.4 | 0.5 | 0.0 | 475 | 9.1 | 5.5 | 5.1 | 0.2 | 3.2 | 0.0 |
| 1 | Biaora | 0.0 | 48.6 | 0.0 | 0.0 | 0.6 | 0.0 | 76 | 3.9 | 0.0 | 3.9 | 0.0 | 5.3 | 0.0 |
| 2 | Jirapur | 0.7 | 4.6 | 0.0 | 0.3 | 0.1 | 0.0 | 27 | 7.4 | 0.0 | 7.4 | 0.0 | 0.0 | 0.0 |
| 3 | Khilchipur | 0.0 | 7.1 | 0.3 | 0.3 | 0.8 | 0.0 | 35 | 0.0 | 0.0 | 8.6 | 2.9 | 8.6 | 0.0 |
| 4 | Narsinghgarh | 0.6 | 12.5 | 0.1 | 0.3 | 0.5 | 0.0 | 102 | 2.9 | 0.0 | 5.9 | 0.0 | 2.9 | 0.0 |
| 5 | Rajgarh | 1.3 | 24.7 | 0.6 | 1.0 | 0.6 | 0.0 | 193 | 16.6 | 13.5 | 4.7 | 0.0 | 2.6 | 0.0 |
| 6 | Rajgarh1 | | | | | | | | | | | | | |
| 7 | Sarangpur | 0.3 | 37.8 | 0.2 | 0.2 | 0.5 | 0.0 | 42 | 7.1 | 0.0 | 2.4 | 0.0 | 0.0 | 0.0 |

| | | 196 | 197 | 198 | | |
|----|--------------|--|--|---|--|--|
| li | ndicators | Institutio nal Deliveries at Urban Heatlh Facilities i.e SC+PHC+ CHC+SDH | Institutio nal Deliveries at District Hospitals | Measles immuniza tion at urban Health facilities i.e SC+PHC+ CHC+SDH +DH | | |
| | | 2017-18 | 2017-18 | 2017-18 | | |
| | _Rajgarh | 4,952 | | | | |
| 1 | Biaora | 1,598 | | | | |
| 2 | Jirapur | | | | | |
| 3 | Khilchipur | | | | | |
| 4 | Narsinghgarh | 1,076 | | | | |
| 5 | Rajgarh | 256 | | | | |
| 6 | Rajgarh1 | | | | | |
| 7 | Sarangpur | 2,022 | | | | |