

Performance of Key HMIS Indicators for Delhi (Across Districts)

Financial Year: 2010-11

Provisional Figures for the Period April to June

Indicator		1		2		3		4		5		6	
		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Delhi	37,087	28,687	99.8	105.9	874	497	97.7	98.3	33,308	24,232	37,687	25,369
1	Central	4,551	4,875	97.9	99.1	154	89	96.7	98.2	4,490	3,937	3,925	3,879
2	East	2,994	3,103	99.1	145.7	35	40	98.8	98.7	2,848	2,829	2,676	2,754
3	New Delhi	2,856	3,190	98.9	98.9	86	80	97.1	97.6	2,847	3,190	2,881	361
4	North	3,073	1,486	98.6	100.2	77	7	97.6	99.5	2,975	1,312	2,816	1,343
5	North East	4,384	3,801	98.1	109.3	96	58	97.9	98.5	4,381	3,786	6,001	4,302
6	North West	4,847	1,967	112.0	170.3	97	18	98.0	99.1	2,874	1,213	5,385	1,974
7	Shahdara												
8	South	2,964	986	102.0	90.5	28	16	99.1	98.4	2,332	882	3,231	1,776
9	South East												
10	South West	6,395	6,606	96.2	97.6	192	164	97.1	97.6	5,908	4,821	6,330	6,557
11	West	5,023	2,673	98.2	94.5	109	25	97.9	99.1	4,653	2,262	4,442	2,423

Performance of Key HMIS Indicators for Delhi (Across Districts)

Financial Year: 2010-11

Provisional Figures for the Period April to June

Indicator		7		8		9		10		11		12	
		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Delhi	58,394	47,190	101.6	88.4	157.5	164.5	59,385	53,650	60,730	52,613	57,905	52,607
1	Central	4,220	3,739	86.2	79.6	92.7	76.7	3,483	3,063	3,063	2,685	2,977	2,605
2	East	4,345	4,724	89.4	88.8	145.1	152.2	4,998	6,154	4,865	5,764	4,737	5,939
3	New Delhi	1,226	592	100.9	11.3	42.9	18.6	1,202	680	1,002	669	913	677
4	North	3,891	2,671	91.6	90.4	126.6	179.7	3,603	2,960	3,806	3,145	3,747	3,246
5	North East	8,136	6,852	136.9	113.2	185.6	180.3	8,131	7,219	7,695	5,889	6,505	5,402
6	North West	11,775	5,970	111.1	100.4	242.9	303.5	16,060	9,144	15,811	9,455	15,495	9,447
7	Shahdara												
8	South	7,321	6,594	109.0	180.1	247.0	668.8	5,832	8,725	8,677	8,763	8,078	8,968
9	South East												
10	South West	9,516	9,680	99.0	99.3	148.8	146.5	7,082	7,550	6,889	7,604	6,684	7,582
11	West	7,964	6,368	88.4	90.6	158.6	238.2	8,994	8,155	8,922	8,639	8,769	8,741

Performance of Key HMIS Indicators for Delhi (Across Districts)
Financial Year: 2010-11
Provisional Figures for the Period April to June

Indicator		13		14		15		16		17		18	
		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	Delhi							57,997	47,900	156.4	167.0	56,876	59,154
1	Central							2,782	2,393	61.1	49.1	2,782	2,393
2	East							5,058	5,397	168.9	173.9	4,854	5,383
3	New Delhi							988	635	34.6	19.9	988	635
4	North							3,324	2,848	108.2	191.7	3,290	4,553
5	North East							5,628	5,603	128.4	147.4	5,958	4,535
6	North West							16,672	8,109	344.0	412.3	16,568	11,457
7	Shahdara												
8	South							8,496	8,260	286.6	837.7	8,411	13,899
9	South East												
10	South West							6,532	6,876	102.1	104.1	5,754	8,212
11	West							8,517	7,779	169.6	291.0	8,271	8,087

Performance of Key HMIS Indicators for Delhi (Across Districts)
Financial Year: 2010-11
Provisional Figures for the Period April to June

Indicator		19		20		21		22		23		24	
		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Imunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Delhi	0.7	-1.5	44,643	32,013	120.4	111.6	31.6	27.3	5	25	91.6	93.2
1	Central	34.1	36.0	2,681	2,044	58.9	41.9	35.8	63.2			81.2	85.3
2	East	-16.4	-14.2	4,851	3,714	162.0	119.7	22.2	11.6			94.5	93.4
3	New Delhi	19.4	-7.3	1,196	175	41.9	5.5	25.4	9.7			87.6	86.2
4	North	14.6	-6.6	2,833	1,412	92.2	95.0	14.1	29.5			94.5	99.1
5	North East	30.8	18.2	2,640	2,748	60.2	72.3	13.8	55.5			100.0	90.7
6	North West	-41.6	-35.8	13,246	5,904	273.3	300.2	7.2	22.6		6	92.6	95.9
7	Shahdara												
8	South	-16.0	-25.3	3,979	6,554	134.2	664.7	175.4	34.1	1		92.7	95.2
9	South East												
10	South West	31.4	29.0	5,863	5,436	91.7	82.3	20.6	11.5		18	89.1	92.1
11	West	-6.9	-22.2	7,354	4,026	146.4	150.6	25.1	21.4	4	1	92.2	93.0

Performance of Key HMIS Indicators for Delhi (Across Districts)
Financial Year: 2010-11
Provisional Figures for the Period April to June

Indicator		25		26		27		28		29		30	
		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Delhi	17.9	17.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Central	2.7	0.9	0.0	0.0	0.0	0.0	0.1	0.0	0.2	0.0	0.0	0.0
2	East	16.9	12.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	New Delhi	13.1	14.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0
4	North	17.7	8.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	North East	43.8	32.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	North West	19.5	28.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	Shahdara												
8	South	18.3	19.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	South East												
10	South West	17.4	19.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1
11	West	19.9	17.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Performance of Key HMIS Indicators for Delhi (Across Districts)
Financial Year: 2010-11
Provisional Figures for the Period April to June

Indicator		31		32		33		34		35		36	
		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Delhi	0.5	0.4	99.2	99.1	0.3	0.5	966	258	18.9	30.3	8.7	12.4
1	Central	0.9	0.0	98.6	100.0	0.2	0.0	85	72	25.9	19.4	11.8	20.8
2	East	1.2	0.6	98.5	99.2	0.2	0.2	169	140	17.1	41.4	7.2	6.8
3	New Delhi	0.7	0.1	98.9	99.6	0.2	0.3	397		22.3		8.6	
4	North	0.2	0.2	98.3	99.7	1.5	0.1	52	2	25.0	0.0	17.3	0.0
5	North East	0.0	0.1	100.0	99.9	0.0	0.0	14		37.5		0.0	
6	North West	0.2	0.0	99.7	99.6	0.0	0.4	59	7	29.4	42.9	15.7	0.0
7	Shahdara												
8	South	0.3	0.1	98.8	99.2	0.9	0.7	6	1	0.0	0.0	0.0	100.0
9	South East												
10	South West	0.4	1.2	99.2	97.3	0.4	1.2	19	19	5.3	10.5	10.5	21.1
11	West	0.1	0.2	99.8	99.7	0.0	0.1	165	17	2.3	11.8	3.0	11.8

Performance of Key HMIS Indicators for Delhi (Across Districts)
Financial Year: 2010-11
Provisional Figures for the Period April to June

Indicator		37		38		39		40		41		42	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Delhi	17.5	16.7	12.9	8.4	6.1	2.0	6.1	2.0	0.8	0.0	29.1	28.3
1	Central	5.9	52.8	15.3	2.8	0.0	2.8	1.2	0.0	0.0	0.0	40.0	1.4
2	East	6.6	3.0	22.4	13.5	3.9	0.0	0.0	1.5	0.7	0.0	42.1	33.8
3	New Delhi	15.4		13.4		6.3		12.3		1.3		20.4	
4	North	28.8	0.0	13.5	50.0	7.7	50.0	0.0	0.0	0.0	0.0	7.7	0.0
5	North East	25.0		0.0		25.0		0.0		0.0		12.5	
6	North West	0.0	0.0	3.9	0.0	2.0	14.3	5.9	0.0	2.0	0.0	41.2	42.9
7	Shahdara												
8	South	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	0.0
9	South East												
10	South West	5.3	0.0	0.0	0.0	10.5	5.3	15.8	10.5	0.0	0.0	52.6	52.6
11	West	47.7	0.0	5.3	0.0	11.4	0.0	0.0	5.9	0.0	0.0	30.3	70.6