

Performance of Key HMIS Indicators for Madhya Pradesh-> Hoshangabad (Across Sub Districts)

Financial Year: 2017-18

Provisional Figures for the Period April to March

These indicators are under compilation (83,84,85,86,197,198)

Indicators		1	2	3	4	5	6	7	8	9	10	11	12	13
		Total number of pregnant women Registered for ANC	Number of Pregnant women registered within first trimester	% 1st Trimester registration to Total ANC Registrations	Number of pregnant women received 4 or more ANC check ups	TT2 given to Pregnant women (numbers)	TT Booster given to Pregnant women (numbers)	% Pregnant Woman received 4 ANC check ups to Total ANC Registrations	% Pregnant women received TT2+ TT Booster to Total ANC Registration	Number of Pregnant women given 180 IFA tablets	% Pregnant women given 180 IFA to Total ANC Registration	Number of Pregnant Women having Hb level<11 (tested cases)	Number of Pregnant Women having severe anaemia (Hb<7) treated at institution	% Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<7
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Hoshangabad	23,453	13,399	57.1	18,596	15,941	4,811	79.2	88.4	19,580	83.4	13,731	84	19.4
1	Babai	2,482	1,435	57.8	1,877	1,978	367	75.6	94.5	2,085	84.0	927	24	30.0
2	Bankhedi	2,767	1,835	66.3	2,174	1,397	970	78.6	85.5	1,699	61.4	1,757	3	5.7
3	Dolaria	1,866	1,096	58.7	2,530	1,377	438	135.6	97.3	1,913	102.5	1,232	6	27.3
4	Dolaria Block													
5	Hoshangabad	1,811	812	44.8	887	1,088	509	49.0	88.2	1,668	92.1	825	16	64.0
6	Kesla	3,880	1,856	47.8	3,166	2,751	899	81.6	94.1	3,837	98.9	1,953	22	31.4
7	Pipariya	3,231	1,971	61.0	2,528	1,997	1,054	78.2	94.4	2,753	85.2	2,045	0	0.0
8	Seoni-Malwa	3,630	2,562	70.6	2,766	2,971	214	76.2	87.7	2,466	67.9	2,580	2	4.4
9	Sohagpur	3,786	1,832	48.4	2,668	2,382	360	70.5	72.4	3,159	83.4	2,412	11	8.8

Indicators		14	15	16	17	18	19	20	21	22	23	24	25	26
		% New cases of Pregnant Women detected at institution for hypertension to Total ANC Registrations	Number of Home deliveries	Number of home deliveries attended by SBA trained (Doctor/ Nurse/ ANM)	Number of home deliveries attended by Non SBA trained (trained TB/Dai)	% SBA attended home deliveries to Total Reported Home Deliveries	Deliveries Conducted at Public Institutions	Number of Women Discharged under 48 hours of delivery in public facilities	% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at public institutions	Deliveries Conducted at Private Institutions	Number of Women Discharged under 48 hours of delivery in private institutions	% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at private institutions	Institutional deliveries (Public Insts.+Pvt . Insts.)	% Institutional Deliveries to total ANC registration
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Hoshangabad	1.6	605	57	548	9.4	16,971	123	0.7	5,802		0.0	22,773	97.1
1	Babai	1.1	50	9	41	18.0	1,200	31	2.6				1,200	48.3
2	Bankhedi	3.5	46	12	34	26.1	1,801	64	3.6				1,801	65.1
3	Dolaria	1.8	9	4	5	44.4	103	11	10.7				103	5.5
4	Dolaria Block													
5	Hoshangabad	0.1	0	0	0		5,812	0	0.0	5,802		0.0	11,614	641.3
6	Kesla	1.7	150	0	150	0.0	3,040	10	0.3				3,040	78.4
7	Pipariya	1.1	128	0	128	0.0	1,815	0	0.0				1,815	56.2
8	Seoni-Malwa	1.8	189	0	189	0.0	1,536	2	0.1				1,536	42.3
9	Sohagpur	1.6	33	32	1	97.0	1,664	5	0.3				1,664	44.0

Indicators		27	28	29	30	31	32	33	34	35	36	37	38	39
		Total reported deliveries	% Institutional deliveries to Total Reported Deliveries	% Safe deliveries to Total Reported Deliveries	% Home deliveries to Total Reported Deliveries	Number of C-section deliveries conducted at public facilities	Number of C-section deliveries conducted at private facilities	% C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries	% C-sections conducted at public facilities to Deliveries conducted at public facilities	% C-sections conducted at Private facilities to Deliveries conducted at private facilities	% Deliveries conducted at Public Institutions to Total Institutional Deliveries	% Deliveries conducted at Private Institutions to Total Institutional Deliveries	Women received 1st post partum check-up within 48 hours of home delivery	Women received 1st post partum check up between 48 hours and 14 days
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Hoshangabad	23,378	97.4	97.7	2.6	2,903	2,154	22.2	17.1	37.1	74.5	25.5	1,039	3,679
1	Babai	1,250	96.0	96.7	4.0	0		0.0	0.0		100.0	0.0	277	429
2	Bankhedi	1,847	97.5	98.2	2.5	0		0.0	0.0		100.0	0.0	55	610
3	Dolaria	112	92.0	95.5	8.0	0		0.0	0.0		100.0	0.0	13	343
4	Dolaria Block													
5	Hoshangabad	11,614	100.0	100.0	0.0	2,060	2,154	36.3	35.4	37.1	50.0	50.0	0	0
6	Kesla	3,190	95.3	95.3	4.7	826		27.2	27.2		100.0	0.0	148	479
7	Pipariya	1,943	93.4	93.4	6.6	17		0.9	0.9		100.0	0.0	118	62
8	Seoni-Malwa	1,725	89.0	89.0	11.0	0		0.0	0.0		100.0	0.0	395	953
9	Sohagpur	1,697	98.1	99.9	1.9			0.0	0.0		100.0	0.0	33	803

Performance of Key HMIS Indicators for Madhya Pradesh-> Hoshangabad (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to March
These indicators are under compilation (83,84,85,86,197,198)

Indicators		40	41	42	43	44	45	46	47	48	49	50	51	52
		% Women getting 1st post partum check-up within 48 hours of home delivery to Total Reported Home Deliveries	% Women getting 1st Post Partum Checkup between 48 hours and 14 days to Total Reported Deliveries	Total Number of reported live births	% Live Births to Total Deliveries	Total Number of reported Still Births	% live birth to Reported Birth	Number of Newborns weighed at birth	% Newborns weighed at birth to live birth	Number of Newborns having weight less than 2.5 kg	% Newborns having weight less than 2.5 kg to Newborns weighed at birth	Number of New Borns Breast Fed within 1 hour	% Newborns breast fed within 1 hour of birth to Total live birth	Sex Ratio at birth (Female Live Births/ Male Live Births *1000)
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Hoshangabad	171.7	15.7	23,135	99.0	331	98.6	23,109	99.9	2,817	12.1	22,849	98.7	888
1	Babai	554.0	34.3	1,241	99.3	10	99.2	1,239	99.8	98	7.9	1,237	99.7	1,024
2	Bankhedi	119.6	33.0	1,827	98.9	23	98.8	1,827	100.0	72	3.9	1,827	100.0	931
3	Dolaria	144.4	306.3	108	96.4	1	99.1	110	101.9	5	4.5	103	95.4	895
4	Dolaria Block													0
5	Hoshangabad		0.0	11,464	98.7	218	98.1	11,448	99.9	1,203	10.5	11,200	97.7	862
6	Kesla	98.7	15.0	3,180	99.7	20	99.4	3,177	99.9	701	22.1	3,176	99.9	848
7	Pipariya	92.2	3.2	1,919	98.8	29	98.5	1,913	99.7	381	19.9	1,913	99.7	902
8	Seoni-Malwa	209.0	55.2	1,716	99.5	9	99.5	1,717	100.1	204	11.9	1,717	100.1	1,007
9	Sohagpur	100.0	47.3	1,680	99.0	21	98.8	1,678	99.9	153	9.1	1,676	99.8	879

Indicators		53	54	55	56	57	58	59	60	61	62	63	64	65
		% cases of Pregnant women with Obstetric Complications and attended to reported deliveries	% Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended	Number of PW given 360 Calcium tablets	% Pregnant women given 360 Calcium to Total ANC Registration	Number of PW given one Albendazole tablet after 1st trimester	% Pregnant women given one Albendazole tablet after 1st trimester to Total ANC Registration	Number of PW tested for blood sugar using OGTT (Oral Glucose Tolerance Test)	% Pregnant women tested for blood sugar using OGTT to Total ANC Registration	Number of PW tested positive for GDM	% Pregnant women tested positive for GDM to Total ANC Registration	Number of pregnant women tested for Syphilis	Number of pregnant women tested found sero positive for Syphilis	% Pregnant women tested for Syphilis to Total ANC Registration
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Hoshangabad	5.9	83.5	14,529	61.9	12,748	54.4	5,223	22.3	738	3.1	6,657	3	28.4
1	Babai	2.6	0.0	1,619	65.2	1,693	68.2	238	9.6	4	0.2	279	0	11.2
2	Bankhedi	2.9	0.0	2,171	78.5	1,534	55.4	71	2.6	36	1.3	1,195	0	43.2
3	Dolaria	0.0		1,655	88.7	1,669	89.4	216	11.6	140	7.5	386	0	20.7
4	Dolaria Block													
5	Hoshangabad	6.9	100.0	1,529	84.4	651	35.9	1,346	74.3	98	5.4	1,107	2	61.1
6	Kesla	11.4	98.6	3,203	82.6	2,661	68.6	829	21.4	163	4.2	1,848	1	47.6
7	Pipariya	4.6	0.0	1,490	46.1	1,535	47.5	919	28.4	67	2.1	926	0	28.7
8	Seoni-Malwa	0.1	0.0	408	11.2	1,389	38.3	470	12.9	27	0.7	334	0	9.2
9	Sohagpur	2.8	0.0	2,454	64.8	1,616	42.7	1,134	30.0	203	5.4	582	0	15.4

Indicators		66	67	68	69	70	71	72	73	74	75	76	77	78
		% Pregnant women treatd for Syphilis to Total sero positive for Syphilis	% of babies treated for congenital Syphilis to babies total diagnosed with Congenital Syphilis	Total no. maternal deaths	Total Facility Based Maternal Death Reviews (FBMDR) done	Total Number of Abortions (Spontaneous) Reported	Total Number of MTPs (Public) conducted	% MTPs to total Abortions	% MTPs up to 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns	% MTPs more than 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns	% MTPs Conducte d at Public Institutio ns to Total MTPs	% MTPs Conducte d at Private Institutio ns to Total MTPs	% Total MTPs (Public) Conducte d to Total ANC Registrati on	Number of Vasectom ies Conducte d
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Hoshangabad	0.0		21	3	462	574	71.1	98.6	1.4	50.5	49.5	2.4	75
1	Babai	0.0		0	0	53	54	50.5	90.7	9.3	100.0	0.0	2.2	4
2	Bankhedi	0.0		2	0	58	97	62.6	100.0	0.0	100.0	0.0	3.5	3
3	Dolaria	0.0		0		17	0	0.0					0.0	6
4	Dolaria Block													
5	Hoshangabad	0.2		3	2	47	76	93.1	98.7	1.3	11.9	88.1	4.2	14
6	Kesla	0.1		9	1	62	45	42.1	100.0	0.0	100.0	0.0	1.2	13
7	Pipariya	0.0		0	0	78	45	36.6	95.6	4.4	100.0	0.0	1.4	16
8	Seoni-Malwa	0.0		6	0	120	17	12.4	100.0	0.0	100.0	0.0	0.5	9
9	Sohagpur	0.0		1		27	240	89.9	100.0	0.0	100.0	0.0	6.3	10

Indicators		79	80	81	82	83	84	85	86	87	88	89	90	91
		Number of Tubectomies Conducted	Total Sterilisation Conducted	% Male Sterilisation (Vasectomies) to Total sterilisation	% Female Serlisation (Tubectomies) to Total sterilisation	Total Sterlisation (Tubectomies and Vasectomies) conducted at PHC	Total Sterlisation (Tubectomies and Vasectomies) conducted at CHC	Total Sterlisation (Tubectomies and Vasectomies) conducted at SDH	Total Sterlisation (Tubectomies and Vasectomies) conducted at DH	Total Sterlisation (Tubectomies and Vasectomies) conducted at Private institutions	Total Sterlisation (Tubectomies and Vasectomies) conducted at Public institutions	% Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions to Total Sterilisation	% Total Sterilisation (Tubectomies and Vasectomies) conducted at Public institutions to Total Sterilisation	% Laparoscopic sterilisations to Total Female Sterilisations
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Hoshangabad	6,482	6,557	1.1	98.9					855	5,702	13.0	87.0	78.4
1	Babai	526	530	0.8	99.2						530	0.0	100.0	97.5
2	Bankhedi	679	682	0.4	99.6						682	0.0	100.0	98.2
3	Dolaria	422	428	1.4	98.6						428	0.0	100.0	69.2
4	Dolaria Block													
5	Hoshangabad	1,488	1,502	0.9	99.1					855	647	56.9	43.1	73.7
6	Kesla	1,321	1,334	1.0	99.0						1,334	0.0	100.0	45.5
7	Pipariya	685	701	2.3	97.7						701	0.0	100.0	96.9
8	Seoni-Malwa	767	776	1.2	98.8						776	0.0	100.0	91.4
9	Sohagpur	594	604	1.7	98.3						604	0.0	100.0	92.8

Performance of Key HMIS Indicators for Madhya Pradesh-> Hoshangabad (Across Sub Districts)
 Financial Year: 2017-18
 Provisional Figures for the Period April to March
These indicators are under compilation (83,84,85,86,197,198)

Indicators		92	93	94	95	96	97	98	99	100	101	102	103	104
		% Mini Lap Sterlisati ons to Total Female Sterilisati ons	% Post Partum Sterlisati ons to Total Female Sterilisati ons	% Post Abortion Sterlisati ons to Total Female Sterilisati ons	% Laparosc opic sterlisati ons at Public Institutio ns to Total Laparosc opic Sterilisati ons	% Mini Lap sterlisati ons at Public Institutio ns to Total Mini Lap Sterilisati ons	% Post Partum sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on	% Post Abortion sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on	Total cases of deaths following Sterlisati on (Male + Female)	Total cases of deaths following Male Sterlisati on	Total cases of deaths following Female Sterlisati on	Total cases of failure following Male Sterlisati on	Total cases of failure following Female Sterlisati on	Total cases of complicat ion following Male Sterlisati on
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Hoshangabad	15.6	5.9	0.0	90.1	66.0	100.0	100.0	0	0	0	0	0	0
1	Babai	2.5	0.0	0.0	100.0	100.0			0	0	0	0	0	0
2	Bankhedi	1.8	0.0	0.0	100.0	100.0			0	0	0	0	0	0
3	Dolaria	23.9	6.9	0.0	100.0	100.0	100.0		0	0	0	0	0	0
4	Dolaria Block													
5	Hoshangabad	25.8	0.3	0.2	53.9	10.7	100.0	100.0	0	0	0	0	0	0
6	Kesla	28.2	26.1	0.2	100.0	100.0	100.0	100.0	0	0	0	0	0	0
7	Pipariya	3.1	0.0	0.0	100.0	100.0			0	0	0	0	0	0
8	Seoni-Malwa	8.1	0.5	0.0	100.0	100.0	100.0		0	0	0	0	0	0
9	Sohagpur	7.2	0.0	0.0	100.0	100.0								

Indicators		105	106	107	108	109	110	111	112	113	114	115	116	117
		Total cases of complication following Female Sterilisation	IUCD Insertions done (public facilities)	IUCD insertions done (pvt. facilities)	% PP IUCD Insertions (public) to Total IUCD Insertions (public)	% PP IUCD Insertions (public) to Total Institutional Deliveries (public)	% IUCD insertions to all family planning methods (IUCD plus permanent)	Total Interval IUCD Insertions done	Total PP IUCD Insertions done	Total PAIUCD insertions done	Combined Oral Pills distributed	Emergency pills distributed	Condom pieces distributed	Centchroman (weekly pills) distributed
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Hoshangabad	1	6,547		40.7	15.7	49.9	3,818	2,667	62	115,636	993	1,492,696	0
1	Babai	0	614		28.3	14.5	53.7	436	174	4	8,470	21	163,096	0
2	Bankhedi	0	823		37.4	17.1	54.7	515	308	0	20,534	62	152,119	0
3	Dolaria	1	360		20.0	69.9	45.7	288	72	0	9,992	158	148,337	0
4	Dolaria Block													
5	Hoshangabad	0	915		92.2	14.5	37.9	65	844	6	2,300	18	65,757	0
6	Kesla	0	1,298		25.6	10.9	49.3	962	332	4	21,886	89	371,324	0
7	Pipariya	0	1,093		13.2	7.9	60.9	949	144	0	20,717	537	221,282	0
8	Seoni-Malwa	0	580		67.4	25.5	42.8	189	391	0	15,867	8	255,787	0
9	Sohagpur		864		46.5	24.2	58.9	414	402	48	15,870	100	114,994	

Performance of Key HMIS Indicators for Madhya Pradesh-> Hoshangabad (Across Sub Districts)

Financial Year: 2017-18

Provisional Figures for the Period April to March

These indicators are under compilation (83,84,85,86,197,198)

Indicators		118	119	120	121	122	123	124	125	126	127	128	129	130
		Number of beneficiaries given 1st dose of Injectable (Antara Program)	Number of beneficiaries given 2nd dose of Injectable (Antara Program)	Number of beneficiaries given 3rd dose of Injectable (Antara Program)	Number of beneficiaries given 4th or more than 4 doses of Injectable (Antara Program)	Pregnancy testing kits used	Number of Infants given OPV 0 (Birth Dose)	Number of Infants given BCG	Number of Infants given Hep- B0 (birth dose)	% Newborns given OPV0 at birth to Reported live birth	% Newborns given BCG to Reported live birth	% Newborns given Hep-B0 (Birth Dose)at birth to Reported live birth	Number of Infants given DPT1	Number of Infants given DPT2
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Hoshangabad	28	2	1	0	18,890	22,459	23,333	22,537	97.1	100.9	97.4	1	1
1	Babai	0	0	0	0	2,847	1,017	1,229	1,189	82.0	99.0	95.8		
2	Bankhedi	0	0	0	0	1,383	1,778	1,819	1,779	97.3	99.6	97.4	0	0
3	Dolaria	0	0	0	0	1,291	99	144	92	91.7	133.3	85.2	0	0
4	Dolaria Block													
5	Hoshangabad	28	2	1	0	348	11,553	11,589	11,481	100.8	101.1	100.1	0	0
6	Kesla	0	0	0	0	4,569	3,043	3,217	3,033	95.7	101.2	95.4	1	0
7	Pipariya	0	0	0	0	2,492	1,787	1,907	1,787	93.1	99.4	93.1	0	0
8	Seoni-Malwa	0	0	0	0	3,442	1,507	1,751	1,501	87.8	102.0	87.5	0	1
9	Sohagpur					2,518	1,675	1,677	1,675	99.7	99.8	99.7		

Indicators		131	132	133	134	135	136	137	138	139	140	141	142	143
		Number of Infants given DPT3	Number of Infants given Pentavale nt 1	Number of Infants given Pentavale nt 2	Number of Infants given Pentavale nt 3	Number of Infants given Measles	Number of Infants given MR	% Infants 0 to 11 months old who received Measles+ MR vaccine to reported live births	Number of fully immunize d children (9-11 months)	% Drop Out between BCG & Measles/ MR	% Children given Vit A dose1 to Reported live birth	% Children given Vitamin A Dose 9 to Children given Vit A dose1	Adverse Events Following Imunisati on (Abcess)	Adverse Events Following Imunisati on (Deaths)
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Hoshangabad	1	20,920	20,666	21,142	21,396	0	92.4	21,377	8.3	92.2	148.7	3	0
1	Babai		2,179	2,185	2,279	2,283		184.0	2,308	-85.8	213.1	155.5	0	0
2	Bankhedi	0	2,201	2,218	2,217	2,342		128.2	2,342	-28.8	128.2	154.4	0	0
3	Dolaria	0	1,741	1,765	1,777	2,038	0	1887.0	2,027	-315.3	1797.2	166.0	3	0
4	Dolaria Block													
5	Hoshangabad	0	2,151	2,007	1,931	2,346	0	20.5	2,346	79.8	18.4	111.8	0	0
6	Kesla	0	3,766	3,750	4,103	3,779	0	118.8	3,779	-17.5	115.8	106.5	0	0
7	Pipariya	0	2,826	2,799	2,777	3,075	0	160.2	3,048	-61.2	157.3	167.7	0	0
8	Seoni-Malwa	1	3,170	3,126	3,141	3,016	0	175.8	3,019	-72.2	176.6	200.8	0	0
9	Sohagpur		2,886	2,816	2,917	2,517		149.8	2,508	-50.1	152.2	130.3	0	

Indicators		144	145	146	147	148	149	150	151	152	153	154	155	156
		Adverse Events Following Immunisation (Others)	% immunisation Sessions Held to Immunisation Sessions Planned	% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned	Pneumonia in Children 0-5 Years of Age	Asthma in Children 0-5 Years of Age	Sepsis in Children 0-5 Years of Age	Diphtheria in Children 0-5 Years of Age	Pertussis in Children 0-5 Years of Age	Tetanus Neonatorum in Children 0-5 Years of Age	Tuberculosis (TB) in Children 0-5 Years of Age	Acute Flaccid Paralysis (AFP) in Children 0-5 Years of Age	Measles in Children 0-5 Years of Age	Malaria in Children 0-5 Years of Age
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Hoshangabad	0	98.8	96.3	122	94	4	0	0	0	19	19	4	122
1	Babai	0	98.8	97.9	2	0	0	0	0	0	7	7	0	2
2	Bankhedi	0	100.0	100.0	0	0	0	0	0	0	0	0	0	0
3	Dolaria	0	100.0	99.0	0	0	0	0	0	0	1	1	1	0
4	Dolaria Block													
5	Hoshangabad	0	98.2	99.3	13	0	0	0	0	0	0	0	0	13
6	Kesla	0	99.6	97.5	84	94	4	0	0	0	4	4	3	84
7	Pipariya	0	95.9	84.6	7	0	0	0	0	0	6	6	0	7
8	Seoni-Malwa	0	99.3	93.5	11	0	0	0	0	0	0	0	0	11
9	Sohagpur		97.7	98.7	5						1	1		5

Indicators		157	158	159	160	161	162	163	164	165	166	167	168	169
		Diarrhoea in Children 0-5 Years of Age	Diarrhoea treated in Inpatient s in Children 0-5 Years of Age	No. of infants given Measles Rubella vaccine 1st dose	No. of infants received Rotavirus Vaccine 1st dose	No. of infants received Rotavirus Vaccine 2nd dose	No. of infants received Rotavirus Vaccine 3rd dose	No of children 16-24 months age given Measles Rubella Vaccine 2nd dose	No of children 16-24 months age given Measles Rubella Vaccine 2nd dose	% Adult Female Inpatient s to Total Adult Inpatient	% Children Inpatient to Total Inpatient	% Female Inpatient Deaths to Total Inpatient Deaths	% Inpatient Deaths to Total IPD	IPD (Number)
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Hoshangabad	1,759	349	0	20,658	18,821	18,821	20,754	0	62.9	21.4	48.0	0.1	115,548
1	Babai	57	15		2,183	1,913	1,913	2,419	0	66.6	29.6		0.0	8,641
2	Bankhedi	45	24		2,201	2,027	2,027	2,319		69.7	10.2	61.5	0.1	13,631
3	Dolaria	138	0	0	1,691	1,568	1,568	1,729	0	50.2	21.7		0.0	1,853
4	Dolaria Block													
5	Hoshangabad	375	38	0	2,132	1,936	1,936	1,584	0	61.7	26.3	47.2	0.2	36,794
6	Kesla	257	98	0	3,777	3,439	3,439	3,632	0	62.6	16.7	44.7	0.3	14,947
7	Pipariya	304	54	0	2,826	2,616	2,616	3,267	0	63.0	13.4		0.0	17,564
8	Seoni-Malwa	424	105	0	2,962	2,743	2,743	3,185	0	62.7	16.0		0.0	8,664
9	Sohagpur	159	15		2,886	2,579	2,579	2,619		57.3	32.6		0.0	13,454

Indicators		170	171	172	173	174	175	176	177	178	179	180	181	182
		OPD (Allopathic)	Ayush OPD (Number)	OPD (Ayush+Allopathic)	% IPD to OPD	Number of Major Operations	Number of Minor Operations	% Major Operations to Total Operation	Number of Hysterectomy Surgeries	% Hysterectomy Surgeries to Total Major Operations	% AYUSH OPD to Total OPD	Dental OPD (Number)	% Dental OPD to Total OPD	% Hb < 7 mg to Total Hb Tests Conducted
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Hoshangabad	1,008,862	84,408	1,093,270	10.6	2,903	7,496	27.9	199	6.8	7.7	13,734	1.3	3.0
1	Babai	69,175	8,133	77,308	11.2	0	12	0.0	0		10.5	490	0.6	2.3
2	Bankhedi	117,558	12,484	130,042	10.5	0	932	0.0	0		9.6	910	0.7	1.3
3	Dolaria	36,646	9,512	46,158	4.0	0	244	0.0	0		20.6	588	1.3	0.7
4	Dolaria Block													
5	Hoshangabad	230,846	18,009	248,855	14.8	2,687	1,100	71.0	102	3.8	7.2	6,583	2.6	8.2
6	Kesla	179,840	18,984	198,824	7.5	197	892	18.1	80	40.6	9.5	2,088	1.1	1.6
7	Pipariya	132,144	30	132,174	13.3	19	3,906	0.5	17	89.5	0.0	2,029	1.5	1.0
8	Seoni-Malwa	145,225	2,485	147,710	5.9	0	42	0.0	0		1.7	798	0.5	1.0
9	Sohagpur	97,428	14,771	112,199	12.0		368	0.0			13.2	248	0.2	2.0

Performance of Key HMIS Indicators for Madhya Pradesh-> Hoshangabad (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to March
These indicators are under compilation (83,84,85,86,197,198)

Indicators		183	184	185	186	187	188	189	190	191	192	193	194	195
		% Male HIV Positive to Total Males Tested	% Female screened for HIV to Total ANC Registrati on	% Female HIV Positive to Total Females Tested	% Total HIV Positive to Total Tested (Male + Female)	% Plasmodi um Vivax test positive to Total Blood Smears Examined	% Plasmodi um Falciparu m test positive to Total Blood Smears Examined	Total Number of Infant Deaths reported	% Deaths due to Sepsis to Total Reported Infant Deaths	% Deaths due to Asphyxia to Total Reported Infant Deaths	% Deaths due to Pneumoni a to Total Reported Infant Deaths	% Deaths due to Diarrhoea to Total Reported Infant Deaths	% Deaths due to Fever to Total Reported Infant Deaths	% Deaths due to Measles to Total Reported Infant Deaths
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Hoshangabad	0.4	26.5	0.1	0.2	0.6	0.4	359	28.1	3.9	3.1	0.0	0.3	0.0
1	Babai	0.0	13.2	0.0	0.0	0.2	0.0	45	46.7	0.0	2.2	0.0	0.0	0.0
2	Bankhedi	0.7	9.9	0.0	0.2	0.7	0.3	27	0.0	7.4	3.7	0.0	0.0	0.0
3	Dolaria	0.0	8.9	0.0	0.0	3.2	0.0	12	8.3	0.0	0.0	0.0	0.0	0.0
4	Dolaria Block													
5	Hoshangabad	0.7	151.5	0.2	0.5	0.4	0.2	131	51.9	9.2	0.0	0.0	0.0	0.0
6	Kesla	0.2	50.3	0.0	0.1	0.2	0.1	36	2.8	0.0	13.9	0.0	0.0	0.0
7	Pipariya	0.0	6.4	0.0	0.0	0.3	0.4	32	0.0	0.0	3.1	0.0	3.1	0.0
8	Seoni-Malwa	0.0	9.1	0.0	0.0	0.6	0.8	48	8.3	0.0	4.2	0.0	0.0	0.0
9	Sohagpur	0.0	5.4	0.0	0.0	1.0	0.9	28	21.4	0.0	3.6	0.0	0.0	0.0

Performance of Key HMIS Indicators for Madhya Pradesh-> Hoshangabad (Across Sub Districts)
 Financial Year: 2017-18
 Provisional Figures for the Period April to March
These indicators are under compilation (83,84,85,86,197,198)

Indicators		196	197	198
		Institutio nal Deliveries at Urban Heatlh Facilities i.e SC+PHC+ CHC+SDH	Institutio nal Deliveries at District Hospitals	Measles immuniza tion at urban Health facilities i.e SC+PHC+ CHC+SDH +DH
		2017-18	2017-18	2017-18
	_Hoshangabad	11,102		
1	Babai			
2	Bankhedi			
3	Dolaria			
4	Dolaria Block			
5	Hoshangabad	5,802		
6	Kesla	2,297		
7	Pipariya	1,608		
8	Seoni-Malwa	1,395		
9	Sohagpur			