		1	1	2	2		3	4		5		6	
	Indicator	Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Kerala	250,964	244,891	100.3	99.6	1,152	1,096	99.5	99.6	247,257	227,916	236,132	249,538
1	Alappuzha	10,641	10,796	100.7	100.0	22	47	99.8	99.6	10,636	10,794	10,868	11,927
2	Ernakulam	19,548	20,480	99.5	100.3	40	33	99.8	99.8	19,551	20,480	20,426	25,908
3	Idukki	6,876	7,298	100.0	100.2	30	30	99.6	99.6	6,871	7,283	7,167	8,923
4	KOZHIKKODE	26,454	26,542	99.8	99.1	227	226	99.1	99.2	25,298	25,858	24,378	26,510
5	Kannur	22,891	22,288	101.3	99.6	140	127	99.4	99.4	22,409	19,268	21,177	19,338
6	Kasaragod	10,649	13,537	100.4	100.8	13	29	99.9	99.8	10,649	10,256	7,653	8,994
7	Kollam	17,228	16,532	100.4	98.8	36	22	99.8	99.9	17,228	15,751	17,473	16,063
8	Kottayam	13,043	10,515	100.3	99.2	68	32	99.5	99.7	12,967	8,550	14,237	12,852
9	Malappuram	42,822	39,987	100.1	98.6	217	223	99.5	99.4	41,665	35,193	33,052	38,983
10	Palakkad	19,159	19,379	100.3	100.1	54	58	99.7	99.7	19,158	19,379	17,488	20,633
11	Pathanamthitta	7,964	8,256	100.9	100.7	35	16	99.6	99.8	7,925	7,387	8,641	8,992
12	Thiruvananthapuram	22,266	23,759	100.2	100.1	178	165	99.2	99.3	22,127	23,327	22,436	20,522
13	Thrissur	24,240	18,150	100.4	100.1	40	15	99.8	99.9	23,684	17,032	24,205	23,475
14	Wayanad	7,183	7,372	100.0	99.9	52	73	99.3	99.0	7,089	7,358	6,931	6,418

		7	7	8	3	Ģ)	1	0	1	1	1:	2
	Indicator	Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		Newborns to Reporte	given BCG	Number (Number of Infants given DPT2		Number of Infants given DPT3	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Kerala	254,477	267,117	94.1	101.9	101.4	109.1	267,771	271,541	256,271	263,857	250,108	259,538
1	Alappuzha	11,215	11,938	102.1	110.5	105.4	110.6	13,790	14,218	13,034	13,746	12,480	13,822
2	Ernakulam	20,744	26,647	104.5	126.5	106.1	130.1	21,905	25,194	22,040	25,212	22,010	26,458
3	Idukki	7,197	8,942	104.2	122.3	104.7	122.5	9,691	10,286	9,501	10,295	9,207	10,195
4	KOZHIKKODE	25,564	30,418	92.2	99.9	96.6	114.6	26,846	27,135	25,082	26,110	24,392	24,649
5	Kannur	21,622	20,292	92.5	86.8	94.5	91.0	20,855	20,009	19,646	19,271	20,329	20,309
6	Kasaragod	10,411	12,949	71.9	66.4	97.8	95.7	11,555	11,767	11,305	11,594	10,990	11,350
7	Kollam	17,473	16,174	101.4	97.2	101.4	97.8	18,669	17,847	18,230	17,894	17,731	18,381
8	Kottayam	14,148	12,614	109.2	122.2	108.5	120.0	15,175	13,366	14,250	13,321	14,287	13,228
9	Malappuram	42,311	42,196	77.2	97.5	98.8	105.5	41,260	40,329	36,723	37,624	34,077	36,182
10	Palakkad	19,167	21,025	91.3	106.5	100.0	108.5	22,152	24,632	21,643	23,924	20,599	23,432
11	Pathanamthitta	8,644	9,191	108.5	108.9	108.5	111.3	10,028	9,781	9,549	9,090	9,284	4,588
12	Thiruvananthapuram	22,401	23,467	100.8	86.4	100.6	98.8	24,345	26,338	24,175	25,053	24,004	25,052
13	Thrissur	25,981	23,352	99.9	129.3	107.2	128.7	24,003	22,861	23,719	22,913	23,573	24,103
14	Wayanad	7,599	7,912	96.5	87.1	105.8	107.3	7,497	7,778	7,374	7,810	7,145	7,789

		1	3	1	4	1	5	1	6	1	7	18	
	Indicator	Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2			Number of Infants given Pentavalent 3		of Infants Jeasles	% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Kerala							242,872	249,761	96.8	102.0	233,855	245,670
1	Alappuzha							13,138	13,862	123.5	128.4	12,855	13,749
2	Ernakulam							21,928	26,126	112.2	127.6	20,352	25,282
3	Idukki							6,879	8,567	100.0	117.4	6,430	8,476
4	KOZHIKKODE							23,994	22,998	90.7	86.6	23,010	26,118
5	Kannur							20,184	19,674	88.2	88.3	19,854	21,232
6	Kasaragod							10,597	10,525	99.5	77.7	10,496	10,400
7	Kollam							19,006	18,498	110.3	111.9	18,868	18,671
8	Kottayam							14,681	12,893	112.6	122.6	13,152	12,674
9	Malappuram							30,520	31,134	71.3	77.9	29,367	28,874
10	Palakkad							20,132	21,504	105.1	111.0	19,733	20,816
11	Pathanamthitta							8,628	8,454	108.3	102.4	7,990	8,003
12	Thiruvananthapuram							24,062	25,860	108.1	108.8	23,908	24,678
13	Thrissur							22,920	23,248	94.6	128.1	22,531	21,163
14	Wayanad							6,203	6,418	86.4	87.1	5,309	5,534

		1	0	2	^	2	1	2	2	2	2	2	4
	Indicator	% Drop Out between BCG & Measles		Vitamin - A dose 1		Children g	6 iven Vit A	% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Imunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Kerala	4.6	6.5	214,665	198,959	85.5	81.2	75.3	62.9	681	620	99.2	96.7
1	Alappuzha	-17.1	-16.1	12,173	11,764	114.4	109.0	75.5	51.4	18	35	99.9	99.8
2	Ernakulam	-5.7	2.0	18,464	20,580	94.5	100.5	86.6	61.8	118	295	99.6	99.8
3	Idukki	4.4	4.2	5,835	6,446	84.9	88.3	94.4	63.7		11	98.8	99.8
4	KOZHIKKODE	6.1	24.4	21,878	19,924	82.7	75.1	40.5	19.4	58	9	98.1	98.3
5	Kannur	6.7	3.0	18,958	16,194	82.8	72.7	67.7	37.0	204	15	99.1	99.4
6	Kasaragod	-1.8	18.7	10,265	10,402	96.4	76.8	57.6	37.0	55	91	99.9	99.8
7	Kollam	-8.8	-14.4	17,074	15,314	99.1	92.6	121.6	86.5	4	7	98.8	99.6
8	Kottayam	-3.8	-2.2	10,652	11,265	81.7	107.1	63.3	43.8	12	26	99.2	98.9
9	Malappuram	27.9	26.2	31,152	23,869	72.7	59.7	48.8	24.9	17	24	100.1	99.6
10	Palakkad	-5.0	-2.3	16,904	13,587	88.2	70.1	81.4	46.6	43	30	99.8	99.9
11	Pathanamthitta	0.2	8.0	7,549	7,010	94.8	84.9	81.7	74.6	1	1	99.6	36.4
12	Thiruvananthapuram	-7.4	-10.2	19,449	17,107	87.3	72.0	93.0	210.3	15	14	98.1	98.9
13	Thrissur	11.8	0.4	18,209	19,458	75.1	107.2	104.6	60.4	28	19	99.2	98.3
14	Wayanad	18.4	18.9	6,103	6,039	85.0	81.9	57.1	86.2	108	43	99.8	99.5

		2	5	2	6	2	7	2	8	2	9	3	0
Indicator		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Pertusis ir 0-5 Years Total R Childhood	% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Others in -5 Years of al Reported Diseases 0-5 ars	% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Kerala	78.1	71.7	0.0	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0
1	Alappuzha	91.5	105.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	Ernakulam	64.0	63.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	Idukki	68.8	76.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	KOZHIKKODE	68.8	76.3	0.0	0.0	0.2	0.4	0.0	0.0	0.0	0.0	0.0	0.0
5	Kannur	74.2	28.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	Kasaragod	76.8	41.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	Kollam	88.6	87.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	Kottayam	68.6	79.6	0.0	0.0	0.2	0.0	0.0	0.0	0.1	0.0	0.0	0.0
9	Malappuram	76.6	68.6	0.0	0.0	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0
10	Palakkad	82.2	79.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	Pathanamthitta	77.4	25.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	Thiruvananthapuram	89.7	84.9	0.0	0.0	0.1	0.3	0.0	0.0	0.0	0.0	0.0	0.0
13	Thrissur	72.1	55.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14	Wayanad	87.4	90.4	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

		3	1	3.	2	3	3	3	4	3	5	3	6
Indicator		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Kerala	3.0	1.9	96.4	97.3	0.5	0.7	688	228	3.1	0.0	16.4	0.0
1	Alappuzha	0.5	0.3	99.5	99.4	0.0	0.3	72	22	8.0		16.0	
2	Ernakulam	3.7	2.5	94.3	96.1	1.9	1.3	84	21	0.0	0.0	2.9	0.0
3	Idukki	0.6	0.2	99.4	99.7	0.0	0.1	16	4	0.0	0.0	23.1	0.0
4	KOZHIKKODE	1.9	1.4	97.8	97.3	0.1	0.9	189	60	4.6		13.8	
5	Kannur	0.9	2.4	97.4	95.7	1.7	1.9	35	14	0.0		21.7	
6	Kasaragod	2.6	3.1	97.4	95.0	0.0	1.9	50	4	0.0		7.7	
7	Kollam	9.5	0.8	89.0	99.1	1.5	0.2	30	3	0.0		23.1	
8	Kottayam	2.8	4.2	96.2	94.8	0.7	1.0	47		15.6		18.8	
9	Malappuram	4.7	2.4	94.8	96.9	0.0	0.6	45	19	0.0		23.7	
10	Palakkad	0.4	0.7	99.6	99.3	0.0	0.0	61	13	2.3		29.5	
11	Pathanamthitta	2.7	3.7	97.1	95.7	0.2	0.5	2		0.0		0.0	
12	Thiruvananthapuram	4.0	2.6	94.9	96.5	0.9	0.6	13	63				
13	Thrissur	1.5	1.6	98.3	97.8	0.2	0.7	5	1	0.0		0.0	
14	Wayanad	9.5	2.7	89.6	97.2	0.0	0.1	39	4	0.0		25.0	

		3	7	3	8	3	9	4	0	4	1	4:	2
	Indicator	% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Kerala	21.0	0.0	5.8	0.0	0.7	0.0	0.2	33.3	0.0	0.0	52.9	66.7
1	Alappuzha	14.0		2.0		2.0		0.0		0.0		58.0	
2	Ernakulam	5.8	0.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	89.9	100.0
3	Idukki	38.5	0.0	7.7	0.0	0.0	0.0	0.0	100.0	0.0	0.0	30.8	0.0
4	KOZHIKKODE	49.4		11.5		0.0		1.1		0.0		19.5	
5	Kannur	4.3		4.3		0.0		0.0		0.0		69.6	
6	Kasaragod	7.7		12.8		0.0		0.0		0.0		71.8	
7	Kollam	7.7		0.0		0.0		0.0		0.0		69.2	
8	Kottayam	34.4		12.5		0.0		0.0		0.0		18.8	
9	Malappuram	13.2		2.6		2.6		0.0		0.0		57.9	
10	Palakkad	20.5		0.0		2.3		0.0		0.0		45.5	
11	Pathanamthitta	0.0		0.0		0.0		0.0		0.0		100.0	
12	Thiruvananthapuram												
13	Thrissur	0.0		0.0		0.0		0.0		0.0		100.0	
14	Wayanad	17.9		7.1		0.0		0.0		0.0		50.0	