		1		2		3	3	4	4		5	6	
Indicator		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11
	_Sikkim	3,899	3,921	100.6	95.3	102	83	97.5	97.9	3,618	3,338	3,178	3,125
1	East	2,131	2,201	99.8	93.1	56	45	97.4	98.0	2,050	1,851	2,199	2,244
2	North	270	208	101.5	98.6	15	3	94.7	98.6	222	200	202	148
3	South	723	787	97.3	98.5	17	13	97.7	98.4	675	760	321	227
4	West	775	725	106.0	98.1	14	22	98.2	97.1	671	527	456	506

		7		8	3	9	9	10		11		12	
Indicator		Number o		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11
	_Sikkim	4,208	4,245	81.5	79.7	107.9	108.3	4,110	4,325	4,213	4,135	4,439	4,384
1	East	2,304	2,362	103.2	102.0	108.1	107.3	1,953	2,219	2,011	2,024	2,074	2,123
2	North	259	210	74.8	71.2	95.9	101.0	313	247	311	266	377	303
3	South	791	856	44.4	28.8	109.4	108.8	920	966	920	917	985	988
4	West	854	817	58.8	69.8	110.2	112.7	924	893	971	928	1,003	970

		13		1	4	1	5	16		1	7	18	
In	dicator	Number (Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11
	_Sikkim							4,695	4,583	120.4	116.9	4,464	4,563
1	East							2,291	2,124	107.5	96.5	2,160	2,124
2	North							374	345	138.5	165.9	323	345
3	South							1,004	1,058	138.9	134.4	975	1,038
4	West							1,026	1,056	132.4	145.7	1,006	1,056

		19		20		2	1	2	22		3	24	
Indicator		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Imunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11
	_Sikkim	-11.6	-8.0	2,268	2,642	58.2	67.4	118.3	134.1	32		98.0	98.8
1	East	0.6	10.1	1,152	1,288	54.1	58.5	108.1	79.8	0		97.5	99.0
2	North	-44.4	-64.3	222	178	82.2	85.6	49.5	14.6	0		95.2	95.7
3	South	-26.9	-23.6	460	546	63.6	69.4	176.5	174.9	32		99.9	100.0
4	West	-20.1	-29.3	434	630	56.0	86.9	118.9	243.3	0		98.6	99.2

Indicator		9% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		28 ** Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11
	_Sikkim	88.4	88.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	East	74.5	80.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	North	91.9	92.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	South	95.8	80.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	West	103.0	101.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Indicator		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		34 Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11
	_Sikkim	3.4	3.5	95.2	96.5	1.5	0.0	5	57	0.0	2.4	0.0	2.4
1	East	0.9	4.8	96.5	95.2	2.5	0.0	1	27		6.3		6.3
2	North	5.3	5.4	91.1	94.6	3.6	0.0		3		0.0		0.0
3	South	1.5	0.0	98.4	100.0	0.1	0.0		14		0.0		0.0
4	West	7.9	4.4	92.1	95.6	0.0	0.0	4	13	0.0	0.0	0.0	0.0

Indicator		37 % Deaths due to LBW to Total Reported Infant Deaths		38 "% Deaths due to Pneumonia to Total Reported Infant Deaths		39 % Deaths due to Diarrhoea to Total Reported Infant Deaths		40 % Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11
	_Sikkim	25.0	17.1	25.0	19.5	0.0	4.9	25.0	2.4	0.0	0.0	25.0	51.2
1	East		31.3		0.0		0.0		6.3		0.0		50.0
2	North		0.0		50.0		0.0		0.0		0.0		50.0
3	South		7.1		35.7		14.3		0.0		0.0		42.9
4	West	25.0	11.1	25.0	22.2	0.0	0.0	25.0	0.0	0.0	0.0	25.0	66.7