		1		2	2		3	4	1		i	6	
Indicator		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Sikkim	1,716	1,130	91.9	135.2	36	22	97.9	98.1	1,535	1,013	1,502	851
1	East	929	361	87.2	273.5	17	5	98.2	98.6	810	311	1,031	426
2	North	100	123	98.0	170.8	2	2	98.0	98.4	96	118	79	114
3	South	350	234	98.9	112.0	5	4	98.6	98.3	348	234	116	84
4	West	337	412	97.4	97.4	12	11	96.6	97.4	281	350	276	227

		7		8	3	Ģ)	1	10		1	12	
In	dicator	Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Sikkim	1,984	1,517	87.5	75.3	115.6	134.2	2,039	1,922	2,159	2,012	2,309	2,097
1	East	1,075	469	111.0	118.0	115.7	129.9	977	713	1,056	737	1,118	771
2	North	88	139	79.0	92.7	88.0	113.0	125	172	135	171	156	176
3	South	399	465	33.1	35.9	114.0	198.7	467	538	464	538	502	570
4	West	422	444	81.9	55.1	125.2	107.8	470	499	504	566	533	580

		1	3	1	4	1	5	1	6	17		18	
In	dicator	Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Sikkim							2,248	1,999	131.0	176.9	2,234	1,889
1	East							1,057	715	113.8	198.1	1,057	715
2	North							168	137	168.0	111.4	168	
3	South							529	605	151.1	258.5	515	632
4	West							494	542	146.6	131.6	494	542

		19		2	0	2	1	2	22		3	24	
Indicator		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Imunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Sikkim	-13.3	-31.8	2,267	1,965	132.1	173.9	145.5	184.0			98.6	93.4
1	East	1.7	-52.5	1,077	690	115.9	191.1	86.5	164.1			98.4	91.9
2	North	-90.9	1.4	169	137	169.0	111.4	5.3	64.2			98.0	81.2
3	South	-32.6	-30.1	521	596	148.9	254.7	180.4	139.3			100.0	94.9
4	West	-17.1	-22.1	500	542	148.4	131.6	283.6	288.7			98.4	98.9

Indicator		25 % Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Sikkim	86.7	86.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	East	76.3	86.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	North	92.6	65.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	South	68.5	54.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	West	103.2	98.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Indicator		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		34 Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		36 % Deaths due to Asphyxia to Total Reported Infant Deaths	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Sikkim	3.0	2.1	97.0	95.6	0.0	2.3	13	1	0.0	0.0	0.0	100.0
1	East	3.2	3.0	96.8	92.2	0.0	4.7	5		0.0		0.0	
2	North	7.6	0.7	92.4	99.3	0.0	0.0	2		0.0		0.0	
3	South	0.0	0.0	100.0	100.0	0.0	0.0	5	1	0.0	0.0	0.0	100.0
4	West	4.7	2.6	95.3	97.4	0.0	0.0	1		0.0		0.0	

		37		38			39		0	4	1	42 %	
Indicator		% Deaths due to LBW to Total Reported Infant Deaths		Deaths due to Pneumonia to Total Reported Infant Deaths		Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		Deaths due to Other Causes to Total Reported Infant Deaths	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Sikkim	0.0	0.0	22.2	0.0	11.1	0.0	0.0	0.0	0.0	0.0	66.7	0.0
1	East	0.0		0.0		0.0		0.0		0.0		100.0	
2	North	0.0		0.0		0.0		0.0		0.0		100.0	
3	South	0.0	0.0	40.0	0.0	20.0	0.0	0.0	0.0	0.0	0.0	40.0	0.0
4	West	0.0		0.0		0.0		0.0		0.0		100.0	