| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|------------------------|--|--|--|--|--|---|---|--|--|---|---|--|--|
| | Indicators | Total number of pregnant women Registere d for ANC | Number of Pregnant women registere d within first trimester | % 1st Trimeste r registrati on to Total ANC Registrati ons | Number of pregnant women received 4 or more ANC check ups | TT2 given to Pregnant women (numbers | TT Booster given to Pregnant women (numbers) | % Pregnant Woman received 4 ANC check ups to Total ANC Registrati ons | % Pregnant women received TT2+ TT Booster to Total ANC Registrati on | Number of Pregnant women given 180 IFA tablets | % Pregnant women given 180 IFA to Total ANC Registrati on | Number of Pregnant Women having Hb level<11 (tested cases) | Number of Pregnant Women having severe anaemia (Hb<7) treated at institutio n | % Pregnant women having severe anaemia (Hb<7) treated at institutio n to women having hb level<7 |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Lahul Spiti | 248 | 165 | 66.5 | 62 | 80 | 64 | 25.0 | 58.0 | 95 | 38.3 | 63 | 0 | 0.0 |
| 1 | Gondhla | 157 | 127 | 80.9 | 46 | 58 | 30 | 29.3 | 56.1 | 51 | 32.5 | 54 | 0 | 0.0 |
| 2 | Kaza | 91 | 38 | 41.8 | 16 | 22 | 34 | 17.6 | 61.5 | 44 | 48.4 | 9 | 0 | |
| 3 | Lahul & Spiti Urban | | | | | | | | | | | | | |
| 4 | Lahul (T) | | | | | | | | | | | | | |
| 5 | Spiti (T) | | | | | | | | | | | | | |
| 6 | Udaipur (S.T) | | | | | | | | | | | | | |

| | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 |
|---|------------------------|--|---------------------------------|--|--|--|--|--|--|---|---|---|---|---|
| | Indicators | % New cases of Pregnant Women detected at institutio n for hyperten sion to Total ANC Registrati ons | Number of Home deliveries | Number of home deliveries attended by SBA trained (Doctor/ Nurse/ ANM) | Number of home deliveries attended by Non SBA trained (trained TB/Dai) | % SBA attended home deliveries to Total Reported Home Deliveries | Deliveries Conducte d at Public Institutio ns | Number of Women Discharge d under 48 hours of delivery in public facilities | % Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at public institutio ns | Deliveries Conducte d at Private Institutio ns | Number of Women Discharge d under 48 hours of delivery in private institutio ns | % Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at private institutio ns | Institutio nal deliveries (Public Insts.+Pvt . Insts.) | % Institutio nal Deliveries to total ANC registrati on |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Lahul Spiti | 1.6 | 18 | 1 | 17 | 5.5 | 56 | 53 | 94.6 | 0 | 0 | | 56 | 22.5 |
| 1 | Gondhla | 2.5 | 14 | 1 | 13 | 7.1 | 22 | 19 | 86.4 | 0 | 0 | | 22 | 14.0 |
| 2 | Kaza | 0.0 | 4 | 0 | 4 | 0.0 | 34 | 34 | 100.0 | | | | 34 | 37.4 |
| 3 | Lahul & Spiti Urban | | | | | | | | | | | | | |
| 4 | Lahul (T) | | | | | | | | | | | | | |
| 5 | Spiti (T) | | | | | | | | | | | | | |
| 6 | Udaipur (S.T) | | | | | | | | | | | | | |

| | | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 |
|---|------------------------|---------------------------------|--|--|---|---|--|--|---|---|--|---|--|--|
| | Indicators | Total reported deliveries | % Institutio nal deliveries to Total Reported Deliveries | % Safe deliveries to Total Reported Deliveries | % Home deliveries to Total Reported Deliveries | Number of C-section deliveries conducte d at public facilities | Number of C-section deliveries conducte d at private facilities | % C-section deliveries (Public + Pvt.) to reported institutio nal (Public + Pvt.) deliveries | % C-section S conducte d at public facilities to Deliveries conducte d at public facilities | % C-section s conducte d at Private facilities to Deliveries conducte d at private facilities | % Deliveries conducte d at Public Institutio ns to Total Institutio nal Deliveries | % Deliveries conducte d at Private Institutio ns to Total Institutio nal Deliveries | Women received 1st post partum check-up within 48 hours of home delivery | Women received 1st post partum check up between 48 hours and 14 days |
| | _Lahul Spiti | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Lahul Spiti | 74 | 75.7 | 77.0 | 24.3 | 0 | 0 | 0.0 | 0.0 | | 100.0 | 0.0 | 25 | 35 |
| 1 | Gondhla | 36 | 61.1 | 63.9 | 38.9 | 0 | 0 | 0.0 | 0.0 | | 100.0 | 0.0 | 13 | 19 |
| 2 | Kaza | 38 | 89.5 | 89.5 | 10.5 | 0 | | 0.0 | 0.0 | | 100.0 | 0.0 | 12 | 16 |
| 3 | Lahul & Spiti Urban | | | | | | | | | | | | | |
| 4 | Lahul (T) | | | | | | | | | | | | | |
| 5 | Spiti (T) | | | | | | | | | | | | | |
| 6 | Udaipur (S.T) | | | | | | | | | | | | | |

| | | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 |
|---|------------------------|---|---|---|---|--|--|---|---|---|--|--|--|--|
| | Indicators | % Women getting 1st post partum check-up within 48 hours of home delivery to Total Reported Home Deliveries | % Women getting 1st Post Partum Checkup between 48 hours and 14 days to Total Reported Deliveries | Total Number of reported live births | % Live Births to Total Deliveries | Total Number of reported Still Births | % live birth to Reported Birth | Number of Newborns weighed at birth | % Newborns weighed at birth to live birth | Number of Newborns having weight less than 2.5 kg | % Newborns having weight less than 2.5 kg to Newborns weighed at birth | Number of New Borns Breast Fed within 1 hour | % Newborns breast fed within 1 hour of birth to Total live birth | Sex Ratio at birth (Female Live Births/ Male Live Births *1000) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Lahul Spiti | 138.9 | 47.3 | 74 | 100.0 | 0 | 100.0 | 70 | 94.6 | 1 | 1.4 | 72 | 97.2 | 1,387 |
| 1 | Gondhla | 92.9 | 52.8 | 36 | 100.0 | 0 | 100.0 | 32 | 88.9 | 1 | 3.1 | 34 | 94.4 | 1,118 |
| 2 | Kaza | 300.0 | 42.1 | 38 | 100.0 | 0 | 100.0 | 38 | 100.0 | 0 | 0.0 | 38 | 100.0 | 1,714 |
| 3 | Lahul & Spiti Urban | | | | | | | | | | | | | 0 |
| 4 | Lahul (T) | | | | | | | | | | | | | 0 |
| 5 | Spiti (T) | | | | | | | | | | | | | 0 |
| 6 | Udaipur (S.T) | | | | | | | | | | | | | 0 |

| | | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 |
|---|------------------------|---|---|--|---|--|---|---|---|--|---|--|---|---|
| | Indicators | % cases of Pregnant women with Obstetric Complica tions and attended to reported deliveries | % Complica ted Pregnanci es treated with Blood Transfusi on to Total Women with Obstetric Complica tions attended | Number of PW given 360 Calcium tablets | % Pregnant women given 360 Calcium to Total ANC Registrati on | Number of PW given one Albendaz ole tablet after 1st trimester | % Pregnant women given one Albendaz ole tablet after 1st trimester to Total ANC Registrati on | Number of PW tested for blood sugar using OGTT (Oral Glucose Toleranc e Test) | % Pregnant women tested for blood sugar using OGTT to Total ANC Registrati on | Number of PW tested positive for GDM | % Pregnant women tested positive for GDM to Total ANC Registrati on | Number of pregnant women tested for Syphilis | Number of pregnant women tested found sero positive for Syphilis | % Pregnant women tested for Syphilis to Total ANC Registrati on |
| | , | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Lahul Spiti | 0.0 | | 48 | 19.4 | 36 | 14.5 | 36 | 14.5 | 2 | 0.8 | 53 | 3 | 21.4 |
| 1 | Gondhla | 0.0 | | 10 | 6.4 | 30 | 19.1 | 33 | 21.0 | 2 | 1.3 | 52 | 3 | 33.1 |
| 2 | Kaza | 0.0 | | 38 | 41.8 | 6 | 6.6 | 3 | 3.3 | 0 | 0.0 | 1 | 0 | 1.1 |
| 3 | Lahul & Spiti Urban | | | | | | | | | | | | | |
| 4 | Lahul (T) | | | | | | | | | | | | | |
| 5 | Spiti (T) | | | | | | | | | | | | | |
| 6 | Udaipur (S.T) | | | | | | | | | | | | | |

| | | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 | 76 | 77 | 78 |
|---|------------------------|--|--|---------------------------------|---|--|---|------------------------------------|---|---|---|--|---|--|
| | Indicators | % Pregnant women treatd for Syphilis to Total sero positive for Syphilis | % of babies treated for congenita I Syphilis to babies total diagnosed with Congenit al Syphilis | Total no. maternal deaths | Total Facility Based Maternal Death Reviews (FBMDR) done | Total Number of Abortions (Spontan eous) Reported | Total Number of MTPs (Public) conducte d | % MTPs to total Abortions | % MTPs up to 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns | % MTPs more than 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns | % MTPs Conducte d at Public Institutio ns to Total MTPs | % MTPs Conducte d at Private Institutio ns to Total MTPs | % Total MTPs (Public) Conducte d to Total ANC Registrati on | Number of Vasectom ies Conducte d |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Lahul Spiti | 1.9 | | 0 | 0 | 3 | 0 | 0.0 | | | | | 0.0 | 25 |
| 1 | Gondhla | 1.9 | | 0 | 0 | 3 | 0 | 0.0 | | | | | 0.0 | 23 |
| 2 | Kaza | 0.0 | | 0 | 0 | 0 | 0 | | | | | | 0.0 | 2 |
| 3 | Lahul & Spiti Urban | | | | | | | | | | | | | |
| 4 | Lahul (T) | | | | | | | | | | | | | |
| 5 | Spiti (T) | | | | | | | | | | | | | |
| 6 | Udaipur (S.T) | | | | | | | | | | | | | |

| | | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 |
|---|------------------------|--|---|---|--|---|---|---|--|---|--|---|--|--|
| | Indicators | Number of Tubecto mies Conducte d | Total Sterilisati on Conducte d | % Male Sterlisati on (Vasecto mies) to Total sterilisati on | % Female Serlisatio n (Tubecto mies) to Total sterilisati on | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at PHC | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at CHC | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at SDH | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at DH | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at Public institutio ns | % Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns to Total Sterlisati on | % Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Public institutio ns to Total Sterlisati on | % Laparosc opic sterlisati ons to Total Female Sterilisati ons |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Lahul Spiti | 50 | 75 | 33.3 | 66.7 | | | | | 0 | 75 | 0.0 | 100.0 | 100.0 |
| 1 | Gondhla | 6 | 29 | 79.3 | 20.7 | | | | | 0 | 29 | 0.0 | 100.0 | 100.0 |
| 2 | Kaza | 44 | 46 | 4.3 | 95.7 | | | | | | 46 | 0.0 | 100.0 | 100.0 |
| 3 | Lahul & Spiti Urban | | | | | | | | | | | | | |
| 4 | Lahul (T) | | | | | | | | | | | | | |
| 5 | Spiti (T) | | | | | | | | | | | | | |
| 6 | Udaipur (S.T) | | | | | | | | | | | | | |

| | | 92 | 93 | 94 | 95 | 96 | 97 | 98 | 99 | 100 | 101 | 102 | 103 | 104 |
|---|------------------------|--|--|--|---|---|--|--|--|--|--|---|---|--|
| | Indicators | % Mini Lap Sterlisati ons to Total Female Sterilisati ons | % Post Partum Sterlisati ons to Total Female Sterilisati ons | % Post Abortion Sterlisati ons to Total Female Sterilisati ons | % Laparosc opic sterlisati ons at Public Institutio ns to Total Laparosc opic Sterilisati ons | % Mini Lap sterlisati ons at Public Institutio ns to Total Mini Lap Sterilisati ons | % Post Partum sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on | % Post Abortion sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on | Total cases of deaths following Sterlisati on (Male + Female) | Total cases of deaths following Male Sterlisati on | Total cases of deaths following Female Sterlisati on | Total cases of failure following Male Sterlisati on | Total cases of failure following Female Sterlisati on | Total cases of complicat ion following Male Sterlisati on |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Lahul Spiti | 0.0 | 0.0 | 0.0 | 100.0 | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | Gondhla | 0.0 | 0.0 | 0.0 | 100.0 | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | Kaza | 0.0 | 0.0 | 0.0 | 100.0 | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | Lahul & Spiti Urban | | | | | | | | | | | | | |
| 4 | Lahul (T) | | | | | | | | | | _ | | | |
| 5 | Spiti (T) | | | | | | | | | | | | | |
| 6 | Udaipur (S.T) | | | | | | | | | | | | | |

| | | 105 | 106 | 107 | 108 | 109 | 110 | 111 | 112 | 113 | 114 | 115 | 116 | 117 |
|---|------------------------|--|--|--|---|---|--|---|--|---------------------------------------|---|--|-------------------------------------|--|
| | Indicators | Total cases of complicat ion following Female Sterlisati on | IUCD Insertions done (public facilities) | IUCD insertions done (pvt. facilities) | % PP IUCD Insertions (public) to Total IUCD Insertions (public) | % PP IUCD Insertions (public) to Total Institutio nal Deliveries (public) | % IUCD insertions to all family planning methods (IUCD plus permane nt) | Total Interval IUCD Insertions done | Total PP IUCD Insertions done | Total PAIUCD insertions done | Combine d Oral Pills distribute d | Emergenc y pills distribute d | Condom pieces distribute d | Centchro man (weekly pills) distribute d |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Lahul Spiti | 0 | 10 | 0 | 0.0 | 0.0 | 11.7 | 10 | 0 | 0 | 2,419 | 168 | 29,755 | 0 |
| 1 | Gondhla | 0 | 2 | 0 | 0.0 | 0.0 | 6.5 | 2 | 0 | 0 | 1,848 | 107 | 26,169 | 0 |
| 2 | Kaza | 0 | 8 | | 0.0 | 0.0 | 14.8 | 8 | 0 | 0 | 571 | 61 | 3,586 | 0 |
| 3 | Lahul & Spiti Urban | | | | | | | | | | | | | |
| 4 | Lahul (T) | | | - | | | | | | | | | | |
| 5 | Spiti (T) | | | | | | | | | | | | | |
| 6 | Udaipur (S.T) | | | | | | | | | | | | | |

| | | 118 | 119 | 120 | 121 | 122 | 123 | 124 | 125 | 126 | 127 | 128 | 129 | 130 |
|---|------------------------|--|--|--|---|------------------------------------|---|-----------------------------------|---|---|--|---|---------------------------------------|---------------------------------------|
| | Indicators | Number of beneficia ries given 1st dose of Injectabl e (Antara Program) | Number of beneficia ries given 2nd dose of Injectabl e (Antara Program) | Number of beneficia ries given 3rd dose of Injectabl e (Antara Program) | Number of beneficia ries given 4th or more than 4 doses of Injectabl e (Antara Program) | Pregnanc y testing kits used | Number of Infants given OPV 0 (Birth Dose) | Number of Infants given BCG | Number of Infants given Hep- B0 (birth dose) | % Newborns given OPVO at birth to Reported live birth | % Newborns given BCG to Reported live birth | % Newborns given Hep-B0 (Birth Dose)at birth to Reported live birth | Number of Infants given DPT1 | Number of Infants given DPT2 |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Lahul Spiti | 0 | 0 | 0 | 0 | 425 | 63 | 71 | 62 | 85.1 | 95.9 | 83.8 | 0 | 0 |
| 1 | Gondhla | 0 | 0 | 0 | 0 | 399 | 27 | 30 | 27 | 75.0 | 83.3 | 75.0 | 0 | 0 |
| 2 | Kaza | 0 | 0 | 0 | 0 | 26 | 36 | 41 | 35 | 94.7 | 107.9 | 92.1 | 0 | 0 |
| 3 | Lahul & Spiti Urban | | | | | | | | | | | | | |
| 4 | Lahul (T) | | | | | | | | | | | | | |
| 5 | Spiti (T) | | | | | | | | | | | | | |
| 6 | Udaipur (S.T) | | | | | | | | | | | | | |

| | | 131 | 132 | 133 | 134 | 135 | 136 | 137 | 138 | 139 | 140 | 141 | 142 | 143 |
|---|------------------------|---------------------------------------|--|--|--|--|----------------------------------|---|---|--------------------------------------|---|--|--|---|
| | Indicators | Number of Infants given DPT3 | Number of Infants given Pentavale nt 1 | Number of Infants given Pentavale nt 2 | Number of Infants given Pentavale nt 3 | Number of Infants given Measles | Number of Infants given MR | % Infants 0 to 11 months old who received Measles+ MR vaccine to reported live births | Number of fully immunize d children (9-11 months) | % Drop Out between BCG & Measles/ MR | % Children given Vit A dose1 to Reported live birth | % Children given Vitamin A Dose 9 to Children given Vit A dose1 | Adverse Events Following Imunisati on (Abcess) | Adverse Events Following Imunisati on (Deaths) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Lahul Spiti | 0 | 229 | 252 | 241 | 124 | 86 | 283.7 | 185 | -74.6 | 285.1 | 113.3 | 0 | 0 |
| 1 | Gondhla | 0 | 105 | 127 | 132 | 72 | 45 | 325.0 | 103 | -140.0 | 327.8 | 175.4 | 0 | 0 |
| 2 | Kaza | 0 | 124 | 125 | 109 | 52 | 41 | 244.7 | 82 | -26.8 | 244.7 | 34.4 | 0 | 0 |
| 3 | Lahul & Spiti Urban | | | | | | | | | | | | | |
| 4 | Lahul (T) | | | | | | | | | | | | | |
| 5 | Spiti (T) | | | | | | | | | | | | | |
| 6 | Udaipur (S.T) | | | | | | | | | | | | | |

| | | 144 | 145 | 146 | 147 | 148 | 149 | 150 | 151 | 152 | 153 | 154 | 155 | 156 |
|---|------------------------|---|---|---|---|--|--|--|--|---|---|---|--|---|
| | Indicators | Adverse Events Following Imunisati on (Others) | % immunisa tion Sessions Held to Immunisa tion Sessions Planned | % Immunisa tion Sessions where ASHAs were present to Immunisa tion Sessions Planned | Pneumoni a in Children 0-5 Years of Age | Asthma in Children 0-5 Years of Age | Sepsis in Children 0-5 Years of Age | Diphtheri a in Children 0-5 Years of Age | Pertussis in Children 0-5 Years of Age | Tetanus Neonator um in Children 0-5 Years of Age | Tubercul osis (TB) in Children 0-5 Years of Age | Acute Flaccid Paralysis (AFP)in Children 0-5 Years of Age | Measles in Children 0-5 Years of Age | Malaria in Children 0-5 Years of Age |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Lahul Spiti | 0 | 92.6 | 74.7 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 1 | Gondhla | 0 | 84.3 | 66.7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | Kaza | 0 | 100.0 | 80.7 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 3 | Lahul & Spiti Urban | | | | | | | | | | | | | |
| 4 | Lahul (T) | | | | | | | | | | | | | |
| 5 | Spiti (T) | | | | | | | | | | | | | |
| 6 | Udaipur (S.T) | | | | | | | | | | | | | |

| Indicators | | 157 | 158 | 159 | 160 | 161 | 162 | 163 | 164 | 165 | 166 | 167 | 168 | 169 |
|------------|------------------------|--|--|---|---|---|---|--|--|---|---|---|---------------------------------|-----------------|
| | | Diarrhoea in Children 0-5 Years of Age | Diarrhoea treated in Inpatient s in Children 0-5 Years of Age | No. of infants given Measles Rubella vaccine 1st dose | No. of infants received Rotavirus Vaccine 1st dose | No. of infants received Rotavirus Vaccine 2nd dose | No. of infants received Rotavirus Vaccine 3nd dose | No of children 16-24 months age given Measles 2nd dose | No of children 16-24 months age given Measles Rubella Vaccine 2nd dose | % Adult Female Inpatient s to Total Adult Inpatient | % Children Inpatient to Total Inpatient | % Female Inpatient Deaths to Total Inpatient Deaths | % Inpatient Deaths to Total IPD | IPD (Number) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Lahul Spiti | 183 | 3 | 86 | 136 | 142 | 142 | 108 | 109 | 48.7 | 16.4 | 11.1 | 0.7 | 1,232 |
| 1 | Gondhla | 120 | 3 | 45 | 64 | 73 | 73 | 55 | 48 | 46.6 | 16.8 | 14.3 | 1.0 | 689 |
| 2 | Kaza | 63 | 0 | 41 | 72 | 69 | 69 | 53 | 61 | 51.4 | 15.8 | 0.0 | 0.4 | 543 |
| 3 | Lahul & Spiti Urban | | | | | | | | | | | | | |
| 4 | Lahul (T) | | | | | | | | | | | | | |
| 5 | Spiti (T) | | | | | | | | | | | | | |
| 6 | Udaipur (S.T) | | | | | | | | | | | | | |

| Indicators | | 170 | 171 | 172 | 173 | 174 | 175 | 176 | 177 | 178 | 179 | 180 | 181 | 182 |
|------------|------------------------|-------------------------|--------------------------|-------------------------------|--------------------|--------------------------------------|--------------------------------------|---|---|--|--------------------------------------|---------------------------|---------------------------------------|--|
| | | OPD (Allopathi c) | Ayush OPD (Number) | OPD (Ayush+Al lopathic) | % IPD to OPD | Number of Major Operatio ns | Number of Minor Operatio ns | % Major Operatio ns to Total Operatio n | Number of Hysterect omy Surgeries | % Hysterect omy Surgeries to Total Major Operatio ns | % AYUSH OPD to Total OPD | Dental OPD (Number) | % Dental OPD to Total OPD | % Hb < 7 mg to Total Hb Tests Conducte d |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Lahul Spiti | 87,853 | 0 | 87,853 | 1.4 | 0 | 128 | 0.0 | 0 | | 0.0 | 1,050 | 1.2 | 2.0 |
| 1 | Gondhla | 61,269 | 0 | 61,269 | 1.1 | 0 | 128 | 0.0 | 0 | | 0.0 | 871 | 1.4 | 2.3 |
| 2 | Kaza | 26,584 | 0 | 26,584 | 2.0 | 0 | 0 | | 0 | | 0.0 | 179 | 0.7 | 0.9 |
| 3 | Lahul & Spiti Urban | | | | | | | | | | | | | |
| 4 | Lahul (T) | | | | | | | | | | | | | |
| 5 | Spiti (T) | | | | | | | | | | | | | |
| 6 | Udaipur (S.T) | | | | | | | | | | | | | |

| Indicators | | 183 | 184 | 185 | 186 | 187 | 188 | 189 | 190 | 191 | 192 | 193 | 194 | 195 |
|------------|------------------------|--|--|---|---|--|--|--|--|--|--|---|---|---|
| | | % Male HIV Positive to Total Males Tested | % Female screened for HIV to Total ANC Registrati on | % Female HIV Positive to Total Females Tested | % Total HIV Positive to Total Tested (Male + Female) | % Plasmodi um Vivax test positive to Total Blood Smears Examined | % Plasmodi um Falciparu m test positive to Total Blood Smears Examined | Total Number of Infant Deaths reported | % Deaths due to Sepsis to Total Reported Infant Deaths | % Deaths due to Asphyxia to Total Reported Infant Deaths | % Deaths due to Pneumoni a to Total Reported Infant Deaths | % Deaths due to Diarrhoea to Total Reported Infant Deaths | % Deaths due to Fever to Total Reported Infant Deaths | % Deaths due to Measles to Total Reported Infant Deaths |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Lahul Spiti | 0.0 | 148.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0 | | | | | | |
| 1 | Gondhla | 0.0 | 235.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0 | | | | | | |
| 2 | Kaza | | 0.0 | | | | | 0 | | | | | | |
| 3 | Lahul & Spiti Urban | | | | | | | | | | | | | |
| 4 | Lahul (T) | | | | | | | | | | | | | |
| 5 | Spiti (T) | | | | | | | | | | | | | |
| 6 | Udaipur (S.T) | | | | | | | | | | | | | |

| | | 196 | 197 | 198 |
|---|------------------------|--|--|---|
| | Indicators | Institutio nal Deliveries at Urban Heatlh Facilities i.e SC+PHC+ CHC+SDH | Institutio nal Deliveries at District Hospitals | Measles immuniza tion at urban Health facilities i.e SC+PHC+ CHC+SDH +DH |
| | | 2017-18 | 2017-18 | 2017-18 |
| | _Lahul Spiti | | | |
| 1 | Gondhla | | | |
| 2 | Kaza | | | |
| 3 | Lahul & Spiti Urban | | | |
| 4 | Lahul (T) | | | |
| 5 | Spiti (T) | | | |
| 6 | Udaipur (S.T) | | | |