		1	1	2	2	:	3	4	4	!	5		5
	Indicators	Total nu pregnant Registered	women	Number of women re within first	egistered	Number o		1st Trii registratio ANC Regi	n to Total	JSY regist Total Regist	ANC	Number of women re ANC ch	eceived 3
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal	42,111	43,173	27,566	29,249	35,389	35,515	65.4	67.7	84.0	82.3	43,875	41,889
1	Berasia	6,687	6,212	3,503	3,328	6,681	6,209	52.4	53.6	99.9	100.0	5,169	4,433
2	Phanda (Bhopal)	35,424	36,961	24,063	25,921	28,708	29,306	67.9	70.1	81.0	79.3	38,706	37,456

	Indicators  _Bhopal  Berasia	7	7	8	3	ç	9	1	0	1	1	1	2
	Indicators	TT2 or Boo to Pregnai (num	nt women	Pregnant received 3 ups to To Registr	ANC check otal ANC	Pregnant received Booster to Regist	TT2 or Total ANC	Number of women give		Pregnant given 100 I ANC Reg	FA to Total	Number h leve (tested	l<11
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal	35,449	34,040	104.1	97.0	84.1	78.8	51,027	49,705	121.1	115.1	20,332	19,064
1	Berasia	4,465	4,303	77.3	71.4	66.8	69.3	6,418	6,460	96.0	104.0	4,447	3,214
2	Phanda (Bhopal)	30,984	29,737	109.3	101.3	87.5	80.5	44,609	43,245	125.9	117.0	15,885	15,850

		1	3	1	4	1	5	1	6	1	7	1	8
	Indicators	(Hb	emia <7)	Pregnant having seve (Hb treated at to women leve	t women ere anaemia <7) institution having hb	New cases at institu hypertensi ANC Regi	ution for on to Total	Number deliv	of Home eries	Number deliveries a SBA tr (Doctor/N	ttended by ained	Number deliveries a Non SBA (trained	ttended by trained
			2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal	2,304	1,748	11.3	9.2	9.2	10.9	1,070	1,167	314	285	756	882
1	Berasia	27	68	0.6	2.1	10.5	17.2	249	309	44	82	205	227
2	Phanda (Bhopal)	2,277	1,680	14.3	10.6	9.0	9.9	821	858	270	203	551	655

		1	9	2	0	2	1	2	2	2	3	2	4
	Indicators	SBA attended deliveries Reporte Deliveries	to Total d Home	Mothers incentive deliv	for home	Mothers incentive deliveries Reporte Deliv	for home to Total d Home	Deliveries of at Public In			d under 48 lelivery in	Women dis less than 4 delivery Reported at public in	8 hours of to Total Deliveries
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal	29.3	24.4	0	9	0.0	0.8	26,035	25,125	710	323	2.7	1.2
1	Berasia	17.7	26.5	0	2	0.0	0.6	3,337	3,156	494	189	14.8	6.0
2	Phanda (Bhopal)	32.9	23.7	0	7	0.0	0.8	22,698	21,969	216	134	1.0	0.6

		2	5	2	6	2	7	2	8	2	9	3	0
	Indicators	Institu deliv (Public In	eries sts.+Pvt.	Institu Deliverie ANC regi	tional s to total	Total re deliv	eported eries	Institu deliveries Reported	to Total	Safe deli Total Re Deliv	eported	Home del Total Re Deliv	eported
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal	36,733	35,061	87.2	81.2	37,803	36,228	97.2	96.8	98.0	97.6	2.8	3.2
1	Berasia	3,337	3,156	49.9	50.8	3,586	3,465	93.1	91.1	94.3	93.4	6.9	8.9
2	Phanda (Bhopal)	33,396	31,905	94.3	86.3	34,217	32,763	97.6	97.4	98.4	98.0	2.4	2.6

		3	1	3	2	3	3	3	4	3	5	3	6
	Indicators	Number of deliveries at public	conducted	Number of deliveries at private	conducted	% C-section (Public to rep institu (Public deliv	+ Pvt.) orted itional + Pvt.)	C-sections at public f Deliveries at public	acilities to	C-sections at Private 1 Deliveries at private	conducted facilities to conducted	Deliveries at Public In to Total In: Deliv	nstitutions stitutional
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal	5,252	5,278	5,502	5,580	29.2	30.9	20.2	21.0	51.4	56.2	70.9	71.7
1	Berasia	123	66			3.7	2.1	3.7	2.1			100.0	100.0
2	Phanda (Bhopal)	5,129	5,212	5,502	5,580	31.8	33.8	22.6	23.7	51.4	56.2	68.0	68.9

	Indicators  _Bhopal  Berasia	3	7	3	8	3	9	4	0	4	1	4	2
	Indicators	Mothers Incentive fo at Public i to Tota Deliv	or Delivery nstitution I Public	of cases w Incentive ASHA for D Public inst Total Public	where JSY e paid to Delivery at	Deliveries at Private I to Total In Deliv	nstitutions stitutional	Women rec partum o within 48 deli	heck-up hours of	Post - Care / Wor post partur between 48	men got a n check up	Women rec partum o within 48 delivery Reported I	heck-up hours of to Total
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal	94.4	90.9	27.2	28.1	29.1	28.3	37,405	35,744	35,163	34,116	98.9	98.7
1	Berasia	103.7	96.5	83.5	70.0	0.0	0.0	3,513	3,365	3,105	3,107	98.0	97.1
2	Phanda (Bhopal)	93.1	90.1	18.9	22.1	32.0	31.1	33,892	32,379	32,058	31,009	99.1	98.8

		4	3	4	4	4	5	4	6	4	7	4	8
	Indicators	Women ge Partum ( between 48 14 days Deliv	tting Post Checkup I hours and to Total	Total Nu reported l		7 Total Repo Births t Deliv	orted Live o Total	Total Nu reported S		9 live birth to Bir	-	Number of weighed	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal	93.0	94.2	37,096	35,621	98.1	98.3	979	867	97.4	97.6	36,589	35,254
1	Berasia	86.6	89.7	3,528	3,425	98.4	98.8	77	71	97.9	98.0	3,438	3,314
2	Phanda (Bhopal)	93.7	94.6	33,568	32,196	98.1	98.3	902	796	97.4	97.6	33,151	31,940

	Indicators  _Bhopal  _Berasia	4	9	5	0	5	1	5	2	5	3	5	4
	Indicators	% Newborns v birth to l	weighed at	Number of having we than 2	eight less	Newborr weight les kg to Ne weighed	ns having s than 2.5 wborns	Number of Breast Fed	within 1	Newborns within 1 ho to Total l	breast fed our of birth	Number of visited wi of Home 2016-17 835	New Borns hin 24 hrs Delivery
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal	98.6	99.0	5,013	4,327	13.7	12.2	34,300	33,550	92.4	94.1	835	882
1	Berasia	97.4	96.8	487	416	14.2	12.6	3,423	3,129	97.0	91.4	158	173
2	Phanda (Bhopal)	98.8	99.2	4,526	3,911	13.7	12.2	30,877	30,421	92.0	94.5	677	709

		5	5	5	6	5	7	5	8	5	9	6	0
	Indicators	newborn within 24h delivery reporte deliv	s visited rs of home to total	Sex Ra birth ( Fe Bitr Male Birtl	male Live ths/	women with Complicated attended to	Pregnant h Obstetric tions and	Comple Pregnancie with antihype Magsulph in Total Wo Obst Compli	% icated es treated h IV rtensive/ njection to men with etric cations nded	Compl Pregnancio witl antihype Magsulph ii	es treated in IV rtensive/ injection to ew cases ed with	Compl Pregnancie with I Transfusion Wome Obste Complie atter	icated es treated Blood n to Total n with etric cations
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal	78.0	75.5	931	948	29.9	22.1	11.5	14.2	32.4	23.3	28.9	25.5
1	Berasia	63.5	56.0	933	957	36.9	24.5	15.5	11.5	27.3	8.3	0.2	0.8
2	Phanda (Bhopal)	82.5	82.6	931	947	29.2	21.9	11.0	14.5	33.6	27.7	32.5	28.3

		6	1	6	2	6	3	6	4	6	5	6	6
	Indicators	Post - Care / PNC compli attended Deliv	Natal maternal cations to Total	Total Nu Abort ( Sponta Induced)	ions aneous/	Total Nu MTPs ( repo	Public)	% <i>N</i> (Public) to		MTPs up to of Pregn Total MTP: Institu	12 weeks ancy to s at Public	MTPs more weeks of P to Total Public Ins	e than 12 Pregnancy MTPs at
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal	0.5	0.8	5,502	5,800	1,259	1,419	22.9	24.5	98.1	99.0	1.9	1.0
1	Berasia	0.1	0.1	323	464	295	425	91.3	91.6	99.3	99.5	0.7	0.5
2	Phanda (Bhopal)	0.5	0.9	5,179	5,336	964	994	18.6	18.6	97.7	98.8	2.3	1.2

		6	7	6	8	6	9	7	0	7	1	7	2
	Indicators	Public Insti	ducted at tutions to	9 MTPs Con Private Ins to Tota	ducted at stitutions	% Tota (Pul Conducted ANC Regi	olic) to Total	Number of Tests cond Number of STI female which tr	ducted to f new RTI/ e cases for eatment	Numb Vasect Condi (Public	comies	Numb Tubect Condu (Public	tomies icted
	MTPs Cone Public Instit Total 2016-17 _Bhopal 25.3		2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal	25.3	27.9	74.7	72.1	3.0	3.3	0.8	2.4	1,728	837	7,299	10,271
1	Berasia	100.0	100.0	0.0	0.0	4.4	6.8	0.0	5.0	48	5	730	761
2	Phanda (Bhopal)	20.6	21.4	79.4	78.6	2.7	2.7	0.8	2.3	1,680	832	6,569	9,510

		7	3	7-	4	7	5	7	6	7	7	7	8
	Indicators	Total Ster		% Male St (Vasect to Total st	omies)	7 Tubector Total ste		Total Ste (Tubecto Vasect conducte	mies and omies)	Total Ste (Tubecto Vasect conducte	mies and omies)	Total Ste (Tubecto Vasecto conducted	mies and omies)
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal	9,027	11,108	19.1	7.5	80.9	92.5	0	0	1,104	1,254	2,950	3,209
1	Berasia	778	766	6.2	0.7	93.8	99.3	0	0	778	766		
2	Phanda (Bhopal)	8,249	10,342	20.4	8.0	79.6	92.0	0	0	326	488	2,950	3,209

		7	9	8	0	8	1	8	2	8	3	8	4
	_Bhopal		mies and omies) I at Other	Total Ste (Tubector Vasector conducted institu	mies and omies) at Private	% Total Sto (Tubecto Vasecto conducted Total Ste	mies and omies) at PHC to	% Total Sto (Tubecto Vasect conducted Total Ste	mies and omies) at CHC to	% Total Sto (Tubecto Vasect conducted to Total St	mies and omies) at SDH/DH	% Total Ste (Tubecto Vasecto conducted public Instit Total Ste	mies and omies) I at Other tutions to
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal			1,339	579	0.0	0.0	12.2	11.3	32.7	28.9	0.0	0.0
1	Berasia					0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
2	Phanda (Bhopal)			1,339	579	0.0	0.0	4.0	4.7	35.8	31.0	0.0	0.0

		8	5	8	6	8	7	8	8	8	9	9	0
			mies and omies) at Private s to Total	% Laparo sterlisation Female Ste	scopic s to Total	% Mini Lap St to Total Sterilis	Female	Post P Sterlisation Female Ste	s to Total	Laparo sterlisation Institutions Laparo Sterilis	scopic s at Public s to Total scopic	Mini Lap st at Public In to Total Sterilis	stitutions Mini Lap
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal	55.1	59.8	57.3	43.0	17.5	22.5	25.2	34.4	50.8	56.2	15.8	12.4
1	Berasia	0.0	0.0	89.5	89.0	1.5	4.6	9.0	6.4	100.0	100.0	100.0	100.0
2	Phanda (Bhopal)	60.3	64.3	53.7	39.3	19.3	23.9	27.0	36.7	41.7	48.3	15.0	11.0

		9	1	9	2	9	3	9	4	9	5	9	6
	Indicators	Post P sterlisation Institutions Post P Sterilis	artum s at Public s to Total artum	Total cases follo Sterlisatio Fem	wing n ( Male +	IUCD Inser (public f		IUCD inseri (pvt. fa		Total IUCD done(publi		PP IUCD I done (publi	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal	72.7	40.5	0	0	6,851	6,683	3,699	3,681	10,550	10,364	4,921	4,647
1	Berasia	100.0	100.0	0	0	671	603			671	603	319	80
2	Phanda (Bhopal)	71.7	39.7	0	0	6,180	6,080	3,699	3,681	9,879	9,761	4,602	4,567

		9	7	9	8	9	9	10	00	10	01	10	02
	Indicators	% PP IUCD (pul to Tota Insertions	olic) al IUCD	% PP IUCD (pul to Total In: Deliverie	olic) stitutional	institutio	ertions in us private ons to all planning IUCD plus	Oral Pills o	listributed	Condom distril		Centchro distril	man Pills buted
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal	71.8	69.5	18.9	18.4	53.8	48.2	71,350	76,542	369,249	382,458	0	0
1	Berasia	47.5	13.3	9.6	2.5	46.3	44.0	6,860	7,774	11,042	12,326	0	0
2	Phanda (Bhopal)	74.5	75.1	20.3	20.8	54.5	48.6	64,490	68,768	358,207	370,132	0	0

		10	)3	10	)4	10	)5	10	06	10	07	10	08
	Indicators	Number o given (Birth	OPV 0	Number o		Newborns g at birth to live	Reported	Newborns to Repo		Number o		Number o	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal	32,530	32,131	36,732	35,464	87.7	90.2	99.0	99.6	1,748	2,103	1,311	1,919
1	Berasia	3,148	2,924	3,465	3,270	89.2	85.4	98.2	95.5	18	226	20	228
2	Phanda (Bhopal)	29,382	29,207	33,267	32,194	87.5	90.7	99.1	100.0	1,730	1,877	1,291	1,691

		10	)9	11	10	11	11	11	12	11	13	11	14
	Indicators	Number o		Infants months received vaccine to live b	old who Measles reported								
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal	1,400	2,186	29,206	28,634	28,380	27,441	28,117	27,073	34,318	31,081	92.5	87.2
1	Berasia	43	273	4,012	3,569	3,815	3,544	3,535	3,446	4,073	3,514	115.4	102.6
2	Phanda (Bhopal)	1,357	1,913	25,194	25,065	24,565	23,897	24,582	23,627	30,245	27,567	90.1	85.6

		11	15	11	16	11	17	11	18	1	19	12	20
	Indicators	Number immunized (9-11 m	d children	9 Drop Out BCG & <i>I</i>		Vitamin -	A dose 1	Children g dose1 to live	Reported	Childre Vitamin A	given Vit A	Adverse Following I	munisation
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal	31,145	30,451	6.6	12.4	35,226	31,034	95.0	87.1	28.4	41.1	512	94
1	Berasia	2,359	2,400	-17.5	-7.5	4,331	3,497	122.8	102.1	52.3	106.0	92	57
2	Phanda (Bhopal)	28,786	28,051	9.1	14.4	30,895	27,537	92.0	85.5	25.0	32.9	420	37

		12	21	12	22	12	23	12	24	12	25	12	26
	Indicators	immunisatio Held to Imr Sessions	on Sessions nunisation	Immunisatio where ASI preser Immunisatio Plan	HAs were	Diptheria i 0-5 Years Total Re Childhooo 0-5 Y	of Age to eported I Diseases	Childhood	of Age to eported	Tetanus Ne in Childrer of Age t Reported ( Diseases (	o O-5 Years to Total Childhood	Tetanus ( Children 0- Age to Tota Childhood 0-5 Y	-5 Years of I Reported I Diseases
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal	98.1	98.1	79.8	77.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Berasia	96.9	96.3	78.4	82.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	Phanda (Bhopal)	98.4	98.5	80.1	76.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

		12	27	12	28	12	29	13	30	13	31	13	32
	Indicators	Polio in Ch Years of Ag Reported ( Diseases (	ildren 0-5 ge to Total Childhood	Measles in 0-5 Years Total Re Childhood	Children of Age to eported I Diseases	Diarrho dehydra Children 0- Age to Tota Childhood 0-5 Y	ation in -5 Years of I Reported I Diseases	Malaria in C Years of Ag Reported O Diseases	Childhood	9 Adult F Inpatients Adult In	emale to Total	9 Children In Total In	patient to
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal	0.0	0.0	0.0	0.1	95.5	95.7	4.4	4.2	59.0	59.7	21.0	17.7
1	Berasia	0.0	0.0	0.0	0.2	92.2	92.9	7.8	6.9	96.0	94.4	4.0	8.0
2	Phanda (Bhopal)	0.0	0.0	0.0	0.1	95.6	95.7	4.4	4.2	58.1	58.9	21.3	17.9

		13	33	13	34	1:	35	13	36	13	37	13	38
	Indicators	Female I Deaths t Inpatien	npatient to Total	% Inpatient E Tota	eaths to	IPD (Nu	ımber)	OPD (N	umber)	% IPD	to OPD	Number Opera	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal	39.2	40.4	0.9	1.1	251,038	230,328	3,953,747	3,794,202	6.3	6.1	40,588	39,126
1	Berasia	0.0	0.0	0.0	0.0	4,710	4,506	108,643	110,800	4.3	4.1	338	64
2	Phanda (Bhopal)	39.2	40.4	0.9	1.2	246,328	225,822	3,845,104	3,683,402	6.4	6.1	40,250	39,062

		13	39	14	10	14	41	14	<b>42</b>	14	43	14	14
	Indicators	Number Opera		% Major Ope Total Op	rations to	Numb Hystere Surge	ectomy	Hystere Surgeries Major Op	ectomy	Ayush OPD	(Number)	AYUSH OP OF	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal	46,990	42,031	46.3	48.2	2,672	2,989	6.5	7.6	69,321	48,242	1.7	1.2
1	Berasia	860	1,265	28.2	4.8	25	6	7.4	9.4	19,124	14,270	17.6	12.9
2	Phanda (Bhopal)	46,130	40,766	46.6	48.9	2,647	2,983	6.6	7.6	50,197	33,972	1.3	0.9

Indicators		145		146		147		148		149		150	
		Dental OPD (Number)		% Dental OPD to Total OPD		Adolescent counselled (Number)		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female HIV Positive to Total Females Tested	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal	42,167	33,219	1.1	0.9	1,492	9,400	4.8	3.9	0.1	0.3	0.1	0.1
1	Berasia	0	0	0.0	0.0	121	410	2.1	2.6	0.0	0.0	0.0	0.0
2	Phanda (Bhopal)	42,167	33,219	1.1	0.9	1,371	8,990	4.9	4.0	0.1	0.3	0.1	0.1

		151		152		153		154		155		156	
Indicators		% Total HIV Positive to Total Tested ( Male + Female)		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal	0.1	0.1	1.4	1.8	0.8	0.5	1,107	959	20.3	21.9	15.0	18.5
1	Berasia	0.0	0.0	1.1	0.7	0.0	0.0	37	72	0.0	0.0	0.0	1.8
2	Phanda (Bhopal)	0.1	0.1	1.5	2.5	1.0	0.8	1,070	887	21.2	24.3	15.7	20.4

Indicators		157		158		159		160		161		162	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal	7.0	6.7	5.2	2.6	0.8	1.1	2.1	1.1	0.0	0.0	49.5	48.1
1	Berasia	38.5	3.5	3.8	3.5	0.0	0.0	11.5	5.3	0.0	0.0	46.2	86.0
2	Phanda (Bhopal)	5.6	7.1	5.3	2.5	0.9	1.2	1.7	0.6	0.0	0.0	49.7	43.9