

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2012-13
Provisional Figures for the Period April to December

Indicator		1		2		3		4		5		6	
		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	Meghalaya	57,637	55,862	97.9	98.3	1,425	1,465	97.6	97.4	47,504	44,415	27,204	26,536
1	East Garo Hills	4,465	4,135	98.1	97.7	72	121	98.4	97.2	3,231	2,454	2,258	2,318
2	East Jaintia Hills												
3	East Khasi Hills	19,912	19,306	97.2	98.2	621	572	97.0	97.1	17,502	16,651	13,328	13,016
4	North Garo Hills												
5	Ri Bhoi	4,311	4,165	99.3	99.0	44	52	99.0	98.8	2,549	2,146	1,546	1,281
6	South Garo Hills	1,707	1,585	99.2	99.7	26	26	98.5	98.4	1,392	1,106	608	691
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	12,110	11,394	98.0	98.5	315	315	97.5	97.3	11,886	11,050	4,123	3,944
10	West Jaintia Hills	8,344	8,751	98.0	97.4	233	284	97.3	96.9	6,508	6,940	2,859	2,934
11	West Khasi Hills	6,788	6,526	98.6	98.9	114	95	98.3	98.6	4,436	4,068	2,482	2,352

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2012-13
Provisional Figures for the Period April to December

Indicator		7		8		9		10		11		12	
		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	Meghalaya	62,333	60,060	47.2	47.5	108.1	107.5	61,614	57,788	58,778	54,189	55,010	49,754
1	East Garo Hills	5,382	5,761	50.6	56.1	120.5	139.3	6,177	5,929	5,678	5,843	5,414	4,909
2	East Jaintia Hills												
3	East Khasi Hills	18,692	17,933	66.9	67.4	93.9	92.9	15,148	13,954	14,021	12,597	13,118	11,643
4	North Garo Hills												
5	Ri Bhoi	4,864	4,647	35.9	30.8	112.8	111.6	5,560	5,238	5,200	4,838	4,680	4,441
6	South Garo Hills	2,463	2,440	35.6	43.6	144.3	153.9	2,741	2,674	2,831	2,578	2,456	2,157
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	12,375	11,665	34.0	34.6	102.2	102.4	12,499	11,513	12,399	10,913	12,003	10,203
10	West Jaintia Hills	9,989	9,749	34.3	33.5	119.7	111.4	10,145	9,857	9,689	9,324	9,102	8,742
11	West Khasi Hills	8,568	7,865	36.6	36.0	126.2	120.5	9,344	8,623	8,960	8,096	8,237	7,659

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2012-13
Provisional Figures for the Period April to December

Indicator		13		14		15		16		17		18	
		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Meghalaya							51,376	44,468	89.1	79.6	47,855	41,752
1	East Garo Hills							4,852	4,325	108.7	104.6	4,509	4,253
2	East Jaintia Hills												
3	East Khasi Hills							12,125	10,392	60.9	53.8	11,519	9,840
4	North Garo Hills												
5	Ri Bhoi							4,479	4,237	103.9	101.7	4,108	3,989
6	South Garo Hills							2,215	2,121	129.8	133.8	1,724	1,682
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills							11,410	9,697	94.2	85.1	10,714	9,280
10	West Jaintia Hills							8,610	7,003	103.2	80.0	8,024	6,542
11	West Khasi Hills							7,685	6,693	113.2	102.6	7,257	6,166

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2012-13
Provisional Figures for the Period April to December

Indicator		19		20		21		22		23		24	
		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	Meghalaya	17.6	26.0	38,942	40,764	67.6	73.0	29.1	34.7	316	7	80.1	78.7
1	East Garo Hills	9.8	24.9	3,377	3,563	75.6	86.2	60.9	78.1	0	1	76.5	77.0
2	East Jaintia Hills												
3	East Khasi Hills	35.1	42.1	9,958	10,707	50.0	55.5	13.0	12.4	2	6	92.4	90.0
4	North Garo Hills												
5	Ri Bhoi	7.9	8.8	4,051	4,433	94.0	106.4	11.5	14.7	0	0	81.6	80.9
6	South Garo Hills	10.1	13.1	1,734	1,626	101.6	102.6	43.2	44.1	0	0	77.6	74.6
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	7.8	16.9	6,346	8,382	52.4	73.6	46.7	55.1	0	0	80.0	78.1
10	West Jaintia Hills	13.8	28.2	8,013	7,148	96.0	81.7	32.3	43.1	1	0	89.5	88.3
11	West Khasi Hills	10.3	14.9	5,463	4,905	80.5	75.2	22.3	19.9	313	0	61.4	59.9

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2012-13
Provisional Figures for the Period April to December

Indicator		25		26		27		28		29		30	
		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Meghalaya	60.4	58.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	East Garo Hills	69.9	72.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	East Jaintia Hills												
3	East Khasi Hills	64.2	57.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	North Garo Hills												
5	Ri Bhoi	55.5	55.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	South Garo Hills	67.1	63.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	74.3	70.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	West Jaintia Hills	41.9	47.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	West Khasi Hills	43.3	41.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2012-13
Provisional Figures for the Period April to December

Indicator		31		32		33		34		35		36	
		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Meghalaya	0.4	1.1	94.8	93.1	4.8	5.8	1,560	1,160	5.5	4.2	7.4	8.7
1	East Garo Hills	1.8	5.0	68.1	62.5	30.1	32.5	83	15	1.2	0.0	4.9	0.0
2	East Jaintia Hills												
3	East Khasi Hills	0.1	0.6	99.5	98.8	0.4	0.6	552	559	5.9	5.2	10.8	10.2
4	North Garo Hills												
5	Ri Bhoi	1.1	0.5	97.5	96.9	1.4	2.6	67	63	1.7	2.2	0.0	4.3
6	South Garo Hills	1.4	2.0	72.3	77.2	26.4	20.8	66	36	0.0	0.0	0.0	0.0
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	0.4	1.8	89.8	82.1	9.8	16.0	391	203	1.3	3.7	5.1	17.4
10	West Jaintia Hills	0.1	0.7	99.4	97.8	0.5	1.5	217	154	19.8	5.7	14.5	3.3
11	West Khasi Hills	0.1	0.7	96.0	97.6	3.8	1.7	184	130	2.7	1.0	1.4	0.0

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2012-13
Provisional Figures for the Period April to December

Indicator		37		38		39		40		41		42	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Meghalaya	7.3	4.2	14.7	14.7	2.4	2.7	12.6	10.7	0.1	0.1	49.9	54.8
1	East Garo Hills	6.2	0.0	13.6	20.0	0.0	0.0	16.0	60.0	1.2	0.0	56.8	20.0
2	East Jaintia Hills												
3	East Khasi Hills	3.7	2.4	11.3	11.8	0.5	2.4	5.4	5.4	0.0	0.0	62.4	62.6
4	North Garo Hills												
5	Ri Bhoi	10.3	8.7	13.8	2.2	5.2	4.3	13.8	15.2	0.0	0.0	55.2	63.0
6	South Garo Hills	0.0	5.9	11.3	5.9	1.9	0.0	15.1	23.5	0.0	0.0	71.7	64.7
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	6.7	8.1	26.9	23.0	0.6	1.9	24.4	19.3	0.0	0.0	34.9	26.7
10	West Jaintia Hills	19.2	4.9	7.0	27.9	3.5	3.3	3.5	9.0	0.0	0.8	32.6	45.1
11	West Khasi Hills	6.8	2.0	9.5	6.1	10.9	5.1	15.0	12.1	0.0	0.0	53.7	73.7