Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2009-10
Provisional Figures for the Period April to March

	Indicator	1		2		3		4		5		6	
		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Meghalaya	66,133	57,146	99.8	112.5	1,448	1,492	97.9	97.5	45,079	34,528	26,012	8,206
1	East Garo Hills	3,161	3,639	108.0	99.0	45	56	98.6	98.5	1,380	1,401	1,721	424
2	East Jaintia Hills												
3	East Khasi Hills	23,116	19,585	101.0	109.3	634	688	97.3	96.6	16,920	12,300	13,686	4,520
4	North Garo Hills												
5	Ri Bhoi	5,590	4,933	99.6	124.5	47	57	99.2	98.9	2,187	2,262	1,453	373
6	South Garo Hills	1,605	1,239	99.7	102.1	10	23	99.4	98.2	438	503	411	
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	15,091	11,412	98.1	103.0	317	242	97.9	97.9	14,153	9,626	4,281	1,383
10	West Jaintia Hills	10,529	9,080	98.2	123.5	276	272	97.4	97.1	6,051	4,168	2,851	721
11	West Khasi Hills	7,041	7,258	98.4	129.4	119	154	98.3	97.9	3,950	4,268	1,609	785

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2009-10
Provisional Figures for the Period April to March

	Indicator	7 Number of Infants given BCG		8 % Newborns given OPV0 at birth to Reported live birth		9 % Newborns given BCG to Reported live birth		10 Number of Infants given DPT1		11 Number of Infants given DPT2		12 Number of Infants given DPT3	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Meghalaya	76,241	64,262	39.3	14.4	115.3	112.5	72,966	63,368	67,480	57,116	61,899	52,374
1	East Garo Hills	5,230	5,521	54.4	11.7	165.5	151.7	5,175	5,812	4,394	5,275	4,041	4,381
2	East Jaintia Hills												
3	East Khasi Hills	21,687	19,063	59.2	23.1	93.8	97.3	17,920	17,394	16,352	14,972	14,663	14,427
4	North Garo Hills												
5	Ri Bhoi	6,352	5,174	26.0	7.6	113.6	104.9	6,839	5,174	6,156	4,850	5,704	4,313
6	South Garo Hills	3,523	2,735	25.6	0.0	219.5	220.7	3,361	2,630	3,104	2,451	2,701	1,990
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	16,618	12,533	28.4	12.1	110.1	109.8	16,368	12,297	16,258	12,486	15,471	11,752
10	West Jaintia Hills	12,444	9,816	27.1	7.9	118.2	108.1	12,617	10,125	11,433	8,580	10,435	7,589
11	West Khasi Hills	10,387	9,420	22.9	10.8	147.5	129.8	10,686	9,936	9,783	8,502	8,884	7,922

Updated On Weekly Basis
Status As On: 19 Feb 2016, 2:00 PM

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2009-10
Provisional Figures for the Period April to March

	Indicator	13 Number of Infants given Pentavalent 1		14 Number of Infants given Pentavalent 2		15 Number of Infants given Pentavalent 3		16 Number of Infants given Measles		17 % Infants 0 to 11 months old who received Measles vaccine to reported live births		18 Number of fully immunized children (9-11 months)	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Meghalaya							54,405	45,182	82.3	79.1	52,447	55,193
1	East Garo Hills							3,482	3,651	110.2	100.3	3,958	4,261
2	East Jaintia Hills												
3	East Khasi Hills							12,586	12,335	54.4	63.0	11,528	11,630
4	North Garo Hills												
5	Ri Bhoi							5,052	4,020	90.4	81.5	4,761	8,681
6	South Garo Hills							2,090	1,481	130.2	119.5	2,490	1,071
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills							14,690	11,201	97.3	98.2	14,136	10,862
10	West Jaintia Hills							8,811	5,736	83.7	63.2	8,426	10,475
11	West Khasi Hills							7,694	6,758	109.3	93.1	7,148	8,213

Updated On Weekly Basis
Status As On: 19 Feb 2016, 2:00 PM

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2009-10
Provisional Figures for the Period April to March

	Indicator	19		20		21		22		23		24	
		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Imunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Meghalaya	28.6	29.7	45,651	48,226	69.0	84.4	16.2	0.4	1	1	78.0	86.1
1	East Garo Hills	33.4	33.9	2,934	3,431	92.8	94.3	29.8	0.1			74.8	76.8
2	East Jaintia Hills												
3	East Khasi Hills	42.0	35.3	14,804	10,381	64.0	53.0	5.9	0.5			90.3	93.0
4	North Garo Hills												
5	Ri Bhoi	20.5	22.3	4,178	4,450	74.7	90.2	5.5	1.8			87.2	83.0
6	South Garo Hills	40.7	45.9	1,675	1,707	104.4	137.8	30.0	0.0			72.2	88.5
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	11.6	10.6	9,663	9,658	64.0	84.6	30.1	0.1			82.2	88.3
10	West Jaintia Hills	29.2	41.6	7,048	11,204	66.9	123.4	21.8	0.0	1		86.5	90.5
11	West Khasi Hills	25.9	28.3	5,349	7,395	76.0	101.9	9.1	0.3		1	50.9	57.6

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2009-10
Provisional Figures for the Period April to March

	Indicator	25 % Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		26 % Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		27 % Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		28 % Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		29 % Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		30 % Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Meghalaya	60.6	59.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	East Garo Hills	64.1	51.7	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	East Jaintia Hills												
3	East Khasi Hills	65.1	81.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	North Garo Hills												
5	Ri Bhoi	61.0	65.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	South Garo Hills	67.1	78.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	79.0	41.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	West Jaintia Hills	45.8	72.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	West Khasi Hills	37.2	32.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2009-10
Provisional Figures for the Period April to March

	Indicator	31 % Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		32 % Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		33 % Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		34 Total Number of Infant Deaths reported		35 % Deaths due to Sepsis to Total Reported Infant Deaths		36 % Deaths due to Asphyxia to Total Reported Infant Deaths	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Meghalaya	1.9	1.9	79.3	73.0	18.7	25.0	1,764	740	4.0	0.8	7.0	4.6
1	East Garo Hills	2.8	1.7	34.5	32.9	62.7	65.3	58	34	12.1	0.0	10.3	0.0
2	East Jaintia Hills												
3	East Khasi Hills	2.3	2.1	93.5	91.9	4.1	6.0	751	624	2.9	0.6	6.5	5.5
4	North Garo Hills												
5	Ri Bhoi	1.2	6.7	92.4	86.5	6.4	6.8	77	16	3.9	6.3	15.8	0.0
6	South Garo Hills	0.1	0.0	44.1	58.9	55.8	41.1	34		0.0		0.0	
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	1.8	0.5	55.7	45.7	42.5	53.8	529	30	2.9	4.5	4.9	0.0
10	West Jaintia Hills	2.4	3.9	96.9	90.2	0.8	5.9	254	30	6.4	0.0	8.5	0.0
11	West Khasi Hills	1.3	0.2	90.6	97.0	8.1	2.9	61	6	9.3	0.0	13.0	0.0

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2009-10
Provisional Figures for the Period April to March

	Indicator	37 % Deaths due to LBW to Total Reported Infant Deaths		38 % Deaths due to Pneumonia to Total Reported Infant Deaths		39 % Deaths due to Diarrhoea to Total Reported Infant Deaths		40 % Deaths due to Fever to Total Reported Infant Deaths		41 % Deaths due to Measles to Total Reported Infant Deaths		42 % Deaths due to Other Causes to Total Reported Infant Deaths	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Meghalaya	6.9	0.8	8.9	1.6	2.8	2.2	15.4	1.4	0.9	0.2	54.0	88.4
1	East Garo Hills	1.7	0.0	5.2	0.0	1.7	0.0	17.2	0.0	6.9	0.0	44.8	100.0
2	East Jaintia Hills												
3	East Khasi Hills	4.5	0.8	8.8	0.6	0.3	0.6	6.4	0.6	0.5	0.2	70.1	91.3
4	North Garo Hills												
5	Ri Bhoi	5.3	0.0	5.3	0.0	13.2	62.5	17.1	18.8	1.3	0.0	38.2	12.5
6	South Garo Hills	0.0		0.0		13.8		69.0		0.0		17.2	
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	8.7	4.5	12.4	22.7	1.4	4.5	26.4	13.6	0.4	0.0	42.9	50.0
10	West Jaintia Hills	13.7	0.0	6.0	0.0	3.8	0.0	9.0	0.0	1.7	0.0	50.9	100.0
11	West Khasi Hills	0.0	0.0	5.6	33.3	16.7	0.0	9.3	0.0	0.0	0.0	46.3	66.7

Updated On Weekly Basis
Status As On: 19 Feb 2016, 2:00 PM