Performance of Key HMIS Indicators for Himachal Pradesh (Across Districts) Financial Year: 2013-14 Provisional Figures for the Period April to September

		1	l	2	2	3	3	4	1	5	;	•	5
Indicator		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Himachal Pradesh	49,001	46,323	97.5	99.3	686	586	98.6	98.8	47,485	45,249	33,365	23,657
1	Bilaspur	3,025	2,912	76.4	99.5	51	34	98.3	98.8	2,348	2,912	1,906	1,560
2	Chamba	4,330	3,808	99.4	99.5	50	33	98.9	99.1	4,328	3,776	1,296	675
3	Hamirpur	2,877	3,355	99.8	99.2	26	47	99.1	98.6	2,871	3,345	2,493	3,046
4	Kangra	10,458	9,731	98.7	98.5	210	178	98.0	98.2	10,425	9,719	8,605	4,720
5	Kinnaur	337	399	97.1	99.8	10	2	97.1	99.5	258	278	87	75
6	Kullu	3,270	3,355	99.2	99.2	37	32	98.9	99.1	3,234	3,305	2,224	1,663
7	Lahul Spiti	110	110	100.0	98.2		2	100.0	98.2	108	100	111	52
8	Mandi	6,112	5,881	99.7	99.5	63	68	99.0	98.9	5,904	5,613	3,889	3,077
9	Shimla	6,889	6,202	99.2	99.9	104	66	98.5	98.9	6,821	5,795	5,911	3,266
10	Sirmaur	3,524	3,003	98.8	99.3	59	34	98.4	98.9	3,249	2,910	1,953	1,243
11	Solan	4,538	4,112	99.9	99.5	40	46	99.1	98.9	4,530	4,104	2,738	2,419
12	Una	3,531	3,455	99.9	99.5	36	44	99.0	98.7	3,409	3,392	2,152	1,861

		7	7	8	3	ģ)	1	0	1	1	1	2
Indicator		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		Newborns	% Newborns given BCG to Reported live birth		Number of Infants given DPT1		of Infants DPT2	Number of Infants given DPT3	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Himachal Pradesh	58,141	57,018	68.1	51.1	118.7	123.1	52,306	52,769	51,932	53,094	53,554	55,383
1	Bilaspur	3,146	3,226	63.0	53.6	104.0	110.8	3,006	2,940	2,942	2,843	3,039	2,979
2	Chamba	4,283	4,694	29.9	17.7	98.9	123.3	4,433	4,718	4,397	4,849	4,258	4,764
3	Hamirpur	3,925	4,212	86.7	90.8	136.4	125.5	3,244	3,399	3,179	3,396	3,383	3,732
4	Kangra	13,875	11,671	82.3	48.5	132.7	119.9	10,316	10,178	10,376	10,412	11,197	11,451
5	Kinnaur	488	659	25.8	18.8	144.8	165.2	700	729	702	783	714	780
6	Kullu	3,680	3,998	68.0	49.6	112.5	119.2	3,456	3,626	3,429	3,560	3,433	3,612
7	Lahul Spiti	156	129	100.9	47.3	141.8	117.3	225	191	238	198	235	176
8	Mandi	6,875	7,477	63.6	52.3	112.5	127.1	7,140	7,355	7,117	7,424	7,333	7,966
9	Shimla	7,677	6,800	85.8	52.7	111.4	109.6	5,953	6,186	5,877	6,214	5,861	6,322
10	Sirmaur	4,405	4,623	55.4	41.4	125.0	153.9	4,730	4,694	4,689	4,745	4,830	4,665
11	Solan	5,317	4,769	60.3	58.8	117.2	116.0	5,077	4,788	5,003	4,844	5,103	4,906
12	Una	4,314	4,760	60.9	53.9	122.2	137.8	4,026	3,965	3,983	3,826	4,168	4,030

		1	3	1	14		5	16		17		18	
	Indicator	Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2			Number of Infants given Pentavalent 3		Number of Infants given Measles		6 11 months received raccine to live births	Number of fully immunized children (9-11 months)	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Himachal Pradesh							56,940	57,092	116.2	123.2	56,796	57,008
1	Bilaspur							3,329	3,307	110.0	113.6	3,303	3,307
2	Chamba							4,370	4,415	100.9	115.9	4,370	4,415
3	Hamirpur							3,680	4,114	127.9	122.6	3,680	4,114
4	Kangra							12,805	12,472	122.4	128.2	12,773	12,472
5	Kinnaur							765	729	227.0	182.7	721	697
6	Kullu							3,489	3,578	106.7	106.6	3,480	3,562
7	Lahul Spiti							247	239	224.5	217.3	215	214
8	Mandi							7,972	7,760	130.4	132.0	7,972	7,760
9	Shimla							5,731	6,243	83.2	100.7	5,731	6,232
10	Sirmaur							4,729	4,607	134.2	153.4	4,729	4,607
11	Solan							5,296	5,120	116.7	124.5	5,296	5,120
12	Una							4,527	4,508	128.2	130.5	4,526	4,508

		1	9	2	0	2	1	2	2	2	3	2	4
	Indicator	% Drop Out between BCG & Measles		Vitamin - A dose 1		Children g dose1 to R		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Imunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Himachal Pradesh	2.1	-0.1	50,873	55,291	103.8	119.4	97.9	111.8	1	4	99.0	98.9
1	Bilaspur	-5.8	-2.5	3,326	3,307	110.0	113.6	116.2	125.2	0		99.6	99.4
2	Chamba	-2.0	5.9	3,698	4,410	85.4	115.8	118.5	110.7	0		98.8	98.3
3	Hamirpur	6.2	2.3	3,587	4,073	124.7	121.4	104.2	111.1			99.7	99.3
4	Kangra	7.7	-6.9	9,911	12,008	94.8	123.4	88.9	115.5			99.6	99.5
5	Kinnaur	-56.8	-10.6	579	716	171.8	179.4	80.5	95.3	1	1	94.6	94.6
6	Kullu	5.2	10.5	3,481	3,545	106.5	105.7	85.7	121.2	0		99.3	98.9
7	Lahul Spiti	-58.3	-85.3	134	159	121.8	144.5	73.9	86.2			91.3	85.8
8	Mandi	-16.0	-3.8	7,425	7,417	121.5	126.1	126.9	149.2			99.6	98.8
9	Shimla	25.3	8.2	5,330	6,113	77.4	98.6	85.9	81.2		2	98.1	98.5
10	Sirmaur	-7.4	0.3	4,530	4,027	128.5	134.1	85.3	99.6	0		98.2	99.0
11	Solan	0.4	-7.4	4,500	5,066	99.2	123.2	81.5	95.4	0	1	99.8	99.9
12	Una	-4.9	5.3	4,372	4,450	123.8	128.8	90.2	99.1			99.2	99.6

		2	5	2	6	2	7	2	8	2	9	3	0
Indicator		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Pertusis ir 0-5 Years Total R Childhood	% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Others in -5 Years of al Reported Diseases 0-5 ars	% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Himachal Pradesh	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Bilaspur	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	Chamba	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	Hamirpur	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	Kangra	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	Kinnaur	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	Kullu	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	Lahul Spiti	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	Mandi	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	Shimla	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	Sirmaur	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	Solan	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	Una	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Performance of Key HMIS Indicators for Himachal Pradesh (Across Districts) Financial Year: 2013-14 Provisional Figures for the Period April to September

		3	1	3.	2	3	3	34		35		36	
	Indicator	% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Malaria in O Years of A	% Children 0-5 ge to Total Childhood 0-5 Years	Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Himachal Pradesh	0.0	0.3	99.8	99.4	0.1	0.2	710	439	8.0	10.9	13.2	13.4
1	Bilaspur	0.1	0.1	99.6	99.9	0.3	0.0	29	22	0.0	0.0	14.3	11.1
2	Chamba	0.0	0.0	100.0	100.0	0.0	0.0	66	37	29.1	6.3	5.5	37.5
3	Hamirpur	0.0	0.4	98.6	99.6	0.6	0.0	19	45	7.1	6.8	28.6	20.5
4	Kangra	0.0	0.1	100.0	99.8	0.0	0.2	361	159	6.9	26.1	14.5	8.7
5	Kinnaur	0.0	1.7	98.6	98.3	0.3	0.0	8	14	0.0	0.0	0.0	10.0
6	Kullu	0.0	0.1	99.9	99.9	0.1	0.0	46	34	2.5	0.0	2.5	0.0
7	Lahul Spiti	0.0	0.0	100.0	100.0	0.0	0.0						
8	Mandi	0.0	0.5	100.0	98.7	0.0	0.7	72	10	6.0	0.0	22.0	11.1
9	Shimla	0.0	1.0	100.0	98.0	0.0	0.1	35	22	0.0	0.0	11.5	0.0
10	Sirmaur	0.4	0.4	99.6	99.5	0.1	0.1	41	48	5.3	7.7	7.9	2.6
11	Solan	0.1	0.0	99.9	100.0	0.0	0.0	31	19	7.7	5.9	19.2	23.5
12	Una	0.0	0.0	100.0	98.6	0.0	1.4	2	29	0.0	9.1	0.0	22.7

		3	7	3	8	3	9	4	0	4	1	4	2
	Indicator	% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		Deaths Diarrhoe Reporte	% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		6 to Measles Reported Deaths	% Deaths due to Other Causes to Total Reported Infant Deaths	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Himachal Pradesh	13.6	10.6	3.8	11.6	1.1	3.1	3.1	6.6	0.0	0.0	57.3	43.8
1	Bilaspur	14.3	27.8	4.8	5.6	0.0	11.1	9.5	16.7	0.0	0.0	57.1	27.8
2	Chamba	3.6	3.1	9.1	3.1	3.6	0.0	1.8	12.5	0.0	0.0	47.3	37.5
3	Hamirpur	14.3	9.1	7.1	47.7	0.0	0.0	7.1	9.1	0.0	0.0	35.7	6.8
4	Kangra	11.6	8.7	1.4	1.1	0.7	2.2	1.1	2.2	0.0	0.0	63.8	51.1
5	Kinnaur	16.7	20.0	16.7	0.0	0.0	20.0	0.0	10.0	0.0	0.0	66.7	40.0
6	Kullu	7.5	0.0	0.0	3.3	5.0	10.0	2.5	3.3	0.0	0.0	80.0	83.3
7	Lahul Spiti												
8	Mandi	46.0	0.0	8.0	11.1	0.0	0.0	2.0	11.1	0.0	0.0	16.0	66.7
9	Shimla	0.0	14.3	3.8	42.9	0.0	0.0	19.2	0.0	0.0	0.0	65.4	42.9
10	Sirmaur	10.5	10.3	5.3	17.9	0.0	0.0	5.3	10.3	0.0	0.0	65.8	51.3
11	Solan	15.4	11.8	7.7	0.0	0.0	5.9	3.8	5.9	0.0	0.0	46.2	47.1
12	Una	100.0	31.8	0.0	4.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31.8