		1		2	2	3	3	4	1	5	5	6	
Indicator		Total Nu	ımber of live births	% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Sikkim	5,791	6,126	101.2	100.3	69	147	98.8	97.7	5,477	5,716	5,004	5,124
1	East	2,946	3,408	101.5	99.4	11	83	99.6	97.6	2,823	3,266	3,177	3,581
2	North	277	393	100.4	103.1	7	18	97.5	95.6	233	330	223	297
3	South	1,478	1,156	101.0	98.3	25	26	98.3	97.8	1,418	1,087	822	527
4	West	1,090	1,169	100.9	104.4	26	20	97.7	98.3	1,003	1,033	782	719

		7	7		3	9	9	10		1	1	12	
Indicator		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Sikkim	6,215	6,762	86.4	83.6	107.3	110.4	5,946	6,523	5,938	6,538	5,915	6,447
1	East	3,343	3,774	107.8	105.1	113.5	110.7	2,600	3,057	2,607	3,092	2,626	2,950
2	North	277	388	80.5	75.6	100.0	98.7	435	495	444	490	436	527
3	South	1,226	1,263	55.6	45.6	82.9	109.3	1,460	1,512	1,430	1,468	1,435	1,483
4	West	1,369	1,337	71.7	61.5	125.6	114.4	1,451	1,459	1,457	1,488	1,418	1,487

Performance of Key HMIS Indicators for Sikkim (Across Districts) Financial Year: 2012-13 Provisional Figures for the Period April to December

		13		1	4	1	.5	1	16		7	18	
Indicator		Number o		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Sikkim							6,528	6,920	112.7	113.0	6,450	6,641
1	East							2,942	3,364	99.9	98.7	3,005	3,194
2	North							477	545	172.2	138.7	412	498
3	South							1,575	1,459	106.6	126.2	1,538	1,391
4	West							1,534	1,552	140.7	132.8	1,495	1,558

		19		2	0	2	21		22		3	24	
Indicator		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Imunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Sikkim	-5.0	-2.3	6,694	4,586	115.6	74.9	89.3	112.1	52	59	97.6	98.2
1	East	12.0	10.9	3,005	2,294	102.0	67.3	79.7	93.6	1	0	97.3	98.6
2	North	-72.2	-40.5	481	405	173.6	103.1	76.9	66.7	0	0	93.3	94.7
3	South	-28.5	-15.5	1,608	933	108.8	80.7	97.9	187.2	51	59	98.6	99.6
4	West	-12.1	-16.1	1,600	954	146.8	81.6	102.3	102.4	0	0	99.4	98.4

Indicator		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		27 Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		28 Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		29 "% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Sikkim	87.7	90.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	East	78.9	76.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	North	85.7	92.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	South	96.4	97.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	West	96.7	104.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Indicator		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		34 Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		36 % Deaths due to Asphyxia to Total Reported Infant Deaths	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Sikkim	0.7	2.9	99.3	95.7	0.0	1.4	7	5	0.0	0.0	0.0	0.0
1	East	0.7	1.2	99.2	96.4	0.1	2.4		1				
2	North	2.2	4.4	97.8	92.9	0.0	2.7	2		0.0		0.0	
3	South	0.4	1.8	99.6	98.2	0.0	0.1						
4	West	0.5	6.4	99.5	93.4	0.0	0.1	5	4	0.0	0.0	0.0	0.0

Indicator		% Deaths due to LBW to Total Reported Infant Deaths		38 "% Deaths due to Pneumonia to Total Reported Infant Deaths		39 % Deaths due to Diarrhoea to Total Reported Infant Deaths		40 % Deaths due to Fever to Total Reported Infant Deaths		41 % Deaths due to Measles to Total Reported Infant Deaths		42 % Deaths due to Other Causes to Total Reported Infant Deaths	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Sikkim	40.0	25.0	0.0	25.0	0.0	0.0	40.0	25.0	0.0	0.0	20.0	25.0
1	East												
2	North	50.0		0.0		0.0		0.0		0.0		50.0	
3	South												
4	West	33.3	25.0	0.0	25.0	0.0	0.0	66.7	25.0	0.0	0.0	0.0	25.0