			1		2		3	4	4	!	5	•	5
	Indicators	Total nu pregnan Registere	t women	Number of women re within first	egistered	Number o	of Women under JSY	1st Trii registratio ANC Regi	mester n to Total	JSY regist Total Regist	tration to	Number of women re ANC che	eceived 3
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Hoshangabad	12,889	12,833	7,587	7,595	12,031	11,852	58.8	59.1	93.3	92.4	11,495	9,942
1	Babai	1,395	1,377	964	914	1,395	1,377	69.1	66.4	100.0	100.0	1,320	1,222
2	Bankhedi	1,372	1,391	732	722	1,362	1,391	53.4	51.9	99.3	100.0	1,145	1,007
3	Dolaria	897	996	506	680	897	996	56.4	68.3	100.0	100.0	1,060	927
4	Dolaria Block												
5	Hoshangabad	1,808	1,882	848	972	960	901	46.9	51.6	53.1	47.9	1,673	1,384
6	Kesla	1,943	2,012	1,122	1,173	1,943	2,012	57.7	58.3	100.0	100.0	1,658	1,441
7	Pipariya	2,003	1,676	1,200	904	2,003	1,676	59.9	53.9	100.0	100.0	1,362	980
8	Seoni-Malwa	1,756	1,814	1,370	1,365	1,756	1,814	78.0	75.2	100.0	100.0	1,528	1,467
9	Sohagpur	1,715	1,685	845	865	1,715	1,685	49.3	51.3	100.0	100.0	1,749	1,514

		7	7	8	8		9	1	0	1	1	1	2
	Indicators	TT2 or Boo to Pregnai (num	nt women	Pregnant received 3 ups to To Registr	t Woman ANC check otal ANC	Pregnant received Booster to Regist	t women d TT2 or Total ANC	Number of women give	en 100 IFA	Pregnant given 100 I ANC Reg	women FA to Total	Number h leve (tested	l<11
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Hoshangabad	10,872	10,881	89.1	77.4	84.3	84.7	14,763	13,912	114.5	108.4	7,386	6,980
1	Babai	1,174	1,145	94.6	88.7	84.2	83.2	1,423	1,361	102.0	98.8	620	402
2	Bankhedi	1,234	1,210	83.5	72.4	89.9	87.0	1,381	1,526	100.7	109.7	777	499
3	Dolaria	790	906	118.2	93.1	88.1	91.0	1,133	1,135	126.3	114.0	438	429
4	Dolaria Block												
5	Hoshangabad	1,895	1,707	92.5	73.5	104.8	90.7	3,221	2,310	178.2	122.7	1,232	1,633
6	Kesla	1,714	1,822	85.3	71.6	88.2	90.6	2,061	1,941	106.1	96.5	1,281	899
7	Pipariya	1,151	1,125	68.0	58.5	57.5	67.1	2,003	1,723	100.0	102.8	1,545	1,036
8	Seoni-Malwa	1,449	1,538	87.0	80.9	82.5	84.8	1,756	2,211	100.0	121.9	1,042	870
9	Sohagpur	1,465	1,428	102.0	89.9	85.4	84.7	1,785	1,705	104.1	101.2	451	1,212

		1	3	1	4	1	5	1	6	1	7	1	8
	Indicators	Number ha anae (Hb treated at	emia <7)	Pregnant having seve (Hb treated at to women leve	t women ere anaemia <7) institution having hb	New cases at institu hypertensi ANC Regi	detected ution for on to Total	Number deliv		Number deliveries a SBA tr (Doctor/No	ttended by	Number deliveries a Non SBA (trained	ttended by trained
	Hoshangabad		2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Hoshangabad	339	429	4.6	6.1	3.3	7.6	431	434	102	43	329	391
1	Babai	16	15	2.6	3.7	3.7	7.0	22	26	13	17	9	9
2	Bankhedi	16	70	2.1	14.0	2.8	14.4	71	72	70	15	1	57
3	Dolaria			0.0	0.0	0.0	0.6	10	9	2	6	8	3
4	Dolaria Block												
5	Hoshangabad	183	210	14.9	12.9	8.4	14.9						
6	Kesla	42	96	3.3	10.7	3.2	1.5	85	74	1	0	84	74
7	Pipariya	52	25	3.4	2.4	1.6	2.5	74	94	0	0	74	94
8	Seoni-Malwa	28	0	2.7	0.0	3.4	5.6	138	131	0	0	138	131
9	Sohagpur	2	13	0.4	1.1	1.5	13.0	31	28	16	5	15	23

		1	9	2	0	2	.1	2	2	2	.3	2	4
	Indicators	SBA atten deliveries Reporte	s to Total	Mothers incentive deliv		Mothers incentive deliveries Reporte	paid JSY for home s to Total d Home eries	Deliveries of at Public In				Women dis less than 4 delivery Reported at public i	charged in 8 hours of to Total Deliveries
	20		2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Hoshangabad	23.6	9.9	8	18	1.9	4.1	9,994	8,302	19	757	0.1	9.1
1	Babai	59.1	65.4	0	0	0.0	0.0	662	692	0	42	0.0	6.1
2	Bankhedi	98.6	20.8	0	0	0.0	0.0	1,016	937	6	167	0.6	17.8
3	Dolaria	20.0	66.7	0	0	0.0	0.0	83	86	7	3	8.4	3.5
4	Dolaria Block												
5	Hoshangabad							2,967	2,564	0	0	0.0	0.0
6	Kesla	1.2	0.0	0	0	0.0	0.0	1,602	1,500	6	149	0.4	9.9
7	Pipariya	0.0	0.0	0	0	0.0	0.0	2,135	1,063	0	9	0.0	0.8
8	Seoni-Malwa	0.0	0.0	0	0	0.0	0.0	730	721	0	111	0.0	15.4
9	Sohagpur	51.6	17.9	8	18	25.8	64.3	799	739	0	276	0.0	37.3

		2	5	2	6	2	7	2	8	2	9	3	0
	Indicators	Institu deliv (Public In Inst	eries sts.+Pvt.	Institu Deliverie ANC regi	tional s to total	Total re deliv	eported veries	Institu deliveries Reported	tional to Total	Safe deli Total Re Deliv	veries to eported	Home del Total Re Deliv	iveries to eported
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Hoshangabad	12,423	10,180	96.3	79.3	12,854	10,614	96.6	95.9	97.4	96.3	3.4	4.1
1	Babai	662	692	47.5	50.3	684	718	96.8	96.4	98.7	98.7	3.2	3.6
2	Bankhedi	1,016	937	74.1	67.4	1,087	1,009	93.5	92.9	99.9	94.4	6.5	7.1
3	Dolaria	83	86	9.3	8.6	93	95	89.2	90.5	91.4	96.8	10.8	9.5
4	Dolaria Block												
5	Hoshangabad	5,396	4,442	298.5	236.0	5,396	4,442	100.0	100.0	100.0	100.0	0.0	0.0
6	Kesla	1,602	1,500	82.4	74.6	1,687	1,574	95.0	95.3	95.0	95.3	5.0	4.7
7	Pipariya	2,135	1,063	106.6	63.4	2,209	1,157	96.7	91.9	96.7	91.9	3.3	8.1
8	Seoni-Malwa	730	721	41.6	39.7	868	852	84.1	84.6	84.1	84.6	15.9	15.4
9	Sohagpur	799	739	46.6	43.9	830	767	96.3	96.3	98.2	97.0	3.7	3.7

		3	1	3	2	3	3	3	4	3	5	3	6
	Indicators	Number of deliveries at public		Number of deliveries at private	conducted	to rep institu (Public	+ Pvt.) orted	C-sections at public f Deliveries at public	conducted acilities to	C-sections at Private f Deliveries at private	conducted facilities to conducted	Deliveries at Public In to Total In Deliv	conducted nstitutions stitutional
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Hoshangabad	1,420	1,142	1,518	867	23.6	19.7	14.2	13.8	62.5	46.2	80.4	81.6
1	Babai		0			0.0	0.0	0.0	0.0			100.0	100.0
2	Bankhedi		0			0.0	0.0	0.0	0.0			100.0	100.0
3	Dolaria		0			0.0	0.0	0.0	0.0			100.0	100.0
4	Dolaria Block												
5	Hoshangabad	995	768	1,518	867	46.6	36.8	33.5	30.0	62.5	46.2	55.0	57.7
6	Kesla	351	370			21.9	24.7	21.9	24.7			100.0	100.0
7	Pipariya	74	4			3.5	0.4	3.5	0.4			100.0	100.0
8	Seoni-Malwa		0			0.0	0.0	0.0	0.0			100.0	100.0
9	Sohagpur		0			0.0	0.0	0.0	0.0			100.0	100.0

		3	7	3	8	3	9	4	0	4	1	4	2
	Indicators	Mothers	or Delivery nstitution I Public	of cases v Incentive ASHA for D Public inst Total Public	where JSY e paid to Delivery at	Deliveries at Private to Total In	% conducted Institutions stitutional veries	within 48	heck-up	Post - Care / Wo post partur between 48	men got a n check up		eiving post theck-up hours of to Total
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Hoshangabad	99.2	95.3	57.5	57.2	19.6	18.4	11,363	10,304	5,333	5,456	88.4	97.1
1	Babai	99.5	100.0	99.5	93.6	0.0	0.0	683	718	589	597	99.9	100.0
2	Bankhedi	100.0	100.4	100.0	98.9	0.0	0.0	1,077	995	52	340	99.1	98.6
3	Dolaria	89.2	100.0	89.2	100.0	0.0	0.0	89	89	307	165	95.7	93.7
4	Dolaria Block												
5	Hoshangabad	97.9	95.8	6.9	19.5	45.0	42.3	4,061	4,357	1,498	1,733	75.3	98.1
6	Kesla	100.0	81.2	73.3	57.7	0.0	0.0	1,585	1,421	1,164	1,227	94.0	90.3
7	Pipariya	99.9	100.0	67.5	69.6	0.0	0.0	2,194	1,147	580	340	99.3	99.1
8	Seoni-Malwa	100.0	100.1	70.3	82.2	0.0	0.0	863	846	763	617	99.4	99.3
9	Sohagpur	100.0	99.5	82.7	52.1	0.0	0.0	811	731	380	437	97.7	95.3

		4	3	4	4	4	.5	4	6	4	7	4	8
	Indicators	Women ge Partum between 48 14 days Deliv	Checkup 3 hours and to Total	Total Nu		Total Repo		Total Nu reported S		9 live birth to Bir	Reported	Number of weighed	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Hoshangabad	41.5	51.4	12,664	10,509	98.5	99.0	182	178	98.6	98.3	12,246	10,302
1	Babai	86.1	83.1	678	716	99.1	99.7	9	6	98.7	99.2	677	716
2	Bankhedi	4.8	33.7	965	1,009	88.8	100.0	13	6	98.7	99.4	963	986
3	Dolaria	330.1	173.7	91	97	97.8	102.1	2	0	97.8	100.0	90	93
4	Dolaria Block												
5	Hoshangabad	27.8	39.0	5,385	4,368	99.8	98.3	86	108	98.4	97.6	4,981	4,280
6	Kesla	69.0	78.0	1,672	1,563	99.1	99.3	19	21	98.9	98.7	1,663	1,483
7	Pipariya	26.3	29.4	2,188	1,142	99.0	98.7	38	25	98.3	97.9	2,188	1,142
8	Seoni-Malwa	87.9	72.4	860	851	99.1	99.9	8	4	99.1	99.5	859	850
9	Sohagpur	45.8	57.0	825	763	99.4	99.5	7	8	99.2	99.0	825	752

		4	9	5	0	5	1	5	2	5	3	5	4
	Indicators % Newborns weighe birth to live bir		weighed at	Number of having we than 2			wborns	Number of Breast Fed	within 1	Newborns within 1 ho to Total l	breast fed our of birth	Number of visited wit of Home	hin 24 hrs
		2015-16 2014-19		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Hoshangabad	96.7	98.0	1,632	1,676	13.3	16.2	11,700	9,990	92.3	95.0	396	394
1	Babai	99.9	100.0	30	55	4.4	7.7	677	716	99.9	100.0	21	26
2	Bankhedi	99.8	97.7	63	201	6.5	20.4	964	1,004	99.9	99.5	71	66
3	Dolaria	98.9	95.9	2	5	2.2	5.4	90	91	98.9	93.8	6	2
4	Dolaria Block												
5	Hoshangabad	92.5	98.0	827	641	16.6	15.0	4,436	4,062	82.4	93.0		
6	Kesla	99.5	94.9	180	382	10.8	25.8	1,668	1,395	99.8	89.3	69	60
7	Pipariya	100.0	100.0	361	141	16.5	12.3	2,188	1,142	100.0	100.0	74	89
8	Seoni-Malwa	99.9	99.9	64	97	7.5	11.4	859	850	99.9	99.9	135	124
9	Sohagpur	100.0	98.6	105	154	12.7	20.5	818	730	99.2	95.7	20	27

		5	5	5	6	5	7	5	8	5	9	6	0
	Indicators	newborn within 24h delivery reporte deliv	rs of home to total	Sex Ra birth ( Fe Bitr Male Birtl	male Live ths/	cases of women with Complica attended to	h Obstetric tions and	9 Compl Pregnancie witl antihype Magsulph in Total Wo Obst Compli atter	icated es treated n IV rtensive/ njection to men with etric cations	Compl Pregnancie with antilyth Magsulph ii Total Ne detecte Hypert	icated es treated h IV rtensive/ njection to ew cases ed with	Compl Pregnancie with Transfusio Wome Obst Compli atter	icated es treated Blood n to Total n with etric cations
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Hoshangabad	91.8	90.7	906	878	24.0	15.6	16.1	19.3	114.5	31.6	18.1	22.6
1	Babai	95.5	100.0	904	925	4.8	7.4	96.9	105.9	60.8	56.3	0.0	0.0
2	Bankhedi	100.0	91.7	863	848	8.2	7.3	77.1	36.8	164.1	12.5	0.0	0.0
3	Dolaria	60.0	22.2	1,022	865	7.2	0.0	0.0			0.0	0.0	
4	Dolaria Block			0	0								
5	Hoshangabad			919	890	33.6	17.6	15.2	11.6	180.9	32.5	21.8	33.9
6	Kesla	81.2	81.1	902	768	44.1	41.4	6.5	18.2	73.0	364.5	19.1	15.5
7	Pipariya	100.0	94.7	903	986	6.2	2.5	50.0	74.1	200.0	47.6	0.0	0.0
8	Seoni-Malwa	97.8	94.7	857	904	0.0	0.0			0.0	0.0		
9	Sohagpur	64.5	96.4	928	866	27.7	6.2	0.5	10.9	4.0	2.3	5.4	0.0

		6	1	6	2	6	3	6	4	6	5	6	6
	Indicators	Post - Care / PNC	C maternal cations	Total Nu Abort ( Sponta Induced)	tions aneous/		mber of Public) orted	% <i>N</i> (Public) to		MTPs up to of Pregn Total MTP: Institu	12 weeks ancy to s at Public	MTPs mor weeks of F to Total Public Ins	e than 12 Pregnancy MTPs at
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Hoshangabad	1.4	1.4	770	470	429	279	55.7	59.4	95.6	86.7	4.4	13.3
1	Babai	0.0	0.0	71	89	63	83	88.7	93.3	73.0	80.7	27.0	19.3
2	Bankhedi	2.6	1.6	56	22	0	15	0.0	68.2		100.0		0.0
3	Dolaria	0.0	0.0	7	15	10	1	142.9	6.7	100.0	100.0	0.0	0.0
4	Dolaria Block												
5	Hoshangabad	0.1	0.8	306	161	17	18	5.6	11.2	100.0	100.0	0.0	0.0
6	Kesla	0.8	2.4	54	37	49	20	90.7	54.1	100.0	100.0	0.0	0.0
7	Pipariya	6.0	4.7	161	73	176	37	109.3	50.7	98.9	100.0	1.1	0.0
8	Seoni-Malwa	0.0	0.0	41	39	9	9	22.0	23.1	100.0	100.0	0.0	0.0
9	Sohagpur	0.0	0.8	74	34	105	96	141.9	282.4	100.0	78.1	0.0	21.9

		6	7	6	8	6	9	7	0	7	1	7	2
	Indicators	9 MTPs Con Public Insti Total	ducted at tutions to	MTPs Cond Private Ins to Tota	ducted at stitutions	% Tota (Pul Conducted ANC Reg	blic) I to Total	Number of Tests cond Number of STI female which tr	Wet Mount ducted to f new RTI/ e cases for eatment	Numb Vasect Condi (Public	comies ucted	Numb Tubect Condu (Public	comies icted
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Hoshangabad	60.9	54.4	39.1	45.6	3.3	2.2	0.0	12.4	18	15	795	499
1	Babai	100.0	100.0	0.0	0.0	4.5	6.0			0	0	23	16
2	Bankhedi		100.0		0.0	0.0	1.1			0	0	10	0
3	Dolaria	100.0	100.0	0.0	0.0	1.1	0.1	0.0	0.0	0	0	0	7
4	Dolaria Block												
5	Hoshangabad	5.8	7.1	94.2	92.9	0.9	1.0	0.0	16.2	15	9	374	209
6	Kesla	100.0	100.0	0.0	0.0	2.5	1.0	0.0	0.0	2	6	188	181
7	Pipariya	100.0	100.0	0.0	0.0	8.8	2.2	0.0	0.0	0	0	95	25
8	Seoni-Malwa	100.0	100.0	0.0	0.0	0.5	0.5	0.0	0.0	1	0	105	47
9	Sohagpur	100.0	100.0	0.0	0.0	6.1	5.7	0.0	0.0	0	0	0	14

		7	3	7	4	7	5	7	6	7	7	7	8
	Indicators	Total Ste Condo		% Male St (Vasect to Total st	omies)	Tubector Total ste		Total Ste (Tubecto Vasect conducte	mies and omies)	Total Ste (Tubecto Vasect conducte	mies and omies)	Total Ste (Tubecto Vasecto conducted	mies and omies)
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Hoshangabad	813	514	2.2	2.9	97.8	97.1	0	21	251	88	429	195
1	Babai	23	16	0.0	0.0	100.0	100.0	0	0	23	16		
2	Bankhedi	10	0	0.0		100.0		0	0	10	0		
3	Dolaria	0	7		0.0		100.0	0	7				
4	Dolaria Block												
5	Hoshangabad	389	218	3.9	4.1	96.1	95.9	0				256	8
6	Kesla	190	187	1.1	3.2	98.9	96.8	0	0	62	0	128	187
7	Pipariya	95	25	0.0	0.0	100.0	100.0	0	0	50	25	45	
8	Seoni-Malwa	106	47	0.9	0.0	99.1	100.0	0	0	106	47		
9	Sohagpur	0	14		0.0		100.0	0	14	0	0		

		7	9	8	0	8	1	8	2	8	3	8	4
	Indicators	Total Ste (Tubecto Vasecto conducted public Ins	mies and omies) d at Other	Total Ste (Tubecto Vasect conducted institu	mies and omies) at Private	% Total St. (Tubecto Vasect conducted Total Ste	mies and omies) at PHC to	% Total Sto (Tubecto Vasect conducted Total Sto	mies and omies) at CHC to	% Total Sto (Tubecto Vasect conducted to Total St	mies and omies) at SDH/DH	% Total Sto (Tubecto Vasecto conducted public Instit Total Ste	mies and omies) I at Other tutions to
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Hoshangabad			3	7	0.0	4.1	30.9	17.1	52.8	37.9	0.0	0.0
1	Babai					0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
2	Bankhedi					0.0		100.0		0.0		0.0	
3	Dolaria						100.0		0.0		0.0		0.0
4	Dolaria Block												
5	Hoshangabad			3	7	0.0	0.0	0.0	0.0	65.8	3.7	0.0	0.0
6	Kesla					0.0	0.0	32.6	0.0	67.4	100.0	0.0	0.0
7	Pipariya					0.0	0.0	52.6	100.0	47.4	0.0	0.0	0.0
8	Seoni-Malwa					0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
9	Sohagpur						100.0		0.0		0.0		0.0

		8	5	8	6	8	7	8	8	8	9	9	0
	Indicators	% Total Sto (Tubecto Vasecto conducted institutions Sterlis	mies and omies) at Private s to Total	Laparo sterlisation Female Ste	scopic is to Total	Mini Lap St to Total Sterilis	erlisations Female	Post P Sterlisation Female Ste	artum s to Total	Laparo sterlisation Institutions Laparo Sterilis	scopic s at Public to Total scopic	% Mini Lap st at Public In to Total Sterilis	erlisations estitutions Mini Lap
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Hoshangabad	16.4	40.9	35.7	44.3	49.1	31.5	15.2	24.2	93.3	49.8	82.3	56.1
1	Babai	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0	100.0	100.0		
2	Bankhedi	0.0		100.0		0.0		0.0		100.0			
3	Dolaria		0.0		100.0		0.0		0.0		100.0		
4	Dolaria Block												
5	Hoshangabad	34.2	96.3	12.3	53.1	75.1	33.0	12.6	13.9	58.7	0.0	75.4	0.0
6	Kesla	0.0	0.0	11.7	8.8	50.5	47.0	37.8	44.2	100.0	100.0	100.0	100.0
7	Pipariya	0.0	0.0	85.3	96.0	14.7	4.0	0.0	0.0	100.0	100.0	100.0	100.0
8	Seoni-Malwa	0.0	0.0	97.1	100.0	0.0	0.0	2.9	0.0	100.0	100.0		
9	Sohagpur		0.0		0.0		14.3		85.7				100.0

		9	1	9	2	9	3	9	4	9	5	9	6
	Indicators	Post P sterlisation Institution: Post P Sterili	ns at Public s to Total artum	Total cases follo Sterlisatio Fem	wing n ( Male +	IUCD Inser (public f	tions done acilities)	IUCD inser (pvt. fa	tions done cilities)	Total IUCD done(publi		PP IUCD I done (publi	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Hoshangabad	65.3	81.0	0	0	3,860	3,023	37	32	3,897	3,055	1,469	1,224
1	Babai					347	244			347	244	58	40
2	Bankhedi			0	0	660	291			660	291	121	51
3	Dolaria			0	0	287	377			287	377	0	8
4	Dolaria Block												
5	Hoshangabad	10.6	20.7	0	0	236	100	37	32	273	132	227	21
6	Kesla	100.0	100.0	0	0	612	668			612	668	300	177
7	Pipariya			0	0	884	492			884	492	362	33
8	Seoni-Malwa	100.0		0	0	402	503			402	503	147	110
9	Sohagpur		100.0	0	0	432	348			432	348	254	784

		9	7	9	8	9	9	10	00	10	)1	10	)2
	Indicators	% PP IUCD (pul to Tota Insertion:	olic) al IUCD	% PP IUCD (pul to Total In: Deliverie:	olic) stitutional	IUCD inse public plu institution	us private ons to all planning IUCD plus	Oral Pills d	listributed	Condom distril		Centchro distril	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Hoshangabad	38.0	40.4	14.6	14.7	82.7	85.5	61,912	63,502	638,937	577,565	0	0
1	Babai	16.7	16.4	8.8	5.8	93.8	93.8	6,411	5,432	60,105	64,237		
2	Bankhedi	18.3	17.5	11.9	5.4	98.5	100.0	5,660	3,165	40,744	24,205		0
3	Dolaria	0.0	2.1	0.0	9.3	100.0	98.2	4,371	4,523	47,032	45,577		0
4	Dolaria Block												
5	Hoshangabad	96.2	21.0	7.7	0.8	41.2	37.7	5,016	10,357	61,903	24,570	0	0
6	Kesla	49.0	26.5	18.7	11.8	76.3	78.1	10,168	12,498	198,477	195,513	0	0
7	Pipariya	41.0	6.7	17.0	3.1	90.3	95.2	12,820	12,865	180,337	172,659		0
8	Seoni-Malwa	36.6	21.9	20.1	15.3	79.1	91.5	6,776	6,759	11,089	11,483		0
9	Sohagpur	58.8	225.3	31.8	106.1	100.0	96.1	10,690	7,903	39,250	39,321		0

		10	)3	10	04	10	05	10	06	10	07	10	08
	Indicators	Number o given (Birth	OPV 0	Number o	of Infants BCG	Newborns at birth to	% given OPV0 Reported birth	Newborns to Repo	given BCG rted live	Number o		Number o	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Hoshangabad	10,706	9,294	11,909	10,302	84.5	88.4	94.0	98.0	149	9,831	97	9,640
1	Babai	687	732	697	759	101.3	102.2	102.8	106.0	0	1,093	0	1,076
2	Bankhedi	1,276	987	1,300	1,005	132.2	97.8	134.7	99.6	2	1,086	3	1,061
3	Dolaria	70	147	123	232	76.9	151.5	135.2	239.2	0	840	0	860
4	Dolaria Block												
5	Hoshangabad	3,512	3,466	4,066	3,626	65.2	79.3	75.5	83.0	147	929	94	827
6	Kesla	1,544	1,595	1,666	1,724	92.3	102.0	99.6	110.3	0	1,844	0	1,711
7	Pipariya	2,113	1,033	2,213	1,171	96.6	90.5	101.1	102.5	0	1,327	0	1,335
8	Seoni-Malwa	717	613	1,021	1,052	83.4	72.0	118.7	123.6	0	1,496	0	1,524
9	Sohagpur	787	721	823	733	95.4	94.5	99.8	96.1	0	1,216	0	1,246

		10	)9	11	10	1	11	11	12	11	13	11	14
	Indicators	Number o		Number o		Number o	of Infants tavalent 2	Number o		Number o	of Infants Measles	Infants months received vaccine to live b	0 to 11 old who I Measles o reported
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Hoshangabad	124	10,016	10,612	0	10,241	0	10,294	0	11,562	10,954	91.2	104.2
1	Babai	0	1,143	1,151		1,111		1,112		1,166	1,161	172.0	162.2
2	Bankhedi	8	1,067	1,155	0	1,054	0	1,096	0	1,206	1,189	125.0	117.8
3	Dolaria	0	887	848	0	877	0	892	0	826	1,001	907.7	1032.0
4	Dolaria Block												
5	Hoshangabad	91	928	1,095	0	889	0	841	0	1,504	962	27.9	22.0
6	Kesla	1	1,729	1,877	0	1,816	0	1,788	0	1,903	1,902	113.8	121.7
7	Pipariya	6	1,358	1,663		1,676		1,687		1,840	1,519	84.1	133.0
8	Seoni-Malwa	4	1,612	1,454		1,446		1,477		1,600	1,771	186.0	208.1
9	Sohagpur	14	1,292	1,369	0	1,372	0	1,401	0	1,517	1,449	183.9	189.9

		11	15	11	16	1	17	11	18	11	19	13	20
	Indicators	Number immunize (9-11 n		9 Drop Out BCG & /	between	Vitamin -	A dose 1	Children g dose1 to live	iven Vit A	Childre Vitamin A	given Vit A	Following I	e Events munisation ers)
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Hoshangabad	10,507	9,116	2.9	-6.3	11,136	11,067	87.9	105.3	259.1	187.0	0	4
1	Babai	1,171	1,165	-67.3	-53.0	1,174	1,159	173.2	161.9	143.4	136.8	0	
2	Bankhedi	602	578	7.2	-18.3	1,190	1,199	123.3	118.8	195.0	56.5	0	0
3	Dolaria	815	1,000	-571.5	-331.5	856	1,155	940.7	1190.7	113.8	161.0	0	0
4	Dolaria Block												
5	Hoshangabad	1,126	32	63.0	73.5	919	863	17.1	19.8	843.4	122.1	0	4
6	Kesla	1,878	1,755	-14.2	-10.3	2,058	1,949	123.1	124.7	343.1	430.2	0	0
7	Pipariya	1,840	1,519	16.9	-29.7	1,840	1,550	84.1	135.7	143.7	219.2	0	0
8	Seoni-Malwa	1,600	1,775	-56.7	-68.3	1,620	1,787	188.4	210.0	286.7	108.7	0	0
9	Sohagpur	1,475	1,292	-84.3	-97.7	1,479	1,405	179.3	184.1	120.4	127.5	0	0

		12	21	12	22	12	23	12	24	12	25	13	26
	Indicators	immunisation Held to Imm Sessions	on Sessions munisation	Immunisatio where ASI preser Immunisatio Plan	on Sessions HAs were nt to	Diptheria i 0-5 Years Total Re Childhood	n Children of Age to eported	Pertusis ir 0-5 Years Total Re Childhood	of Age to eported I Diseases	Tetanus Ne in Children of Age t Reported ( Diseases (	eonatorum 1 0-5 Years 10 Total Childhood	Tetanus ( Children 0- Age to Tota Childhood 0-5 )	Others in -5 Years of Il Reported I Diseases
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Hoshangabad	96.9	97.0	83.6	82.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Babai	99.3	98.6	95.7	91.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	Bankhedi	99.1	98.8	95.6	96.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	Dolaria	98.1	98.2	96.9	92.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	Dolaria Block												
5	Hoshangabad	100.0	96.8	42.0	56.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	Kesla	97.6	98.3	78.0	75.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	Pipariya	96.7	96.1	76.1	79.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	Seoni-Malwa	89.8	91.8	81.4	79.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	Sohagpur	98.9	98.8	88.8	82.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

		12	27	12	28	13	29	1:	30	13	31	13	32
	Indicators	Polio in Ch Years of Ag Reported Diseases	nildren 0-5 ge to Total	Measles in 0-5 Years Total Re Childhood	Children of Age to eported I Diseases	Diarrho dehydr Children O Age to Tota Childhood	bea and ation in -5 Years of al Reported d Diseases Years	Years of Ag Reported	Children 0-5 ge to Total	9 Adult F Inpatients Adult In	emale to Total	% Children Inp Total In	patient to
			2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Hoshangabad	0.0	0.0	0.0	0.4	96.4	93.2	3.6	6.3	60.9	54.7	18.7	21.2
1	Babai	0.0	0.0	0.0	0.0	100.0	98.2	0.0	1.8	69.1	74.0	27.0	16.7
2	Bankhedi	0.0	0.0	0.0	0.0	77.0	100.0	23.0	0.0	72.0	56.1	6.6	4.7
3	Dolaria	0.0	0.0	0.0	0.0	80.6	94.4	19.4	5.6	85.4	75.6	4.1	0.5
4	Dolaria Block												
5	Hoshangabad	0.0	0.0	0.0	0.0	92.2	61.6	7.8	38.4	58.1	44.6	29.1	37.0
6	Kesla	0.0	0.0	0.0	0.0	91.5	71.9	8.5	28.1	50.7	48.8	8.9	5.8
7	Pipariya	0.0	0.0	0.0	0.4	98.8	96.4	1.2	3.1	62.4	61.7	14.8	20.9
8	Seoni-Malwa	0.0	0.0	0.0	0.3	100.0	99.2	0.0	0.5	73.7	72.4	12.8	17.9
9	Sohagpur	0.0	0.0	0.0	1.7	43.4	94.0	56.6	4.3	52.1	61.6	29.5	10.2

		13	33	13	34	1:	35	13	36	13	37	1:	38
	Indicators	Female I Deaths t Inpatien	to Total	9 Inpatient [ Tota	Deaths to	IPD (No	umber)	OPD (N	umber)	% IPD	to OPD	Number Opera	of Major ations
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Hoshangabad	32.9	43.6	0.3	0.5	62,925	47,984	518,264	417,583	12.1	11.5	1,724	1,184
1	Babai			0.0	0.0	2,142	1,458	35,772	31,755	6.0	4.6	0	0
2	Bankhedi	40.0	50.0	0.2	0.0	5,659	4,303	36,208	33,995	15.6	12.7	0	0
3	Dolaria			0.0	0.0	809	440	22,284	18,883	3.6	2.3	0	0
4	Dolaria Block												
5	Hoshangabad		47.9	0.0	0.8	16,895	17,079	96,002	82,297	17.6	20.8	1,200	844
6	Kesla	26.9	34.4	0.6	0.8	8,045	8,276	114,760	100,833	7.0	8.2	450	338
7	Pipariya	35.3	42.4	0.5	0.3	20,974	9,805	121,377	65,455	17.3	15.0	74	2
8	Seoni-Malwa			0.0	0.0	2,385	2,653	39,722	40,698	6.0	6.5	0	0
9	Sohagpur			0.0	0.0	6,016	3,970	52,139	43,667	11.5	9.1	0	0

		13	39	14	40	14	41	14	12	14	43	14	14
	Indicators	Number Opera	of Minor	% Major Ope Total Op	rations to	Hyster	per of ectomy eries	Hystere Surgeries Major Op	ectomy to Total	Ayush OPD	(Number)	AYUSH OP OI	D to Total
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Hoshangabad	4,384	2,104	28.2	36.0	843	78	48.8	6.5	25,636	14,877	4.9	3.5
1	Babai	58	4	0.0	0.0	0	0			18	0	0.1	0.0
2	Bankhedi	115	0	0.0		0	0			6,357	7,319	17.6	21.5
3	Dolaria	329	0	0.0		0	0			13	5	0.1	0.0
4	Dolaria Block												
5	Hoshangabad	218	332	84.6	71.8	834	0	69.5	0.0	0	0	0.0	0.0
6	Kesla	577	163	43.8	67.5	9	78	2.0	23.1	4,817	2,296	4.2	2.3
7	Pipariya	2,880	1,526	2.5	0.1	0	0	0.0	0.0	11,161	3,900	9.2	6.0
8	Seoni-Malwa	106	74	0.0	0.0	0	0			1	2	0.0	0.0
9	Sohagpur	101	5	0.0	0.0	0	0			3,269	1,355	6.3	3.1

Indicators		145		146		147		148		149		150	
		Dental OPD (Number)		% Dental OPD to Total OPD		Adolescent counselled (Number)		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female HIV Positive to Total Females Tested	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Hoshangabad	1,474	2,636	0.3	0.6	404	1,193	2.4	3.6	0.4	6.9	0.1	13.9
1	Babai	0	0	0.0	0.0	119	0	4.5	2.3			0.0	0.0
2	Bankhedi	0	0	0.0	0.0	0	0	3.7	3.5	0.0	0.0	0.0	0.0
3	Dolaria	0	0	0.0	0.0	18	0	0.2	1.1	0.0	0.0	0.4	8.9
4	Dolaria Block												
5	Hoshangabad	0	2,081	0.0	2.5	0	862	3.2	8.6	0.3	2.5	0.1	40.2
6	Kesla	0	0	0.0	0.0	224	304	0.9	1.0	0.0	28.2	0.0	22.4
7	Pipariya	1,474	555	1.2	0.8	0	0	2.2	1.8	0.6	1.1	0.1	0.2
8	Seoni-Malwa	0	0	0.0	0.0	14	26	1.0	1.6	0.0	0.0	0.0	0.0
9	Sohagpur	0	0	0.0	0.0	29	1	1.6	1.8	2.0	1.5	0.1	1.8

Indicators		% Total HIV Positive to Total Tested ( Male + Female)		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		154  Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
			_Hoshangabad	0.2	12.9	0.8	2.2	0.5	0.8	229	133	5.2	3.3
1	Babai	0.0	0.0	1.0	1.0	0.2	0.2	42	12	3.4	40.0	0.0	10.0
2	Bankhedi	0.0	0.0	0.6	0.7	0.1	0.2	29	7	0.0	0.0	0.0	0.0
3	Dolaria	0.4	7.9	0.3	0.3	0.1	0.0	9	12	0.0	0.0	0.0	0.0
4	Dolaria Block												
5	Hoshangabad	0.2	31.4	2.2	1.5	1.2	1.0	53		18.4		18.4	
6	Kesla	0.0	23.4	0.5	6.3	0.3	0.3	22	22	0.0	0.0	0.0	0.0
7	Pipariya	0.3	0.3	0.9	0.3	0.6	0.7	17	12	11.8	0.0	17.6	0.0
8	Seoni-Malwa	0.0	0.0	0.5	0.6	0.9	0.2	37	32	0.0	0.0	0.0	0.0
9	Sohagpur	0.2	1.8	1.3	4.9	0.6	4.4	20	36	0.0	0.0	0.0	0.0

Indicators		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
			_Hoshangabad	8.9	11.4	4.2	5.7	0.0	1.6	3.1	4.1	0.0	0.0
1	Babai	10.3	10.0	0.0	0.0	0.0	10.0	13.8	10.0	0.0	0.0	72.4	20.0
2	Bankhedi	3.6	14.3	10.7	0.0	0.0	0.0	3.6	0.0	0.0	0.0	82.1	85.7
3	Dolaria	0.0	8.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	91.7
4	Dolaria Block												
5	Hoshangabad	13.2		0.0		0.0		2.6		0.0		47.4	
6	Kesla	5.3	14.3	5.3	9.5	0.0	0.0	0.0	0.0	0.0	0.0	89.5	76.2
7	Pipariya	29.4	33.3	0.0	33.3	0.0	0.0	0.0	0.0	0.0	0.0	41.2	33.3
8	Seoni-Malwa	0.0	0.0	5.9	3.1	0.0	0.0	0.0	0.0	0.0	0.0	94.1	96.9
9	Sohagpur	11.1	13.8	11.1	0.0	0.0	3.4	0.0	13.8	0.0	0.0	77.8	69.0