		1	2	3	4	5	6	7	8	9	10	11	12	13
	Indicators	Total number of pregnant women Registere d for ANC	Number of Pregnant women registere d within first trimester	% 1st Trimeste r registrati on to Total ANC Registrati ons	Number of pregnant women received 4 or more ANC check ups	TT2 given to Pregnant women (numbers	TT Booster given to Pregnant women (numbers)	% Pregnant Woman received 4 ANC check ups to Total ANC Registrati ons	% Pregnant women received TT2+ TT Booster to Total ANC Registrati on	Number of Pregnant women given 180 IFA tablets	% Pregnant women given 180 IFA to Total ANC Registrati on	Number of Pregnant Women having Hb level<11 (tested cases)	Number of Pregnant Women having severe anaemia (Hb<7) treated at institutio n	% Pregnant women having severe anaemia (Hb<7) treated at institutio n to women having hb level<7
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Hoshangabad	17,896	10,163	56.7	14,510	12,074	3,665	81.0	87.9	14,898	83.2	10,331	77	20.6
1	Babai	1,910	1,117	58.5	1,463	1,503	297	76.6	94.2	1,681	88.0	747	24	32.4
2	Bankhedi	2,146	1,406	65.5	1,713	1,102	773	79.8	87.4	1,069	49.8	1,371	0	0.0
3	Dolaria	1,455	806	55.4	2,070	1,043	336	142.3	94.8	1,475	101.4	889	5	31.3
4	Dolaria Block													
5	Hoshangabad	1,440	674	46.8	712	864	418	49.4	89.0	1,258	87.4	708	16	64.0
6	Kesla	2,873	1,419	49.4	2,375	2,060	619	82.7	93.2	2,836	98.7	1,280	20	32.8
7	Pipariya	2,438	1,454	59.6	1,951	1,489	789	80.0	93.4	2,108	86.5	1,563	0	0.0
8	Seoni-Malwa	2,589	1,807	69.8	2,154	2,141	129	83.2	87.7	1,979	76.4	1,875	2	5.9
9	Sohagpur	3,045	1,480	48.6	2,072	1,872	304	68.0	71.5	2,492	81.8	1,898	10	9.7

Performance of Key HMIS Indicators for Madhya Pradesh-> Hoshangabad (Across Sub Districts) Financial Year: 2017-18

Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

		14	15	16	17	18	19	20	21	22	23	24	25	26
	Indicators	% New cases of Pregnant Women detected at institutio n for hyperten sion to Total ANC Registrati ons	Number of Home deliveries	Number of home deliveries attended by SBA trained (Doctor/ Nurse/ ANM)	Number of home deliveries attended by Non SBA trained (trained TB/Dai)	% SBA attended home deliveries to Total Reported Home Deliveries	Deliveries Conducte d at Public Institutio ns	Number of Women Discharge d under 48 hours of delivery in public facilities	% Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at public institutio ns	Deliveries Conducte d at Private Institutio ns	Number of Women Discharge d under 48 hours of delivery in private institutio ns	% Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at private institutio ns	Institutio nal deliveries (Public Insts.+Pvt , Insts.)	% Institutio nal Deliveries to total ANC registrati on
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Hoshangabad	1.8	469	53	416	11.3	12,727	107	0.8	4,189		0.0	16,916	94.5
1	Babai	1.3	41	9	32	22.0	921	31	3.4				921	48.2
2	Bankhedi	3.6	38	11	27	28.9	1,350	52	3.9				1,350	62.9
3	Dolaria	1.9	7	4	3	57.1	91	9	9.9				91	6.3
4	Dolaria Block													
5	Hoshangabad	0.1	0	0	0		4,271	0	0.0	4,189		0.0	8,460	587.5
6	Kesla	1.8	115	0	115	0.0	2,251	10	0.4	_			2,251	78.4
7	Pipariya	1.2	98	0	98	0.0	1,414	0	0.0				1,414	58.0
8	Seoni-Malwa	2.1	140	0	140	0.0	1,150	2	0.2				1,150	44.4
9	Sohagpur	1.7	30	29	1	96.7	1,279	3	0.2				1,279	42.0

		27	28	29	30	31	32	33	34	35	36	37	38	39
	Indicators	Total reported deliveries	% Institutio nal deliveries to Total Reported Deliveries	% Safe deliveries to Total Reported Deliveries	% Home deliveries to Total Reported Deliveries	Number of C-section deliveries conducte d at public facilities	Number of C-section deliveries conducte d at private facilities	% C-section deliveries (Public + Pvt.) to reported institutio nal (Public + Pvt.) deliveries	% C-section s conducte d at public facilities to Deliveries conducte d at public facilities	% C-section s conducte d at Private facilities to Deliveries conducte d at private facilities	% Deliveries conducte d at Public Institutio ns to Total Institutio nal Deliveries	% Deliveries conducte d at Private Institutio ns to Total Institutio nal Deliveries	Women received 1st post partum check-up within 48 hours of home delivery	Women received 1st post partum check up between 48 hours and 14 days
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Hoshangabad	17,385	97.3	97.6	2.7	2,056	1,594	21.5	16.2	38.1	75.2	24.8	766	2,475
1	Babai	962	95.7	96.7	4.3	0		0.0	0.0		100.0	0.0	245	403
2	Bankhedi	1,388	97.3	98.1	2.7	0		0.0	0.0		100.0	0.0	41	389
3	Dolaria	98	92.9	96.9	7.1	0		0.0	0.0		100.0	0.0	6	204
4	Dolaria Block													
5	Hoshangabad	8,460	100.0	100.0	0.0	1,444	1,594	35.9	33.8	38.1	50.5	49.5	0	0
6	Kesla	2,366	95.1	95.1	4.9	595		26.4	26.4		100.0	0.0	113	250
7	Pipariya	1,512	93.5	93.5	6.5	17		1.2	1.2		100.0	0.0	89	62
8	Seoni-Malwa	1,290	89.1	89.1	10.9	0		0.0	0.0		100.0	0.0	242	619
9	Sohagpur	1,309	97.7	99.9	2.3			0.0	0.0		100.0	0.0	30	548

		40	41	42	43	44	45	46	47	48	49	50	51	52
	Indicators	% Women getting 1st post partum check-up within 48 hours of home delivery to Total Reported Home Deliveries	% Women getting 1st Post Partum Checkup between 48 hours and 14 days to Total Reported Deliveries	Total Number of reported live births	% Live Births to Total Deliveries	Total Number of reported Still Births	% live birth to Reported Birth	Number of Newborns weighed at birth	% Newborns weighed at birth to live birth	Number of Newborns having weight less than 2.5 kg	% Newborns having weight less than 2.5 kg to Newborns weighed at birth	Number of New Borns Breast Fed within 1 hour	% Newborns breast fed within 1 hour of birth to Total live birth	Sex Ratio at birth (Female Live Births/ Male Live Births *1000)
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Hoshangabad	163.3	14.2	17,228	99.1	221	98.7	17,212	99.9	2,216	12.8	17,026	98.8	876
1	Babai	597.6	41.9	953	99.1	10	99.0	951	99.8	91	9.6	950	99.7	937
2	Bankhedi	107.9	28.0	1,371	98.8	19	98.6	1,371	100.0	55	4.0	1,371	100.0	961
3	Dolaria	85.7	208.2	94	95.9	1	98.9	96	102.1	5	5.2	89	94.7	774
4	Dolaria Block													0
5	Hoshangabad		0.0	8,374	99.0	132	98.4	8,368	99.9	900	10.8	8,193	97.8	843
6	Kesla	98.3	10.6	2,361	99.8	15	99.4	2,358	99.9	595	25.2	2,357	99.8	836
7	Pipariya	90.8	4.1	1,491	98.6	25	98.4	1,485	99.6	294	19.8	1,485	99.6	921
8	Seoni-Malwa	172.9	48.0	1,284	99.5	6	99.5	1,285	100.1	140	10.9	1,285	100.1	1,013
9	Sohagpur	100.0	41.9	1,300	99.3	13	99.0	1,298	99.8	136	10.5	1,296	99.7	873

		53	54	55	56	57	58	59	60	61	62	63	64	65
	Indicators	% cases of Pregnant women with Obstetric Complications and attended to reported deliveries	% Complica ted Pregnanci es treated with Blood Transfusi on to Total Women with Obstetric Complica tions attended	Number of PW given 360 Calcium tablets	% Pregnant women given 360 Calcium to Total ANC Registrati on	Number of PW given one Albendaz ole tablet after 1st trimester	% Pregnant women given one Albendaz ole tablet after 1st trimester to Total ANC Registrati on	Number of PW tested for blood sugar using OGTT (Oral Glucose Toleranc e Test)	% Pregnant women tested for blood sugar using OGTT to Total ANC Registrati on	Number of PW tested positive for GDM	% Pregnant women tested positive for GDM to Total ANC Registrati on	Number of pregnant women tested for Syphilis	Number of pregnant women tested found sero positive for Syphilis	% Pregnant women tested for Syphilis to Total ANC Registrati on
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Hoshangabad	5.7	80.4	10,851	60.6	9,522	53.2	4,262	23.8	690	3.9	4,962	2	27.7
1	Babai	3.0	0.0	1,320	69.1	1,301	68.1	238	12.5	4	0.2	217	0	11.4
2	Bankhedi	3.8	0.0	1,560	72.7	1,062	49.5	67	3.1	36	1.7	828	0	38.6
3	Dolaria	0.0		1,237	85.0	1,272	87.4	171	11.8	138	9.5	322	0	22.1
4	Dolaria Block													
5	Hoshangabad	6.8	100.0	1,152	80.0	562	39.0	1,073	74.5	81	5.6	812	2	56.4
6	Kesla	9.8	98.7	2,396	83.4	1,976	68.8	667	23.2	156	5.4	1,229	0	42.8
7	Pipariya	4.9	0.0	985	40.4	1,096	45.0	691	28.3	55	2.3	715	0	29.3
8	Seoni-Malwa	0.1	0.0	301	11.6	996	38.5	412	15.9	25	1.0	334	0	12.9
9	Sohagpur	2.8	0.0	1,900	62.4	1,257	41.3	943	31.0	195	6.4	505	0	16.6

		66	67	68	69	70	71	72	73	74	75	76	77	78
	Indicators	% Pregnant women treatd for Syphilis to Total sero positive for Syphilis	% of babies treated for congenita I Syphilis to babies total diagnosed with Congenit al Syphilis	Total no. maternal deaths	Total Facility Based Maternal Death Reviews (FBMDR) done	Total Number of Abortions (Spontan eous) Reported	Total Number of MTPs (Public) conducte d	% MTPs to total Abortions	% MTPs up to 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns	% MTPs more than 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns	% MTPs Conducte d at Public Institutio ns to Total MTPs	% MTPs Conducte d at Private Institutio ns to Total MTPs	% Total MTPs (Public) Conducte d to Total ANC Registrati on	Number of Vasectom ies Conducte d
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Hoshangabad	0.0		20	3	327	472	73.6	98.3	1.7	51.8	48.2	2.6	61
1	Babai	0.0		0	0	44	46	51.1	89.1	10.9	100.0	0.0	2.4	4
2	Bankhedi	0.0		2	0	39	72	64.9	100.0	0.0	100.0	0.0	3.4	3
3	Dolaria	0.0		0		14	0	0.0					0.0	6
4	Dolaria Block													
5	Hoshangabad	0.2		2	2	36	62	93.3	98.4	1.6	12.4	87.6	4.3	13
6	Kesla	0.0		9	1	49	43	46.7	100.0	0.0	100.0	0.0	1.5	9
7	Pipariya	0.0		0	0	50	40	44.4	95.0	5.0	100.0	0.0	1.6	12
8	Seoni-Malwa	0.0		6	0	68	17	20.0	100.0	0.0	100.0	0.0	0.7	5
9	Sohagpur	0.0		1		27	192	87.7	100.0	0.0	100.0	0.0	6.3	9

		79	80	81	82	83	84	85	86	87	88	89	90	91
	Indicators	Number of Tubecto mies Conducte d	Total Sterilisati on Conducte d	% Male Sterlisati on (Vasecto mies) to Total sterilisati on	% Female Serlisatio n (Tubecto mies) to Total sterilisati on	Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at PHC	Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at CHC	Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at SDH	Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at DH	Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns	Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at Public institutio ns	% Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns to Total Sterlisati on	% Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Public institutio ns to Total Sterlisati on	% Laparosc opic sterlisati ons to Total Female Sterilisati ons
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Hoshangabad	4,708	4,769	1.2	98.7					594	4,175	12.5	87.5	78.6
1	Babai	399	403	1.0	99.0						403	0.0	100.0	98.5
2	Bankhedi	484	487	0.6	99.4						487	0.0	100.0	99.6
3	Dolaria	422	428	1.4	98.6						428	0.0	100.0	69.2
4	Dolaria Block													
5	Hoshangabad	992	1,005	1.3	98.7					594	411	59.1	40.9	74.1
6	Kesla	983	992	0.9	99.1						992	0.0	100.0	47.2
7	Pipariya	412	424	2.8	97.2						424	0.0	100.0	96.4
8	Seoni-Malwa	538	543	0.9	99.1						543	0.0	100.0	87.9
9	Sohagpur	478	487	1.8	98.2						487	0.0	100.0	97.3

		92	93	94	95	96	97	98	99	100	101	102	103	104
	Indicators	% Mini Lap Sterlisati ons to Total Female Sterilisati ons	% Post Partum Sterlisati ons to Total Female Sterilisati ons	% Post Abortion Sterlisati ons to Total Female Sterilisati ons	% Laparosc opic sterlisati ons at Public Institutio ns to Total Laparosc opic Sterilisati ons	% Mini Lap sterlisati ons at Public Institutio ns to Total Mini Lap Sterilisati ons	% Post Partum sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on	% Post Abortion sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on	Total cases of deaths following Sterlisati on (Male + Female)	Total cases of deaths following Male Sterlisati on	Total cases of deaths following Female Sterlisati on	Total cases of failure following Male Sterlisati on	Total cases of failure following Female Sterlisati on	Total cases of complicat ion following Male Sterlisati on
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Hoshangabad	15.1	6.1	0.0	90.4	67.7	100.0	100.0	0	0	0	0	0	0
1	Babai	1.5	0.0	0.0	100.0	100.0			0	0	0	0	0	0
2	Bankhedi	0.4	0.0	0.0	100.0	100.0			0	0	0	0	0	0
3	Dolaria	23.9	6.9	0.0	100.0	100.0	100.0		0	0	0	0	0	0
4	Dolaria Block													
5	Hoshangabad	25.2	0.5	0.2	51.4	8.0	100.0	100.0	0	0	0	0	0	0
6	Kesla	26.8	25.8	0.2	100.0	100.0	100.0	100.0	0	0	0	0	0	0
7	Pipariya	3.6	0.0	0.0	100.0	100.0			0	0	0	0	0	0
8	Seoni-Malwa	11.5	0.6	0.0	100.0	100.0	100.0		0	0	0	0	0	0
9	Sohagpur	2.7	0.0	0.0	100.0	100.0								

		105	106	107	108	109	110	111	112	113	114	115	116	117
	Indicators	Total cases of complicat ion following Female Sterlisati on	IUCD Insertions done (public facilities)	IUCD insertions done (pvt. facilities)	% PP IUCD Insertions (public) to Total IUCD Insertions (public)	% PP IUCD Insertions (public) to Total Institutio nal Deliveries (public)	% IUCD insertions to all family planning methods (IUCD plus permane nt)	Total Interval IUCD Insertions done	Total PP IUCD Insertions done	Total PAIUCD insertions done	Combine d Oral Pills distribute d	Emergenc y pills distribute d	Condom pieces distribute d	Centchro man (weekly pills) distribute d
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Hoshangabad	1	5,007		40.5	15.9	51.2	2,925	2,028	54	85,363	885	1,132,583	0
1	Babai	0	486		25.5	13.5	54.7	358	124	4	6,778	21	126,290	0
2	Bankhedi	0	628		34.7	16.1	56.3	410	218	0	15,096	62	113,591	0
3	Dolaria	1	286		23.1	72.5	40.1	220	66	0	7,409	138	111,736	0
4	Dolaria Block													
5	Hoshangabad	0	670		91.5	14.4	40.0	51	613	6	1,974	0	58,629	0
6	Kesla	0	986		25.7	11.2	49.8	730	253	3	16,562	81	284,009	0
7	Pipariya	0	813		14.5	8.3	65.7	695	118	0	15,144	483	163,517	0
8	Seoni-Malwa	0	439		67.7	25.8	44.7	142	297	0	11,745	0	192,529	0
9	Sohagpur		699		48.5	26.5	58.9	319	339	41	10,655	100	82,282	

		118	119	120	121	122	123	124	125	126	127	128	129	130
	Indicators	Number of beneficia ries given 1st dose of Injectabl e (Antara Program)	Number of beneficia ries given 2nd dose of Injectabl e (Antara Program)	Number of beneficia ries given 3rd dose of Injectabl e (Antara Program)	Number of beneficia ries given 4th or more than 4 doses of Injectabl e (Antara Program)	Pregnanc y testing kits used	Number of Infants given OPV 0 (Birth Dose)	Number of Infants given BCG	Number of Infants given Hep- B0 (birth dose)	% Newborns given OPV0 at birth to Reported live birth	% Newborns given BCG to Reported live birth	% Newborns given Hep-B0 (Birth Dose)at birth to Reported live birth	Number of Infants given DPT1	Number of Infants given DPT2
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Hoshangabad	17	1	0	0	13,951	16,752	17,413	16,753	97.2	101.1	97.2	0	0
1	Babai	0	0	0	0	2,071	811	942	906	85.1	98.8	95.1		
2	Bankhedi	0	0	0	0	1,001	1,330	1,369	1,331	97.0	99.9	97.1	0	0
3	Dolaria	0	0	0	0	941	88	124	81	93.6	131.9	86.2	0	0
4	Dolaria Block													
5	Hoshangabad	17	1	0	0	261	8,446	8,478	8,374	100.9	101.2	100.0	0	0
6	Kesla	0	0	0	0	3,360	2,256	2,406	2,246	95.6	101.9	95.1	0	0
7	Pipariya	0	0	0	0	1,931	1,388	1,483	1,388	93.1	99.5	93.1	0	0
8	Seoni-Malwa	0	0	0	0	2,516	1,138	1,314	1,132	88.6	102.3	88.2	0	0
9	Sohagpur					1,870	1,295	1,297	1,295	99.6	99.8	99.6		

		131	132	133	134	135	136	137	138	139	140	141	142	143
	Indicators	Number of Infants given DPT3	Number of Infants given Pentavale nt 1	Number of Infants given Pentavale nt 2	Number of Infants given Pentavale nt 3	Number of Infants given Measles	Number of Infants given MR	% Infants 0 to 11 months old who received Measles+ MR vaccine to reported live births	Number of fully immunize d children (9-11 months)	% Drop Out between BCG & Measles/ MR	% Children given Vit A dose1 to Reported live birth	% Children given Vitamin A Dose 9 to Children given Vit A dose1	Adverse Events Following Imunisati on (Abcess)	Adverse Events Following Imunisati on (Deaths)
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Hoshangabad	0	15,425	15,063	15,150	16,440	0	95.4	16,434	5.6	93.9	117.9	1	0
1	Babai		1,553	1,593	1,667	1,751		183.7	1,751	-85.9	217.9	126.5	0	0
2	Bankhedi	0	1,676	1,685	1,640	1,865		136.0	1,865	-36.2	136.0	61.9	0	0
3	Dolaria	0	1,262	1,255	1,248	1,557	0	1656.4	1,557	-155.6	1369.1	179.1	1	0
4	Dolaria Block													
5	Hoshangabad	0	1,559	1,500	1,418	1,791	0	21.4	1,791	78.9	19.2	112.1	0	0
6	Kesla	0	2,718	2,691	2,940	2,861	0	121.2	2,861	-18.9	117.1	95.9	0	0
7	Pipariya	0	2,106	2,027	1,922	2,426	0	162.7	2,426	-63.6	159.0	129.7	0	0
8	Seoni-Malwa	0	2,275	2,144	2,144	2,238	0	174.3	2,241	-70.3	175.5	143.9	0	0
9	Sohagpur		2,276	2,168	2,171	1,951		150.1	1,942	-50.4	150.2	113.3		

		144	145	146	147	148	149	150	151	152	153	154	155	156
	Indicators	Adverse Events Following Imunisati on (Others)	% immunisa tion Sessions Held to Immunisa tion Sessions Planned	% Immunisa tion Sessions where ASHAs were present to Immunisa tion Sessions Planned	Pneumoni a in Children 0-5 Years of Age	Asthma in Children 0-5 Years of Age	Sepsis in Children 0-5 Years of Age	Diphtheri a in Children 0-5 Years of Age	Pertussis in Children 0-5 Years of Age	Tetanus Neonator um in Children 0-5 Years of Age	Tubercul osis (TB) in Children 0-5 Years of Age	Acute Flaccid Paralysis (AFP)in Children 0-5 Years of Age	Measles in Children 0-5 Years of Age	Malaria in Children 0-5 Years of Age
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Hoshangabad	0	99.1	97.1	112	94	4	0	0	0	12	12	4	112
1	Babai	0	98.7	97.2	2	0	0	0	0	0	2	2	0	2
2	Bankhedi	0	100.0	100.0	0	0	0	0	0	0	0	0	0	0
3	Dolaria	0	99.9	99.5	0	0	0	0	0	0	0	0	1	0
4	Dolaria Block													
5	Hoshangabad	0	99.4	99.8	12	0	0	0	0	0	0	0	0	12
6	Kesla	0	100.0	98.5	84	94	4	0	0	0	4	4	3	84
7	Pipariya	0	96.2	85.9	3	0	0	0	0	0	6	6	0	3
8	Seoni-Malwa	0	99.3	95.9	6	0	0	0	0	0	0	0	0	6
9	Sohagpur		98.9	98.7	5									5

Indicators		157	158	159	160	161	162	163	164	165	166	167	168	169
		Diarrhoea in Children 0-5 Years of Age	Diarrhoea treated in Inpatient s in Children 0-5 Years of Age	No. of infants given Measles Rubella vaccine 1st dose	No. of infants received Rotavirus Vaccine 1st dose	No. of infants received Rotavirus Vaccine 2nd dose	No. of infants received Rotavirus Vaccine 3nd dose	No of children 16-24 months age given Measles 2nd dose	No of children 16-24 months age given Measles Rubella Vaccine 2nd dose	% Adult Female Inpatient s to Total Adult Inpatient	% Children Inpatient to Total Inpatient	% Female Inpatient Deaths to Total Inpatient Deaths	% Inpatient Deaths to Total IPD	IPD (Number)
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Hoshangabad	1,547	286	0	15,157	13,231	13,231	15,601	0	62.5	22.8	46.8	0.1	89,590
1	Babai	57	15		1,550	1,327	1,327	1,839		63.5	32.0		0.0	7,709
2	Bankhedi	45	24		1,676	1,494	1,494	1,833		67.6	11.3	66.7	0.1	10,893
3	Dolaria	97	0	0	1,212	1,058	1,058	1,289	0	49.0	20.1		0.0	1,498
4	Dolaria Block													
5	Hoshangabad	333	38	0	1,541	1,434	1,434	1,149	0	60.2	28.7	43.1	0.2	29,123
6	Kesla	250	92	0	2,729	2,380	2,380	2,686	0	63.6	15.9	48.1	0.2	11,059
7	Pipariya	282	19	0	2,106	1,844	1,844	2,449	0	63.7	15.3		0.0	13,556
8	Seoni-Malwa	366	83	0	2,067	1,761	1,761	2,303	0	63.1	16.9		0.0	6,734
9	Sohagpur	117	15		2,276	1,933	1,933	2,053		59.2	34.7		0.0	9,018

		170	171	172	173	174	175	176	177	178	179	180	181	182
Indicators		OPD (Allopathi c)	Ayush OPD (Number)	OPD (Ayush+Al lopathic)	% IPD to OPD	Number of Major Operatio ns	Number of Minor Operatio ns	% Major Operatio ns to Total Operatio n	Number of Hysterect omy Surgeries	% Hysterect omy Surgeries to Total Major Operatio ns	% AYUSH OPD to Total OPD	Dental OPD (Number)	% Dental OPD to Total OPD	% Hb < 7 mg to Total Hb Tests Conducte d
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Hoshangabad	755,247	63,052	818,299	10.9	2,156	5,327	28.8	168	7.7	7.7	10,130	1.2	3.5
1	Babai	51,722	3,737	55,459	13.9	0	12	0.0	0		6.7	388	0.7	2.6
2	Bankhedi	88,631	8,636	97,267	11.2	0	650	0.0	0		8.9	636	0.7	1.7
3	Dolaria	27,379	7,692	35,071	4.3	0	205	0.0	0		21.9	399	1.1	0.6
4	Dolaria Block													
5	Hoshangabad	174,427	13,288	187,715	15.5	1,940	799	70.8	71	3.7	7.1	5,365	2.9	9.3
6	Kesla	129,451	15,671	145,122	7.6	197	844	18.9	80	40.6	10.8	968	0.7	1.8
7	Pipariya	102,553	30	102,583	13.2	19	2,533	0.7	17	89.5	0.0	1,501	1.5	1.0
8	Seoni-Malwa	106,045	1,454	107,499	6.3	0	6	0.0	0		1.4	673	0.6	1.0
9	Sohagpur	75,039	12,544	87,583	10.3		278	0.0			14.3	200	0.2	2.1

Performance of Key HMIS Indicators for Madhya Pradesh-> Hoshangabad (Across Sub Districts) Financial Year: 2017-18

Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

Indicators		183	184	185	186	187	188	189	190	191	192	193	194	195
		% Male HIV Positive to Total Males Tested	% Female screened for HIV to Total ANC Registrati on	% Female HIV Positive to Total Females Tested	% Total HIV Positive to Total Tested (Male + Female)	% Plasmodi um Vivax test positive to Total Blood Smears Examined	% Plasmodi um Falciparu m test positive to Total Blood Smears Examined	Total Number of Infant Deaths reported	% Deaths due to Sepsis to Total Reported Infant Deaths	% Deaths due to Asphyxia to Total Reported Infant Deaths	% Deaths due to Pneumoni a to Total Reported Infant Deaths	% Deaths due to Diarrhoea to Total Reported Infant Deaths	% Deaths due to Fever to Total Reported Infant Deaths	% Deaths due to Measles to Total Reported Infant Deaths
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Hoshangabad	0.2	27.4	0.1	0.2	0.7	0.4	312	30.8	3.8	2.9	0.0	0.3	0.0
1	Babai	0.0	16.3	0.0	0.0	0.2	0.1	44	47.7	0.0	2.3	0.0	0.0	0.0
2	Bankhedi	1.0	11.4	0.0	0.3	0.7	0.3	22	0.0	9.1	4.5	0.0	0.0	0.0
3	Dolaria	0.0	7.5	0.0	0.0	4.0	0.0	9	11.1	0.0	0.0	0.0	0.0	0.0
4	Dolaria Block													
5	Hoshangabad	0.3	150.7	0.2	0.3	0.5	0.2	114	55.3	8.8	0.0	0.0	0.0	0.0
6	Kesla	0.2	49.4	0.0	0.1	0.2	0.1	29	3.4	0.0	10.3	0.0	0.0	0.0
7	Pipariya	0.0	6.9	0.0	0.0	0.4	0.5	28	0.0	0.0	3.6	0.0	3.6	0.0
8	Seoni-Malwa	0.0	11.3	0.0	0.0	0.6	0.8	39	10.3	0.0	5.1	0.0	0.0	0.0
9	Sohagpur	0.0	6.2	0.0	0.0	1.1	1.0	27	22.2	0.0	3.7	0.0	0.0	0.0

		196	197	198
	Indicators	Institutio nal Deliveries at Urban Heatlh Facilities i.e SC+PHC+ CHC+SDH	Institutio nal Deliveries at District Hospitals	Measles immuniza tion at urban Health facilities i.e SC+PHC+ CHC+SDH +DH
		2017-18	2017-18	2017-18
	_Hoshangabad	8,144		
1	Babai			
2	Bankhedi			
3	Dolaria			
4	Dolaria Block			
5	Hoshangabad	4,189		
6	Kesla	1,670		
7	Pipariya	1,242		
8	Seoni-Malwa	1,043		
9	Sohagpur			