		,	1	:	2	1	3	4	4	!	5		5
ı	Indicators	Total nu pregnant Registered	t women	Number of women re within first		1st Trii registratio ANC Regi	mester n to Total	Number of women red more ANC		TT2 given t	-	TT Booste Pregnant (num	women
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	19,466	17,742	10,309	9,634	52.9	54.3	11,272	10,614	13,217	12,694	2,057	2,235
1	Ater	2,209	2,148	1,068	1,037	48.3	48.3	1,247	1,234	1,726	2,016	167	182
2	Bhind (Phoop)	5,235	4,886	2,217	1,983	42.3	40.6	2,602	2,728	2,654	2,425	1,228	1,337
3	Gohad	3,113	3,130	1,732	1,757	55.6	56.1	1,531	1,647	2,524	2,488	293	244
4	Lahar	3,298	2,237	1,195	1,024	36.2	45.8	2,469	1,789	2,304	1,893	47	37
5	Mehgaon	3,494	2,998	2,435	1,810	69.7	60.4	2,134	1,563	2,950	2,764	205	165
6	Mihona(Ron)	2,117	2,343	1,662	2,023	78.5	86.3	1,289	1,653	1,059	1,108	117	270

		7	7	8	3	9)	1	0	1	1	1	2
	Indicators	Pregnant received 4 ups to To Registr	: Woman ANC check otal ANC	Pregnant receive TT Booste ANC Regi	t women d TT2+ r to Total	Number of women give	-	Pregnant given 180 I ANC Reg	FA to Total	Number of Women h leve (tested	aving Hb l<11	Number of Women hav anae (Hb treated at	ving severe emia <7)
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	57.9	59.8	78.4	84.1	18,110	16,754	93.0	94.4	9,327	11,932	256	896
1	Ater	56.5	57.4	85.7	102.3	2,187	2,079	99.0	96.8	1,755	1,804	44	112
2	Bhind (Phoop)	49.7	55.8	74.2	77.0	5,214	4,366	99.6	89.4	2,838	4,199	118	308
3	Gohad	49.2	52.6	90.5	87.3	2,740	2,866	88.0	91.6	1,726	2,195	82	192
4	Lahar	74.9	80.0	71.3	86.3	2,358	2,108	71.5	94.2	1,707	1,677	6	44
5	Mehgaon	61.1	52.1	90.3	97.7	3,494	2,998	100.0	100.0	881	1,059	6	79
6	Mihona(Ron)	60.9	70.6	55.6	58.8	2,117	2,337	100.0	99.7	420	998	0	161

		1	3	1	4	1	5	1	6	1	7	1	8
	Indicators	Pregnant having seve (Hb treated at to women		New cases o Women de institut hypertensio ANC Regi	of Pregnant etected at ion for on to Total	Number deliv	of Home eries			Non SBA	ttended by	SBA atten deliveries Reporte Deliv	ded home to Total d Home
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	34.3	59.4	0.6	1.7	309	559	16	10	293	549	5.1	1.7
1	_Bhind 34.3 59.		100.0	0.6	1.0	52	86	0	0	52	86	0.0	0.0
2	Bhind (Phoop)	38.8	66.1	1.0	0.6	47	45	0	0	47	45	0.0	0.0
3	Gohad	65.6	36.9	0.2	0.9	72	98	0	0	72	98	0.0	0.0
4	Lahar	3.9	46.8	0.9	0.8	82	169	11	8	71	161	13.4	4.7
5	Mehgaon	46.2	96.3	0.5	3.8	33	41	0	0	33	41	0.0	0.0
6	Mihona(Ron)	0.0	68.8	0.0	4.3	23	120	5	2	18	118	21.7	1.7

		1	9	2	0	2	1	2	2	2	3	2	4
	Indicators	Deliveries at Public II		Discharged hours of d	of Women I under 48 Ielivery in acilities	Women dis less than 4 delivery Reported at public in	charged in 8 hours of to Total Deliveries	Deliveries at Private I		Discharge	of Women d under 48 delivery in stitutions	Women dis less than 4 delivery	8 hours of to Total Deliveries
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	9,299	9,710	1,175	692	12.6	7.1	140	800	0	0	0.0	0.0
1	Ater	336	347	1	2	0.3	0.6						
2	Bhind (Phoop)	4,131	4,102	0	0	0.0	0.0	53	706	0	0	0.0	0.0
3	Gohad	1,401	1,690	60	13	4.3	0.8	87	94	0	0	0.0	0.0
4	Lahar	1,367	1,394	481	676	35.2	48.5						
5	Mehgaon	1,269	1,378	0	1	0.0	0.1						
6	Mihona(Ron)	795	799	633	0	79.6	0.0						

		2	5	2	6	2	7	2	8	2	9	3	0
ı	Indicators			Institu Deliverie ANC regi	itional s to total	Total re deliv	eported eries	deliverie	itional	Safe deli Total Re Deliv	veries to eported	Home del Total Re	% iveries to eported eries
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	9,439	10,510	48.4	59.2	9,748	11,069	96.8	94.9	97.0	95.0	3.2	5.1
1	Ater	336	347	15.2	16.2	388	433	86.6	80.1	86.6	80.1	13.4	19.9
2	Bhind (Phoop)	4,184	4,808	79.9	98.4	4,231	4,853	98.9	99.1	98.9	99.1	1.1	0.9
3	Gohad	1,488	1,784	47.8	57.0	1,560	1,882	95.4	94.8	95.4	94.8	4.6	5.2
4	Lahar	1,367	1,394	41.4	62.3	1,449	1,563	94.3	89.2	95.1	89.7	5.7	10.8
5	Mehgaon	1,269	1,378	36.3	46.0	1,302	1,419	97.5	97.1	97.5	97.1	2.5	2.9
6	Mihona(Ron)	795	799	37.6	34.1	818	919	97.2	86.9	97.8	87.2	2.8	13.1

		3	1	3	2	3	3	3	4	3	5	3	6
	Indicators	Number of deliveries at public			f C-section conducted facilities	to rep institu (Public	+ Pvt.)	C-sections at public f Deliveries	acilities to	C-sections at Private 1 Deliveries at private	facilities to conducted	Deliveries at Public II to Total In Deliv	conducted nstitutions
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	99	133	20	136	1.2	2.5	1.1	1.4	14.3	17.0	98.5	92.4
1	Ater	0	0			0.0	0.0	0.0	0.0			100.0	100.0
2	Bhind (Phoop)	88	128	20	136	2.6	5.5	2.1	3.1	37.7	19.3	98.7	85.3
3	Gohad	11	5	0	0	0.7	0.3	0.8	0.3	0.0	0.0	94.2	94.7
4	Lahar	0	0			0.0	0.0	0.0	0.0			100.0	100.0
5	Mehgaon	0	0			0.0	0.0	0.0	0.0			100.0	100.0
6	Mihona(Ron)	0	0			0.0	0.0	0.0	0.0			100.0	100.0

	Indicators _Bhind	3	7	3	8	3	9	4	0	4	1	4	2
	Indicators	9 Deliveries at Private I to Total In Deliv	conducted nstitutions stitutional	Women repost partun within 48 home d	n check-up	Women rec post partur between 48	n check up	Women go post partur	n check-up hours of livery to rted Home	Women ge Post Partur between 48 14 days Reported	etting 1st n Checkup B hours and to Total	Total Nu reported l	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	1.5	7.6	283	670	2,551	1,763	91.6	119.9	26.2	15.9	9,633	10,774
1	Ater	0.0	0.0	0	0	388	85	0.0	0.0	100.0	19.6	387	415
2	Bhind (Phoop)	1.3	14.7	25	366	225	755	53.2	813.3	5.3	15.6	4,154	4,636
3	Gohad	5.8	5.3	188	189	188	190	261.1	192.9	12.1	10.1	1,553	1,875
4	Lahar	0.0	0.0	15	13	791	17	18.3	7.7	54.6	1.1	1,437	1,574
5	Mehgaon	0.0	0.0	32	20	168	24	97.0	48.8	12.9	1.7	1,283	1,400
6	Mihona(Ron)	0.0	0.0	23	82	791	692	100.0	68.3	96.7	75.3	819	874

		4	3	4	4	4	5	4	6	4	7	4	8
	Indicators	9 Live Birth Deliv	-	Total Nu reported S	mber of	live birth to	Reported	Number of weighed		Newborns birth to l	weighed at	Number of having we than 2	eight less
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	98.8	97.3	86	137	99.1	98.7	9,652	10,528	100.2	97.7	1,373	1,473
1	Ater	99.7	95.8	0	20	100.0	95.4	385	414	99.5	99.8	37	19
2	Bhind (Phoop)	98.2	95.5	40	53	99.0	98.9	4,182	4,625	100.7	99.8	668	707
3	Gohad	99.6	99.6	7	9	99.6	99.5	1,553	1,678	100.0	89.5	110	116
4	Lahar	99.2	100.7	12	23	99.2	98.6	1,437	1,547	100.0	98.3	159	262
5	Mehgaon	98.5	98.7	19	19	98.5	98.7	1,283	1,400	100.0	100.0	228	225
6	Mihona(Ron)	100.1	95.1	8	13	99.0	98.5	812	864	99.1	98.9	171	144

Indicators _Bhind		4	.9	5	0	5	1	5	2	5	3	5	4
		Newborr weight les	ewborns	Number of Breast Fed		Newborns within 1 ho to Total	breast fed our of birth	`Birt Male Liv	male Live ths/	cases of women wit Complica attended t	tions and	Compl Pregnancie with Transfusio Wome Obst Compli	icated es treated Blood n to Total n with etric cations
	2 _Bhind		2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	14.2	13.9	9,504	10,225	98.6	94.9	918	886	8.3	3.9	33.5	34.0
1	Ater	9.6	4.6	385	414	99.5	99.8	906	736	0.0	0.0		
2	Bhind (Phoop)	16.0	15.3	4,040	4,332	97.3	93.4	900	882	17.8	6.8	36.0	41.9
3	Gohad	7.1	6.9	1,553	1,678	100.0	89.5	910	923	2.9	3.5	0.0	12.1
4	Lahar	11.1	16.9	1,435	1,538	99.9	97.7	982	896	0.0	0.4		0.0
5	Mehgaon	17.8	16.1	1,283	1,400	100.0	100.0	956	923	0.0	0.0		
6	Mihona(Ron)	21.1	16.7	808	863	98.7	98.7	861	832	1.5	3.0	0.0	0.0

		5	5	5	6	5	7	5	8	5	9	6	0
	Indicators	Number of 360 Calciu		Pregnant given 360 Total Regist	t women Calcium to ANC	Number of one Albe tablet a trime	endazole fter 1st	Pregnant given one A tablet a trimester ANC Reg	t women Albendazole fter 1st to Total	OG (Oral G	ugar using	Pregnant tested for l using OGT ANC Reg	t women blood sugar T to Total
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	17,341	15,610	89.1	88.0	13,542	13,531	69.6	76.3	0	0	0.0	0.0
1	Ater	2,209	2,075	100.0	96.6	1,794	1,953	81.2	90.9	0	0	0.0	0.0
2	Bhind (Phoop)	5,215	4,296	99.6	87.9	3,920	3,478	74.9	71.2	0	0	0.0	0.0
3	Gohad	2,027	1,996	65.1	63.8	1,739	1,921	55.9	61.4	0	0	0.0	0.0
4	Lahar	2,276	1,919	69.0	85.8	1,983	1,677	60.1	75.0	0		0.0	0.0
5	Mehgaon	3,497	2,998	100.1	100.0	2,444	2,608	69.9	87.0	0	0	0.0	0.0
6	Mihona(Ron)	2,117	2,326	100.0	99.3	1,662	1,894	78.5	80.8	0	0	0.0	0.0

		6	1	6	2	6	3	6	4	6	5	6	6
1	Indicators	Number of positive		Pregnant tested po GDM to T Regist	t women sitive for otal ANC	Number of women to Syp		Number of women tes sero pos Sypi	ited found	Pregnant tested for Total Regist	t women Syphilis to ANC	Pregnant treatd for Total sero p	t women Syphilis to positive for
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	0	0	0.0	0.0	5,826	6,165	56	0	29.9	34.7	0.0	0.0
1	Ater	0	0	0.0	0.0	77	62	0	0	3.5	2.9	0.0	0.0
2	Bhind (Phoop)	0	0	0.0	0.0	2,882	2,188	0	0	55.1	44.8	0.0	0.0
3	Gohad	0	0	0.0	0.0	640	362	0	0	20.6	11.6	0.0	0.0
4	Lahar	0		0.0	0.0	0	6	0	0	0.0	0.3		0.0
5	Mehgaon	0	0	0.0	0.0	1,699	2,940	0	0	48.6	98.1	0.0	0.0
6	Mihona(Ron)	0	0	0.0	0.0	528	607	56	0	24.9	25.9	0.0	0.0

		6	7	6	8	6	9	7	0	7	1	7	'2
	Indicators	of babies t congenital babies tota with Co Syp	reated for Syphilis to I diagnosed	Tota materna		Total Faci Materna Revi (FBMDF	al Death iews	Total Nu Abort (Sponta Repo	tions aneous)	Total Nu MTPs (condu	Public)	MTPs t	% to total tions
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind			6	13	1	0	100	122	188	195	68.4	65.0
1	Ater			1	1	0	0	57	48	0	0	0.0	0.0
2	Bhind (Phoop)			4	2	1	0	34	63	73	88	68.2	59.9
3	Gohad			0	1	0	0	0	3	115	107	100.0	97.8
4	Lahar			0	1	0		4	0	0		0.0	
5	Mehgaon			0	6	0	0	0	0	0	0		
6	Mihona(Ron)			1	2	0	0	5	8	0	0	0.0	0.0

		7	3	7	4	7	5	7	6	7	7	7	8
1	Indicators	MTPs up to of Pregn Total MTPs Institu	12 weeks ancy to s at Public	MTPs mor weeks of F to Total Public Ins	Pregnancy MTPs at	MTPs Cond Public Instit Total	ducted at tutions to	MTPs Con Private Ins to Tota	ducted at stitutions	% Tota (Pul Conducted ANC Regi	olic) to Total	Numb Vasect Condu	comies
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	97.3	100.0	2.7	0.0	87.0	85.9	13.0	14.1	1.0	1.1	12	6
1	Ater									0.0	0.0	0	0
2	Bhind (Phoop)	93.2	100.0	6.8	0.0	100.0	93.6	0.0	6.4	1.4	1.8	12	2
3	Gohad	100.0	100.0	0.0	0.0	80.4	80.5	19.6	19.5	3.7	3.4	0	1
4	Lahar									0.0	0.0	0	
5	Mehgaon									0.0	0.0	0	3
6	Mihona(Ron)									0.0	0.0	0	0

		7	9	8	0	8	1	8	2	8	3	8	4
	Indicators	Numb Tubect Condu	tomies	Total Ste Condi		% Male St (Vasect to Total st	omies)	% Female (Tubect to Total st	tomies)	Total Ste (Tubecto Vasect conducte	mies and omies)	Total Ste (Tubecto Vasect conducte	mies and omies)
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	177	315	189	321	6.3	1.8	93.7	98.1				
1	Ater	35	56	35	56	0.0	0.0	100.0	100.0				
2	Bhind (Phoop)	124	167	136	169	8.8	1.2	91.2	98.8				
3	Gohad	4	13	4	14	0.0	7.1	100.0	92.9				
4	Lahar	0	3	0	3		0.0		100.0				
5	Mehgaon	14	58	14	61	0.0	4.9	100.0	95.1				
6	Mihona(Ron)	0	18	0	18		0.0		100.0				

		8	5	8	6	8	7	8	8	8	9	9	0
ı	Indicators	Total Ste (Tubecto Vasect conducte	mies and omies)	Total Ste (Tubecto Vasect conducte	mies and omies)	Total Ste (Tubecto Vasect conducted institu	mies and omies) at Private	Total Ste (Tubecto Vasect conducted institu	mies and omies) I at Public	% Total Sto (Tubecto Vasecto conducted institution Sterlis	mies and omies) at Private s to Total	% Total Sto (Tubecto Vasecto conducted institution Sterlis	mies and omies) I at Public s to Total
	201		2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind					0	0	189	321	0.0	0.0	100.0	100.0
1	Ater							35	56	0.0	0.0	100.0	100.0
2	Bhind (Phoop)							136	169	0.0	0.0	100.0	100.0
3	Gohad					0	0	4	14	0.0	0.0	100.0	100.0
4	Lahar							0	3		0.0		100.0
5	Mehgaon							14	61	0.0	0.0	100.0	100.0
6	Mihona(Ron)							0	18		0.0		100.0

		9	1	9	2	9	3	9	4	9	5	9	6
	Indicators	Laparo sterlisation Female Ste	scopic s to Total	% Mini Lap St to Total Sterilis	erlisations Female	Post P Sterlisation Female Ste	artum s to Total	Post Ab Sterlisation Female Ste	oortion ns to Total	Laparo sterlisation Institutions Laparo Sterilis	scopic s at Public to Total scopic	Mini Lap st at Public In to Total Sterilis	erlisations estitutions Mini Lap
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	52.5	95.2	14.1	0.3	24.8	3.1	8.4	1.2	100.0	100.0	100.0	100.0
1	Ater	62.9	96.4	2.9	1.8	34.3	0.0	0.0	1.8	100.0	100.0	100.0	100.0
2	Bhind (Phoop)	42.7	94.0	19.4	0.0	25.8	6.0	12.1	0.0	100.0	100.0	100.0	
3	Gohad	100.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0		
4	Lahar		0.0		0.0		0.0		100.0				
5	Mehgaon	100.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0		
6	Mihona(Ron)		100.0		0.0		0.0		0.0		100.0		

		9	7	9	8	9	9	10	00	10	01	10)2
1	Indicators	Post P sterlisation Institution Post P Sterili	artum is at Public s to Total artum	Post Ab sterlisation Institution Post P Sterili	oortion is at Public s to Total artum	Total cases follo Sterlisatio Fem	wing n (Male +	Total cases followii Sterlis	ng Male	Total cases following Sterlis	g Female	Total cases followin Sterlis	ng Male
	2018-19 2017-1		2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	100.0	100.0	100.0	100.0	0	0	0	0	0	0	0	0
1	Ater	100.0			100.0	0	0	0	0	0	0	0	0
2	Bhind (Phoop)	100.0	100.0	100.0		0	0	0	0	0	0	0	0
3	Gohad					0	0	0	0	0	0	0	0
4	Lahar				100.0	0		0		0		0	
5	Mehgaon					0	0	0	0	0	0	0	0
6	Mihona(Ron)					0	0	0	0	0	0	0	0

		10)3	10	04	10	05	10	06	10	07	10	08
1	Indicators	Total cases following Sterlis	g Female	Total c compli followin Sterlis	ication ng Male	Total c compli following Sterlis	g Female	IUCD Inser (public f		IUCD inser (pvt. fa	tions done cilities)	% PP IUCD (pul to Tota Insertion	olic) al IUCD
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	0	0	0	0	0	2	5,433	5,345	0	0	29.5	25.5
1	Ater	0	0	0	0	0	2	632	787			1.4	3.9
2	Bhind (Phoop)	0	0	0	0	0	0	952	696			66.8	46.8
3	Gohad	0	0	0	0	0	0	530	889	0	0	19.8	21.4
4	Lahar	0		0	0	0	0	1,030	736			26.6	27.4
5	Mehgaon	0	0	0	0	0	0	1,763	1,687			18.5	22.8
6	Mihona(Ron)	0	0	0	0	0	0	526	550			48.7	42.2

		10)9	11	10	1	11	1	12	11	13	1	14
	Indicators	% PP IUCD (pul to Total In: Deliverie	olic) stitutional	IUCD insert family p methods (perma	tions to all blanning IUCD plus	Total Inte		Total P Insertio		Total P		Combined distril	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	17.2	14.0	96.6	94.3	3,764	3,977	1,606	1,365	63	3	22,662	26,444
1	Ater	2.7	8.9	94.8	93.4	623	756	9	31	0	0	3,437	4,100
2	Bhind (Phoop)	15.4	7.9	87.5	80.5	264	369	636	326	52	1	7,162	7,335
3	Gohad	7.5	11.2	99.3	98.4	423	697	105	190	2	2	1,766	1,977
4	Lahar	20.0	14.5	100.0	99.6	753	534	274	202	3		2,899	1,687
5	Mehgaon	25.7	27.9	99.2	96.5	1,431	1,303	326	384	6	0	2,658	7,601
6	Mihona(Ron)	32.2	29.0	100.0	96.8	270	318	256	232	0	0	4,740	3,744

		11	15	1	16	11	17	11	18	11	19	12	20
	Indicators	Emergei distril	ncy pills outed	Condom distril		Centch (weekl distril	ly pills)	Numb beneficiarie dose of Ir (Antara F	es given 1st	Numb beneficia 2nd c Injec (Antara F	ries given lose of table	Numb beneficia 3rd d Injec (Antara F	ries given ose of table
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	694	401	29,928	40,673	249	0	212	0	112	0	132	0
1	Ater	0	0	4,966	9,306	0	0	23	0	0	0	0	0
2	Bhind (Phoop)	487	321	8,190	9,425	0	0	189	0	112	0	54	0
3	Gohad	0	0	2,678	2,682	0	0	0	0	0	0	0	0
4	Lahar	207	80	4,405	2,962	151	0	0	0	0	0	0	0
5	Mehgaon	0	0	3,434	10,728	0	0	0	0	0	0	0	0
6	Mihona(Ron)	0	0	6,255	5,570	98	0	0	0	0	0	78	0

		12	21	12	22	13	23	12	24	12	25	12	26
	Indicators	Numb beneficia 4th or mo doses of I (Antara I	ries given ore than 4	Pregnancy us		Number o given (Birth	OPV 0	Number o		Number o given H (birth	lep- B0	Newborns g at birth to live	given OPVO Reported
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	336	0	10,320	8,607	9,106	10,824	9,622	10,952	8,766	10,373	94.5	100.5
1	_		0	2,098	2,396	387	414	387	414	335	344	100.0	99.8
2	Bhind (Phoop)	4	0	4,093	2,891	4,170	4,656	4,321	4,742	4,184	4,665	100.4	100.4
3	Gohad	0	0	1,334	1,513	1,534	1,835	1,531	1,858	1,397	1,643	98.8	97.9
4	Lahar	0	0	880	493	1,195	1,581	1,431	1,576	1,129	1,576	83.2	100.4
5	Mehgaon	0	0	945	571	1,025	1,491	1,152	1,493	924	1,359	79.9	106.5
6	Mihona(Ron)	332	0	970	743	795	847	800	869	797	786	97.1	96.9

		12	27	12	28	12	29	13	30	1:	31	13	32
ı	Indicators	% Newborns : to Repoi	given BCG	Newbor	th Dose)at ported live	Number o		Number o	of Infants DPT2	Number o		Number o	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	99.9	101.7	91.0	96.3	3	212	3	40	0	34	12,411	11,219
1	Ater	100.0	99.8	86.6	82.9	0	0	0	0	0	0	1,303	1,205
2	Bhind (Phoop)	104.0	102.3	100.7	100.6	3	180	3	7	0	2	3,516	3,528
3	Gohad	98.6	99.1	90.0	87.6	0	0	0	0	0	0	2,056	2,056
4	Lahar	99.6	100.1	78.6	100.1	0	32	0	33	0	32	1,912	1,350
5	Mehgaon	89.8	106.6	72.0	97.1	0	0	0	0	0	0	2,436	2,073
6	Mihona(Ron)	97.7	99.4	97.3	89.9	0	0	0	0	0	0	1,188	1,007

		13	33	13	34	13	35	13	36	1:	37	13	38
	Indicators	Number o		Number o		Number o	of Infants Neasles	Number o	of Infants n MR	Infants months received MR vac	old who Measles+	Number immunize (9-11 n	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	11,934	10,838	12,091	10,900	13,420	12,548	2	0	139.3	116.4	13,249	12,997
1	Ater	1,366	1,211	1,377	1,289	1,710	1,702	0	0	441.9	410.1	1,710	1,702
2	Bhind (Phoop)	3,196	3,162	3,259	2,953	3,527	3,751	2	0	85.0	80.9	3,457	4,167
3	Gohad	1,956	2,039	2,016	2,168	2,125	2,264	0	0	136.8	120.7	2,126	2,249
4	Lahar	1,842	1,337	1,941	1,345	2,135	1,485	0	0	148.6	94.3	2,032	1,538
5	Mehgaon	2,465	2,119	2,455	2,167	2,807	2,235	0	0	218.8	159.6	2,808	2,235
6	Mihona(Ron)	1,109	970	1,043	978	1,116	1,111	0	0	136.3	127.1	1,116	1,106

		13	39	14	40	14	41	14	42	14	43	14	14
1	Indicators	9 Drop Out BCG & Me	between	Children g dose1 to live	iven Vit A	Childre Vitamin A Children g dos	n given Dose 9 to iven Vit A	Adverse Following I (Abc	munisation	Adverse Following I (Dea		Adverse Following I (Oth	munisation
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	-39.5	-14.6	144.4	125.1	135.2	118.7	10	9	0	0	0	0
1	Ater	-341.9	-311.1	442.9	405.5	0.0	0.0	0	0	0	0	0	0
2	Bhind (Phoop)	18.4	20.9	84.9	87.8	289.6	184.9	0	0	0	0	0	0
3	Gohad	-38.8	-21.9	136.4	120.4	2.3	0.0	0	8	0	0	0	0
4	Lahar	-49.2	5.8	188.4	96.6	91.9	132.9	10	1	0	0	0	0
5	Mehgaon	-143.7	-49.7	216.6	159.6	183.3	252.3	0	0	0	0	0	0
6	Mihona(Ron)	-39.5	-27.8	130.2	196.2	90.6	47.5	0	0	0	0	0	0

		14	15	14	146		147		148		49	150	
Indicators		% immunisation Sessions Held to Immunisation Sessions Planned		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		Children 0-	Pneumonia in Children 0-5 Years of Age		Asthma in Children 0-5 Years of Age		hildren 0-5 of Age	Diphtheria in Children 0-5 Years of Age	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	99.5	99.1	80.8	87.0	51	446	8	59	1	53	0	0
1	Ater	100.0	100.0	79.0	100.0	0	0	0	0	0	0	0	0
2	Bhind (Phoop)	99.7	98.9	86.5	84.7	48	113	8	0	1	0	0	0
3	Gohad	100.0	99.8	80.9	78.7	3	5	0	2	0	0	0	0
4	Lahar	97.1	98.3	63.5	84.0	0	5	0		0		0	
5	Mehgaon 100.0 98.3 78.9		86.9	0	8	0	0	0	0	0	0		
6	Mihona(Ron)	100.0	99.8	100.0	90.4	0	315	0	57	0	53	0	0

		1!	51	152		153		154		155		156	
Indicators		Pertussis i 0-5 Year	n Children rs of Age	Tetanus Neonatorum in Children 0-5 Years of Age		(T in Childrer	Tuberculosis (TB) in Children 0-5 Years of Age		Flaccid s(AFP)in -5 Years of ge	Measles ir 0-5 Year	Children	Malaria in Children 0-5 Years of Age	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	0	0	12	1	87	3	87	3	4	16	51	446
1	Ater	0	0	0	0	0	0	0	0	0	0	0	0
2	Bhind (Phoop)	0	0	12	1	10	1	10	1	4	12	48	113
3	Gohad	0	0	0	0	0	0	0	0	0	0	3	5
4	Lahar	0		0		0	1	0	1	0	4	0	5
5	Mehgaon	0	0 0		0	77	1	77	1	0	0	0	8
6 Mihona(Ron) 0		0	0	0	0	0	0	0	0	0	0	315	

		1!	57	1!	58	1!	59	10	60	16	31	162	
Indicators		Diarrhoea in Children 0-5 Years of Age		Diarrhoea treated in Inpatients in Children 0-5 Years of Age			ts given Rubella	of infants Rotavirus \ do	received /accine 1st	of infants Rotavirus V do	received accine 2nd	of infants Rotavirus V do	received accine 3nd
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	4,800	4,426	2,035	1,141	2	0	11,866	10,187	11,337	8,150	11,337	8,150
1	Ater	1,863	2,266	40	17	0	0	1,293	1,201	1,355	1,207	1,355	1,207
2	Bhind (Phoop)	1,568	1,125	1,561	877	2	0	3,372	3,430	3,044	2,758	3,044	2,758
3	Gohad	2	23	0	5	0	0	2,042	1,397	1,917	889	1,917	889
4	Lahar	7	319	0		0	0	1,535	1,281	1,483	932	1,483	932
5	Mehgaon	1,138 419		434	22	0	0	2,436	1,872	2,429	1,395	2,429	1,395
6	Mihona(Ron)	222	274	0	220	0	0	1,188	1,006	1,109	969	1,109	969

		10	53	10	64	10	65	10	66	10	57	10	68
Indicators		No of children 16-24 months age given Measles 2nd dose		No of children 16-24 months age given Measles Rubella Vaccine 2nd dose		Adult F Inpatients	% Adult Female Inpatients to Total Adult Inpatient		% patient to patient	Female I Deaths t Inpatien	npatient to Total	% Inpatient Deaths to Total IPD	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	11,965	9,442	0	0	65.3	63.1	17.3	19.1	40.0	34.6	0.2	0.5
1	Ater	1,424	1,183	0	0	97.1	100.0	4.0	0.0			0.0	0.0
2	Bhind (Phoop)	3,304	2,876	0	0	63.9	59.8	14.6	17.8	40.0	34.6	0.2	0.7
3	Gohad	2,058	1,732	0	0	72.4	73.6	9.2	9.0			0.0	0.0
4	Lahar	1,809	1,056	0	0	47.3	41.9	53.4	53.0			0.0	0.0
5	Mehgaon	2,470	1,694	0	0	84.8	81.7	9.2	1.7			0.0	0.0
6	Mihona(Ron)	900	901	0	0	62.4	78.5	36.7	19.6			0.0	0.0

	10	59	17	170		171		172		73	174		
	Indicators	IPD (Number)		OPD (Allopathic)		Ayush OPD	Ayush OPD (Number)		OPD (Ayush+Allopathic)		to OPD	Number of Major Operations	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	32,944	34,548	476,513	465,216	10,480	12,008	486,993	477,224	6.8	7.2	143	232
1	Ater	426	480	36,079	28,492	0	847	36,079	29,339	1.2	1.6	0	0
2	Bhind (Phoop)	25,778	25,086	181,765	207,818	4,065	5,806	185,830	213,624	13.9	11.7	143	202
3	Gohad	2,174	2,744	89,970	94,192	3,990	3,286	93,960	97,478	2.3	2.8	0	0
4	Lahar	2,686	2,921	97,871	63,778	1,057	227	98,928	64,005	2.7	4.6	0	30
5	Mehgaon	1,460	1,787	48,074	48,537	0	0	48,074	48,537	3.0	3.7	0	0
6	Mihona(Ron)	420	1,530	22,754	22,399	1,368	1,842	24,122	24,241	1.7	6.3	0	0

		17	75	13	76	17	177		78	17	79	180	
Indicators		Number Opera		% Major Operations to Total Operation		Hystere	Number of Hysterectomy Surgeries		% ectomy s to Total perations	AYUSH OP OI	D to Total	Dental OPD	(Number)
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	2,591	3,075	5.2	7.0	0	0	0.0	0.0	2.1	2.5	6,436	2,508
1	Ater	1,234	1,182	0.0	0.0	0	0			0.0	2.9	0	2
2	Bhind (Phoop)	1,278	1,693	10.1	10.7	0	0	0.0	0.0	2.2	2.7	5,848	1,836
3	Gohad	0	14		0.0	0	0			4.2	3.4	0	15
4	Lahar	73	77	0.0	28.0	0			0.0	1.1	0.4	15	206
5	Mehgaon	6	56	0.0	0.0	0	0			0.0	0.0	26	57
6	Mihona(Ron)	0	53		0.0	0	0			5.7	7.6	547	392

		18	31	18	182		183		34	185		186	
Indicators		% Dental OPD to Total OPD		% Hb < 7 mg to Total Hb Tests Conducted		Male HIV P	% Male HIV Positive to Total Males Tested		% Female screened for HIV to Total ANC Registration		6 V Positive Females ted	% Total HIV Positive to Total Total Tested (Male + Female)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	1.3	0.5	2.4	3.7	2.4	2.3	2.7	8.0	1.9	0.6	2.1	1.1
1	Ater	0.0	0.0	4.1	3.0			0.0	0.0				
2	Bhind (Phoop)	3.1	0.9	3.2	5.6	3.1	3.7	9.1	13.9	1.9	1.2	2.3	2.1
3	Gohad	0.0	0.0	1.3	1.4	0.0	0.0	0.7	4.4	0.0	0.0	0.0	0.0
4	Lahar	0.0	0.3	1.7	1.7	0.0	0.0	0.6	4.2	0.0	0.0	0.0	0.0
5	Mehgaon	0.1	0.1	1.2	1.6			0.0	0.0				
6	Mihona(Ron)	2.3	1.6	2.6	6.6	0.0	0.0	0.8	21.9	6.3	0.0	2.8	0.0

		18	37	188		189		19	90	191		192	
Indicators		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	0.9	1.5	0.0	0.0	107	251	8.4	5.6	6.5	3.2	2.8	3.2
1	Ater	0.1	0.4	0.0	0.0	13	19	0.0	0.0	0.0	5.3	15.4	15.8
2	Bhind (Phoop)	0.4	0.6	0.0	0.0	77	101	11.7	12.9	9.1	3.0	1.3	5.0
3	Gohad	2.0	2.2	0.0	0.0	3	63	0.0	0.0	0.0	6.3	0.0	0.0
4	Lahar	0.5	0.4	0.0	0.0	11	23	0.0	4.3	0.0	0.0	0.0	0.0
5	Mehgaon 0.4 3.5		3.5	0.0	0.0	0	34		0.0		0.0		0.0
6	Mihona(Ron)	0.9	2.5	0.0	0.3	3	11	0.0	0.0	0.0	0.0	0.0	0.0

		19	93	19	94	19	195		196		7	198	
Indicators		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		Institu Deliveries Heatlh Fac SC+PHC+0	at Urban cilities i.e	Institutional Deliveries at District Hospitals		Measles immunization at urban Health facilities i.e SC+PHC+CHC+SDH+D H	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhind	0.0	1.2	1.9	6.0	0.0	0.0	2,697	3,689				
1	Ater	0.0	0.0	7.7	10.5	0.0	0.0						
2	Bhind (Phoop)	0.0	0.0	0.0	4.0	0.0	0.0	282	1,018				
3	Gohad	0.0	3.2	0.0	12.7	0.0	0.0	1,431	1,683				
4	Lahar	0.0	0.0	9.1	0.0	0.0	0.0	984	988				
5	5 Mehgaon 0.0		0.0		0.0		0.0						
6	Mihona(Ron)	0.0	9.1	0.0	9.1	0.0	0.0						