			1	2	2		3		4	!	5	(	
	Indicators	Total nu pregnant Registere	t women	Number of women re within first	egistered	Number o	of Women under JSY	1st Tri registratio ANC Regi	n to Total	JSY regist Total Regist	ANC	Number of women re ANC che	eceived 3
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian	4,557	4,545	2,715	2,641	4,546	4,542	59.5	58.1	99.8	99.9	3,777	3,527
1	Block Keller	1,199	1,143	809	825	1,199	1,142	67.5	72.2	100.0	99.9	1,029	952
2	Block Shopain	3,022	3,064	1,604	1,520	3,017	3,064	53.1	49.6	99.8	100.0	2,441	2,289
3	District HQ Shopian	336	338	302	296	330	336	89.9	87.6	98.2	99.4	307	286

			7	8	3	•	9	1	0	1	1	1	2
	Indicators	TT2 or Boo to Pregna (num	nt women	Pregnant received 3 ups to To Registr	ANC check otal ANC	Pregnant received Booster to Regist	TT2 or Total ANC	Number of women giv tab		Pregnant given 100 l ANC Regi	: women FA to Total	Number h leve (tested	l<11
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian	3,654	3,602	82.8	77.6	80.1	79.2	2,204	3,876	48.3	85.2	2,149	1,971
1	Block Keller	952	993	85.8	83.3	79.4	86.9	563	876	47.0	76.6	379	171
2	Block Shopain	2,484	2,303	80.8	74.7	82.2	75.2	1,612	2,668	53.3	87.1	1,477	1,437
3	District HQ Shopian	218	306	91.4	84.6	64.9	90.5	29	332	8.6	98.2	293	363

	Indicators	1	3	1	4	1	5	1	6	1	7	1	8
	Indicators		,	(Hb treated at to women	ere anaemia <7) institution	New cases at institu hypertensi ANC Regi	ition for on to Total	Number deliv	of Home eries	-		Number deliveries a Non SBA (trained	ttended by trained
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian	52	0	2.4	0.0	0.3	0.3	112	104	3	17	109	87
1	Block Keller	9	0	2.4	0.0	0.1	0.0	58	54	0	0	58	54
2	Block Shopain	10		0.7	0.0	0.4	0.4	54	50	3	17	51	33
3	District HQ Shopian	33	0	11.3	0.0	0.0	0.3						

		1	9	2	0	2	.1	2	.2	2	3	2	4
	Indicators	SBA atten deliveries Reporte	s to Total	Mothers incentive deliv	for home	Mothers incentive deliveries Reporte		Deliveries at Public I		Discharged hours of d	of Women I under 48 Ielivery in acilities	Women dis less than 4 delivery Reported at public in	charged in 18 hours of to Total Deliveries
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian	2.6	16.3	11	9	9.8	8.7	1,223	1,342	945	997	77.2	74.2
1	Block Keller	0.0	0.0	11	9	19.0	16.7	234	231	211	211	90.2	91.3
2	Block Shopain	5.6	34.0			0.0	0.0	78	169	68	151	87.2	89.3
3	District HQ Shopian							911	942	666	635	73.1	67.4

	Indicators	2	5	2	6	2	7	2	8	2	9	3	0
	Indicators			Institu Deliverie ANC regi	s to total	Total re deliv	eported eries	Institu deliveries Reported	itional s to Total	Safe deli Total Re Deliv	veries to eported	Home del Total Re Deliv	iveries to eported
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian	1,223	1,342	26.8	29.5	1,335	1,446	91.6	92.8	91.8	94.0	8.4	7.2
1	Block Keller	234	231	19.5	20.2	292	285	80.1	81.1	80.1	81.1	19.9	18.9
2	Block Shopain	78	169	2.6	5.5	132	219	59.1	77.2	61.4	84.9	40.9	22.8
3	District HQ Shopian	911	942	271.1	278.7	911	942	100.0	100.0	100.0	100.0	0.0	0.0

	Indicators _Shopian	3	1	3	2	3	3	3	4	3	5	3	6
	Indicators	Number of deliveries at public	conducted	deliveries	f C-section conducted e facilities	to rep institu (Public	+ Pvt.)	C-sections at public f Deliveries	acilities to	C-sections at Private f Deliveries at private	conducted facilities to conducted	Deliveries at Public Ir to Total In: Deliv	conducted nstitutions stitutional
	_Shopian	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian	275	361			22.4	26.9	22.5	26.9			100.0	100.0
1	Block Keller	30	20			12.8	8.7	12.8	8.7			100.0	100.0
2	Block Shopain		34			0.0	20.1	0.0	20.1			100.0	100.0
3	District HQ Shopian	245	307			26.9	32.6	26.9	32.6			100.0	100.0

	Indicators	3	7	3	8	3	9	4	0	4	1	4	2
	Indicators	at Public i to Tota	or Delivery	ASHA for D	e paid to Delivery at	to Total In	nstitutions	partum o within 48		Care / Wo post partur between 48		Women rec partum o within 48 delivery Reported	theck-up hours of to Total
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian	114.6	107.5	140.9	93.6	0.0	0.0	1,152	1,208	1,256	1,107	86.3	83.5
1	Block Keller	147.4	180.1	450.4	288.7	0.0	0.0	188	172	188	57	64.4	60.4
2	Block Shopain	560.3	244.4	857.7	348.5	0.0	0.0	298	401	823	741	225.8	183.1
3	District HQ Shopian	68.1	65.2	0.0	0.0	0.0	0.0	666	635	245	309	73.1	67.4

	Indicators  _Shopian	4	3	4	4	4	5	4	6	4	7	4	8
	Indicators	Women ge Partum ( between 48 14 days Deliv	otting Post Checkup B hours and to Total	Total Nu reported l		Total Repo			ımber of Still Births	live birth to Bir	-	Number of weighed	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian	94.1	76.6	1,328	1,432	99.5	99.0	16	20	98.8	98.6	1,265	1,361
1	Block Keller	64.4	20.0	292	285	100.0	100.0	0	1	100.0	99.7	230	248
2	Block Shopain	623.5	338.4	132	215	100.0	98.2	4	4	97.1	98.2	131	190
3	District HQ Shopian	26.9	32.8	904	932	99.2	98.9	12	15	98.7	98.4	904	923

		4	.9	5	0	5	1	5	2	5	3	5	4
	Indicators	Newborns v	weighed at		Newborns eight less 2.5 kg	weight les kg to Ne		Number of Breast Fed		% Newborns within 1 ho to Total I	our of birth	Number of visited wit of Home	hin 24 hrs
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian	95.3	95.0	35	15	2.7	1.1	1,321	1,413	99.4	98.6	29	53
1	Block Keller	78.8	87.0	0	0	0.0	0.0	285	273	97.6	95.8	2	12
2	Block Shopain	99.2	88.4	0	0	0.0	0.0	132	206	100.0	95.8	27	41
3	District HQ Shopian	100.0	99.0	35	15	3.9	1.6	904	934	100.0	100.2		

		5	5	5	6	5	7	5	8	5	9	6	0
	Indicators	newborn within 24h delivery reporte	rs of home to total	Bitr	atio at male Live ths/ hs *1000)	cases of women with Complicat attended to	tions and		icated es treated h IV rtensive/ njection to men with etric cations	Pregnanci with antihype Magsulph in Total No detecte	icated es treated h IV rtensive/ njection to ew cases	Compl Pregnancie with I Transfusion Wome Obstr Complie atter	icated es treated Blood n to Total n with etric cations
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian	25.8	50.9	1,062	962	3.5	0.0	29.5		108.3	400.0	50.0	
1	Block Keller	3.4	22.2	1,246	875	0.0	0.0			0.0			
2	Block Shopain	50.0	82.0	784	748	0.0	0.0			0.0	0.0		
3	District HQ Shopian			1,055	1,048	4.8	0.0	29.5			5600.0	50.0	

		6	1	6	2	6	3	6	4	6	5	6	6
	Indicators	Post - Care / PNO compli attended	Natal C maternal cations I to Total eries	Total Nu Abort ( Sponta Induced)	tions aneous/	Total Nu MTPs ( repo	Public)	% <i>N</i> (Public) to	ATPs Abortions	MTPs up to of Pregn Total MTP: Institu	12 weeks ancy to s at Public		e than 12
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian	0.0	0.7	190	194	0	0	0.0	0.0				
1	Block Keller	0.0	0.0	15	27	0	0	0.0	0.0				
2	Block Shopain	0.0	4.6		1				0.0				
3	District HQ Shopian	0.0	0.0	175	166	-		0.0	0.0				

	_Shopian 1 Block Keller	6	7	6	8	6	9	7	0	7	1	7	2
	Indicators	MTPs Con-	% ducted at tutions to MTPs	MTPs Con Private In		% Tota (Pul Conducted ANC Reg	olic) to Total	Number of	Wet Mount ducted to f new RTI/ e cases for eatment	Numb Vasect Condo (Public	tomies ucted	Numb Tubect Condu (Public	tomies
	_Shopian	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian					0.0	0.0	0.0	8.6	5	0	96	123
1	Block Keller					0.0	0.0			1	0	63	60
2	Block Shopain					0.0	0.0	0.0	8.6	4		3	
3	District HQ Shopian					0.0	0.0			0	0	30	63

			3	7	4	7	'5	7	6	7	7	7	<b>'</b> 8
	Indicators	Total Ste Cond	rilisation ucted	% Male St (Vasect to Total st	comies)	Tubector Total ste		(Tubecto	erlisation mies and omies) ed at PHC	Total Ste (Tubecto Vasect conducte	mies and omies)		
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian	101	123	4.9	0.0	95.0	100.0			71	60	30	63
1	Block Keller	64	60	1.6	0.0	98.4	100.0			64	60		
2	Block Shopain	7		57.1		42.9				7			
3	District HQ Shopian	30	63	0.0	0.0	100.0	100.0					30	63

		7	9	8	0	8	1	8	2	8	3	8	4
	Indicators	Total Ste (Tubecto Vasect conducted public Ins	mies and omies) d at Other	(Tubecto Vasect conducted	erlisation mies and omies) at Private utions		mies and omies) at PHC to	% Total Sto (Tubecto Vasect conducted Total Ste	mies and omies) at CHC to	% Total Sto (Tubecto Vasect conducted to Total St	mies and omies) at SDH/DH	% Total Ste (Tubector Vasector conducted public Institution	mies and omies) I at Other tutions to
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian					0.0	0.0	70.3	48.8	29.7	51.2	0.0	0.0
1	Block Keller					0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
2	Block Shopain					0.0		100.0		0.0		0.0	
3	District HQ Shopian					0.0	0.0	0.0	0.0	100.0	100.0	0.0	0.0

		8	5	8	6	8	7	8	8	8	9	9	0
	Indicators	Vasect	mies and omies) at Private s to Total	Laparo sterlisation	% oscopic os to Total erilisations	Mini Lap St to Total		Post P Sterlisation	% Partum es to Total erilisations	Laparo sterlisation Institutions Laparo Sterilis	oscopic ns at Public s to Total oscopic	% Mini Lap st at Public Ir to Total Sterilis	erlisations estitutions Mini Lap
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian	0.0	0.0	0.0	0.0	95.8	79.7	4.1	20.3			100.0	100.0
1	Block Keller	0.0	0.0	0.0	0.0	100.0	100.0	0.0	0.0			100.0	100.0
2	Block Shopain	0.0		0.0		100.0		0.0				100.0	
3	District HQ Shopian	0.0	0.0	0.0	0.0	86.7	60.3	13.3	39.7			100.0	100.0

		9	1	9	2	9	3	9	4	9	5	9	6
	Indicators	sterlisation Institution	artum as at Public s to Total artum	Total cases follo Sterlisatio Fem	wing n ( Male +	IUCD Inser (public f	tions done acilities)	IUCD inser (pvt. fa		Total IUCD done(publi		PP IUCD I	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian	100.0	100.0	0	0	379	111			379	111	0	12
1	Block Keller			0	0	106	64			106	64	0	0
2	Block Shopain					240	5			240	5		12
3	District HQ Shopian	100.0	100.0			33	42			33	42		0

		9	7	9	8	9	9	10	00	10	01	10	)2
	Indicators	% PP IUCD (pul to Tota Insertion:	blic) al IUCD	% PP IUCD (pul to Total In: Deliverie	olic) stitutional	IUCD inse public plu institutio family p methods ( perma	ertions in us private ons to all blanning IUCD plus	Oral Pills c	listributed	Condom distril		Centchro distrib	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian	0.0	10.8	0.0	0.8	78.9	47.4	6,069	6,318	32,698	32,603	229	1,690
1	Block Keller	0.0	0.0	0.0	0.0	62.4	51.6	1,794	1,228	11,009	10,294	0	34
2	Block Shopain	0.0	240.0	0.0	7.1	97.2	100.0	4,267	4,888	21,679	21,162	229	1,656
3	District HQ Shopian	0.0	0.0	0.0	0.0	52.4	40.0	8	202	10	1,147		

		10	03	10	04	10	)5	10	06	10	07	10	)8
	Indicators	given	of Infants OPV 0 Dose)	Number o		Newborns g at birth to live	Reported	Newborns to Repo bii	given BCG rted live	Number o		Number o	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian	1,765	1,554	2,020	2,055	132.9	108.5	152.1	143.5	0	44	0	64
1	Block Keller	198	287	391	429	67.8	100.7	133.9	150.5	0	0	0	0
2	Block Shopain	919	976	1,016	1,226	696.2	454.0	769.7	570.2				
3	District HQ Shopian	648	291	613	400	71.7	31.2	67.8	42.9		44		64

		10	)9	11	10	1	11	1	12	11	13	11	14
	Indicators	Number o		received vaccine to	0 to 11 old who I Measles								
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian	0	70	3,894	3,955	3,899	3,912	3,819	3,718	3,915	3,778	294.8	263.8
1	Block Keller	0	0	891	818	866	834	806	769	849	815	290.8	286.0
2	Block Shopain			2,379	2,462	2,510	2,424	2,505	2,378	2,602	2,527	1971.2	1175.3
3	District HQ Shopian		70	624	675	523	654	508	571	464	436	51.3	46.8

	Indicators Number immunized (9-11 m		15	11	16	1	17	1	18	1	19	13	20
	Indicators	immunize	d children	Drop Out	% between Measles	Vitamin -	A dose 1	Children g dose1 to		Childre Vitamin A Children g dos	n given Dose 9 to given Vit A	Adverse Following I (Oth	munisation
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian	3,908	3,790	-93.8	-83.8	3,862	3,683	290.8	257.2	76.6	48.0	5	0
1	Block Keller	838	815	-117.1	-90.0	779	791	266.8	277.5	66.2	75.7	2	0
2	Block Shopain	2,602	2,539	-156.1	-106.1	2,603	2,491	1972.0	1158.6	85.6	47.0	3	
3	District HQ Shopian	468	436	24.3	-9.0	480	401	53.1	43.0	44.8	0.0		

	Indicators _Shopian	12	21	12	22	13	23	12	24	13	25	12	26
	Indicators	immunisation Held to Imr Sessions	on Sessions	Immunisation where AS presented Immunisation	HAs were	0-5 Years Total Re Childhood	% in Children of Age to eported d Diseases Years	0-5 Years Total Re Childhood	of Age to	of Age t	o O-5 Years to Total	Tetanus ( Children 0- Age to Tota Childhood 0-5 Y	Others in -5 Years of I Reported I Diseases
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian	84.7	83.5	81.8	80.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Block Keller	88.2	89.9	83.5	83.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	Block Shopain	83.3	81.5	80.9	78.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	District HQ Shopian	100.0	100.0	100.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

		12	27	12	28	12	29	13	30	1:	31	13	32
	Indicators	Polio in Ch Years of Ag Reported Diseases	nildren 0-5 ge to Total Childhood	Measles ir 0-5 Years Total Re Childhood	Children of Age to eported I Diseases	Diarrhy Diarrhy dehydra Children 0 Age to Tota Childhooc	ation in -5 Years of I Reported I Diseases	Years of Ag Reported	Children 0-5 ge to Total	Adult F Inpatients Adult In	emale to Total	9 Children Inp Total In	patient to
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian	0.0	0.0	0.0	0.0	100.0	100.0	0.0	0.0	61.1	58.9	22.7	27.8
1	Block Keller	0.0	0.0	0.0	0.0	100.0	100.0	0.0	0.0	58.1	57.4	6.4	3.3
2	Block Shopain	0.0	0.0	0.0	0.0	100.0	100.0	0.0	0.0	52.2	50.6	13.7	16.3
3	District HQ Shopian	0.0	0.0	0.0	0.0	100.0	100.0	0.0	0.0	67.2	65.1	31.2	39.2

	Indicators  Female Inpatie Deaths to To Inpatient Deat  2015-16  2015-16		33	13	34	13	35	13	36	13	37	13	38
	Indicators	Female I Deaths	npatient to Total	9 Inpatient [ Tota		IPD (Nu	umber)	OPD (N	umber)	% IPD t	to OPD	Number Opera	
	_Shopian		2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian		100.0	0.0	0.1	14,263	13,664	347,556	273,292	4.1	5.0	1,556	1,427
1	Block Keller			0.0	0.0	2,245	1,887	49,156	40,688	4.6	4.6	331	271
2	Block Shopain		100.0	0.0	0.2	3,737	3,877	81,996	66,708	4.6	5.8	128	218
3	District HQ Shopian			0.0	0.0	8,281	7,900	216,404	165,896	3.8	4.8	1,097	938

		13	39	14	40	14	41	14	12	14	43	14	14
Indicators			of Minor ations	Major Ope	% erations to peration	Hyster	per of ectomy eries	Hystere Surgeries Major Op	ectomy to Total	Ayush OPD	(Number)	AYUSH OP OI	D to Total
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian	9,310	7,984	14.3	15.2	0	24	0.0	1.6	36,197	37,963	10.4	13.8
1	Block Keller	873	556	27.5	32.8	0	0	0.0	0.0	823	937	1.7	2.3
2	Block Shopain	4,786	4,385	2.6	4.7		0	0.0	0.0	15,118	15,904	18.4	23.8
3	District HQ Shopian	3,651	3,043	23.1	23.6		24	0.0	2.6	20,256	21,122	9.4	12.7

		145		146		147		148		149		150	
Indicators		Dental OPD (Number)		% Dental OPD to Total OPD		Adolescent counselled (Number)		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female HIV Positive to Total Females Tested	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian	27,761	27,914	8.0	10.2	2,496	928	2.2	2.5	0.0	0.0	0.0	0.1
1	Block Keller	3,922	4,289	8.0	10.5	214	0	6.8	7.2	0.0	0.0	0.0	0.0
2	Block Shopain	4,767	5,182	5.8	7.8	572	307	0.3	1.9	0.0	0.7	0.0	0.4
3	District HQ Shopian	19,072	18,443	8.8	11.1	1,710	621	0.8	0.0	0.0	0.0	0.0	0.0

Indicators		151		152		153		154		155		156	
		% Total HIV Positive to Total Tested ( Male + Female)		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian	0.0	0.1		0.0		0.0	8	1	0.0	0.0	12.5	100.0
1	Block Keller	0.0	0.0					2	1	0.0	0.0	0.0	100.0
2	Block Shopain	0.0	0.4		0.0		0.0	6		0.0		16.7	
3	District HQ Shopian	0.0	0.0		0.0		0.0						

Indicators		157		158		159		160		161		162	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	87.5	0.0
1	Block Keller	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	0.0
2	Block Shopain	0.0		0.0		0.0		0.0		0.0		83.3	
3	District HQ Shopian												