| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|----------------------|--|--|--|--|--|--|---|--|--|---|---|--|--|
| | Indicators | Total number of pregnant women Registere d for ANC | Number of Pregnant women registere d within first trimester | % 1st Trimeste r registrati on to Total ANC Registrati ons | Number of pregnant women received 4 or more ANC check ups | TT2 given to Pregnant women (numbers | TT Booster given to Pregnant women (numbers | % Pregnant Woman received 4 ANC check ups to Total ANC Registrati ons | % Pregnant women received TT2+ TT Booster to Total ANC Registrati on | Number of Pregnant women given 180 IFA tablets | % Pregnant women given 180 IFA to Total ANC Registrati on | Number of Pregnant Women having Hb level<11 (tested cases) | Number of Pregnant Women having severe anaemia (Hb<7) treated at institutio n | % Pregnant women having severe anaemia (Hb<7) treated at institutio n to women having hb level<7 |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Dakshina Kannada | 30,667 | 22,511 | 73.4 | 25,265 | 23,156 | 5,699 | 82.3 | 94.0 | 23,024 | 75.0 | 27,334 | 281 | 81.4 |
| 1 | Bantwal | 6,724 | 5,729 | 85.2 | 4,960 | 4,492 | 891 | 73.8 | 80.1 | 4,216 | 62.7 | 4,158 | 7 | 77.8 |
| 2 | Belthangadi | 4,054 | 3,330 | 82.1 | 3,319 | 3,046 | 825 | 81.9 | 95.5 | 2,565 | 63.3 | 2,464 | 20 | 50.0 |
| 3 | Mangalore | 13,151 | 8,360 | 63.6 | 11,921 | 11,125 | 3,025 | 90.6 | 107.6 | 10,807 | 82.2 | 16,447 | 202 | 90.2 |
| 4 | Puttur | 4,655 | 3,360 | 72.2 | 2,782 | 3,197 | 718 | 59.8 | 84.1 | 4,038 | 86.7 | 2,824 | 24 | 57.1 |
| 5 | Sullia | 2,083 | 1,732 | 83.1 | 2,283 | 1,296 | 240 | 109.6 | 73.7 | 1,398 | 67.1 | 1,441 | 28 | 93.3 |

| | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 |
|---|----------------------|---|---------------------------------|--|--|--|--|--|--|---|---|---|---|---|
| | Indicators | % New cases of Pregnant Women detected at institutio n for hyperten sion to Total ANC Registrations | Number of Home deliveries | Number of home deliveries attended by SBA trained (Doctor/ Nurse/ ANM) | Number of home deliveries attended by Non SBA trained (trained TB/Dai) | % SBA attended home deliveries to Total Reported Home Deliveries | Deliveries Conducte d at Public Institutio ns | Number of Women Discharge d under 48 hours of delivery in public facilities | % Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at public institutio ns | Deliveries Conducte d at Private Institutio ns | Number of Women Discharge d under 48 hours of delivery in private institutio ns | % Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at private institutio ns | Institutio nal deliveries (Public Insts.+Pvt . Insts.) | % Institutio nal Deliveries to total ANC registrati on |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Dakshina Kannada | 2.4 | 17 | 11 | 6 | 64.7 | 8,715 | 29 | 0.3 | 24,452 | 37 | 0.1 | 33,167 | 108.1 |
| 1 | Bantwal | 0.3 | 1 | 0 | 1 | 0.0 | 456 | 0 | 0.0 | 1,387 | 0 | 0.0 | 1,843 | 27.4 |
| 2 | Belthangadi | 1.1 | 5 | 0 | 5 | 0.0 | 312 | 0 | 0.0 | 1,199 | 0 | 0.0 | 1,511 | 37.3 |
| 3 | Mangalore | 4.5 | 6 | 6 | 0 | 100.0 | 6,435 | 5 | 0.1 | 15,578 | 0 | 0.0 | 22,013 | 167.4 |
| 4 | Puttur | 0.8 | 2 | 2 | 0 | 100.0 | 589 | 19 | 3.2 | 5,588 | 36 | 0.6 | 6,177 | 132.7 |
| 5 | Sullia | 2.2 | 3 | 3 | 0 | 100.0 | 923 | 5 | 0.5 | 700 | 1 | 0.1 | 1,623 | 77.9 |

| | | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 |
|---|----------------------|---------------------------------|--|---|---|---|--|--|---|---|--|---|--|--|
| | Indicators | Total reported deliveries | % Institutio nal deliveries to Total Reported Deliveries | % Safe deliveries to Total Reported Deliveries | % Home deliveries to Total Reported Deliveries | Number of C-section deliveries conducte d at public facilities | Number of C-section deliveries conducte d at private facilities | % C-section deliveries (Public + Pvt.) to reported institutio nal (Public + Pvt.) deliveries | % C-section s conducte d at public facilities to Deliveries conducte d at public facilities | % C-section s conducte d at Private facilities to Deliveries conducte d at private facilities | % Deliveries conducte d at Public Institutio ns to Total Institutio nal Deliveries | % Deliveries conducte d at Private Institutio ns to Total Institutio nal Deliveries | Women received 1st post partum check-up within 48 hours of home delivery | Women received 1st post partum check up between 48 hours and 14 days |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Dakshina Kannada | 33,184 | 99.9 | 100.0 | 0.1 | 3,390 | 8,198 | 34.9 | 38.9 | 33.5 | 26.3 | 73.7 | 17 | 14,630 |
| 1 | Bantwal | 1,844 | 99.9 | 99.9 | 0.1 | 0 | 272 | 14.8 | 0.0 | 19.6 | 24.7 | 75.3 | 1 | 3,733 |
| 2 | Belthangadi | 1,516 | 99.7 | 99.7 | 0.3 | 0 | 529 | 35.0 | 0.0 | 44.1 | 20.6 | 79.4 | 5 | 1,143 |
| 3 | Mangalore | 22,019 | 100.0 | 100.0 | 0.0 | 2,907 | 5,677 | 39.0 | 45.2 | 36.4 | 29.2 | 70.8 | 6 | 7,546 |
| 4 | Puttur | 6,179 | 100.0 | 100.0 | 0.0 | 170 | 1,442 | 26.1 | 28.9 | 25.8 | 9.5 | 90.5 | 2 | 1,482 |
| 5 | Sullia | 1,626 | 99.8 | 100.0 | 0.2 | 313 | 278 | 36.4 | 33.9 | 39.7 | 56.9 | 43.1 | 3 | 726 |

| | | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 |
|---|----------------------|---|---|---|---|--|--|---|--|---|--|--|--|--|
| | Indicators | % Women getting 1st post partum check-up within 48 hours of home delivery to Total Reported Home Deliveries | % Women getting 1st Post Partum Checkup between 48 hours and 14 days to Total Reported Deliveries | Total Number of reported live births | % Live Births to Total Deliveries | Total Number of reported Still Births | % live birth to Reported Birth | Number of Newborns weighed at birth | % Newborns weighed at birth to live birth | Number of Newborns having weight less than 2.5 kg | % Newborns having weight less than 2.5 kg to Newborns weighed at birth | Number of New Borns Breast Fed within 1 hour | % Newborns breast fed within 1 hour of birth to Total live birth | Sex Ratio at birth (Female Live Births/ Male Live Births *1000) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Dakshina Kannada | 100.0 | 44.1 | 33,198 | 100.0 | 302 | 99.1 | 33,175 | 99.9 | 4,239 | 12.7 | 29,272 | 88.1 | 934 |
| 1 | Bantwal | 100.0 | 202.4 | 1,836 | 99.6 | 13 | 99.3 | 1,838 | 100.1 | 99 | 5.4 | 1,833 | 99.8 | 943 |
| 2 | Belthangadi | 100.0 | 75.4 | 1,521 | 100.3 | 1 | 99.9 | 1,521 | 100.0 | 94 | 6.2 | 1,488 | 97.8 | 1,042 |
| 3 | Mangalore | 100.0 | 34.3 | 21,979 | 99.8 | 225 | 99.0 | 21,954 | 99.9 | 3,215 | 14.6 | 19,074 | 86.8 | 924 |
| 4 | Puttur | 100.0 | 24.0 | 6,153 | 99.6 | 44 | 99.3 | 6,153 | 100.0 | 618 | 10.0 | 5,325 | 86.5 | 919 |
| 5 | Sullia | 100.0 | 44.6 | 1,709 | 105.1 | 19 | 98.9 | 1,709 | 100.0 | 213 | 12.5 | 1,552 | 90.8 | 1,037 |

| | | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 |
|---|----------------------|---|---|--|---|--|---|---|---|--|---|--|---|--|
| | Indicators | % cases of Pregnant women with Obstetric Complica tions and attended to reported deliveries | % Complica ted Pregnanci es treated with Blood Transfusi on to Total Women with Obstetric Complica tions attended | Number of PW given 360 Calcium tablets | % Pregnant women given 360 Calcium to Total ANC Registrati on | Number of PW given one Albendaz ole tablet after 1st trimester | % Pregnant women given one Albendaz ole tablet after 1st trimester to Total ANC Registrati on | Number of PW tested for blood sugar using OGTT (Oral Glucose Toleranc e Test) | % Pregnant women tested for blood sugar using OGTT to Total ANC Registrati on | Number of PW tested positive for GDM | % Pregnant women tested positive for GDM to Total ANC Registrati on | Number of pregnant women tested for Syphilis | Number of pregnant women tested found sero positive for Syphilis | % Pregnant women tested for Syphilis to Total ANC Registrati on |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Dakshina Kannada | 7.2 | 36.1 | 16,412 | 53.5 | 14,893 | 48.6 | 5,657 | 18.4 | 222 | 0.7 | 15,397 | 9 | 50.2 |
| 1 | Bantwal | 0.2 | 100.0 | 3,082 | 45.8 | 2,931 | 43.6 | 172 | 2.6 | 19 | 0.3 | 3,771 | 2 | 56.1 |
| 2 | Belthangadi | 0.3 | 75.0 | 1,325 | 32.7 | 2,272 | 56.0 | 1,942 | 47.9 | 48 | 1.2 | 1,938 | 1 | 47.8 |
| 3 | Mangalore | 10.7 | 32.3 | 8,428 | 64.1 | 6,872 | 52.3 | 2,706 | 20.6 | 131 | 1.0 | 6,094 | 5 | 46.3 |
| 4 | Puttur | 0.1 | 1300.0 | 2,872 | 61.7 | 1,834 | 39.4 | 383 | 8.2 | 1 | 0.0 | 2,775 | 1 | 59.6 |
| 5 | Sullia | 1.9 | 29.0 | 705 | 33.8 | 984 | 47.2 | 454 | 21.8 | 23 | 1.1 | 819 | 0 | 39.3 |

| | | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 | 76 | 77 | 78 |
|---|----------------------|--|--|---------------------------------|---|---|---|------------------------------------|---|---|---|--|---|--|
| | Indicators | % Pregnant women treatd for Syphilis to Total sero positive for Syphilis | % of babies treated for congenita I Syphilis to babies total diagnosed with Congenit al Syphilis | Total no. maternal deaths | Total Facility Based Maternal Death Reviews (FBMDR) done | Total Number of Abortions (Spontan eous) Reported | Total Number of MTPs (Public) conducte d | % MTPs to total Abortions | % MTPs up to 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns | % MTPs more than 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns | % MTPs Conducte d at Public Institutio ns to Total MTPs | % MTPs Conducte d at Private Institutio ns to Total MTPs | % Total MTPs (Public) Conducte d to Total ANC Registrati on | Number of Vasectom ies Conducte d |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Dakshina Kannada | 0.0 | | 19 | 11 | 1,022 | 420 | 62.6 | 66.4 | 33.6 | 24.6 | 75.4 | 1.4 | 23 |
| 1 | Bantwal | 0.0 | | 0 | 0 | 116 | 37 | 47.7 | 100.0 | 0.0 | 34.9 | 65.1 | 0.6 | 1 |
| 2 | Belthangadi | 0.0 | | 1 | 0 | 56 | 25 | 70.7 | 100.0 | 0.0 | 18.5 | 81.5 | 0.6 | 4 |
| 3 | Mangalore | 0.0 | | 16 | 11 | 659 | 297 | 59.5 | 55.2 | 44.8 | 30.6 | 69.4 | 2.3 | 7 |
| 4 | Puttur | 0.0 | | 2 | 0 | 114 | 30 | 73.3 | 76.7 | 23.3 | 9.6 | 90.4 | 0.6 | 10 |
| 5 | Sullia | 0.0 | | 0 | 0 | 77 | 31 | 70.4 | 96.8 | 3.2 | 16.9 | 83.1 | 1.5 | 1 |

| | | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 |
|---|----------------------|--|---|--|--|---|---|---|--|---|--|---|--|--|
| | Indicators | Number of Tubecto mies Conducte d | Total Sterilisati on Conducte d | % Male Sterilisati on (Vasecto mies) to Total sterilisati on | % Female Serlisatio n (Tubecto mies) to Total sterilisati on | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at PHC | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at CHC | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at SDH | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at DH | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at Public institutio ns | % Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns to Total Sterlisati on | % Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Public institutio ns to Total Steriisati on | % Laparosc opic sterlisati ons to Total Female Sterilisati ons |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Dakshina Kannada | 3,852 | 3,875 | 0.5 | 99.4 | | | | | 1,381 | 2,494 | 35.6 | 64.4 | 41.2 |
| 1 | Bantwal | 254 | 255 | 0.4 | 99.6 | | | | | 10 | 245 | 3.9 | 96.1 | 91.7 |
| 2 | Belthangadi | 314 | 318 | 1.3 | 98.7 | | | | | 27 | 291 | 8.5 | 91.5 | 87.6 |
| 3 | Mangalore | 2,266 | 2,273 | 0.3 | 99.7 | | | | | 998 | 1,275 | 43.9 | 56.1 | 26.7 |
| 4 | Puttur | 706 | 716 | 1.4 | 98.6 | | | | | 315 | 401 | 44.0 | 56.0 | 45.2 |
| 5 | Sullia | 312 | 313 | 0.3 | 99.7 | | | | | 31 | 282 | 9.9 | 90.1 | 49.7 |

| | | 92 | 93 | 94 | 95 | 96 | 97 | 98 | 99 | 100 | 101 | 102 | 103 | 104 |
|---|----------------------|--|--|--|---|---|--|--|---|--|--|---|---|---|
| | Indicators | % Mini Lap Sterlisati ons to Total Female Sterilisati ons | % Post Partum Sterlisati ons to Total Female Sterilisati ons | % Post Abortion Sterlisati ons to Total Female Sterilisati ons | % Laparosc opic sterlisati ons at Public Institutio ns to Total Laparosc opic Sterilisati ons | % Mini Lap sterlisati ons at Public Institutio ns to Total Mini Lap Sterilisati ons | % Post Partum sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on | % Post Abortion sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on | Total cases of deaths following Sterlisati on (Male + Female) | Total cases of deaths following Male Sterlisati on | Total cases of deaths following Female Sterlisati on | Total cases of failure following Male Sterlisati on | Total cases of failure following Female Sterlisati on | Total cases of complicat ion following Male Sterlisati on 2017-18 |
| | _Dakshina Kannada | 5.8 | 50.8 | 2.1 | 86.3 | 28.8 | 51.4 | 36.9 | 0 | 0 | 0 | 0 | 2 | 0 |
| | | | | | | | | 30.9 | 0 | 0 | 0 | 0 | | 0 |
| 1 | Bantwal | 2.8 | 5.5 | 0.0 | 100.0 | 0.0 | 78.6 | | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | Belthangadi | 1.6 | 6.4 | 4.5 | 100.0 | 0.0 | 60.0 | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | Mangalore | 2.3 | 68.8 | 2.3 | 65.9 | 43.4 | 52.4 | 60.8 | 0 | 0 | 0 | 0 | 1 | 0 |
| 4 | Puttur | 16.4 | 35.8 | 2.5 | 98.4 | 0.0 | 30.4 | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5 | Sullia | 13.1 | 36.9 | 0.3 | 95.5 | 100.0 | 80.0 | 0.0 | 0 | 0 | 0 | 0 | 1 | 0 |

| | | 105 | 106 | 107 | 108 | 109 | 110 | 111 | 112 | 113 | 114 | 115 | 116 | 117 |
|---|----------------------|--|--|--|---|---|--|---|--|---------------------------------------|---|--|-------------------------------------|--|
| | Indicators | Total cases of complicat ion following Female Sterlisati on | IUCD Insertions done (public facilities) | IUCD insertions done (pvt. facilities) | % PP IUCD Insertions (public) to Total IUCD Insertions (public) | % PP IUCD Insertions (public) to Total Institutio nal Deliveries (public) | % IUCD insertions to all family planning methods (IUCD plus permane nt) | Total Interval IUCD Insertions done | Total PP IUCD Insertions done | Total PAIUCD insertions done | Combine d Oral Pills distribute d | Emergenc y pills distribute d | Condom pieces distribute d | Centchro man (weekly pills) distribute d |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Dakshina Kannada | 2 | 2,346 | 1,335 | 31.2 | 8.4 | 48.7 | 2,735 | 834 | 112 | 51,079 | 0 | 557,933 | 0 |
| 1 | Bantwal | 0 | 364 | 55 | 16.8 | 13.4 | 62.2 | 337 | 77 | 5 | 14,843 | 0 | 145,335 | 0 |
| 2 | Belthangadi | 0 | 414 | 29 | 5.3 | 7.1 | 58.2 | 404 | 30 | 9 | 13,587 | 0 | 128,427 | 0 |
| 3 | Mangalore | 2 | 895 | 1,097 | 43.1 | 6.0 | 46.7 | 1,446 | 452 | 94 | 14,467 | 0 | 180,119 | 0 |
| 4 | Puttur | 0 | 307 | 116 | 5.5 | 2.9 | 37.1 | 393 | 28 | 2 | 7,021 | 0 | 85,796 | 0 |
| 5 | Sullia | 0 | 366 | 38 | 67.5 | 26.8 | 56.3 | 155 | 247 | 2 | 1,161 | 0 | 18,256 | 0 |

| | | 118 | 119 | 120 | 121 | 122 | 123 | 124 | 125 | 126 | 127 | 128 | 129 | 130 |
|---|----------------------|--|--|--|---|------------------------------------|---|-----------------------------------|---|---|--|---|---------------------------------------|---------------------------------------|
| | Indicators | Number of beneficia ries given 1st dose of Injectabl e (Antara Program) | Number of beneficia ries given 2nd dose of Injectabl e (Antara Program) | Number of beneficia ries given 3rd dose of Injectabl e (Antara Program) | Number of beneficia ries given 4th or more than 4 doses of Injectabl e (Antara Program) | Pregnanc y testing kits used | Number of Infants given OPV 0 (Birth Dose) | Number of Infants given BCG | Number of Infants given Hep- B0 (birth dose) | % Newborns given OPV0 at birth to Reported live birth | % Newborns given BCG to Reported live birth | % Newborns given Hep-B0 (Birth Dose)at birth to Reported live birth | Number of Infants given DPT1 | Number of Infants given DPT2 |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Dakshina Kannada | 88 | 17 | 2 | 2 | 16,912 | 31,358 | 33,421 | 26,533 | 94.5 | 100.7 | 79.9 | 54 | 38 |
| 1 | Bantwal | 0 | 0 | 0 | 0 | 3,400 | 1,632 | 2,133 | 1,489 | 88.9 | 116.2 | 81.1 | 0 | 0 |
| 2 | Belthangadi | 0 | 0 | 0 | 0 | 1,953 | 1,424 | 1,479 | 1,403 | 93.6 | 97.2 | 92.2 | 0 | 0 |
| 3 | Mangalore | 86 | 15 | 0 | 0 | 6,298 | 20,708 | 21,426 | 16,779 | 94.2 | 97.5 | 76.3 | 54 | 38 |
| 4 | Puttur | 2 | 2 | 2 | 2 | 3,372 | 5,971 | 6,639 | 5,295 | 97.0 | 107.9 | 86.1 | 0 | 0 |
| 5 | Sullia | 0 | 0 | 0 | 0 | 1,889 | 1,623 | 1,744 | 1,567 | 95.0 | 102.0 | 91.7 | 0 | 0 |

| | | 131 | 132 | 133 | 134 | 135 | 136 | 137 | 138 | 139 | 140 | 141 | 142 | 143 |
|---|----------------------|---------------------------------------|--|--|--|---|---|---|--|--|---|---|--|---|
| | Indicators | Number of Infants given DPT3 | Number of Infants given Pentavale nt 1 | Number of Infants given Pentavale nt 2 | Number of Infants given Pentavale nt 3 | Number of Infants given Measles 2017-18 | Number of Infants given MR 2017-18 | % Infants 0 to 11 months old who received Measles+ MR vaccine to reported live births | Number of fully immunize d children (9-11 months) | % Drop Out between BCG & Measles/ MR 2017-18 | % Children given Vit A dost1 to Reported live birth | % Children given Vitamin A Dose 9 to Children given Vit A dose1 | Adverse Events Following Imunisati on (Abcess) | Adverse Events Following Imunisati on (Deaths) |
| | | 2017-16 | 2017-16 | 2017-16 | 2017-16 | 2017-16 | 2017-16 | 2017-16 | 2017-16 | 2017-10 | 2017-10 | 2017-16 | 2017-16 | 2017-16 |
| | _Dakshina Kannada | 1 | 34,734 | 33,068 | 32,428 | 1,408 | 30,033 | 94.7 | 31,969 | 95.8 | 91.7 | 177.7 | 6 | 0 |
| 1 | Bantwal | 0 | 7,056 | 6,703 | 6,581 | 374 | 6,187 | 357.4 | 6,514 | 82.5 | 344.0 | 101.2 | 1 | 0 |
| 2 | Belthangadi | 0 | 4,376 | 4,184 | 4,095 | 277 | 3,663 | 259.0 | 3,841 | 81.3 | 253.0 | 228.5 | 1 | 0 |
| 3 | Mangalore | 1 | 14,682 | 14,051 | 13,924 | 497 | 12,821 | 60.6 | 14,106 | 97.7 | 61.0 | 177.7 | 4 | 0 |
| 4 | Puttur | 0 | 6,089 | 5,735 | 5,515 | 194 | 5,270 | 88.8 | 5,404 | 97.1 | 76.1 | 208.7 | 0 | 0 |
| 5 | Sullia | 0 | 2,531 | 2,395 | 2,313 | 66 | 2,092 | 126.3 | 2,104 | 96.2 | 127.4 | 242.9 | 0 | 0 |

| | | 144 | 145 | 146 | 147 | 148 | 149 | 150 | 151 | 152 | 153 | 154 | 155 | 156 |
|---|----------------------|---|---|---|---|--|--|--|--|---|---|---|--|---|
| | Indicators | Adverse Events Following Imunisati on (Others) | % immunisa tion Sessions Held to Immunisa tion Sessions Planned | % Immunisa tion Sessions where ASHAs were present to Immunisa tion Sessions Planned | Pneumoni a in Children 0-5 Years of Age | Asthma in Children 0-5 Years of Age | Sepsis in Children 0-5 Years of Age | Diphtheri a in Children 0-5 Years of Age | Pertussis in Children 0-5 Years of Age | Tetanus Neonator um in Children 0-5 Years of Age | Tubercul osis (TB) in Children 0-5 Years of Age | Acute Flaccid Paralysis (AFP)in Children 0-5 Years of Age | Measles in Children 0-5 Years of Age | Malaria in Children 0-5 Years of Age |
| | | 2017 10 | 2017 10 | 2017 10 | 2017 10 | 2017 10 | 2017 10 | 2017 10 | 2017 10 | 2017 10 | 2017 10 | 2017 10 | 2017 10 | 2017 10 |
| | _Dakshina Kannada | 0 | 99.1 | 79.8 | 1,515 | 1,171 | 143 | 1 | 1 | 0 | 22 | 22 | 99 | 1,515 |
| 1 | Bantwal | 0 | 100.0 | 98.5 | 263 | 130 | 2 | 0 | 0 | 0 | 3 | 3 | 0 | 263 |
| 2 | Belthangadi | 0 | 99.3 | 95.5 | 36 | 7 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 36 |
| 3 | Mangalore | 0 | 97.9 | 69.1 | 1,000 | 870 | 127 | 1 | 1 | 0 | 14 | 14 | 99 | 1,000 |
| 4 | Puttur | 0 | 99.8 | 80.4 | 177 | 82 | 0 | 0 | 0 | 0 | 4 | 4 | 0 | 177 |
| 5 | Sullia | 0 | 99.8 | 60.4 | 39 | 82 | 9 | 0 | 0 | 0 | 1 | 1 | 0 | 39 |

| Indicators | | 157 | 158 | 159 | 160 | 161 | 162 | 163 | 164 | 165 | 166 | 167 | 168 | 169 |
|------------|----------------------|--|--|---|---|---|---|--|--|---|---|---|---|-----------------|
| | | Diarrhoea in Children 0-5 Years of Age | Diarrhoea treated in Inpatient s in Children 0-5 Years of Age | No. of infants given Measles Rubella vaccine 1st dose | No. of infants received Rotavirus Vaccine 1st dose | No. of infants received Rotavirus Vaccine 2nd dose | No. of infants received Rotavirus Vaccine 3nd dose | No of children 16-24 months age given Measles 2nd dose | No of children 16-24 months age given Measles Rubella Vaccine 2nd dose | % Adult Female Inpatient s to Total Adult Inpatient | % Children Inpatient to Total Inpatient | % Female Inpatient Deaths to Total Inpatient Deaths | % Inpatient Deaths to Total IPD | IPD (Number) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Dakshina Kannada | 4,930 | 1,289 | 30,033 | 21 | 17 | 17 | 107 | 27,881 | 55.3 | 18.4 | 28.5 | 0.3 | 753,702 |
| 1 | Bantwal | 800 | 61 | 6,187 | 0 | 0 | 0 | 22 | 5,836 | 60.8 | 18.0 | 38.5 | 0.1 | 17,476 |
| 2 | Belthangadi | 213 | 55 | 3,663 | 0 | 0 | 0 | 17 | 3,491 | 56.1 | 25.0 | 25.0 | 0.0 | 19,629 |
| 3 | Mangalore | 3,068 | 996 | 12,821 | 0 | 0 | 0 | 26 | 11,715 | 55.3 | 17.5 | 27.0 | 0.3 | 640,225 |
| 4 | Puttur | 583 | 65 | 5,270 | 0 | 0 | 0 | 42 | 4,885 | 52.8 | 28.6 | 46.3 | 0.1 | 54,820 |
| 5 | Sullia | 266 | 112 | 2,092 | 21 | 17 | 17 | 0 | 1,954 | 56.6 | 12.2 | 37.4 | 0.7 | 21,552 |

| | | 170 | 171 | 172 | 173 | 174 | 175 | 176 | 177 | 178 | 179 | 180 | 181 | 182 |
|------------|----------------------|-------------------------|--------------------------|-------------------------------|--------------------|--------------------------------------|--------------------------------------|---|---|--|--------------------------------------|---------------------------|---------------------------------------|--|
| Indicators | | OPD (Allopathi c) | Ayush OPD (Number) | OPD (Ayush+Al lopathic) | % IPD to OPD | Number of Major Operatio ns | Number of Minor Operatio ns | % Major Operatio ns to Total Operatio n | Number of Hysterect omy Surgeries | % Hysterect omy Surgeries to Total Major Operatio ns | % AYUSH OPD to Total OPD | Dental OPD (Number) | % Dental OPD to Total OPD | % Hb < 7 mg to Total Hb Tests Conducte d |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Dakshina Kannada | 5,908,986 | 84,761 | 5,993,747 | 12.6 | 73,587 | 68,736 | 51.7 | 8,692 | 11.8 | 1.4 | 40,279 | 0.7 | 3.1 |
| 1 | Bantwal | 612,801 | 10,597 | 623,398 | 2.8 | 1,085 | 3,296 | 24.8 | 49 | 4.5 | 1.7 | 8,377 | 1.3 | 0.9 |
| 2 | Belthangadi | 422,555 | 28,652 | 451,207 | 4.4 | 1,200 | 1,525 | 44.0 | 340 | 28.3 | 6.4 | 5,227 | 1.2 | 2.3 |
| 3 | Mangalore | 4,075,304 | 30,073 | 4,105,377 | 15.6 | 67,130 | 60,853 | 52.5 | 7,605 | 11.3 | 0.7 | 18,067 | 0.4 | 4.6 |
| 4 | Puttur | 494,555 | 12,541 | 507,096 | 10.8 | 2,837 | 2,166 | 56.7 | 443 | 15.6 | 2.5 | 6,507 | 1.3 | 1.1 |
| 5 | Sullia | 303,771 | 2,898 | 306,669 | 7.0 | 1,335 | 896 | 59.8 | 255 | 19.1 | 0.9 | 2,101 | 0.7 | 3.3 |

| Indicators | | 183 | 184 | 185 | 186 | 187 | 188 | 189 | 190 | 191 | 192 | 193 | 194 | 195 |
|------------|----------------------|--|---|---|---|--|--|--|--|--|--|---|---|---|
| | | % Male HIV Positive to Total Males Tested | % Female screened for HIV to Total ANC Registrati on | % Female HIV Positive to Total Females Tested | % Total HIV Positive to Total Tested (Male + Female) | % Plasmodi um Vivax test positive to Total Blood Smears Examined | % Plasmodi um Falciparu m test positive to Total Blood Smears Examined | Total Number of Infant Deaths reported | % Deaths due to Sepsis to Total Reported Infant Deaths | % Deaths due to Asphyxia to Total Reported Infant Deaths | % Deaths due to Pneumoni a to Total Reported Infant Deaths | % Deaths due to Diarrhoea to Total Reported Infant Deaths | % Deaths due to Fever to Total Reported Infant Deaths | % Deaths due to Measles to Total Reported Infant Deaths |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Dakshina Kannada | 1.0 | 174.3 | 0.8 | 0.9 | 2.5 | 0.6 | 493 | 8.9 | 4.3 | 4.3 | 0.0 | 0.0 | 0.4 |
| 1 | Bantwal | 0.5 | 61.9 | 0.2 | 0.4 | 0.8 | 0.1 | 20 | 0.0 | 5.0 | 5.0 | 0.0 | 0.0 | 0.0 |
| 2 | Belthangadi | 0.6 | 72.0 | 0.3 | 0.5 | 0.3 | 0.1 | 14 | 0.0 | 7.1 | 21.4 | 0.0 | 0.0 | 0.0 |
| 3 | Mangalore | 1.1 | 310.1 | 0.9 | 1.0 | 4.2 | 1.1 | 408 | 10.5 | 4.7 | 2.9 | 0.0 | 0.0 | 0.5 |
| 4 | Puttur | 0.4 | 92.1 | 0.3 | 0.4 | 0.5 | 0.1 | 33 | 3.0 | 0.0 | 12.1 | 0.0 | 0.0 | 0.0 |
| 5 | Sullia | 1.2 | 63.1 | 0.7 | 1.0 | 0.1 | 0.0 | 18 | 0.0 | 0.0 | 5.6 | 0.0 | 0.0 | 0.0 |

| | | 196 | 197 | 198 |
|---|----------------------|--|--|---|
| | Indicators | Institutio nal Deliveries at Urban Heatlh Facilities i.e SC+PHC+ CHC+SDH | Institutio nal Deliveries at District Hospitals | Measles immuniza tion at urban Health facilities i.e SC+PHC+ CHC+SDH +DH |
| | | 2017-18 | 2017-18 | 2017-18 |
| | _Dakshina Kannada | 24,453 | | |
| 1 | Bantwal | 1,387 | | |
| 2 | Belthangadi | 1,199 | | |
| 3 | Mangalore | 15,579 | | |
| 4 | Puttur | 5,588 | | |
| 5 | Sullia | 700 | | |