		1	l	2	2	3	3	4	ı	5	5	•	5
	Indicator	Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Kerala	244,891	248,638	99.6	263.1	1,096	1,270	99.6	99.5	227,916	252,326	249,538	243,431
1	Alappuzha	10,796	12,509	100.0	129.3	47	48	99.6	99.6	10,794	12,509	11,927	14,090
2	Ernakulam	20,480	18,809	100.3	444.2	33	47	99.8	99.8	20,480	18,809	25,908	19,690
3	Idukki	7,298	7,536	100.2	210.9	30	45	99.6	99.4	7,283	7,491	8,923	7,516
4	KOZHIKKODE	26,542	27,298	99.1	212.1	226	258	99.2	99.1	25,858	27,297	26,510	26,039
5	Kannur	22,288	21,315	99.6	351.8	127	114	99.4	99.5	19,268	21,315	19,338	21,601
6	Kasaragod	13,537	9,729	100.8	704.5	29	65	99.8	99.3	10,256	9,602	8,994	7,979
7	Kollam	16,532	22,236	98.8	316.7	22	66	99.9	99.7	15,751	22,236	16,063	22,110
8	Kottayam	10,515	12,573	99.2	205.6	32	48	99.7	99.6	8,550	12,573	12,852	12,573
9	Malappuram	39,987	42,286	98.6	471.2	223	164	99.4	99.6	35,193	42,372	38,983	34,196
10	Palakkad	19,379	18,488	100.1	422.1	58	55	99.7	99.7	19,379	18,479	20,633	18,573
11	Pathanamthitta	8,256	8,132	100.7	181.1	16	32	99.8	99.6	7,387	8,132	8,992	7,625
12	Thiruvananthapuram	23,759	15,216	100.1	119.5	165	160	99.3	99.0	23,327	18,087	20,522	18,949
13	Thrissur	18,150	26,220	100.1	274.9	15	121	99.9	99.5	17,032	27,133	23,475	27,167
14	Wayanad	7,372	6,291	99.9	182.3	73	47	99.0	99.3	7,358	6,291	6,418	5,323

		7	7	8	3	ģ	)	1	0	1	1	12	
	Indicator	Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		Newborns	% Newborns given BCG to Reported live birth		Number of Infants given DPT1		of Infants DPT2	Number of Infants given DPT3	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Kerala	267,117	252,741	101.9	97.9	109.1	101.7	271,541	228,743	263,857	217,288	259,538	216,201
1	Alappuzha	11,938	14,090	110.5	112.6	110.6	112.6	14,218	13,351	13,746	12,882	13,822	12,745
2	Ernakulam	26,647	19,690	126.5	104.7	130.1	104.7	25,194	21,823	25,212	21,853	26,458	22,755
3	Idukki	8,942	7,508	122.3	99.7	122.5	99.6	10,286	7,958	10,295	7,722	10,195	7,776
4	KOZHIKKODE	30,418	26,404	99.9	95.4	114.6	96.7	27,135	19,034	26,110	17,022	24,649	15,630
5	Kannur	20,292	21,605	86.8	101.3	91.0	101.4	20,009	16,701	19,271	15,884	20,309	16,372
6	Kasaragod	12,949	9,714	66.4	82.0	95.7	99.8	11,767	8,135	11,594	7,641	11,350	7,712
7	Kollam	16,174	22,110	97.2	99.4	97.8	99.4	17,847	20,115	17,894	19,539	18,381	20,960
8	Kottayam	12,614	12,573	122.2	100.0	120.0	100.0	13,366	12,926	13,321	12,775	13,228	13,169
9	Malappuram	42,196	40,326	97.5	80.9	105.5	95.4	40,329	30,994	37,624	27,505	36,182	23,112
10	Palakkad	21,025	18,348	106.5	100.5	108.5	99.2	24,632	20,037	23,924	19,155	23,432	18,512
11	Pathanamthitta	9,191	7,523	108.9	93.8	111.3	92.5	9,781	7,347	9,090	7,405	4,588	7,384
12	Thiruvananthapuram	23,467	19,184	86.4	124.5	98.8	126.1	26,338	24,097	25,053	23,141	25,052	23,608
13	Thrissur	23,352	27,167	129.3	103.6	128.7	103.6	22,861	22,049	22,913	21,550	24,103	23,529
14	Wayanad	7,912	6,499	87.1	84.6	107.3	103.3	7,778	4,176	7,810	3,214	7,789	2,937

		1	.3	1	4	1	.5	1	6	1	7	1	8
	Indicator	Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2			of Infants tavalent 3	Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Kerala							249,761	238,087	102.0	95.8	245,670	227,482
1	Alappuzha							13,862	12,427	128.4	99.3	13,749	12,427
2	Ernakulam							26,126	22,504	127.6	119.6	25,282	22,504
3	Idukki							8,567	7,896	117.4	104.8	8,476	7,880
4	KOZHIKKODE							22,998	20,816	86.6	76.3	26,118	20,761
5	Kannur							19,674	18,946	88.3	88.9	21,232	18,155
6	Kasaragod							10,525	13,170	77.7	135.4	10,400	7,349
7	Kollam							18,498	20,695	111.9	93.1	18,671	20,695
8	Kottayam							12,893	12,883	122.6	102.5	12,674	12,883
9	Malappuram							31,134	29,486	77.9	69.7	28,874	26,538
10	Palakkad							21,504	21,116	111.0	114.2	20,816	21,845
11	Pathanamthitta							8,454	7,373	102.4	90.7	8,003	7,373
12	Thiruvananthapuram							25,860	22,843	108.8	150.1	24,678	22,610
13	Thrissur							23,248	22,540	128.1	86.0	21,163	22,540
14	Wayanad							6,418	5,392	87.1	85.7	5,534	3,922

		1	9	2	0	2	1	2	2	2	3	24	
	Indicator	% Drop Out between BCG & Measles		Vitamin - A dose 1		Children g	6 iven Vit A	9,	% ven Vitamin o Children	Adverse	e Events	% immunisation Sessions Held to Immunisation Sessions Planned	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Kerala	6.5	5.8	198,959	61,386	81.2	24.7	62.9	2.8	620	1	96.7	98.1
1	Alappuzha	-16.1	11.8	11,764	7,609	109.0	60.8	51.4	0.0	35		99.8	
2	Ernakulam	2.0	-14.3	20,580	3,536	100.5	18.8	61.8	2.0	295		99.8	
3	Idukki	4.2	-5.2	6,446	5,727	88.3	76.0	63.7	1.0	11		99.8	
4	KOZHIKKODE	24.4	21.2	19,924	2,047	75.1	7.5	19.4	0.0	9		98.3	
5	Kannur	3.0	12.3	16,194	1,046	72.7	4.9	37.0	0.0	15		99.4	94.8
6	Kasaragod	18.7	-35.6	10,402	313	76.8	3.2	37.0	0.0	91		99.8	
7	Kollam	-14.4	6.4	15,314	6,167	92.6	27.7	86.5	4.1	7		99.6	98.5
8	Kottayam	-2.2	-2.5	11,265	5,560	107.1	44.2	43.8	4.8	26		98.9	
9	Malappuram	26.2	26.9	23,869	8,220	59.7	19.4	24.9	1.1	24		99.6	93.9
10	Palakkad	-2.3	-15.1	13,587	9,710	70.1	52.5	46.6	4.0	30	1	99.9	100.0
11	Pathanamthitta	8.0	2.0	7,010	3,930	84.9	48.3	74.6	0.1	1		36.4	
12	Thiruvananthapuram	-10.2	-19.1	17,107	2,112	72.0	13.9	210.3	4.3	14		98.9	
13	Thrissur	0.4	17.0	19,458	4,598	107.2	17.5	60.4	9.0	19		98.3	
14	Wayanad	18.9	17.0	6,039	811	81.9	12.9	86.2	10.0	43		99.5	

		2	5	2	6	2	7	2	8	2	9	3	0
	Indicator	9% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Kerala	71.7	0.0	0.0		0.1		0.0		0.0		0.0	
1	Alappuzha	105.0		0.0		0.0		0.0		0.0		0.0	
2	Ernakulam	63.3		0.0		0.0		0.0		0.0		0.0	
3	Idukki	76.3		0.0		0.0		0.0		0.0		0.0	
4	KOZHIKKODE	76.3		0.0		0.4		0.0		0.0		0.0	
5	Kannur	28.8	0.0	0.0		0.0		0.0		0.0		0.0	
6	Kasaragod	41.3		0.0		0.0		0.0		0.0		0.0	
7	Kollam	87.5	0.0	0.0		0.0		0.0		0.0		0.0	
8	Kottayam	79.6		0.0		0.0		0.0		0.0		0.0	
9	Malappuram	68.6	0.0	0.0		0.1		0.0		0.0		0.0	
10	Palakkad	79.2	0.0	0.0		0.0		0.0		0.0		0.0	
11	Pathanamthitta	25.0		0.0		0.0		0.0		0.0		0.0	
12	Thiruvananthapuram	84.9		0.0		0.3		0.0		0.0		0.0	
13	Thrissur	55.9		0.0		0.0		0.0		0.0		0.0	
14	Wayanad	90.4		0.0		0.0		0.0		0.0		0.0	

		3	1	3	2	3	3	3	4	3	5	3	6
Indicator		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		%  Deaths due to Sepsis to  Total Reported Infant  Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Kerala	1.9		97.3		0.7		228	1,972	0.0	0.0	0.0	0.0
1	Alappuzha	0.3		99.4		0.3		22	57		0.0		0.0
2	Ernakulam	2.5		96.1		1.3		21	93	0.0	0.0	0.0	0.0
3	Idukki	0.2		99.7		0.1		4	67	0.0	0.0	0.0	0.0
4	KOZHIKKODE	1.4		97.3		0.9		60	373		0.0		0.0
5	Kannur	2.4		95.7		1.9		14	112		0.0		0.0
6	Kasaragod	3.1		95.0		1.9		4	111		0.0		0.0
7	Kollam	0.8		99.1		0.2		3	107		0.0		0.0
8	Kottayam	4.2		94.8		1.0			85		0.0		0.0
9	Malappuram	2.4		96.9		0.6		19	322		0.0		0.0
10	Palakkad	0.7		99.3		0.0		13	144		0.0		0.0
11	Pathanamthitta	3.7		95.7		0.5			33		0.0		0.0
12	Thiruvananthapuram	2.6		96.5		0.6		63	316		0.0		0.0
13	Thrissur	1.6		97.8		0.7		1	101		0.0		0.0
14	Wayanad	2.7		97.2		0.1		4	51		0.0		0.0

		3	7	3	8	3	9	4	0	4	1	4	2
	Indicator	% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Kerala	0.0	0.0	0.0	0.0	0.0	0.0	33.3	0.0	0.0	0.0	66.7	100.0
1	Alappuzha		0.0		0.0		0.0		0.0		0.0		100.0
2	Ernakulam	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0
3	Idukki	0.0	0.0	0.0	0.0	0.0	0.0	100.0	0.0	0.0	0.0	0.0	100.0
4	KOZHIKKODE		0.0		0.0		0.0		0.0		0.0		100.0
5	Kannur		0.0		0.0		0.0		0.0		0.0		100.0
6	Kasaragod		0.0		0.0		0.0		0.0		0.0		100.0
7	Kollam		0.0		0.0		0.0		0.0		0.0		100.0
8	Kottayam		0.0		0.0		0.0		0.0		0.0		100.0
9	Malappuram		0.0		0.0		0.0		0.0		0.0		100.0
10	Palakkad		0.0		0.0		0.0		0.0		0.0		100.0
11	Pathanamthitta		0.0		0.0		0.0		0.0		0.0		100.0
12	Thiruvananthapuram		0.0		0.0		0.0		0.0		0.0		100.0
13	Thrissur		0.0		0.0		0.0		0.0		0.0		100.0
14	Wayanad		0.0		0.0		0.0		0.0		0.0		100.0