

Performance of Key HMIS Indicators for Bihar-> Buxar (Across Sub Districts)

Financial Year: 2017-18

Provisional Figures for the Period April to December

These indicators are under compilation (83,84,85,86,197,198)

Indicators		1	2	3	4	5	6	7	8	9	10	11	12	13
		Total number of pregnant women Registered for ANC	Number of Pregnant women registered within first trimester	% 1st Trimester registration to Total ANC Registrations	Number of pregnant women received 4 or more ANC check ups	TT2 given to Pregnant women (numbers)	TT Booster given to Pregnant women (numbers)	% Pregnant Woman received 4 ANC check ups to Total ANC Registrations	% Pregnant women received TT2+ TT Booster to Total ANC Registration	Number of Pregnant women given 180 IFA tablets	% Pregnant women given 180 IFA to Total ANC Registration	Number of Pregnant Women having Hb level<11 (tested cases)	Number of Pregnant Women having severe anaemia (Hb<7) treated at institution	% Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<7
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Buxar	33,482	20,691	61.7	18,081	16,884	13,117	54.0	89.6	9,802	29.2	4,356	58	19.7
1	Brahampur	3,755	2,179	58.0	2,055	2,041	1,709	54.7	99.9	837	22.3	160	0	0.0
2	Buxar Sadar	4,505	2,579	57.2	3,132	2,599	1,721	69.5	95.9	2,036	45.2	0	0	
3	Buxar Urban	2,037	1,764	86.6	2,019	383	0	99.1	18.8	1,893	92.9	3,244	44	38.9
4	Chakki	1,212	566	46.7	368	338	274	30.4	50.5	90	7.4	0	0	
5	Chaugain	953	869	91.2	532	392	501	55.8	93.7	283	29.7	175	3	100.0
6	Chausa	1,695	1,175	69.3	1,365	984	671	80.5	97.6	981	57.9	39	2	33.3
7	Dumraon	4,202	2,453	58.4	1,370	2,082	1,794	32.6	92.2	971	23.1	476	6	9.5
8	Itarhi	3,176	1,489	46.9	1,195	1,818	1,187	37.6	94.6	121	3.8	50	0	0.0
9	Kesath	644	442	68.6	474	311	325	73.6	98.8	516	80.1	0	0	
10	Nawanagar	3,003	1,759	58.6	1,719	1,707	1,312	57.2	100.5	453	15.1	0	0	
11	Rajpur	4,524	2,773	61.3	1,918	2,083	2,114	42.4	92.8	1,488	32.9	194	0	0.0
12	Simri	3,776	2,643	70.0	1,934	2,146	1,509	51.2	96.8	133	3.5	18	3	

Indicators		14	15	16	17	18	19	20	21	22	23	24	25	26
		% New cases of Pregnant Women detected at institutio n for hyperten sion to Total ANC Registrati ons	Number of Home deliveries	Number of home deliveries attended by SBA trained (Doctor/ Nurse/ ANM)	Number of home deliveries attended by Non SBA trained (trained TB/Dai)	% SBA attended home deliveries to Total Reported Home Deliveries	Deliveries Conducte d at Public Institutio ns	Number of Women Discharge d under 48 hours of delivery in public facilities	% Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at public institutio ns	Deliveries Conducte d at Private Institutio ns	Number of Women Discharge d under 48 hours of delivery in private institutio ns	% Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at private institutio ns	Institutio nal deliveries (Public Insts.+Pvt . Insts.)	% Institutio nal Deliveries to total ANC registrati on
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Buxar	0.5	2,074	536	1,538	25.8	17,228	15,555	90.2				17,228	51.4
1	Brahampur	1.0	209	3	206	1.4	2,555	2,521	98.7				2,555	68.0
2	Buxar Sadar	0.0	323	174	149	53.9	0	0					0	0.0
3	Buxar Urban	1.5					2,871	2,825	98.4				2,871	140.9
4	Chakki	0.0	133	0	133	0.0	183	183	100.0				183	15.1
5	Chaugain	0.6	101	52	49	51.5	689	689	100.0				689	72.3
6	Chausa	1.7	213	57	156	26.8	1,346	1,366	101.5				1,346	79.4
7	Dumraon	0.0	280	210	70	75.0	2,873	2,871	99.9				2,873	68.4
8	Itarhi	0.1	274	0	274	0.0	1,713	1,679	98.0				1,713	53.9
9	Kesath	0.0	0	0	0		298	298	100.0				298	46.3
10	Nawanagar	0.0	98	9	89	9.2	1,134	1,134	100.0				1,134	37.8
11	Rajpur	0.2	216	31	185	14.4	1,716	1,716	100.0				1,716	37.9
12	Simri	1.5	227	0	227	0.0	1,850	273	14.8				1,850	49.0

Performance of Key HMIS Indicators for Bihar-> Buxar (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

Indicators		27	28	29	30	31	32	33	34	35	36	37	38	39
		Total reported deliveries	% Institutional deliveries to Total Reported Deliveries	% Safe deliveries to Total Reported Deliveries	% Home deliveries to Total Reported Deliveries	Number of C-section deliveries conducted at public facilities	Number of C-section deliveries conducted at private facilities	% C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries	% C-sections conducted at public facilities to Deliveries conducted at public facilities	% C-sections conducted at Private facilities to Deliveries conducted at private facilities	% Deliveries conducted at Public Institutions to Total Institutional Deliveries	% Deliveries conducted at Private Institutions to Total Institutional Deliveries	Women received 1st post partum check-up within 48 hours of home delivery	Women received 1st post partum check up between 48 hours and 14 days
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Buxar	19,302	89.3	92.0	10.7	60		0.3	0.3		100.0	0.0	8,510	13,088
1	Brahampur	2,764	92.4	92.5	7.6	0		0.0	0.0		100.0	0.0	1,007	608
2	Buxar Sadar	323	0.0	53.9	100.0	0							0	2,263
3	Buxar Urban	2,871	100.0	100.0	0.0	58		2.0	2.0		100.0	0.0	2,705	2,755
4	Chakki	316	57.9	57.9	42.1	0		0.0	0.0		100.0	0.0	70	195
5	Chaugain	790	87.2	93.8	12.8	0		0.0	0.0		100.0	0.0	174	598
6	Chausa	1,559	86.3	90.0	13.7	0		0.0	0.0		100.0	0.0	780	1,408
7	Dumraon	3,153	91.1	97.8	8.9	2		0.1	0.1		100.0	0.0	363	367
8	Itarhi	1,987	86.2	86.2	13.8	0		0.0	0.0		100.0	0.0	398	361
9	Kesath	298	100.0	100.0	0.0	0		0.0	0.0		100.0	0.0	298	298
10	Nawanagar	1,232	92.0	92.8	8.0	0		0.0	0.0		100.0	0.0	423	808
11	Rajpur	1,932	88.8	90.4	11.2	0		0.0	0.0		100.0	0.0	1,583	1,669
12	Simri	2,077	89.1	89.1	10.9	0		0.0	0.0		100.0	0.0	709	1,758

Indicators		40	41	42	43	44	45	46	47	48	49	50	51	52
		% Women getting 1st post partum check-up within 48 hours of home delivery to Total Reported Home Deliveries	% Women getting 1st Post Partum Checkup between 48 hours and 14 days to Total Reported Deliveries	Total Number of reported live births	% Live Births to Total Deliveries	Total Number of reported Still Births	% live birth to Reported Birth	Number of Newborns weighed at birth	% Newborns weighed at birth to live birth	Number of Newborns having weight less than 2.5 kg	% Newborns having weight less than 2.5 kg to Newborns weighed at birth	Number of New Borns Breast Fed within 1 hour	% Newborns breast fed within 1 hour of birth to Total live birth	Sex Ratio at birth (Female Live Births/ Male Live Births *1000)
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Buxar	410.3	67.8	18,835	97.6	216	98.9	17,935	95.2	2,521	14.0	18,342	97.3	935
1	Brahampur	481.8	22.0	2,733	98.9	54	98.1	2,660	97.3	291	10.9	2,654	97.1	958
2	Buxar Sadar	0.0	700.6	323	100.0	0	100.0	323	100.0	0	0.0	323	100.0	846
3	Buxar Urban		96.0	2,873	100.1	40	98.6	2,846	99.1	486	17.1	2,825	98.3	971
4	Chakki	52.6	61.7	313	99.1	3	99.1	313	100.0	35	11.2	313	100.0	909
5	Chaugain	172.3	75.7	790	100.0	10	98.8	772	97.7	116	15.0	784	99.2	850
6	Chausa	366.2	90.3	1,517	97.3	14	99.1	1,478	97.4	238	16.1	1,515	99.9	955
7	Dumraon	129.6	11.6	3,131	99.3	35	98.9	2,849	91.0	501	17.6	3,127	99.9	915
8	Itarhi	145.3	18.2	1,700	85.6	8	99.5	1,498	88.1	153	10.2	1,592	93.6	938
9	Kesath		100.0	267	89.6	4	98.5	260	97.4	32	12.3	257	96.3	1,008
10	Nawanagar	431.6	65.6	1,227	99.6	13	99.0	1,227	100.0	119	9.7	1,227	100.0	935
11	Rajpur	732.9	86.4	1,890	97.8	17	99.1	1,748	92.5	195	11.2	1,749	92.5	934
12	Simri	312.3	84.6	2,071	99.7	18	99.1	1,961	94.7	355	18.1	1,976	95.4	916

Performance of Key HMIS Indicators for Bihar-> Buxar (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

Indicators		53	54	55	56	57	58	59	60	61	62	63	64	65
		% cases of Pregnant women with Obstetric Complications and attended to reported deliveries	% Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended	Number of PW given 360 Calcium tablets	% Pregnant women given 360 Calcium to Total ANC Registrations	Number of PW given one Albendazole tablet after 1st trimester	% Pregnant women given one Albendazole tablet after 1st trimester to Total ANC Registrations	Number of PW tested for blood sugar using OGTT (Oral Glucose Tolerance Test)	% Pregnant women tested for blood sugar using OGTT to Total ANC Registrations	Number of PW tested positive for GDM	% Pregnant women tested positive for GDM to Total ANC Registrations	Number of pregnant women tested for Syphilis	Number of pregnant women tested found sero positive for Syphilis	% Pregnant women tested for Syphilis to Total ANC Registrations
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Buxar	1.3	6.4	2,053	6.1	3,727	11.1	911	2.7	0	0.0	632	2	1.9
1	Brahampur	2.7	0.0	9	0.2	621	16.5	0	0.0	0	0.0	0	0	0.0
2	Buxar Sadar	0.0		0	0.0	0	0.0	0	0.0	0	0.0	0	0	0.0
3	Buxar Urban	0.8	73.9	1,025	50.3	1,025	50.3	0	0.0	0	0.0	0	0	0.0
4	Chakki	0.0		0	0.0	11	0.9	0	0.0	0	0.0	0	0	0.0
5	Chaugain	2.5	0.0	0	0.0	316	33.2	139	14.6	0	0.0	395	2	41.4
6	Chausa	2.1	0.0	16	0.9	0	0.0	0	0.0	0	0.0	0	0	0.0
7	Dumraon	1.5	0.0	523	12.4	274	6.5	772	18.4	0	0.0	237	0	5.6
8	Itarhi	0.2	0.0	200	6.3	1,185	37.3	0	0.0	0	0.0	0	0	0.0
9	Kesath	0.0		0	0.0	22	3.4	0	0.0	0	0.0	0	0	0.0
10	Nawanagar	0.2	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0	0.0
11	Rajpur	0.0		280	6.2	164	3.6	0	0.0	0	0.0	0	0	0.0
12	Simri	2.9	0.0	0	0.0	109	2.9	0	0.0	0	0.0	0	0	0.0

Indicators		66	67	68	69	70	71	72	73	74	75	76	77	78
		% Pregnant women treatd for Syphilis to Total sero positive for Syphilis	% of babies treated for congenital Syphilis to babies total diagnosed with Congenital Syphilis	Total no. maternal deaths	Total Facility Based Maternal Death Reviews (FBMDR) done	Total Number of Abortions (Spontaneous) Reported	Total Number of MTPs (Public) conducted	% MTPs to total Abortions	% MTPs up to 12 weeks of Pregnancy to Total MTPs at Public Institutions	% MTPs more than 12 weeks of Pregnancy to Total MTPs at Public Institutions	% MTPs Conducted at Public Institutions to Total MTPs	% MTPs Conducted at Private Institutions to Total MTPs	% Total MTPs (Public) Conducted to Total ANC Registrati on	Number of Vasectomies Conducted
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Buxar	0.2		27	0	24	13	35.1	100.0	0.0	100.0	0.0	0.0	32
1	Brahampur			1		11	0	0.0					0.0	5
2	Buxar Sadar			0		0	0						0.0	0
3	Buxar Urban			2	0	6	13	68.4	100.0	0.0	100.0	0.0	0.6	2
4	Chakki			0		0	0						0.0	0
5	Chaugain	0.3		1		6	0	0.0					0.0	0
6	Chausa			0		1	0	0.0					0.0	1
7	Dumraon	0.0		0	0	0	0						0.0	1
8	Itarhi			3		0	0						0.0	0
9	Kesath			0		0	0						0.0	16
10	Nawanagar			1		0	0						0.0	6
11	Rajpur			3		0	0						0.0	1
12	Simri			16		0	0						0.0	0

Performance of Key HMIS Indicators for Bihar-> Buxar (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

Indicators		79	80	81	82	83	84	85	86	87	88	89	90	91
		Number of Tubectomies Conducted	Total Sterilisation Conducted	% Male Sterilisation (Vasectomies) to Total sterilisation	% Female Serlisation (Tubectomies) to Total sterilisation	Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC	Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC	Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH	Total Sterilisation (Tubectomies and Vasectomies) conducted at DH	Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions	Total Sterilisation (Tubectomies and Vasectomies) conducted at Public institutions	% Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions to Total Sterilisation	% Total Sterilisation (Tubectomies and Vasectomies) conducted at Public institutions to Total Sterilisation	% Laparoscopic sterilisations to Total Female Sterilisations
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Buxar	2,561	2,593	1.2	98.8						2,593	0.0	100.0	0.0
1	Brahampur	471	476	1.1	98.9						476	0.0	100.0	0.0
2	Buxar Sadar	0	0								0			
3	Buxar Urban	244	246	0.8	99.2						246	0.0	100.0	0.0
4	Chakki	51	51	0.0	100.0						51	0.0	100.0	0.0
5	Chaugain	100	100	0.0	100.0						100	0.0	100.0	0.0
6	Chausa	191	192	0.5	99.5						192	0.0	100.0	0.0
7	Dumraon	310	311	0.3	99.7						311	0.0	100.0	0.0
8	Itarhi	390	390	0.0	100.0						390	0.0	100.0	0.0
9	Kesath	13	29	55.2	44.8						29	0.0	100.0	0.0
10	Nawanagar	273	279	2.2	97.8						279	0.0	100.0	0.0
11	Rajpur	196	197	0.5	99.5						197	0.0	100.0	0.0
12	Simri	322	322	0.0	100.0						322	0.0	100.0	0.0

Performance of Key HMIS Indicators for Bihar-> Buxar (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

Indicators		92	93	94	95	96	97	98	99	100	101	102	103	104
		% Mini Lap Sterilisati ons to Total Female Sterilisati ons	% Post Partum Sterilisati ons to Total Female Sterilisati ons	% Post Abortion Sterilisati ons to Total Female Sterilisati ons	% Laparosc opic sterilisati ons at Public Institutio ns to Total Laparosc opic Sterilisati ons	% Mini Lap sterilisati ons at Public Institutio ns to Total Mini Lap Sterilisati ons	% Post Partum sterilisati ons at Public Institutio ns to Total Post Partum Sterilisati on	% Post Abortion sterilisati ons at Public Institutio ns to Total Post Partum Sterilisati on	Total cases of deaths following Sterilisati on (Male + Female)	Total cases of deaths following Male Sterilisati on	Total cases of deaths following Female Sterilisati on	Total cases of failure following Male Sterilisati on	Total cases of failure following Female Sterilisati on	Total cases of complicat ion following Male Sterilisati on
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Buxar	92.2	7.3	0.4		100.0	100.0	100.0	0	0	0	0	0	0
1	Brahampur	89.2	10.8	0.0		100.0	100.0		0	0	0	0	0	0
2	Buxar Sadar								0	0	0	0	0	0
3	Buxar Urban	65.6	29.5	4.9		100.0	100.0	100.0	0	0	0	0	0	0
4	Chakki	100.0	0.0	0.0		100.0			0	0	0	0	0	0
5	Chaugain	69.0	31.0	0.0		100.0	100.0		0	0	0	0	0	0
6	Chausa	100.0	0.0	0.0		100.0			0	0	0	0	0	0
7	Dumraon	98.1	1.9	0.0		100.0	100.0		0	0	0	0	0	0
8	Itarhi	100.0	0.0	0.0		100.0			0	0	0	0	0	0
9	Kesath	100.0	0.0	0.0		100.0			0	0	0	0	0	0
10	Nawanagar	93.4	6.6	0.0		100.0	100.0		0	0	0	0	0	0
11	Rajpur	98.5	1.5	0.0		100.0	100.0		0	0	0	0	0	0
12	Simri	97.5	2.5	0.0		100.0	100.0		0	0	0	0	0	0

Performance of Key HMIS Indicators for Bihar-> Buxar (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

Indicators		105	106	107	108	109	110	111	112	113	114	115	116	117
		Total cases of complication following Female Sterilisation	IUCD Insertions done (public facilities)	IUCD insertions done (pvt. facilities)	% PP IUCD Insertions (public) to Total IUCD Insertions (public)	% PP IUCD Insertions (public) to Total Institutional Deliveries (public)	% IUCD insertions to all family planning methods (IUCD plus permanent)	Total Interval IUCD Insertions done	Total PP IUCD Insertions done	Total PAIUCD insertions done	Combined Oral Pills distributed	Emergency pills distributed	Condom pieces distributed	Centchroman (weekly pills) distributed
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Buxar	188	3,033		41.5	7.3	53.9	1,770	1,261	2	3,328	1,172	20,997	80
1	Brahampur	3	915		39.9	14.3	65.8	550	365	0	536	143	3,821	0
2	Buxar Sadar	0	265		0.0		100.0	265	0	0	0	0	5	0
3	Buxar Urban	183	276		63.8	6.1	52.9	100	176	0	539	2	742	0
4	Chakki	0	0			0.0	0.0	0	0	0	101	352	1,033	0
5	Chaugain	0	172		76.7	19.2	63.2	40	132	0	371	116	1,702	0
6	Chausa	0	157		42.7	5.0	45.0	89	67	1	215	47	2,823	0
7	Dumraon	0	219		68.0	5.2	41.3	70	149	0	382	89	2,096	0
8	Itarhi	2	182		44.5	4.7	31.8	101	81	0	16	82	794	0
9	Kesath	0	20		45.0	3.0	40.8	11	9	0	120	29	1,517	0
10	Nawanagar	0	148		34.5	4.5	34.7	96	51	1	116	34	2,810	0
11	Rajpur	0	107		59.8	3.7	35.2	43	64	0	932	278	3,654	80
12	Simri	0	572		29.2	9.0	64.0	405	167	0	0	0	0	0

Indicators		118	119	120	121	122	123	124	125	126	127	128	129	130
		Number of beneficiaries given 1st dose of Injectable (Antara Program)	Number of beneficiaries given 2nd dose of Injectable (Antara Program)	Number of beneficiaries given 3rd dose of Injectable (Antara Program)	Number of beneficiaries given 4th or more than 4 doses of Injectable (Antara Program)	Pregnancy testing kits used	Number of Infants given OPV 0 (Birth Dose)	Number of Infants given BCG	Number of Infants given Hep- B0 (birth dose)	% Newborns given OPV0 at birth to Reported live birth	% Newborns given BCG to Reported live birth	% Newborns given Hep-B0 (Birth Dose) at birth to Reported live birth	Number of Infants given DPT1	Number of Infants given DPT2
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Buxar	4	0	0	0	2,554	19,223	29,012	15,411	102.1	154.0	81.8	1	0
1	Brahampur	0	0	0	0	208	2,563	3,442	2,432	93.8	125.9	89.0	0	0
2	Buxar Sadar	0	0	0	0	0	1,336	2,755		413.6	852.9	0.0	0	0
3	Buxar Urban	4	0	0	0	0	2,462	2,462	1,771	85.7	85.7	61.6	0	0
4	Chakki	0	0	0	0	88	256	561	173	81.8	179.2	55.3	0	0
5	Chaugain	0	0	0	0	454	712	890	687	90.1	112.7	87.0	0	0
6	Chausa	0	0	0	0	172	1,509	1,906	1,345	99.5	125.6	88.7	0	0
7	Dumraon	0	0	0	0	316	2,984	4,297	2,743	95.3	137.2	87.6	0	0
8	Itarhi	0	0	0	0	10	1,612	2,511	1,532	94.8	147.7	90.1	1	0
9	Kesath	0	0	0	0	104	346	451	295	129.6	168.9	110.5	0	0
10	Nawanagar	0	0	0	0	9	1,531	2,629	1,147	124.8	214.3	93.5	0	0
11	Rajpur	0	0	0	0	1,193	1,602	3,792	1,430	84.8	200.6	75.7	0	0
12	Simri	0	0	0	0	0	2,310	3,316	1,856	111.5	160.1	89.6	0	0

Performance of Key HMIS Indicators for Bihar-> Buxar (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

Indicators		131	132	133	134	135	136	137	138	139	140	141	142	143
								% Infants 0 to 11 months old who received Measles+ MR vaccine to reported live births						
		Number of Infants given DPT3	Number of Infants given Pentavale nt 1	Number of Infants given Pentavale nt 2	Number of Infants given Pentavale nt 3	Number of Infants given Measles	Number of Infants given MR		Number of fully immunize d children (9-11 months)	% Drop Out between BCG & Measles/ MR	% Children given Vit A dose1 to Reported live birth	% Children given Vitamin A Dose 9 to Children given Vit A dose1	Adverse Events Following Imunisasi on (Abcess)	Adverse Events Following Imunisasi on (Deaths)
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Buxar	0	28,583	27,422	26,582	29,200	0	155.0	29,116	-0.6	18.8	1.9	1	0
1	Brahampur	0	3,476	3,269	3,128	3,282	0	120.1	3,282	4.6	16.2	4.3	0	0
2	Buxar Sadar	0	3,938	3,999	3,984	4,357		1348.9	4,357	-58.1	625.4	0.0	0	0
3	Buxar Urban	0	586	458	379	376	0	13.1	421	84.7	0.0		0	0
4	Chakki	0	713	659	578	630	0	201.3	630	-12.3	0.0		0	0
5	Chaugain	0	845	868	863	902	0	114.2	902	-1.3	10.3	0.0	1	0
6	Chausa	0	1,670	1,506	1,458	1,671	0	110.2	1,671	12.3	12.3	17.2	0	0
7	Dumraon	0	3,529	3,408	3,417	3,614	0	115.4	3,668	15.9	0.4	0.0	0	0
8	Itarhi	0	2,879	2,838	2,694	3,054	0	179.6	3,033	-21.6	8.5	11.8	0	0
9	Kesath	0	571	558	584	736	0	275.7	736	-63.2	0.0		0	0
10	Nawanagar	0	2,865	2,723	2,670	3,045	0	248.2	3,045	-15.8	1.6	0.0	0	0
11	Rajpur	0	3,918	3,693	3,589	3,939	0	208.4	3,917	-3.9	32.7	0.0	0	0
12	Simri	0	3,593	3,443	3,238	3,594	0	173.5	3,454	-8.4	0.6	0.0	0	0

Indicators		144	145	146	147	148	149	150	151	152	153	154	155	156
		Adverse Events Following Immunisation (Others)	% immunisation Sessions Held to Immunisation Sessions Planned	% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned	Pneumonia in Children 0-5 Years of Age	Asthma in Children 0-5 Years of Age	Sepsis in Children 0-5 Years of Age	Diphtheria in Children 0-5 Years of Age	Pertussis in Children 0-5 Years of Age	Tetanus Neonatorum in Children 0-5 Years of Age	Tuberculosis (TB) in Children 0-5 Years of Age	Acute Flaccid Paralysis (AFP) in Children 0-5 Years of Age	Measles in Children 0-5 Years of Age	Malaria in Children 0-5 Years of Age
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Buxar	0	98.3	89.8	19	0	4	0	0	2	0	0	0	19
1	Brahampur	0	99.6	96.9	0	0	0	0	0	0	0	0	0	0
2	Buxar Sadar	0	94.0	65.1	0	0	0	0	0	0	0	0	0	0
3	Buxar Urban	0			14	0	4	0	0	2	0	0	0	14
4	Chakki	0	100.0	99.0	0	0	0	0	0	0	0	0	0	0
5	Chaugain	0	100.0	98.3	0	0	0	0	0	0	0	0	0	0
6	Chausa	0	100.0	93.1	5	0	0	0	0	0	0	0	0	5
7	Dumraon	0	100.0	76.5	0	0	0	0	0	0	0	0	0	0
8	Itarhi	0	99.1	93.6	0	0	0	0	0	0	0	0	0	0
9	Kesath	0	99.7	96.2	0	0	0	0	0	0	0	0	0	0
10	Nawanagar	0	95.1	98.8	0	0	0	0	0	0	0	0	0	0
11	Rajpur	0	98.4	95.1	0	0	0	0	0	0	0	0	0	0
12	Simri	0	100.0	99.0	0	0	0	0	0	0	0	0	0	0

Performance of Key HMIS Indicators for Bihar-> Buxar (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

Indicators		157	158	159	160	161	162	163	164	165	166	167	168	169
		Diarrhoea in Children 0-5 Years of Age	Diarrhoea treated in Inpatient s in Children 0-5 Years of Age	No. of infants given Measles Rubella vaccine 1st dose	No. of infants received Rotavirus Vaccine 1st dose	No. of infants received Rotavirus Vaccine 2nd dose	No. of infants received Rotavirus Vaccine 3rd dose	No of children 16-24 months age given Measles 2nd dose	No of children 16-24 months age given Measles Rubella Vaccine 2nd dose	% Adult Female Inpatient s to Total Adult Inpatient	% Children Inpatient to Total Inpatient	% Female Inpatient Deaths to Total Inpatient Deaths	% Inpatient Deaths to Total IPD	IPD (Number)
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Buxar	75	17	0	0	0	0	25,407	0	91.1	17.7	48.3	0.2	25,829
1	Brahampur	2	0	0	0	0	0	2,814	0	96.3	1.0		0.0	3,087
2	Buxar Sadar	0	0					3,891						0
3	Buxar Urban	3	1	0	0	0	0	0	0	76.7	13.4	49.1	3.5	1,620
4	Chakki	0	1	0	0	0	0	523	0	100.0	0.0		0.0	238
5	Chaugain	21	15	0	0	0	0	789	0	88.1	9.3		0.0	2,405
6	Chausa	10	0	0	0	0	0	1,498	0	97.1	0.0		0.0	3,444
7	Dumraon	0	0	0	0	0	0	3,427	0	95.4	2.5	0.0	0.0	3,424
8	Itarhi	39	0	0	0	0	0	2,571	0	95.3	2.3		0.0	1,246
9	Kesath	0	0	0	0	0	0	679	0	55.5	32.1		0.0	929
10	Nawanagar	0	0	0	0	0	0	2,522	0	88.8	15.4		0.0	2,273
11	Rajpur	0	0	0	0	0	0	3,532	0	79.7	43.9		0.0	3,427
12	Simri	0	0	0	0	0	0	3,161	0	100.0	49.3		0.0	3,736

Performance of Key HMIS Indicators for Bihar-> Buxar (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

Indicators		170	171	172	173	174	175	176	177	178	179	180	181	182
		OPD (Allopathic)	Ayush OPD (Number)	OPD (Ayush+Allopathic)	% IPD to OPD	Number of Major Operations	Number of Minor Operations	% Major Operations to Total Operation	Number of Hysterectomy Surgeries	% Hysterectomy Surgeries to Total Major Operations	% AYUSH OPD to Total OPD	Dental OPD (Number)	% Dental OPD to Total OPD	% Hb < 7 mg to Total Hb Tests Conducted
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Buxar	546,988	138,992	685,980	3.8	1,758	7,083	19.9	2	0.1	20.2	2,808	0.4	1.7
1	Brahampur	73,633	13,032	86,665	3.6	0	0		0		15.0	0	0.0	0.0
2	Buxar Sadar	0	5,885	5,885	0.0	0	0		0		100.0	0	0.0	
3	Buxar Urban	98,640	4,042	102,682	1.6	274	1,349	16.9	2	0.7	3.9	2,632	2.6	2.3
4	Chakki	17,977	0	17,977	1.3	0	0		0		0.0	0	0.0	0.5
5	Chaugain	30,393	6,114	36,507	6.6	100	685	12.7	0	0.0	16.7	0	0.0	2.2
6	Chausa	28,731	10,605	39,336	8.8	191	647	22.8	0	0.0	27.0	80	0.2	1.6
7	Dumraon	77,966	15,967	93,933	3.6	315	924	25.4	0	0.0	17.0	8	0.0	0.2
8	Itarhi	45,770	27,169	72,939	1.7	0	91	0.0	0		37.2	58	0.1	4.5
9	Kesath	14,962	0	14,962	6.2	16	280	5.4	0	0.0	0.0	0	0.0	
10	Nawanagar	82,134	21,450	103,584	2.2	273	1,885	12.7	0	0.0	20.7	30	0.0	1.5
11	Rajpur	46,128	2,061	48,189	7.1	193	374	34.0	0	0.0	4.3	0	0.0	
12	Simri	30,654	32,667	63,321	5.9	396	848	31.8	0	0.0	51.6	0	0.0	0.0

Indicators		183	184	185	186	187	188	189	190	191	192	193	194	195
		% Male HIV Positive to Total Males Tested	% Female screened for HIV to Total ANC Registrati on	% Female HIV Positive to Total Females Tested	% Total HIV Positive to Total Tested (Male + Female)	% Plasmodi um Vivax test positive to Total Blood Smears Examined	% Plasmodi um Falciparu m test positive to Total Blood Smears Examined	Total Number of Infant Deaths reported	% Deaths due to Sepsis to Total Reported Infant Deaths	% Deaths due to Asphyxia to Total Reported Infant Deaths	% Deaths due to Pneumoni a to Total Reported Infant Deaths	% Deaths due to Diarrhoea to Total Reported Infant Deaths	% Deaths due to Fever to Total Reported Infant Deaths	% Deaths due to Measles to Total Reported Infant Deaths
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Buxar	1.7	12.7	0.6	1.0	0.0	0.0	165	6.7	3.6	1.8	1.8	1.2	0.6
1	Brahampur		0.0					4	0.0	25.0	0.0	0.0	0.0	0.0
2	Buxar Sadar		0.0					0						
3	Buxar Urban	2.1	106.6	1.1	1.5			41	19.5	7.3	0.0	0.0	0.0	0.0
4	Chakki		0.0					0						
5	Chaugain	5.1	10.9	1.0	2.1			19	0.0	0.0	5.3	0.0	5.3	0.0
6	Chausa	1.4	7.3	0.0	0.5			0						
7	Dumraon	1.0	3.6	0.0	0.6	0.0	0.0	2	0.0	0.0	0.0	0.0	0.0	0.0
8	Itarhi	0.0	31.1	0.0	0.0			8	0.0	25.0	12.5	25.0	0.0	0.0
9	Kesath		0.0					0						
10	Nawanagar	0.0	23.8	0.0	0.0	0.0	0.0	30	10.0	0.0	0.0	0.0	0.0	0.0
11	Rajpur		0.0					0						
12	Simri		0.0					61	0.0	0.0	1.6	1.6	1.6	1.6

Performance of Key HMIS Indicators for Bihar-> Buxar (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

Indicators		196	197	198
		Institutional Deliveries at Urban Health Facilities i.e SC+PHC+CHC+SDH	Institutional Deliveries at District Hospitals	Measles immunization at urban Health facilities i.e SC+PHC+CHC+SDH+DH
		2017-18	2017-18	2017-18
	_Buxar	2,873		
1	Brahampur			
2	Buxar Sadar	0		
3	Buxar Urban			
4	Chakki			
5	Chaugain			
6	Chausa			
7	Dumraon	2,873		
8	Itarhi			
9	Kesath			
10	Nawanagar			
11	Rajpur			
12	Simri			