Performance of Key HMIS Indicators for Himachal Pradesh (Across Districts) Financial Year: 2011-12 Provisional Figures for the Period April to September

| | | 1 | ı | 2 | 2 | 9 | 3 | 4 | 1 | 5 | 5 | 6 | |
|-----------|-------------------|--------------------------------------|---------|--|---------|----------|--------------------------|--------------------------------------|---------|--|---------|--|---------|
| Indicator | | Total Number of reported live births | | % Total Reported Live Births to Total Deliveries | | Total No | umber of Still Births | % live birth to Reported Birth | | Number of Newborns weighed at birth | | Number of Infants given OPV 0 (Birth Dose) | |
| | | 2011-12 | 2010-11 | 2011-12 | 2010-11 | 2011-12 | 2010-11 | 2011-12 | 2010-11 | 2011-12 | 2010-11 | 2011-12 | 2010-11 |
| | _Himachal Pradesh | 46,712 | 50,477 | 99.0 | 99.2 | 676 | 677 | 98.6 | 98.7 | 44,434 | 47,354 | 18,493 | 16,679 |
| 1 | Bilaspur | 3,124 | 3,285 | 99.7 | 99.5 | 39 | 35 | 98.8 | 98.9 | 3,124 | 3,282 | 1,163 | 888 |
| 2 | Chamba | 3,881 | 3,800 | 99.1 | 99.1 | 48 | 59 | 98.8 | 98.5 | 3,776 | 3,547 | 901 | 1,107 |
| 3 | Hamirpur | 3,431 | 3,704 | 99.0 | 99.0 | 49 | 47 | 98.6 | 98.7 | 3,429 | 3,661 | 2,534 | 1,459 |
| 4 | Kangra | 9,602 | 10,393 | 98.7 | 98.9 | 141 | 132 | 98.6 | 98.7 | 9,385 | 9,854 | 4,259 | 3,435 |
| 5 | Kinnaur | 440 | 477 | 99.1 | 98.6 | 5 | 7 | 98.9 | 98.6 | 397 | 276 | 70 | 57 |
| 6 | Kullu | 3,206 | 3,637 | 99.3 | 99.4 | 24 | 27 | 99.3 | 99.3 | 3,116 | 3,543 | 1,096 | 1,281 |
| 7 | Lahul Spiti | 89 | 113 | 100.0 | 98.3 | | 2 | 100.0 | 98.3 | 85 | 113 | 49 | 82 |
| 8 | Mandi | 6,051 | 6,872 | 99.5 | 99.4 | 57 | 80 | 99.1 | 98.8 | 5,962 | 6,532 | 1,779 | 1,904 |
| 9 | Shimla | 6,482 | 6,680 | 98.2 | 98.3 | 160 | 161 | 97.6 | 97.6 | 4,954 | 5,680 | 2,929 | 3,253 |
| 10 | Sirmaur | 3,222 | 3,641 | 98.8 | 99.0 | 44 | 41 | 98.7 | 98.9 | 3,153 | 3,494 | 624 | 636 |
| 11 | Solan | 4,027 | 4,108 | 99.4 | 100.2 | 57 | 55 | 98.6 | 98.7 | 4,006 | 3,947 | 1,556 | 1,218 |
| 12 | Una | 3,157 | 3,767 | 99.2 | 99.9 | 52 | 31 | 98.4 | 99.2 | 3,047 | 3,425 | 1,533 | 1,359 |

| | | | 7 | 8 | 3 | ġ | , | 1 | 0 | 1 | 1 | 1: | 2 |
|-----------|-------------------|--------------------------------|---------|---|---------|------------------------|-----------|---------------------------------|---------|---------------------------------|---------|---------------------------------|---------|
| Indicator | | Number of Infants given BCG | | % Newborns given OPV0 at birth to Reported live birth | | Newborns to Reporte | given BCG | Number of Infants given DPT1 | | Number of Infants given DPT2 | | Number of Infants given DPT3 | |
| | | 2011-12 | 2010-11 | 2011-12 | 2010-11 | 2011-12 | 2010-11 | 2011-12 | 2010-11 | 2011-12 | 2010-11 | 2011-12 | 2010-11 |
| | _Himachal Pradesh | 57,293 | 62,502 | 39.6 | 33.0 | 122.7 | 123.8 | 51,883 | 57,322 | 52,007 | 56,831 | 54,731 | 58,898 |
| 1 | Bilaspur | 3,351 | 4,047 | 37.2 | 27.0 | 107.3 | 123.2 | 3,118 | 3,350 | 3,034 | 3,219 | 3,171 | 3,383 |
| 2 | Chamba | 4,662 | 4,819 | 23.2 | 29.1 | 120.1 | 126.8 | 4,593 | 5,078 | 4,552 | 4,864 | 4,479 | 4,714 |
| 3 | Hamirpur | 4,086 | 4,170 | 73.9 | 39.4 | 119.1 | 112.6 | 3,479 | 3,678 | 3,469 | 3,664 | 3,937 | 3,832 |
| 4 | Kangra | 12,214 | 13,644 | 44.4 | 33.1 | 127.2 | 131.3 | 10,113 | 11,502 | 10,262 | 11,819 | 11,235 | 12,965 |
| 5 | Kinnaur | 628 | 681 | 15.9 | 11.9 | 142.7 | 142.8 | 715 | 777 | 684 | 773 | 678 | 743 |
| 6 | Kullu | 3,861 | 4,355 | 34.2 | 35.2 | 120.4 | 119.7 | 3,566 | 3,879 | 3,628 | 3,964 | 3,790 | 3,989 |
| 7 | Lahul Spiti | 188 | 195 | 55.1 | 72.6 | 211.2 | 172.6 | 219 | 260 | 250 | 252 | 232 | 257 |
| 8 | Mandi | 7,660 | 8,512 | 29.4 | 27.7 | 126.6 | 123.9 | 7,181 | 8,198 | 7,164 | 8,054 | 7,659 | 8,351 |
| 9 | Shimla | 7,332 | 8,387 | 45.2 | 48.7 | 113.1 | 125.6 | 6,008 | 7,055 | 6,134 | 6,783 | 6,112 | 6,748 |
| 10 | Sirmaur | 4,424 | 4,530 | 19.4 | 17.5 | 137.3 | 124.4 | 4,527 | 4,764 | 4,496 | 4,704 | 4,460 | 4,769 |
| 11 | Solan | 4,707 | 4,687 | 38.6 | 29.6 | 116.9 | 114.1 | 4,793 | 4,687 | 4,863 | 4,684 | 5,226 | 4,756 |
| 12 | Una | 4,180 | 4,475 | 48.6 | 36.1 | 132.4 | 118.8 | 3,571 | 4,094 | 3,471 | 4,051 | 3,752 | 4,391 |

| | | 1 | 13 | | 14 | | 15 | | 16 | | 7 | 18 | |
|----|-------------------|--|---------|--|---------|--|---------|------------------------------------|---------|---|---------|--|---------|
| | Indicator | Number of Infants given Pentavalent 1 | | Number of Infants given Pentavalent 2 | | Number of Infants given Pentavalent 3 | | Number of Infants given Measles | | % Infants 0 to 11 months old who received Measles vaccine to reported live births | | Number of fully immunized children (9-11 months) | |
| | | 2011-12 | 2010-11 | 2011-12 | 2010-11 | 2011-12 | 2010-11 | 2011-12 | 2010-11 | 2011-12 | 2010-11 | 2011-12 | 2010-11 |
| | _Himachal Pradesh | | | | | | | 61,421 | 60,818 | 131.5 | 120.5 | 61,367 | 60,658 |
| 1 | Bilaspur | | | | | | | 3,450 | 3,529 | 110.4 | 107.4 | 3,450 | 3,515 |
| 2 | Chamba | | | | | | | 4,803 | 4,405 | 123.8 | 115.9 | 4,803 | 4,391 |
| 3 | Hamirpur | | | | | | | 4,501 | 4,265 | 131.2 | 115.1 | 4,501 | 4,265 |
| 4 | Kangra | | | | | | | 13,631 | 13,602 | 142.0 | 130.9 | 13,622 | 13,602 |
| 5 | Kinnaur | | | | | | | 707 | 756 | 160.7 | 158.5 | 696 | 711 |
| 6 | Kullu | | | | | | | 3,794 | 3,974 | 118.3 | 109.3 | 3,787 | 3,946 |
| 7 | Lahul Spiti | | | | | | | 248 | 263 | 278.7 | 232.7 | 221 | 229 |
| 8 | Mandi | | | | | | | 8,915 | 8,731 | 147.3 | 127.1 | 8,915 | 8,731 |
| 9 | Shimla | | | | | | | 6,510 | 6,994 | 100.4 | 104.7 | 6,510 | 6,969 |
| 10 | Sirmaur | | | | | | | 4,692 | 4,593 | 145.6 | 126.1 | 4,692 | 4,593 |
| 11 | Solan | | | | | | | 5,341 | 5,102 | 132.6 | 124.2 | 5,341 | 5,102 |
| 12 | Una | | | | | | | 4,829 | 4,604 | 153.0 | 122.2 | 4,829 | 4,604 |

| | | | | | | | | | | | | | _ |
|-----------|-------------------|----------------------------------|---------|--------------------|---------|--------------------------|---|---------|---|---------|-------------------------------|---|---------|
| | | | 9 | 2 | 0 | 2 | 1 | 2 | 2 | 2 | 3 | 2 | 4 |
| Indicator | | % Drop Out between BCG & Measles | | Vitamin - A dose 1 | | Children g dose1 to R | % Children given Vit A dose1 to Reported live birth | | % Children given Vitamin A Dose 9 to Children given Vit A dose1 | | Events munisation ters) | % immunisation Sessions Held to Immunisation Sessions Planned | |
| | | 2011-12 | 2010-11 | 2011-12 | 2010-11 | 2011-12 | 2010-11 | 2011-12 | 2010-11 | 2011-12 | 2010-11 | 2011-12 | 2010-11 |
| | _Himachal Pradesh | -7.2 | 2.7 | 58,803 | 60,339 | 125.9 | 119.5 | 113.4 | 135.4 | 4 | 62 | 98.1 | 98.3 |
| 1 | Bilaspur | -3.0 | 12.8 | 3,360 | 3,529 | 107.6 | 107.4 | 119.0 | 139.8 | | | 99.3 | 98.8 |
| 2 | Chamba | -3.0 | 8.6 | 4,789 | 4,377 | 123.4 | 115.2 | 144.1 | 149.1 | | | 96.9 | 96.7 |
| 3 | Hamirpur | -10.2 | -2.3 | 4,359 | 4,260 | 127.0 | 115.0 | 114.3 | 138.7 | | | 99.2 | 100.2 |
| 4 | Kangra | -11.6 | 0.3 | 13,505 | 13,603 | 140.6 | 130.9 | 120.1 | 130.8 | | | 98.6 | 98.0 |
| 5 | Kinnaur | -12.6 | -11.0 | 686 | 744 | 155.9 | 156.0 | 98.5 | 111.0 | | | 92.5 | 90.9 |
| 6 | Kullu | 1.7 | 8.7 | 3,692 | 3,918 | 115.2 | 107.7 | 120.8 | 139.1 | 2 | 2 | 96.6 | 98.8 |
| 7 | Lahul Spiti | -31.9 | -34.9 | 203 | 268 | 228.1 | 237.2 | 52.2 | 100.4 | | | 86.9 | 93.3 |
| 8 | Mandi | -16.4 | -2.6 | 8,186 | 8,728 | 135.3 | 127.0 | 150.6 | 163.0 | | | 99.0 | 99.1 |
| 9 | Shimla | 11.2 | 16.6 | 5,933 | 6,843 | 91.5 | 102.4 | 77.5 | 92.7 | | 59 | 97.6 | 98.9 |
| 10 | Sirmaur | -6.1 | -1.4 | 4,316 | 4,567 | 134.0 | 125.4 | 89.4 | 112.8 | | | 97.9 | 96.4 |
| 11 | Solan | -13.5 | -8.9 | 5,075 | 4,898 | 126.0 | 119.2 | 89.2 | 105.2 | 2 | 1 | 98.9 | 99.0 |
| 12 | Una | -15.5 | -2.9 | 4,699 | 4,604 | 148.8 | 122.2 | 86.3 | 198.6 | | | 98.8 | 98.9 |

| | | 2 | 5 | 2 | 6 | 2 | 7 | 2 | 8 | 2 | 9 | 3 | 0 |
|-----------|-------------------|---|---------|---|---------|--|---------|--|---------|--|---------|---|---------|
| Indicator | | % Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned | | % Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | |
| | | 2011-12 | 2010-11 | 2011-12 | 2010-11 | 2011-12 | 2010-11 | 2011-12 | 2010-11 | 2011-12 | 2010-11 | 2011-12 | 2010-11 |
| | _Himachal Pradesh | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1 | Bilaspur | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 2 | Chamba | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3 | Hamirpur | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 4 | Kangra | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 5 | Kinnaur | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 6 | Kullu | 0.0 | 0.0 | 0.0 | 0.0 | 1.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 7 | Lahul Spiti | 0.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.6 | 0.0 | 0.0 | 0.0 |
| 8 | Mandi | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 9 | Shimla | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 10 | Sirmaur | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 11 | Solan | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 12 | Una | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

| | | 2 | | 2 | 2 | 2 | 2 | 2 | | | _ | | |
|----|-------------------|---|---------|---|---------|---|---------|---|---------|--|---------|--|---------|
| | | 31 | | 32 | | 33 | | 34 | | 35 | | 36 | |
| | Indicator | % Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | Total Number of Infant Deaths reported | | % Deaths due to Sepsis to Total Reported Infant Deaths | | % Deaths due to Asphyxia to Total Reported Infant Deaths | |
| | | 2011-12 | 2010-11 | 2011-12 | 2010-11 | 2011-12 | 2010-11 | 2011-12 | 2010-11 | 2011-12 | 2010-11 | 2011-12 | 2010-11 |
| | _Himachal Pradesh | 0.5 | 0.4 | 99.2 | 99.5 | 0.1 | 0.1 | 553 | 517 | 10.8 | 5.8 | 17.4 | 14.0 |
| 1 | Bilaspur | 0.2 | 0.1 | 99.8 | 99.9 | 0.0 | 0.0 | 28 | 33 | 0.0 | 5.0 | 14.3 | 10.0 |
| 2 | Chamba | 0.0 | 0.1 | 100.0 | 99.9 | 0.0 | 0.0 | 75 | 66 | 8.6 | 4.9 | 22.9 | 18.0 |
| 3 | Hamirpur | 0.0 | 0.0 | 99.6 | 99.8 | 0.4 | 0.2 | 14 | 20 | 0.0 | 9.1 | 57.1 | 45.5 |
| 4 | Kangra | 0.2 | 0.8 | 99.8 | 99.2 | 0.0 | 0.0 | 207 | 184 | 12.5 | 7.5 | 15.3 | 10.2 |
| 5 | Kinnaur | 0.3 | 0.0 | 99.7 | 100.0 | 0.0 | 0.0 | 9 | 3 | 0.0 | 0.0 | 0.0 | 0.0 |
| 6 | Kullu | 0.3 | 1.0 | 97.6 | 98.3 | 0.7 | 0.7 | 17 | 31 | 8.3 | 11.1 | 0.0 | 22.2 |
| 7 | Lahul Spiti | 0.4 | 0.0 | 98.0 | 100.0 | 0.0 | 0.0 | | | | | | |
| 8 | Mandi | 0.8 | 0.4 | 99.0 | 99.6 | 0.2 | 0.0 | 39 | 26 | 6.5 | 0.0 | 35.5 | 15.0 |
| 9 | Shimla | 2.4 | 0.5 | 97.4 | 99.0 | 0.2 | 0.5 | 59 | 31 | 0.0 | 0.0 | 0.0 | 0.0 |
| 10 | Sirmaur | 0.8 | 0.3 | 99.2 | 99.6 | 0.0 | 0.0 | 42 | 55 | 16.7 | 2.5 | 3.3 | 0.0 |
| 11 | Solan | 0.3 | 0.7 | 99.6 | 99.3 | 0.2 | 0.0 | 18 | 34 | 16.7 | 10.3 | 22.2 | 27.6 |
| 12 | Una | 0.9 | 0.5 | 99.1 | 99.5 | 0.0 | 0.0 | 45 | 34 | 22.2 | 0.0 | 3.7 | 21.7 |

| | | 3 | 7 | 3 | 8 | 3 | 9 | 4 | 0 | 4 | 1 | 42 | |
|-----------|-------------------|---|---------|---|---------|-------------------------------|---|---------|---|---------|---------------------------------------|--|---------|
| Indicator | | % Deaths due to LBW to Total Reported Infant Deaths | | % Deaths due to Pneumonia to Total Reported Infant Deaths | | Deaths Diarrhoe Reporte | % Deaths due to Diarrhoea to Total Reported Infant Deaths | | % Deaths due to Fever to Total Reported Infant Deaths | | 6 to Measles Reported Deaths | % Deaths due to Other Causes to Total Reported Infant Deaths | |
| | | 2011-12 | 2010-11 | 2011-12 | 2010-11 | 2011-12 | 2010-11 | 2011-12 | 2010-11 | 2011-12 | 2010-11 | 2011-12 | 2010-11 |
| | _Himachal Pradesh | 19.5 | 18.3 | 9.8 | 3.2 | 3.2 | 2.4 | 2.9 | 2.9 | 0.0 | 0.0 | 36.4 | 53.4 |
| 1 | Bilaspur | 33.3 | 25.0 | 19.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 33.3 | 60.0 |
| 2 | Chamba | 10.0 | 1.6 | 24.3 | 3.3 | 4.3 | 6.6 | 1.4 | 1.6 | 0.0 | 0.0 | 28.6 | 63.9 |
| 3 | Hamirpur | 28.6 | 27.3 | 0.0 | 0.0 | 0.0 | 0.0 | 7.1 | 0.0 | 0.0 | 0.0 | 7.1 | 18.2 |
| 4 | Kangra | 22.9 | 21.8 | 4.2 | 0.7 | 1.4 | 0.7 | 0.0 | 0.7 | 0.0 | 0.0 | 43.8 | 58.5 |
| 5 | Kinnaur | 28.6 | 0.0 | 28.6 | 0.0 | 14.3 | 0.0 | 0.0 | 50.0 | 0.0 | 0.0 | 28.6 | 50.0 |
| 6 | Kullu | 33.3 | 33.3 | 8.3 | 0.0 | 16.7 | 11.1 | 8.3 | 0.0 | 0.0 | 0.0 | 25.0 | 22.2 |
| 7 | Lahul Spiti | | | | | | | | | | | | |
| 8 | Mandi | 35.5 | 40.0 | 0.0 | 10.0 | 3.2 | 5.0 | 3.2 | 5.0 | 0.0 | 0.0 | 16.1 | 25.0 |
| 9 | Shimla | 20.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 80.0 | 100.0 |
| 10 | Sirmaur | 3.3 | 17.5 | 3.3 | 7.5 | 6.7 | 0.0 | 20.0 | 12.5 | 0.0 | 0.0 | 46.7 | 60.0 |
| 11 | Solan | 0.0 | 17.2 | 11.1 | 0.0 | 0.0 | 0.0 | 0.0 | 3.4 | 0.0 | 0.0 | 50.0 | 41.4 |
| 12 | Una | 14.8 | 8.7 | 14.8 | 17.4 | 3.7 | 4.3 | 3.7 | 4.3 | 0.0 | 0.0 | 37.0 | 43.5 |