			1		2		3	4	4	!	5	(	5
	Indicators	Total nu pregnan Registere		Number of women ro within first	egistered	Number o	of Women under JSY	1st Trii registratio ANC Regi	n to Total	JSY regist Total Regist	ANC	Number of women re ANC che	eceived 3
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian	1,973	1,900	1,160	1,101	1,972	1,898	58.7	57.9	99.9	99.9	1,787	1,570
1	Block Keller	554	490	384	343	554	490	69.3	70.0	100.0	100.0	530	404
2	Block Shopain	1,299	1,261	688	624	1,302	1,261	53.0	49.5	100.2	100.0	1,093	1,003
3	District HQ Shopian	120	149	88	134	116	147	73.3	89.9	96.7	98.7	164	163

	Indicators		7	8	3	9	9	1	0	1	1	1	2
	Indicators	TT2 or Boo to Pregna	nt women	Pregnant received 3 ups to To Registr	: Woman ANC check otal ANC	Pregnant received Booster to Regist	TT2 or Total ANC	women giv	f Pregnant en 100 IFA lets	Pregnant given 100 l ANC Regi	: women FA to Total	Number h leve (tested	l<11
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian	1,562	1,412	90.5	82.6	79.1	74.3	1,167	1,379	59.1	72.5	855	788
1	Block Keller	442	389	95.7	82.4	79.8	79.4	290	317	52.3	64.7	221	49
2	Block Shopain	1,046	885	84.1	79.5	80.5	70.2	857	913	66.0	72.4	529	555
3	District HQ Shopian	74	138	136.7	109.4	61.7	92.6	20	149	16.7	100.0	105	184

	Indicators  _Shopian  Block Keller	1	3	1	4	1	5	1	6	1	7	1	8
	Indicators	Number ha anae (Hb treated at	emia <7)	Pregnant having seve (Hb treated at to women leve	ere anaemia <7) institution having hb	New cases at institu hypertensi ANC Regi	ution for on to Total	Number deliv	of Home eries	deliveries a SBA tr	of home attended by rained urse/ANM)	Non SBA	attended by
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian	6	0	0.7	0.0	0.3	0.0	67	69	3	10	64	59
1	Block Keller	6	0	2.7	0.0	0.0	0.0	28	42	0	0	28	42
2	Block Shopain			0.0	0.0	0.5	0.0	39	27	3	10	36	17
3	District HQ Shopian		0	0.0	0.0	0.0	0.0						

	Indicators	1	9	2	0	2	.1	2	.2	2	3	2	4
	Indicators	SBA attendeliveries Reporte	s to Total	Mothers incentive deliv	for home	Mothers incentive deliveries Reporte	s to Total	Deliveries at Public II		Discharged hours of d	of Women I under 48 Ielivery in acilities	Women dis less than 4 delivery Reported at public in	18 hours of to Total Deliveries
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian	4.4	14.4	1	7	1.5	10.1	668	690	510	522	76.3	75.6
1	Block Keller	0.0	0.0	1	7	3.6	16.7	132	119	114	108	86.4	90.8
2	Block Shopain	7.7	37.0			0.0	0.0	37	99	40	81	108.1	81.8
3	District HQ Shopian							499	472	356	333	71.3	70.6

	Indicators	2	5	2	6	2	7	2	8	2	9	3	0
	Indicators			Institu Deliverie ANC regi	itional s to total	Total re deliv	eported eries	Institu deliveries Reported	itional s to Total	Safe deli Total Re Deliv	veries to eported	Home del Total Re Deliv	eported
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian	668	690	33.8	36.3	735	759	90.9	90.9	91.3	92.2	9.1	9.1
1	Block Keller	132	119	23.8	24.3	160	161	82.5	73.9	82.5	73.9	17.5	26.1
2	Block Shopain	37	99	2.8	7.9	76	126	48.7	78.6	52.6	86.5	51.3	21.4
3	District HQ Shopian	499	472	415.8	316.8	499	472	100.0	100.0	100.0	100.0	0.0	0.0

		3	1	3	2	3	3	3	4	3	5	3	6
	Indicators	Number of deliveries at public	conducted		f C-section conducted facilities	to rep institu (Public	+ Pvt.)	C-sections at public f Deliveries at public	conducted acilities to	C-sections at Private f Deliveries at private	facilities to conducted	Deliveries of at Public Ir to Total In:	nstitutions stitutional
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian	161	183			24.1	26.5	24.1	26.5			100.0	100.0
1	Block Keller	18	11			13.6	9.2	13.6	9.2			100.0	100.0
2	Block Shopain		33			0.0	33.3	0.0	33.3			100.0	100.0
3	District HQ Shopian	143	139			28.7	29.4	28.7	29.4			100.0	100.0

	Indicators	3	7	3	8	3	9	4	0	4	1	4	2
	Indicators		or Delivery	ASHA for D Public inst	e paid to Delivery at	to Total In	Institutions				men got a	Women rec partum o within 48 delivery Reported	heck-up hours of to Total
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian	104.8	28.7	124.0	12.6	0.0	0.0	611	614	628	512	83.1	80.9
1	Block Keller	84.1	95.8	364.4	54.6	0.0	0.0	86	91	86	21	53.8	56.5
2	Block Shopain	618.9	69.7	937.8	22.2	0.0	0.0	169	190	399	350	222.4	150.8
3	District HQ Shopian	72.1	3.2	0.0	0.0	0.0	0.0	356	333	143	141	71.3	70.6

		4	3	4	4	4	5	4	6	4	7	4	8
	Indicators	14 days	Checkup 3 hours and	Total Nu reported l		Total Repo			imber of Still Births	live birth to	-	Number of weighed	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian	85.4	67.5	726	753	98.8	99.2	11	10	98.5	98.7	671	700
1	Block Keller	53.8	13.0	160	161	100.0	100.0	0	0	100.0	100.0	105	132
2	Block Shopain	525.0	277.8	73	125	96.1	99.2	3	2	96.1	98.4	73	99
3	District HQ Shopian	28.7	29.9	493	467	98.8	98.9	8	8	98.4	98.3	493	469

	Indicators	4	9	5	0	5	1	5	2	5	3	5	4
	Indicators	Newborns v	weighed at	Number of having we than 2	eight less		ewborns	Number of Breast Fed	within 1	Newborns within 1 ho to Total I	breast fed our of birth	Number of visited wit	hin 24 hrs
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian	92.4	93.0	9	1	1.3	0.1	727	735	100.1	97.6	19	33
1	Block Keller	65.6	82.0	0	0	0.0	0.0	160	151	100.0	93.8	2	10
2	Block Shopain	100.0	79.2	0	0	0.0	0.0	74	115	101.4	92.0	17	23
3	District HQ Shopian	100.0	100.4	9	1	1.8	0.2	493	469	100.0	100.4		

		5	5	5	6	5	7	5	8	5	9	6	0
	Indicators	newborn within 24h delivery reporte		Bitr	atio at male Live ths/ hs *1000)	cases of women with Complicat attended to	tions and	Compl Pregnanci witi antihype Magsulph ii Total Wo Obst Compli	kicated es treated h IV rtensive/ njection to men with etric cations nded	Pregnanci with antihype Magsulph in Total No detecte	icated es treated h IV rtensive/ njection to ew cases	Compl Pregnanci with Transfusio Wome Obst Compli	icated es treated Blood n to Total n with etric cations
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian	28.3	47.8	1,135	936	0.0	0.0			0.0			
1	Block Keller	7.1	23.8	1,254	789	0.0	0.0						
2	Block Shopain	43.6	85.2	780	923	0.0	0.0			0.0			
3	District HQ Shopian			1,162	996	0.0	0.0						

	Indicators	6	1	6	2	6	3	6	4	6	5	6	6
	Indicators	Post - Care / PNC compli- attended	Natal C maternal cations I to Total eries	Total Nu Abort ( Sponta Induced)	ions aneous/	Total Nu MTPs ( repo	Public)	% <i>N</i> (Public) to	ATPs Abortions	MTPs up to of Pregn Total MTP: Institu	12 weeks ancy to s at Public		e than 12
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian	0.0	0.7	100	82	0	0	0.0	0.0				
1	Block Keller	0.0	0.0	15	9	0	0	0.0	0.0				
2	Block Shopain	0.0	4.0		1				0.0				
3	District HQ Shopian	0.0	0.0	85	72			0.0	0.0				

		6	7	6	8	6	9	7	0	7	1	7	2
	Indicators	9 MTPs Con Public Insti Total	ducted at	9 MTPs Cond Private Ins to Tota	ducted at stitutions	% Tota (Pul Conducted ANC Reg	olic) to Total	Number of Tests cond Number of STI female which tr initi	Wet Mount ducted to new RTI/ cases for eatment	Numb Vasect Condo (Public	comies ucted	Numb Tubect Condu (Public	tomies icted
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian					0.0	0.0	0.0	14.3	1	0	22	14
1	Block Keller					0.0	0.0			1	0	14	1
2	Block Shopain					0.0	0.0	0.0	14.3				
3	District HQ Shopian					0.0	0.0				0	8	13

	Indicators  Total Ster Condu		3	7	4	7	5	7	6	7	7	7	8
	Indicators			% Male St (Vasect to Total st	omies)	7 Tubector Total ste		Total Ste (Tubecto Vasect conducte	mies and omies)	Total Ste (Tubecto Vasect conducte	mies and omies)	Total Ste (Tubecto Vasecto conducted	mies and omies)
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian	23	14	4.3	0.0	95.7	100.0			15	1	8	13
1	Block Keller	15	1	6.7	0.0	93.3	100.0			15	1		
2	Block Shopain												
3	District HQ Shopian	8	13	0.0	0.0	100.0	100.0					8	13

		7	9	8	0	8	1	8	2	8	3	8	4
	Indicators	Total Ste (Tubecto Vasecto conducted public Ins	mies and omies) I at Other	Total Ste (Tubecto Vasect conducted institu	mies and omies) at Private	% Total Sto (Tubecto Vasect conducted Total Ste	mies and omies) at PHC to	% Total Sto (Tubecto Vasect conducted Total Ste	mies and omies) at CHC to	% Total Sto (Tubecto Vasect conducted to Total St	mies and omies) at SDH/DH	% Total Ste (Tubector Vasector conducted public Instit Total Ste	mies and omies) I at Other tutions to
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian					0.0	0.0	65.2	7.1	34.8	92.9	0.0	0.0
1	Block Keller					0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
2	Block Shopain	·											
3	District HQ Shopian	_	-			0.0	0.0	0.0	0.0	100.0	100.0	0.0	0.0

	Indicators _Shopian	8	5	8	6	8	7	8	8	8	9	9	0
	Indicators	% Total Sto (Tubecto Vasect conducted institution Sterlis	mies and omies) at Private s to Total	Laparo sterlisation Female Ste	scopic s to Total	Mini Lap St	Female	Post P Sterlisation Female Ste	artum s to Total	Laparo sterlisation Institutions Laparo Sterilis	scopic s at Public to Total scopic	% Mini Lap st at Public Ir to Total Sterilis	stitutions Mini Lap
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian	0.0	0.0	0.0	0.0	86.4	64.3	13.6	35.7			100.0	100.0
1	Block Keller	0.0	0.0	0.0	0.0	100.0	100.0	0.0	0.0			100.0	100.0
2	Block Shopain												
3	District HQ Shopian	0.0	0.0	0.0	0.0	62.5	61.5	37.5	38.5			100.0	100.0

		9	1	9	2	9	3	9	)4	9	5	9	6
	Indicators	sterlisation Institution	lartum ns at Public s to Total lartum	Total cases follo Sterlisatio Fem	wing n ( Male +	IUCD Inser (public f			tions done	Total IUCD done(publi		PP IUCD I	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian	100.0	100.0	0	0	131	38			131	38	0	0
1	Block Keller			0	0	63	19			63	19	0	0
2	Block Shopain					49	5			49	5		
3	District HQ Shopian	100.0	100.0			19	14			19	14	_	0

		9	7	9	8	9	9	10	00	10	01	10	02
	Indicators	% PP IUCD (pul to Tota Insertion:	blic) al IUCD	% PP IUCD (pul to Total In: Deliverie	olic) stitutional	IUCD inse public plu institutio family p methods (	ons to all planning	Oral Pills o	distributed	Condom distril		Centchro distrit	man Pills outed
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian	0.0	0.0	0.0	0.0	85.0	73.0	2,708	2,823	15,624	11,672	70	934
1	Block Keller	0.0	0.0	0.0	0.0	80.8	95.0	879	442	5,974	3,618	0	0
2	Block Shopain	0.0	0.0	0.0	0.0	100.0	100.0	1,829	2,181	9,650	7,707	70	934
3	District HQ Shopian	0.0	0.0	0.0	0.0	70.4	51.9		200		347		

		10	03	10	04	10	05	10	06	10	07	10	08
	Indicators		of Infants OPV 0 Dose)		of Infants BCG	Newborns g at birth to live		Newborns to Repo	given BCG rted live	Number o		Number o	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian	824	839	989	1,124	113.5	111.4	136.2	149.3	0	0	0	0
1	Block Keller	75	153	206	210	46.9	95.0	128.8	130.4	0	0	0	0
2	Block Shopain	463	519	532	681	634.2	415.2	728.8	544.8				
3	District HQ Shopian	286	167	251	233	58.0	35.8	50.9	49.9				

		10	09	11	10	11	11	11	12	1	13	11	14
	Indicators	Number o		Number o		Number o		Number o	of Infants tavalent 3	Number o	of Infants Neasles	Infants months received vaccine to live b	0 to 11 old who Measles reported
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian	0	0	2,054	2,144	1,918	2,007	1,651	1,678	1,866	1,749	257.0	232.2
1	Block Keller	0	0	454	403	418	395	402	324	439	389	274.4	241.6
2	Block Shopain			1,264	1,323	1,253	1,230	1,046	1,074	1,190	1,191	1630.1	952.8
3	District HQ Shopian			336	418	247	382	203	280	237	169	48.1	36.2

		1	15	11	16	1	17	1	18	11	19	12	20
	Indicators	immunize	of fully d children nonths)	9 Drop Out BCG & <i>I</i>	between	Vitamin -	A dose 1	Children g dose1 to live	iven Vit A	Childre Vitamin A Children g dos	n given Dose 9 to iven Vit A	Adverse Following I	munisation
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian	1,858	1,749	-88.7	-55.6	1,861	1,668	256.3	221.5	60.8	42.3	2	0
1	Block Keller	427	389	-113.1	-85.2	418	377	261.3	234.2	72.0	62.9	2	0
2	Block Shopain	1,190	1,191	-123.7	-74.9	1,190	1,157	1630.1	925.6	69.7	40.5		
3	District HQ Shopian	241	169	5.6	27.5	253	134	51.3	28.7	0.0	0.0		

	Indicators _Shopian	12	21	12	22	13	23	12	24	12	25	12	26
	Indicators	immunisatio Held to Imr Sessions	on Sessions nunisation	Immunisation where AS presented Immunisation	HAs were	Diptheria i 0-5 Years Total Re	Diseases	0-5 Years Total Re	of Age to eported I Diseases	Tetanus Ne in Childrer of Age t Reported ( Diseases)	eonatorum n 0-5 Years to Total Childhood	Tetanus ( Children 0- Age to Tota Childhood 0-5 Y	Others in -5 Years of I Reported I Diseases
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian	85.8	83.7	82.3	80.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Block Keller	88.4	87.9	82.7	82.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	Block Shopain	84.7	82.3	81.8	80.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	District HQ Shopian	100.0	100.0	100.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

		13	27	12	28	12	29	13	30	13	31	13	32
	Indicators	Polio in Ch Years of Ag Reported	% nildren 0-5 ge to Total Childhood 0-5 Years	Measles ir 0-5 Years Total Re Childhood	of Age to eported I Diseases	dehydra Children 0- Age to Tota	-5 Years of Il Reported I Diseases	Malaria in C Years of Ag Reported		9 Adult F Inpatients Adult In	emale to Total	9 Children Inp Total In	patient to
	_Shopian	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian	0.0	0.0	0.0	0.0	100.0	100.0	0.0	0.0	60.7	56.5	21.8	29.2
1	Block Keller	0.0	0.0	0.0	0.0	100.0	100.0	0.0	0.0	58.1	55.5	7.0	3.4
2	Block Shopain	0.0	0.0	0.0	0.0	100.0	100.0	0.0	0.0	52.0	50.0	12.5	16.6
3	District HQ Shopian	0.0	0.0	0.0	0.0	100.0	100.0	0.0	0.0	67.9	62.2	31.6	41.6

		1:	33	1:	34	13	35	13	36	13	37	13	38
	Indicators	Female I Deaths Inpatien	to Total	Inpatient I Tota	Deaths to	IPD (Nu	umber)	OPD (N	umber)	% IPD t	to OPD	Number Opera	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian			0.0	0.0	9,031	8,617	163,220	136,796	5.5	6.3	860	702
1	Block Keller			0.0	0.0	1,523	965	24,850	19,531	6.1	4.9	208	122
2	Block Shopain			0.0	0.0	2,649	2,822	42,670	32,341	6.2	8.7	72	120
3	District HQ Shopian			0.0	0.0	4,859	4,830	95,700	84,924	5.1	5.7	580	460

			39	14	40	14	41	14	12	14	43	14	14
	Indicators	Number Opera		% Major Ope Total Op	rations to	Numb Hyster Surg		Hystere Surgeries Major Op	ectomy to Total	Ayush OPD	(Number)	AYUSH OP OF	-
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian	3,857	4,720	18.2	12.9	0	1	0.0	0.1	18,033	19,280	11.0	14.0
1	Block Keller	447	266	31.8	31.4	0	0	0.0	0.0	352	406	1.4	2.1
2	Block Shopain	1,732	2,616	4.0	4.4		0	0.0	0.0	7,911	8,371	18.5	25.9
3	District HQ Shopian	1,678	1,838	25.7	20.0		1	0.0	0.2	9,770	10,503	10.2	12.4

		145		146		147		148		149		150	
Indicators		Dental OPD (Number)		% Dental OPD to Total OPD		Adolescent counselled (Number)		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female HIV Positive to Total Females Tested	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian	13,218	13,592	8.1	9.9	1,176	238	2.1	2.8	0.0	0.0	0.0	0.0
1	Block Keller	1,832	2,281	7.4	11.7	0	0	7.5	7.7	0.0	0.0	0.0	0.0
2	Block Shopain	2,577	2,615	6.0	8.1	312	147	0.4	2.7	0.0	0.0	0.0	0.0
3	District HQ Shopian	8,809	8,696	9.2	10.2	864	91	0.0	0.0	0.0	0.0	0.0	0.0

		151		152		153		154		155		156	
Indicators		% Total HIV Positive to Total Tested ( Male + Female)		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian	0.0	0.0		0.0		0.0	7		0.0		14.3	
1	Block Keller	0.0	0.0					2		0.0		0.0	
2	Block Shopain	0.0	0.0		0.0		0.0	5		0.0		20.0	
3	District HQ Shopian	0.0	0.0		0.0		0.0						

Indicators		157		158		159		160		161		162	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Shopian	0.0		0.0		0.0		0.0		0.0		85.7	
1	Block Keller	0.0		0.0		0.0		0.0		0.0		100.0	
2	Block Shopain	0.0		0.0		0.0		0.0		0.0		80.0	
3	District HQ Shopian												